Mou

Overview

Mou, the missing Markdown editor for *web developers*.

Syntax

Strong and Emphasize

strong or **strong** (Cmd + B)

emphasize or *emphasize* (Cmd + I)

Sometimes I want a lot of text to be bold. Like, seriously, a *LOT* of text

Blockquotes

> *Right angle brackets > are used for block quotes.*

Links and Email

An email example@example.com link.

Simple inline link http://chenluois.com, another inline link [Smaller](#), one more inline link with title [Resize](#).

A [reference style](#) link. Input id, then anywhere in the doc, define the link with corresponding id:

Titles (or called tool tips) in the links are optional.

Images

An inline image , title is optional.

A reference style image.

Inline code and Block code

Inline code are surround by `backtick` key. To create a block code:

```
Indent each line by at least 1 tab, or 4 spaces.
var Mou = exactlyTheAppIwant;
```

Ordered Lists

Ordered lists are created using "1." + Space:

1. Ordered list item
2. Ordered list item
3. Ordered list item

Unordered Lists

Unordered list are created using "*" + Space:

* Unordered list item
* Unordered list item
* Unordered list item

Or using "-" + Space:

* Unordered list item
* Unordered list item
* Unordered list item

Hard Linebreak

End a line with two or more spaces will create a hard linebreak, called `<br />` in HTML. (Control + Return)
Above line ended with 2 spaces.

Horizontal Rules

Three or more asterisks or dashes:

Headers

Setext-style:

This is H1

This is H2

atx-style:

This is H1

This is H2

This is H3

This is H4

This is H5

This is H6

Extra Syntax

Footnotes

Footnotes work mostly like reference-style links. A footnote is made of two things: a marker in the text that will become a superscript number; a footnote definition that will be placed in a list of footnotes at the end of the document. A footnote looks like this:

That's some text with a footnote.[1]

Strikethrough

Wrap with 2 tilde characters:

~~Strikethrough~~

Fenced Code Blocks

Start with a line containing 3 or more backticks, and ends with the first line with the same number of backticks:

```
Fenced code blocks are like Stardard Markdown's regular code
blocks, except that they're not indented and instead rely on
a start and end fence lines to delimit the code block.
```

Tables

A simple table looks like this:

First Header	Second Header	Third Header
Content Cell	Content Cell	Content Cell
Content Cell	Content Cell	Content Cell

If you wish, you can add a leading and tailing pipe to each line of the table:

First Header	Second Header	Third Header
Content Cell	Content Cell	Content Cell
Content Cell	Content Cell	Content Cell

Specify alignment for each column by adding colons to separator lines:

First Header	Second Header	Third Header
Left	Center	Right
Left	Center	Right

Shortcuts

View

- Toggle live preview: Shift + Cmd + I
- Toggle Words Counter: Shift + Cmd + W
- Toggle Transparent: Shift + Cmd + T
- Toggle Floating: Shift + Cmd + F
- Left/Right = 1/1: Cmd + 0
- Left/Right = 3/1: Cmd + +
- Left/Right = 1/3: Cmd + -
- Toggle Writing orientation: Cmd + L
- Toggle fullscreen: Control + Cmd + F

Actions

- Copy HTML: Option + Cmd + C
- Strong: Select text, Cmd + B
- Emphasize: Select text, Cmd + I
- Inline Code: Select text, Cmd + K
- Strikethrough: Select text, Cmd + U
- Link: Select text, Control + Shift + L

- Image: Select text, Control + Shift + I
- Select Word: Control + Option + W
- Select Line: Shift + Cmd + L
- Select All: Cmd + A
- Deselect All: Cmd + D
- Convert to Uppercase: Select text, Control + U
- Convert to Lowercase: Select text, Control + Shift + U
- Convert to Titlecase: Select text, Control + Option + U
- Convert to List: Select lines, Control + L
- Convert to Blockquote: Select lines, Control + Q
- Convert to H1: Cmd + 1
- Convert to H2: Cmd + 2
- Convert to H3: Cmd + 3
- Convert to H4: Cmd + 4
- Convert to H5: Cmd + 5
- Convert to H6: Cmd + 6
- Convert Spaces to Tabs: Control + [
- Convert Tabs to Spaces: Control +]
- Insert Current Date: Control + Shift + 1
- Insert Current Time: Control + Shift + 2
- Insert entity <: Control + Shift + ,
- Insert entity >: Control + Shift + .
- Insert entity &: Control + Shift + 7
- Insert entity Space: Control + Shift + Space
- Insert Scriptogr.am Header: Control + Shift + G
- Shift Line Left: Select lines, Cmd + [
- Shift Line Right: Select lines, Cmd +]
- New Line: Cmd + Return
- Comment: Cmd + /
- Hard Linebreak: Control + Return

Edit

- Auto complete current word: Esc
- Find: Cmd + F
- Close find bar: Esc

Post

- Post on Scriptogr.am: Control + Shift + S
- Post on Tumblr: Control + Shift + T

Export

- Export HTML: Option + Cmd + E
- Export PDF: Option + Cmd + P

And more?

Don't forget to check Preferences, lots of useful options are there.

Follow [@Mou](#) on Twitter for the latest news.

For feedback, use the menu `Help` - `Send Feedback`

---

1. And that's the footnote.↩