

Rootbeer Repository Activity - Executive Summary

Default branch: master | 16 selected source files | 141 file touches | 18 authors

Analysis: GitHub commit history was mined for current Java, Kotlin, C/C++, and header files on Rootbeer's dynamically discovered default branch. Each chart point represents one author changing one selected source file during one repository week.

1. Contributor concentration


stealthcopter (51) and scottyab (50) account for **71.6%** of all selected-file touches. Historical knowledge is strongly concentrated in two contributors.

2. Core-file hotspots

RootBeer.java (53 touches) and **Const.java** (25 touches) represent **55.3%** of selected-file activity, identifying the principal maintenance hotspots.

3. Maintenance exposure

7 of 16 files have only one recorded author; **12 of 16** have no more than two. This suggests knowledge-transfer and review exposure in less frequently changed areas.



How to read the visualization

Rows are named source files, the x-axis is repository age in weeks, and colors identify authors. Repeated changes by the same author to the same file within one week are shown as one point. Dense rows indicate recurring maintenance.

Recent activity

Only **1** selected-file touch occurred during the 12 months ending with the latest observed change on March 05, 2026. The isolated recent point suggests maintenance rather than sustained development.

Limitation

The extension-based selection covers current files ending in .java, .kt, .cpp, .c, or .h. It may omit source in other languages, exclude deleted historical files, or include generated code using a recognized extension. Touch counts measure change frequency, not effort or code quality.