UNIFI (ISO 20022) Message Definition Report

Payments Standards - Clearing and Settlement

Approved by UNIFI Payments SEG on 6 June 2006

Edition October 2006

Table Of Contents

Overview **1**
What does this document contain? 1
Payment messages 1
Related messages 1
How to read 1
Message Flows **2**
FIToFI Customer Credit Transfer 2
Financial Institution Credit Transfer 4
FIToFI Customer Credit Transfer: Payment Status Report (Negative) 7
Financial Institution Credit Transfer: Payment Status Report (Negative) 10
FIToFI Customer Credit Transfer: Payment Return 13
Financial Institution Credit Transfer: Payment Return 16
FIToFI Customer Credit Transfer: Payment Cancellation Request 19
Financial Institution Credit Transfer: Payment Cancellation Request 22
Customer Direct Debit Initiation & FIToFI Customer Direct Debit 29
Direct Debit: Payment Status Report (Positive) 30
Direct Debit: Payment Status Report (Negative) 31
Direct Debit: Payment Return 34
Direct Debit: Payment Reversal 36
Direct Debit: Payment Cancellation Request 38
Message: FIToFICustomerCreditTransferV01 <pacs.008.001.01> **42**
Message Scope and Usage 42
Message Structure 43
Message Items Description 47
Business Example 1 88
Business Example 2 104
Message: FIToFICustomerDirectDebitV01 <pacs.003.001.01> **113**
Message Scope and Usage 113
Message Structure 114
Message Items Description 118
Business Example 160
Message: FIToFIPaymentReversalV01 <pacs.007.001.01> **165**
Message Scope and Usage 165
Message Structure 166
Message Items Description 171
Business Example - Reversal of a FIToFICustomerDirectDebit 219
Message: FinancialInstitutionCreditTransferV01 <pacs.009.001.01> **223**
Message Scope and Usage 223
Message Structure 224
Message Items Description 226
Business Example 1 251
Business Example 2 255
Message: PaymentCancellationRequestV01 <pacs.006.001.01> **264**
Message Scope and Usage 264
Message Structure 265
Message Items Description 269
Business Example - Request to cancel a FIToFICustomerCreditTransfer 308
Business Example - Request to cancel a FIToFICustomerDirectDebit 316
Message: PaymentReturnV01 <pacs.004.001.01> **319**
Message Scope and Usage 319

Message Structure 320
Message Items Description 325
Business Example - Return of a FIToFICustomerCreditTransfer 376
Business Example - Return of a FIToFICustomerDirectDebit 381
Message: PaymentStatusReportV02 <pacs.002.001.02> 389
Message Scope and Usage 389
Message Structure 390
Message Items Description 394
Business Example - Status of a PaymentCancellationRequest 439
Business Example - Status of a FIToFICustomerDirectDebit 441
Message Item Types 445
Data Types 445
End Points 456
Indexes 501
Index of Message Items 501
Index of XML tags 525
Index of Message Item Types 550
Revision Record 567

Overview

What does this document contain?

This document describes a set of Payments Clearing and Settlement messages approved by the Payments Standards Evaluation Group as UNIFI messages on 6 June 2006. This set includes the following messages :

Payment messages

Three messages have been developed:
- the Financial Institution To Financial Institution Customer Credit Transfer
- the Financial Institution To Financial Institution Customer Direct Debit
- the Financial Institution Credit Transfer

Related messages

Four messages have been developed:
- the Financial Institution To Financial Institution Payment Reversal
- the Payment Return
- the Payment Cancellation Request
- the Payment Status Report

Note : the Payment Cancellation Request and the Payment Status report are exactly the same messages as the Payment Cancellation Request and the Payment Status report included in the Payments Initiation set of messages. They only differ in the specific usage rules defined for using these messages in the two different legs (Payments Initiation and Payments Clearing and Settlement) of the end-to-end payment chain.

How to read

In compliance with ISO 20022, UML (Unified Modelling Language) is used to depict business and logical models. As knowledge of UML is not a requirement to discuss the business standards, the data format for the messages are presented in a user-friendlier way. This way of representation is automatically generated from the models, thereby ensuring absolute consistency between the model information and the published standard.
The message flow diagrams are bundled in a separate document.

Message Flows

FIToFI Customer Credit Transfer

Introduction

A FIToFICustomerCreditTransfer is the inter-bank movement of an amount from a party bank account (the Debtor) to a beneficiary party (the Creditor).
FIToFICustomerCreditTransfers result in one or more cash transfers between Debtors and Creditors through correspondent banks or infrastructures. They may be exchanged as single instructions or grouped following certain common characteristics and, for convenience or efficiency reasons, exchanged in a batch mode. The processing of credit transfers may differ from country to country and system to system.
Depending on the scenario, there might be an Agent between the Debtor Agent and the Creditor Agent. This Agent can be an Intermediary Agent or a Settlement Agent. The narrative will describe more in detail the Agent role.
In scenarios where the receiving Agent services an account for the sending Agent, the scenario also includes the case where the sending Agent has an account with a branch/head office of the receiving Agent and will indicate that the receiving Agent can reimburse himself at this institution. The sending Agent has to be aware of an intra-group agreement allowing this.
A payment clearing system could occur between Debtor Agent and Creditor Agent (or between any other Agents). The clearing process where the Clearing Agent after being informed on the transaction prepares and sends the payment information to the Settlement Agent (if different) is out of scope and will not be described. This process includes the calculation of the settlement positions and transmission of files to the Settlement Agent. The Settlement Agent transfers the funds from the Debtor Agent to the Creditor Agent in accordance with the settlement cycle and based on the settlement report provided by the Clearing Agent.
Only potential messages of the Credit Transfer project scope are illustrated in the sequence diagrams. The original contracts between the Debtor and the Creditor (e.g. order and invoice) and the Payment Initiation by the Debtor are out of scope and are therefore not included in the diagram.

Sequence Diagram



Narrative and Scenarios

Scenario1: *The Debtor Agent and the Creditor Agent are correspondents in the currency of the transaction.*
The scenario caters for the Debtor Agent servicing an account for the Creditor Agent and vice versa. It also covers the case where Debtor Agent and Creditor Agent are linked directly across a payment clearing system.
The *On Us* scenario where the Debtor Agent is also the Creditor Agent is out of scope.
In Scope: The Debtor Agent sends the FIToFICustomerCreditTransfer message to the Creditor Agent.
In Scope: The Creditor Agent **optionally** confirms the processability of the FIToFICustomerCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor Agent.
Out of Scope: Reporting (Debit/Credit Advice and/or Statement).

Scenario2: *The Debtor Agent and the Creditor Agent are not correspondents: there is an Intermediary Agent between them (3-party serial payment)*
The scenario also covers the payment clearing system case where the Agent between the Debtor Agent and the Creditor Agent is a Clearing and/or Settlement Agent.
For sake of simplicity, the scenario is limited to one Intermediary Agent between the Debtor Agent and the Creditor Agent.
In Scope: The Debtor Agent sends the FIToFICustomerCreditTransfer message to the Intermediary Agent.

In Scope: The Intermediary Agent **optionally** confirms the processability of the FIToFICustomerCreditTransfer by sending a positive PaymentStatusReport message to the Debtor Agent.
In Scope: The Intermediary Agent forwards the FIToFICustomerCreditTransfer message to the Creditor Agent.
In Scope: The Creditor Agent **optionally** confirms the processability of the FIToFICustomerCreditTransfer instruction by sending a positive PaymentStatusReport message to the Intermediary Agent.
Out of Scope: The Intermediary Agent may send a status update to the Debtor Agent.
Out of Scope: Reporting (Debit/Credit Advice and/or Statement).

Scenario3: *The Debtor Agent and the Creditor Agent are not correspondents in the currency of the transaction: there is a Settlement Agent between them (3-party cover payment)*
For sake of simplicity, it is assumed that the Debtor Agent and the Creditor Agent have the same Settlement Agent. The FIToFICustomerCreditTransfer instruction will be covered through a separate FinancialInstitutionCreditTransfer message sent to the Settlement Agent (illustrated under the FinancialInstitutionCreditTransfer section).
In Scope: The Debtor Agent sends the FIToFICustomerCreditTransfer message to the Creditor Agent.
In Scope: The Creditor Agent **optionally** confirms the processability of the FIToFICustomerCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor Agent.
In Scope: The Debtor Agent sends a FinancialInstitutionCreditTransfer message to the Settlement Agent.
In Scope: The Settlement Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer by sending a positive PaymentStatusReport message to the Debtor Agent.
Out of Scope: Reporting (Debit/Credit Advice and/or Statement).

Financial Institution Credit Transfer

Introduction

A FinancialInstitutionCreditTransfer is the inter-bank movement of an amount from a party bank account (the Debtor) to a beneficiary party (the Creditor) where all parties are financial institutions.
FinancialInstitutionCreditTransfers result in cash transfers between Debtors and Creditors through correspondent banks or infrastructures. They may be exchanged as single instructions or grouped following certain common characteristics and, for convenience or efficiency reasons, exchanged in a batch mode. The processing of credit transfers may differ from country to country and system to system.
Depending on the scenario, there might be an Agent between the Debtor Agent and the Creditor Agent. This Agent can be an Intermediary Agent or a Settlement Agent. The narrative will describe more in detail the Agent role.
In scenarios where the receiving Agent services an account for the sending Agent, the scenario also includes the case where the sending Agent has an account with a branch/head office of the receiving Agent and will indicate that the receiving Agent can reimburse himself at this institution. The sending Agent has to be aware of an intra-group agreement allowing this.
A payment clearing system could occur between Debtor Agent and Creditor Agent (or between any other Agents). The clearing process where the Clearing Agent after being informed on the transaction prepares and sends the payment information to the Settlement Agent (if different) is out of scope and will not be described. This process includes the calculation of the settlement positions and transmission of files to the Settlement Agent. The Settlement Agent transfers the funds from the Debtor Agent to the Creditor Agent in accordance with the settlement cycle and based on the settlement report provided by the Clearing Agent.
Only potential messages for the Credit Transfer project scope are illustrated in the sequence diagrams. The original contracts between the Debtor and the Creditor (Forex, Inter-bank loans, Securities transactions, ...) are out of scope and are therefore not included in the diagrams.

Sequence Diagram



Narrative and Scenarios

Scenario1: *The Debtor and the Creditor are correspondents*
The scenario covers the case where the Creditor services an account for the Debtor (i.e. is the Debtor Agent).
In Scope: The Debtor sends the FinancialInstitutionCreditTransfer message to the Creditor.
In Scope: The Creditor **optionally** confirms the processability of the FinancialInstitutionCreditTransfer by sending a positive PaymentStatusReport message to the Debtor.
Out of Scope: Reporting (Debit/Credit Advice and/or Statement).
Out of Scope: If the Debtor services an account for the Creditor (i.e. is the Creditor Agent), then instead of sending a FinancialInstitutionCreditTransfer message, the Debtor will send a Credit Advice and/or Statement message.

Scenario2: *The Debtor and the Creditor Agent are correspondents*
The scenario covers both cases where the Debtor services an account for the Creditor Agent and where the Creditor Agent services an account for the Debtor.
In Scope: The Debtor sends the FinancialInstitutionCreditTransfer message to the Creditor Agent.
In Scope: The Creditor Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer by sending a positive PaymentStatusReport message to the Debtor.
Out of Scope: Reporting (Debit/Credit Advice and/or Statement).

Scenario3: *The Debtor Agent and the Creditor are correspondents*
The scenario covers the case where the Creditor services an account for the Debtor Agent.
In Scope: The Debtor sends the FinancialInstitutionCreditTransfer message to the Debtor Agent.
In Scope: The Debtor Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor.
In Scope: The Debtor Agent forwards the FinancialInstitutionCreditTransfer message to the Creditor.
In Scope: The Creditor **optionally** confirms the processability of the FinancialInstitutionCreditTransfer by sending a positive PaymentStatusReport message to the Debtor Agent.
Out of Scope: Reporting (Debit/Credit Advice and/or Statement).
Out of Scope: If the Debtor Agent services an account for the Creditor (i.e. is the Creditor Agent), then instead of sending a FinancialInstitutionCreditTransfer message, then the Debtor Agent will send a Credit Advice and/or Statement message.

Scenario4: *The Debtor Agent and the Creditor Agent are correspondents*
The scenario includes both cases where the Debtor Agent services an account for the Creditor Agent and vice versa.
In Scope: The Debtor sends the FinancialInstitutionCreditTransfer message to the Debtor Agent.
In Scope: The Debtor Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor.
In Scope: The Debtor Agent forwards the FinancialInstitutionCreditTransfer message to the Creditor Agent.
In Scope: The Creditor Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor Agent.
Out of Scope: Reporting (Debit/Credit Advice and/or Statement).

Scenario5: *The Debtor Agent and the Creditor Agent are not correspondents: there is an Intermediary Agent between them.*
For sake of simplicity only one Intermediary Agent has been illustrated. The scenario also caters for clearing payments with direct communication with the Clearing and/or Settlement Agent.
In Scope: The Debtor sends the FinancialInstitutionCreditTransfer message to the Debtor Agent.
In Scope: The Debtor Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor.
In Scope: The Debtor Agent forwards the FinancialInstitutionCreditTransfer message to the Intermediary Agent. In Scope: The Intermediary Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor Agent.

In Scope: The Intermediary Agent forwards the FinancialInstitutionCreditTransfer message to the Creditor Agent. In Scope: The Creditor Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Intermediary Agent. Out of Scope: Reporting (Debit/Credit Advice and/or Statement).

FIToFI Customer Credit Transfer: Payment Status Report (Negative)

Introduction

The negative PaymentStatusReport message is used, point to point between two parties, to report about the negative processability of an instruction, i.e. to report about the rejection of the instruction, and is used to:

- Reject a FIToFICustomerCreditTransfer;
- Reject a FinancialInstitutionCreditTransfer;
- Reject a PaymentCancellationRequest.

The negative PaymentStatusReport message is sent **before Settlement.**
After Settlement, the correct message to be used is the PaymentReturn message, the Credit Advice message and/or the Statement message. Different options are illustrated in the sequence diagram.

Sequence Diagram



Narrative and Scenarios

Scenario 1: *Debtor Agent and Creditor Agent are direct correspondents*
The scenario covers the case where the Creditor Agent (or a branch/head office of the Creditor Agent) services an account for the Debtor Agent. In the cases where the Debtor Agent services an account for the Creditor Agent and in the case of clearing system payments, the Creditor Agent will inform about the non-processability by using a PaymentReturn message.
In Scope: The Debtor Agent sends the FIToFICustomerCreditTransfer message to the Creditor Agent.
In Scope: The Creditor Agent sends a negative PaymentStatusReport message to inform the Debtor Agent about the non-processability of the FIToFICustomerCreditTransfer instruction (e.g. due to missing/incorrect information).
Note: whenever possible, the Debtor Agent might try to repair and re-submit the instruction. Depending on what has been agreed with the Debtor, the Debtor Agent may inform the Debtor of the repair with an updated PaymentStatusReport message.

Scenario2: *Debtor Agent and Creditor Agent are not correspondents; there is an Intermediary Agent between them (3-party Serial payment)*
The scenario covers the case where the Creditor Agent (or branch/head office of Creditor Agent) services an account for the Intermediary Agent. In the cases where the Intermediary Agent services an account for the Creditor Agent or they are linked through a payment clearing system, the Creditor Agent will inform about the non-processability by using a PaymentReturn message.
In Scope: The Debtor Agent sends the FIToFICustomerCreditTransfer message to the Intermediary Agent.
In Scope: The Intermediary Agent **optionally** confirms the processability of the FIToFICustomerCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor Agent.
In Scope: The Intermediary Agent forwards the FIToFICustomerCreditTransfer message to the Creditor Agent.
In Scope: The Creditor Agent sends a negative PaymentStatusReport message to inform the Intermediary Agent about the non-processability of the FIToFICustomerCreditTransfer instruction (e.g. due to missing/incorrect information).
Note: the Intermediary Agent might try to repair and re-submit the instruction when possible and inform the Debtor Agent with an updated PaymentStatusReport accordingly.
CaseA: Intermediary Agent has not yet booked the instruction on the account of the Debtor Agent.
In Scope: The Intermediary Agent forwards the negative PaymentStatusReport message to inform the Debtor Agent about the non-processability of the FIToFICustomerCreditTransfer instruction.
Case B: Intermediary Agent has booked the instruction on the account of the Debtor Agent.
In Scope: The Intermediary Agent sends a PaymentReturn message including the Return reason to the Debtor Agent to inform him about the non-processability of the FIToFICustomerCreditTransfer instruction.

Scenario3: *Debtor Agent and Creditor Agent are not correspondents in the currency of the transaction; there is a Settlement Agent between them (3-party Cover payment). Rejection of the FinancialInstitutionCreditTransfer message*
Under this scenario, the Intermediary Agent between the Debtor Agent and Creditor Agent has to be seen as a Settlement Agent.
For sake of simplicity, it is assumed that Debtor Agent and Creditor Agent have the same Settlement Agent.
In Scope: The Debtor Agent sends the FIToFICustomerCreditTransfer message to the Creditor Agent.
In Scope: The Creditor Agent **optionally** confirms the processability of the FIToFICustomerCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor Agent.
In Scope: The Debtor Agent sends a FinancialInstitutionCreditTransfer to the Settlement Agent.
In Scope: The Settlement Agent sends a negative PaymentStatusReport message to inform the Debtor Agent about the non-processability of the FinancialInstitutionCreditTransfer instruction (e.g. due to missing/incorrect information).
In Scope: The Debtor Agent repairs the cover FinancialInstitutionCreditTransfer instruction and re-sends it to the Settlement Agent.
In Scope: The Settlement Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor Agent.
Note: If for whatever reason the FinancialInstitutionCreditTransfer cannot be repaired and processed, the Debtor Agent will issue a PaymentCancellationRequest message for the FIToFICustomerCreditTransfer message to the Creditor Agent.

Scenario4: *Debtor Agent and Creditor Agent are not correspondents in the currency of the transaction; there is a Settlement Agent between them (3-party Cover payment). Rejection of the FIToFICustomerCreditTransfer message*
Under this scenario, the Intermediary Agent between the Debtor Agent and the Creditor Agent has to be seen as a Settlement Agent.
For sake of simplicity, it is assumed that the Debtor Agent and the Creditor Agent have the same Settlement Agent.
In Scope: The Debtor Agent sends the FIToFICustomerCreditTransfer message to the Creditor Agent.
In Scope: The Debtor Agent sends the FinancialInstitutionCreditTransfer message to the Settlement Agent.
In Scope: The Settlement Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor Agent.
In Scope: The Creditor Agent sends a negative PaymentStatusReport message to inform the Debtor Agent about the non-processability of the FIToFICustomerCreditTransfer instruction (e.g. due to missing/incorrect information).
Note: the Debtor Agent might try to repair and re-submit the instruction when possible and inform the Debtor with an updated PaymentStatusReport message accordingly. If the instruction is now accepted, no further action will be undertaken (the FinancialInstitutionCreditTransfer remains as originally sent).
CaseA: FinancialInstitutionCreditTransfer cover instruction not yet processed.
In Scope: The Debtor Agent issues a PaymentCancellationRequest message to the Settlement Agent.
In Scope: The Settlement Agent **optionally** confirms the processability of the PaymentCancellationRequest instruction by sending a positive PaymentStatusReport message to the Debtor Agent.
Out Scope: The Debtor Agent informs the Debtor on the status of the instruction.
CaseB: FinancialInstitutionCreditTransfer cover instruction is processed.
In Scope: The Debtor Agent issues a PaymentCancellationRequest message to the Settlement Agent.
In Scope: The Settlement Agent forwards the PaymentCancellationRequest message to the Creditor Agent.
Note: we assume that the Creditor Agent accepts the request. Otherwise a negative PaymentStatusReport message would be sent to the Settlement Agent and forwarded by the Settlement Agent to the Debtor Agent.
In Scope: The Creditor Agent issues a FinancialInstitutionCreditTransfer message to the Settlement Agent.
In Scope: The Settlement Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer message by sending a positive PaymentStatusReport message to the Creditor Agent.
Out Scope: Reporting (Debit/Credit Advice and/or Statement).
Out Scope: The Debtor Agent informs the Debtor on the status of the instruction.
Note: in the above Scenario4, CaseB we could also foresee that the initiative is taken by the Creditor Agent prior to receiving a PaymentCancellationRequest message. If the FIToFICustomerCreditTransfer instruction cannot be applied and the Creditor Agent finds out having been credited at the Settlement Agent, he could initiate a FinancialInstitutionCreditTransfer message immediately to reimburse the Debtor Agent.

Financial Institution Credit Transfer: Payment Status Report (Negative)

Introduction

The negative PaymentStatusReport message is used, point to point between two parties, to report about the negative processability of an instruction, i.e. to report about the rejection of the instruction, and is used to:
- Reject a FIToFICustomerCreditTransfer;
- Reject a FinancialInstitutionCreditTransfer;
- Reject a PaymentCancellationRequest.

The negative PaymentStatusReport message is sent **before Settlement.**
After Settlement, the correct message to be used is the PaymentReturn message, the Credit Advice message and/or the Statement message. Different options are illustrated in the sequence diagram.

Sequence Diagram



Narrative and Scenarios

Scenario1: *The Debtor and the Creditor are correspondents*
The scenario covers the case where the Creditor services an account for the Debtor (i.e. is the Debtor Agent).
For cases where the Debtor services an account for the Creditor, or Debtor and Creditor are linked through a clearing and settlement system, the Creditor will inform about the non-processability of the instruction, by using a PaymentReturn message.
In Scope: The Debtor sends the FinancialInstitutionCreditTransfer message to the Creditor.
In Scope: The Creditor sends a negative PaymentStatusReport message to inform the Debtor about the non-processability of the FinancialInstitutionCreditTransfer instruction(e.g. due to missing/incorrect information).

Scenario2: *The Debtor and the Creditor Agent are correspondents*
The scenario covers the case where the Creditor Agent services an account for the Debtor.
In cases where the Debtor services an account for the Creditor Agent, or Debtor and Creditor Agent are linked through a clearing and settlement system, the Creditor Agent will inform about the non-processability of the instruction by using a PaymentReturn message.
In Scope: The Debtor sends the FinancialInstitutionCreditTransfer message to the Creditor Agent.
In Scope: The Creditor Agent sends a negative PaymentStatusReport message to inform the Debtor about the non-processability of the FinancialInstitutionCreditTransfer instruction (e.g. due to missing/incorrect information).

Scenario3: *The Debtor Agent and the Creditor are direct correspondents*
The scenario covers the case where the Creditor services an account for the Debtor Agent.
In cases where the Debtor Agent services an account for the Creditor, or Debtor Agent and Creditor are linked through a clearing and settlement system, the Creditor will inform about the non-processability of the instruction by using a PaymentReturn message.
In Scope: The Debtor sends the FinancialInstitutionCreditTransfer message to the Debtor Agent.
In Scope: The Debtor Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor.
In Scope: The Debtor Agent forwards the FinancialInstitutionCreditTransfer instruction to the Creditor.
In Scope: The Creditor sends a negative PaymentStatusReport message to inform the Debtor Agent about the non-processability of the FinancialInstitutionCreditTransfer instruction.
Note: the Debtor Agent might try to correct and re-submit the instruction and inform the Debtor about this correction with an updated PaymentStatusReport message. If the status is now positive, no further action is required but the Debtor might be informed on the positive outcome through a positive PaymentStatusReport message.
Out Scope: Reporting (Debit/Credit Advice and/or Statement).

Scenario4: *The Debtor Agent and the Creditor Agent are correspondents.*
The scenario covers the case where the Creditor Agent services an account for the Debtor Agent.
In cases where the Debtor Agent services an account for the Creditor Agent, or Debtor Agent and Creditor Agent are linked through a clearing and settlement system, the Creditor Agent will inform on the non-processability of the instruction by using a PaymentReturn message.
In Scope: The Debtor sends the FinancialInstitutionCreditTransfer message to the Debtor Agent.
In Scope: The Debtor Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor.
In Scope: The Debtor Agent forwards the FinancialInstitutionCreditTransfer message to the Creditor Agent.
In Scope: The Creditor Agent sends a negative PaymentStatusReport message to inform the Debtor Agent about the non-processability of the FinancialInstitutionCreditTransfer instruction.
Note: the Debtor Agent might try to correct and re-submit the instruction and inform the Debtor about this correction with an updated PaymentStatusReport message. If status is now positive no further action is required, but the Debtor might be informed on the positive outcome through a positive PaymentStatusReport message.
Out Scope: Reporting (Debit/Credit Advice and/or Statement).

Scenario5: *The Debtor Agent and the Creditor Agent are not correspondents.*
For sake of simplicity only one Intermediary Agent has been added. The scenario covers the case where the Creditor Agent services an account for the Intermediary Agent.
In cases where the Intermediary Agent services an account for the Creditor Agent (including clearing payments where the Intermediary Agent is a central Clearing and/or Settlement Agent), the Creditor Agent will inform about the non-processability of the instruction by using a PaymentReturn message.
In Scope: The Debtor sends the FinancialInstitutionCreditTransfer message to the Debtor Agent.
In Scope: The Debtor Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor.
In Scope: The Debtor Agent forwards the FinancialInstitutionCreditTransfer message to the Intermediary Agent.
In Scope: The Intermediary Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor Agent.
In Scope: The Intermediary Agent forwards the FinancialInstitutionCreditTransfer message to the Creditor Agent.
In Scope: The Creditor Agent sends a negative PaymentStatusReport message to inform the Intermediary Agent about the non-processability of the FinancialInstitutionCreditTransfer instruction.
Note: the Intermediary Agent might try to correct and re-submit the instruction and inform the Debtor Agent about this correction with an updated PaymentStatusReport message. If status is now positive, no further action is required, but the Debtor Agent might be informed on the positive outcome through a positive PaymentStatusReport message.
In Scope: The Intermediary Agent sends a PaymentReturn message to the Debtor Agent
Note: the Debtor Agent might try to correct and re-submit the instruction and inform the Debtor about this correction with an updated PaymentStatusReport. If Status is now positive, no further action is required, but the Debtor might be informed on the positive outcome through a positive PaymentStatusReport message.

Out Scope: Reporting (Debit/Credit Advice and/or Statement).

FIToFI Customer Credit Transfer: Payment Return

Introduction

The PaymentReturn message is sent by an instructed Agent to the previous party in the payment chain when a payment cannot be executed due to an administrative (e.g. non existing/closed account) or banking reason (e.g. insufficient funds).

Sequence Diagram



Narrative and Scenarios

Scenario 1: *The Debtor Agent and the Creditor Agent are correspondents*

The scenario covers for the case where the Debtor Agent services an account for the Creditor Agent and the case where Debtor Agent and Creditos Agent are linked through a payment clearing system.
Where the Creditor Agent services an account for the Debtor Agent, the Creditor Agent will inform about the non-processability of the instruction by using a negative PaymentStatusReport (Reject) message.
In Scope: The Debtor Agent sends the FIToFICustomerCreditTransfer message to the Creditor Agent.
In Scope: The Creditor Agent sends a PaymentReturn message to inform the Debtor Agent about the non-processability of the FIToFICustomerCreditTransfer instruction including the return reason (e.g. due to missing/incorrect information/ closed account...).
In Scope: The Debtor Agent **optionally** confirms the processability of the PaymentReturn message by sending a positive PaymentStatusReport message to the Creditor Agent.
Note: whenever possible, the Debtor Agent might try to repair and re-submit the instruction. Depending on what has been agreed he may inform the Debtor about the repair with an updated PaymentStatusReport message.
Out of Scope: Reporting (Debit/Credit Advice and/or Statement).

Scenario2: *The Debtor Agent and the Creditor Agent are not correspondents; there is an Intermediary Agent between them (3-party serial payment)*
The scenario covers the case where the Intermediary Agent services an account for the Creditor Agent or the case where the Intermediary Agent and the Creditor Agent are linked through a payment clearing system.
For the case where the Creditor Agent services an account for the Intermediary Agent, the Creditor Agent will inform about the non-processability with a negative PaymentStatusReport (Reject) message.
Depending on whether settlement has taken place or not, the Intermediary might report to the Debtor Agent with a negative PaymentStatusReport or a PaymentReturn message.
In Scope: The Debtor Agent sends the FIToFICustomerCreditTransfer message to the Intermediary Agent.
In Scope: The Intermediary Agent **optionally** confirms the processability of the FIToFICustomerCreditTransfer by sending a positive PaymentStatusReport message to the Debtor Agent.
In Scope: The Intermediary Agent forwards the FIToFICustomerCreditTransfer message to the Creditor Agent.
In Scope: The Creditor Agent sends a PaymentReturn message to inform the Intermediary Agent about the non-processability of the FIToFICustomerCreditTransfer (e.g. due to missing/incorrect information) including the return reason.
In Scope: The Intermediary Agent **optionally** confirms the receipt of the PaymentReturn message by sending a positive PaymentStatusReport message to the Creditor Agent.
Note: the Intermediary Agent might try to repair and re-submit the instruction when possible and inform the Debtor Agent with an updated PaymentStatusReport message accordingly.
In Scope: The Intermediary Agent forwards the PaymentReturn message including the return reason to the Debtor Agent to inform him about the non-processability of the FIToFICustomerCreditTransfer instruction.
In Scope: The Debtor Agent **optionally** confirms the receipt of the PaymentReturn message by sending a positive PaymentStatusReport message to the Intermediary Agent.
Note: the Debtor Agent might try to repair and re-submit the instruction when possible and inform the Debtor with an updated PaymentStatusReport message accordingly.
Out of Scope: Reporting (Debit/Credit Advice and/or Statement).

Scenario3: *The Debtor Agent and the Creditor Agent are not correspondents in the currency of the transaction; there is a Settlement Agent between them (3-party cover payment).*
For sake of simplicity, it is assumed that the Debtor Agent and the Creditor Agent have the same Settlement Agent.
In Scope: The Debtor Agent sends the FIToFICustomerCreditTransfer message to the Creditor Agent.
In Scope: The Debtor Agent sends a FinancialInstitutionCreditTransfer message to the Settlement Agent.
In Scope: The Settlement Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor Agent.
In Scope: The Creditor Agent cannot apply the payment instruction (e.g. Creditor account closed) and sends a PaymentReturn message to inform the Debtor Agent about the non-processability of the FIToFICustomerCreditTransfer instruction including the return reason.

Note: this PaymentReturn message exceptionally will not move funds, but will inform about the movement of funds (as was the case with the original FIToFICustomerCreditTransfer). The funds will be moved with the FinancialInstitutionCreditTransfer sent by the Creditor Agent as described below.
In Scope: The Debtor Agent **optionally** confirms the receipt of the PaymentReturn message by sending a positive PaymentStatusReport message to the Creditor Agent.
In Scope: The Creditor Agent sends a FinancialInstitutionCreditTransfer message to the Settlement Agent.
In Scope: The Settlement Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Creditor Agent.
Out of Scope: Reporting (Debit/Credit Advice and/or Statement).
Note: In case the Creditor Agent is not aware that inter-bank settlement has taken place, he might send a negative PaymentStatusReport message to the Debtor Agent. It is assumed though that once he finds out that settlement did take place (through Credit Advice and/or Statement from the Settlement Agent) the Creditor Agent will return the funds by sending a FinancialInstitutionCreditTransfer to the Settlement Agent.

Financial Institution Credit Transfer: Payment Return

Introduction

The PaymentReturn message is sent by an instructed Agent to the previous party in the payment chain when a payment cannot be executed due to an administrative (e.g. non existing/closed account) or banking reason (e.g. insufficient funds).

Sequence Diagram



Narrative and Scenarios

Scenario1: *The Debtor and the Creditor are direct correspondents*
The scenario covers the case where the Debtor services an account for the Creditor (ie. is the Creditor Agent) and the case where the Debtor and the Creditor are linked through a payment clearing system.
For cases where the Creditor services an account for the Debtor, the Creditor will inform about the non-processability of the instruction by using a negative a PaymentStatusReport (Reject) message.
In Scope: The Debtor sends the FinancialInstitutionCreditTransfer message to the Creditor.
In Scope: The Creditor sends a PaymentReturn message including the return reason to inform the Debtor about the non-processability of the FinancialInstitutionCreditTransfer instruction (eg due to missing/incorrect information).
In Scope: The Debtor **optionally** confirms the receipt of the PaymentReturn message by sending a positive PaymentStatusReport message to the Creditor.
Out of Scope: Reporting (Debit/Credit Advices and/or Statement). The case where the Debtor and the Creditor Agent are correspondents is very similar. Therefore, it is not illustrated. The scenario would cover the case where the Debtor services an account for the Creditor Agent and the case where the Debtor and the Creditor Agent are linked through a clearing and settlement system.
In the case where the Creditor Agent services an account for the Debtor, the Creditor Agent will inform about the non-processability of the instruction by using a negative PaymentStatusReport message to reject the instruction.

Scenario2: *The Debtor Agent and the Creditor are correspondents*
The scenario covers the case where the Debtor Agent services an account for the Creditor and where the Debtor Agent and the Creditor are linked through a payment clearing system.
In the case where the Creditor services an account for the Debtor Agent, the Creditor will inform about the non-processability of the instruction by using a negative PaymentStatusReport (Reject) message. In Scope: The Debtor sends the FinancialInstitutionCreditTransfer message to the Debtor Agent.
In Scope: The Debtor Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor.
In Scope: The Debtor Agent forwards the FinancialInstitutionCreditTransfer message to the Creditor.
In the case where the Debtor Agent services an account for the Creditor (ie is also the Creditor Agent) the Debtor Agent will send a Credit Advice and/or Statement message instead of forwarding the FinancialInstitutionCreditTransfer message (Out of Scope).
In Scope: The Creditor sends a PaymentReturn message including the return reason to inform the Debtor Agent about the non-processability of the FinancialInstitutionCreditTransfer instruction (eg due to missing/incorrect information).
Note: whenever possible, the Debtor Agent might try to repair and re-submit the instruction. Depending on what has been agreed he may inform the Debtor of the repair with an updated PaymentStatusReport message.
In Scope: The Debtor Agent **optionally** confirms the receipt of the PaymentReturn message by sending a positive PaymentStatusReport message to the Creditor.
Out of Scope: Reporting (Debit/Credit Advice and/or Statement).

Scenario3: *the Debtor Agent and the Creditor Agent are correspondents*
The scenario covers the case where the Debtor Agent services an account for the Creditor Agent and where the Debtor Agent and the Creditor Agent are linked through a payment clearing system.
In the case where the Creditor Agent services an account for the Debtor Agent, the Creditor Agent will inform about the non-processability of the instruction by using a negative PaymentStatusReport (Reject) message.
In Scope: The Debtor sends the FinancialInstitutionCreditTransfer message to the Debtor Agent.
In Scope: The Debtor Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor.
In Scope: The Debtor Agent forwards the FinancialInstitutionCreditTransfer message to the Creditor Agent.
In Scope: The Creditor Agent sends a PaymentReturn message to inform the Debtor Agent about the non-processability of the FinancialInstitutionCreditTransfer instruction (eg due to missing/incorrect information).
Note: whenever possible, the Debtor Agent might try to repair and re-submit the instruction. Depending on what has been agreed he may inform the Debtor about the repair with an updated PaymentStatusReport message.

Out of Scope: Reporting (Debit/Credit Advices and/or Statement messages).

Scenario4: *The Debtor Agent and the Creditor Agent are not correspondents*
For sake of simplicity, only one Intermediary Agent has been added.
The scenario covers the case where the Intermediary Agent services an account for the Creditor Agent or the case where the Intermediary Agent and the Creditor Agent are linked through a payment clearing system.
For the case where the Creditor Agent services an account for the Intermediary Agent, the Creditor Agent will inform about the non-processability of the instruction by using a negative PaymentStatusReport (Reject) message.
In Scope: The Debtor sends the FinancialInstitutionCreditTransfer message to the Debtor Agent.
In Scope: The Debtor Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor.
In Scope: The Debtor Agent forwards the FinancialInstitutionCreditTransfer to the Intermediary Agent.
In Scope: The Intermediary Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor Agent.
In Scope: The Intermediary Agent forwards the FinancialInstitutionCreditTransfer instruction to the Creditor Agent.
In Scope: The Creditor Agent sends a PaymentReturn message including the return reason to inform the Intermediary Agent about the non-processability of the FinancialInstitutionCreditTransfer instruction (eg due to missing/incorrect information).
Note: whenever possible, the Intermediary Agent might try to repair and re-submit the instruction. Depending on what has been agreed he may inform the Debtor Agent of the repair with an updated PaymentStatusReport message.
In Scope: The Intermediary Agent **optionally** confirms the receipt of the PaymentReturn message by sending a positive PaymentStatusReport message to the Creditor Agent.
In Scope: The Intermediary Agent forwards the PaymentReturn message including the return reason to the Debtor Agent to inform him about the non-processability of the FinancialInstitutionCreditTransfer instruction.
Note: whenever possible, the Debtor Agent might try to repair and re-submit the instruction. Depending on what has been agreed he may inform the Debtor about the repair with an updated PaymentStatusReport message.
In Scope: The Debtor Agent **optionally** confirms the receipt of the PaymentReturn message by sending a positive PaymentStatusReport message to the Intermediary Agent.
Out of Scope: Reporting (Debit/Credit Advice and/or Statement).

FIToFI Customer Credit Transfer: Payment Cancellation Request

Introduction

The PaymentCancellationRequest message is sent by a party to the next party in the payment chain to request the cancellation of an instruction previously sent.
The rejection of a PaymentCancellationRequest instruction is communicated through the PaymentStatusReport message.
The acceptance of a PaymentCancellationRequest instruction is communicated through a PaymentStatusReport message or a PaymentReturn message, depending on whether or not settlement took place.

Sequence Diagram



Narrative and Scenarios

Note: the scenarios cover cases where the PaymentCancellationRequest message is initiated by the Debtor and by the Debtor Agent (following a mistake on his side), but the Customer to Bank PaymentCancellationRequest message is not illustrated.

Scenario 1: *Serial payment*
The Debtor Agent and the Creditor Agent have an account relationship or are linked through a payment clearing system.
In Scope: The Debtor Agent sends the FIToFICustomerCreditTransfer message to the Creditor Agent.
In Scope: The Creditor Agent **optionally** confirms the processability of the FIToFICustomerCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor Agent.
In Scope: The Debtor Agent sends the PaymentCancellationRequest message to the Creditor Agent.
CaseA1 The RequestForCancellation instruction is accepted and settlement has not taken place yet
In Scope: The Creditor Agent informs about the acceptance by sending a positive PaymentStatusReport message to the Debtor Agent.
CaseA2 The RequestForCancellation instruction is accepted and settlement has already taken place
Note: This includes a scenario where consent from the Creditor is requested.
In Scope: The Creditor Agent accepts the RequestForCancellation instruction and sends a PaymentReturn message with the appropriate reason code to the Debtor Agent.
In Scope: The Debtor Agent **optionally** confirms the processability of the PaymentReturn instruction by sending a positive PaymentStatusReport message to the Creditor Agent.
CaseB The RequestForCancellation instruction is rejected
In Scope: The Creditor Agent informs the Debtor Agent about the rejection of the PaymentCancellationRequest instruction by sending a negative PaymentStatusReport message.
Out Scope: In all cases (A1, A2 and B), the Debtor Agent informs the Debtor about the outcome of the PaymentCancellationRequest message by using a PaymentStatusReport message and/or a Credit Advice and/or Statement message depending on whether settlement has already taken place on the Debtor account.

Scenario2: *Cover payment*
For sake of simplicity it is assumed that the Debtor Agent and the Creditor Agent have the same Settlement Agent.
In Scope: The Debtor Agent sends the FIToFICustomerCreditTransfer message to the Creditor Agent.
In Scope: The Creditor Agent **optionally** confirms the processability of the FIToFICustomerCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor Agent.
In Scope: The Debtor Agent sends the FinancialInstitutionCreditTransfer message to the Settlement Agent.
In Scope: The Settlement Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor Agent.
In Scope: The Debtor Agent sends the PaymentCancellationRequest message to the Creditor Agent.
CaseA1 The RequestForCancellation instruction is accepted and settlement has not taken place yet.
In Scope: The Creditor Agent informs about the acceptance of the PaymentCancellationRequest instruction by sending a positive PaymentStatusReport message to the Debtor Agent.
In Scope: The Debtor Agent sends a PaymentCancellationRequest message to the Settlement Agent to request cancellation of the FinancialInstitutionCreditTranser message.
In Scope: The Settlement Agent confirms the acceptance of the PaymentCancellationRequest instruction by sending a positive PaymentStatusReport message to the Debtor Agent.
Out of Scope: Reporting (Debit/Credit Advice and/or Statement).
CaseA2 The RequestFforCancellation instruction is accepted and settlement has already taken place: the Creditor has been credited (this means that consent from the Creditor is needed).
In Scope: The Creditor Agent sends a FinancialInstitutionCreditTransfer message to the Settlement Agent.
In Scope: The Settlement Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Creditor Agent.
In Scope: The Creditor Agent sends a PaymentReturn message, including the reason code for the Debtor Agent.
Out of Scope: Reporting (Debit/Credit Advice and/or Statement).

CaseB The RequestForCancellation instruction is rejected
In Scope: The Creditor Agent informs about the rejection of the PaymentCancellationRequest instruction by sending a negative PaymentStatusReport message to the Debtor Agent.
Out of Scope: In all cases (A1, A2 and B), the Debtor Agent will inform the Debtor about the outcome of the PaymentCancellationRequest insruction by using a PaymentStatusReport message and/or a Credit Advice and/or Statement message.

Financial Institution Credit Transfer: Payment Cancellation Request

Introduction

The PaymentCancellationRequest message is sent by a party to the next party in the payment chain to request the cancellation of an instruction previously sent.
The rejection of a PaymentCancellationRequest instruction is communicated through the PaymentStatusReport message.
The acceptance of a PaymentCancellationRequest instruction is communicated through a PaymentStatusReport message or a PaymentReturn message, depending on whether or not settlement took place.

Sequence Diagram - Part I



Narrative and Scenarios - Part I

Note: the scenarios cover cases where the request is initiated by the Debtor and by the Debtor Agent (following a mistake on his side).

Scenario 1: *Debtor and Creditor are correspondents*
The scenario covers the case where the Creditor services an account for the Debtor (ie is the Debtor Agent) and vice versa. Also the case where Debtor and Creditor are linked through a payment clearing system is covered.
In Scope: The Debtor sends the FinancialInstitutionCreditTransfer message to the Creditor.
In Scope: The Creditor **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor.
In Scope: The Debtor initiates a request for cancellation by sending a PaymentCancellationRequest message to the Creditor.

CaseA1: Request for Cancellation accepted, Creditor services an account for the Debtor. No settlement has taken place
In Scope: The Creditor informs about the acceptance by sending a positive PaymentStatusReport message to the Debtor.
Out of Scope: If settlement has taken place, the Creditor might inform on the acceptance by sending a positive PaymentStatusReport message, but probably would send a Reporting message (Debit or Credit Advice and/or Statement).

CaseA2: Request for Cancellation accepted, the Debtor services an account for the Creditor or both are linked through a payment clearing system. Settlement has taken place
In Scope: The Creditor informs about the acceptance by sending a PaymentReturn message with the appropriate reason code to the Debtor.
In Scope: The Debtor **optionally** confirms the processability of the PaymentReturn instruction by sending a positive PaymentStatusReport message to the Creditor.
Out Scope: Reporting (Debit or Credit Advice and/or Statement message).

CaseB: Request for Cancellation rejected
In Scope: The Creditor informs about the rejection of the PaymentCancellationRequest by sending a negative PaymentStatusReport message to the Creditor Agent.

Scenario 2: *Debtor and Creditor Agent are correspondents*
This scenario covers both cases where the Creditor Agent services an account for the Debtor and where the Debtor services an account for the Creditor Agent. It also covers the case where Debtor and Creditor Agent are linked through a payment clearing system.
In Scope: The Debtor sends the FinancialInstitutionCreditTransfer message to the Creditor Agent.
In Scope: The Creditor Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor.
In Scope: The Debtor initiates a request for cancellation by sending a PaymentCancellationRequest message to the Creditor Agent.

CaseA1: Request for Cancellation accepted: the Creditor Agent services Debtor account. No settlement has taken place
In Scope: The Creditor Agent informs about the acceptance by sending a positive PaymentStatusReport message to the Debtor.
Out of Scope: If settlement has taken place, the Creditor might inform about the acceptance by sending a positive PaymentStatusReport message, but probably would send a Reporting message (Debit or Credit Advice and/or Statement).

CaseA2: Request for Cancellation accepted: the Debtor services the account for the Creditor Agent or Debtor and Creditor Agent are linked through a payment clearing system. Settlement has taken place, but Creditor has not been credited.
In Scope: The Creditor Agent informs about the acceptance by sending a PaymentReturn message with the appropriate reason code to the Debtor.

In Scope: The Debtor **optionally** confirms the processability of the PaymentReturn instruction by sending a positive PaymentStatusReport message to the Creditor Agent.
Out Scope: Reporting (Debit or Credit Advice and/or Statement message).

CaseB1: Request for Cancellation accepted: the Creditor Agent services the Debtor account. Creditor has been credited, but accepts the request for cancellation.
In Scope: The Creditor Agent sends the PaymentCancellationRequest message to the Creditor.
In Scope: The Creditor informs on the acceptance by sending a positive PaymentStatusReport message to the Creditor Agent.
In Scope: The Creditor Agent might inform on the acceptance by sending a positive PaymentStatusReport message to the Debtor.
Out Scope: Reporting (Debit or Credit Advice and/or Statement message).

CaseB2: Request for Cancellation accepted: the Debtor services the account for the Creditor Agent or Debtor and Creditor Agent are linked through a payment clearing system. Creditor has been credited, but accepts the request for cancellation.
In Scope: The Creditor Agent sends the PaymentCancellationRequest to the Creditor.
In Scope: The Creditor informs about the acceptance by sending a positive PaymentStatusReport message to the Creditor Agent.
In Scope: The Creditor Agent informs about the acceptance by sending a PaymentReturn message with the appropriate reason code to the Debtor.
In Scope: The Debtor **optionally** confirms the processability of the PaymentReturn instruction by sending a positive PaymentStatusReport message to the Creditor Agent.
Out Scope: Reporting (Debit or Credit Advice and/or Statement message).

CaseB3: Request for Cancellation rejected: the Creditor has been credited, but rejects the request for cancellation.
In Scope: The Creditor Agent sends the PaymentCancellationRequest message to the Creditor.
In Scope: The Creditor informs about the rejection of the PaymentCancellationRequest instruction by sending a negative PaymentStatusReport message to the Creditor Agent.
In Scope: The Creditor Agent informs about the rejection of the request by sending a negative PaymentStatusReport message to the Debtor.

Sequence Diagram - Part II



Narrative and Scenarios - Part II

Note: the scenarios cover cases where the request is initiated by the Debtor and by the Debtor Agent (following a mistake on his side).

Scenario3: *Debtor Agent and Creditor are correspondents*
This scenario covers the case where the Creditor services an account for the Debtor Agent and vice versa.
It also covers the case where Debtor Agent and Creditor are linked through a payment clearing system.
In Scope: The Debtor sends the FinancialInstitutionCreditTransfer message to the Debtor Agent.
In Scope: The Debtor Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor.
In Scope: The Debtor Agent sends the FinancialInstitutionCreditTransfer message to the Creditor.
In Scope: The Creditor **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor Agent.
In Scope: The Debtor initiates a request for cancellation by sending a PaymentCancellationRequest message to the Debtor Agent.
In Scope: The Debtor Agent forwards the request for cancellation by sending a PaymentCancellationRequest message to the Creditor.

CaseA1: Request for Cancellation accepted: the Creditor services an account for the Debtor Agent. No settlement has taken place
In Scope: The Creditor informs about the acceptance by sending a positive PaymentStatusReport message to the Debtor Agent.
Out of Scope: If settlement has taken place, the Creditor might inform about the acceptance by sending a positive PaymentStatusReport message to the Debtor Agent, but probably would send a Reporting (Debit or Credit Advice and/or Statement) message.
Out Scope: Reporting (Debit or Credit Advice and/or Statement message).

CaseA2: Request for Cancellation accepted: the Debtor Agent services an account for the Creditor or both are linked through a payment clearing system.
In Scope: The Creditor informs about the acceptance by sending a PaymentReturn message with the appropriate reason code to the Debtor Agent.
In Scope: The Debtor Agent **optionally** confirms the processability of the PaymentReturn instruction by sending a positive PaymentStatusReport message to the Creditor.
Out Scope: Reporting (Debit or Credit Advice and/or Statement message).

CaseB: Request for cancellation rejected
In Scope: The Creditor informs about the rejection of the request for cancellation by sending a negative PaymentStatusReport message to the Debtor Agent.
In Scope: The Debtor Agent informs on the rejection of the request by sending a negative PaymentStatusReport message to the Debtor.

Scenario4: *Debtor Agent and Creditor Agent are correspondents.*
This scenario covers both cases where the Debtor Agent services an account for the Creditor Agent and vice versa. It also includes the case where Debtor Agent and Creditor Agent are linked through a payment clearing system.
In Scope: The Debtor sends the FinancialInstitutionCreditTransfer message to the Debtor Agent.
In Scope: The Debtor Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer by sending a positive PaymentStatusReport message to the Debtor.
In Scope: The Debtor Agent sends the FinancialInstitutionCreditTransfer message to the Creditor Agent.
In Scope: The Creditor Agent **optionally** confirms the processability of the FinancialInstitutionCreditTransfer instruction by sending a positive PaymentStatusReport message to the Debtor Agent.

In Scope: The Debtor initiates a request for cancellation by sending a PaymentCancellationRequest message to the Debtor Agent.
In Scope: The Debtor Agent forwards the request for cancellation by sending a PaymentCancellationRequest message to the Creditor Agent.

CaseA1: Request for Cancellation accepted: The Creditor Agent services an account for the Debtor Agent. No inter-agent settlement has taken place. Creditor has not been credited.
In Scope: The Creditor Agent informs about the acceptance by sending a positive PaymentStatusReport message to the Debtor Agent.
Out of Scope: If settlement has taken place, the Creditor Agent might inform about the acceptance by sending a positive PaymentStatusReport message to the Debtor Agent, but probably would send a Reporting (Debit or Credit Advice and/ orStatement) message.
Out Scope: Reporting (Debit or Credit Advice and/or Statement message).

CaseA2: Request for Cancellation accepted: the Debtor Agent services an account for the Creditor Agent or both are linked through a payment clearing system. Inter-Agent settlement has taken place. Creditor has not been credited.
In Scope: The Creditor Agent informs about the acceptance by sending a PaymentReturn message with the appropriate reason code to the Debtor Agent.
In Scope: The Debtor Agent **optionally** confirms the processability of the PaymentReturn instruction by sending a positive PaymentStatusReport message to the Creditor.
Out Scope: Reporting (Debit or Credit Advice and/or Statement message).

CaseB1: Request for Cancellation accepted: the Creditor has been credited. The Creditor Agent services an account for the Debtor Agent.
In Scope: The Creditor Agent sends the PaymentCancellationRequest message to the Creditor.
In Scope: The Creditor informs about the acceptance by sending a positive PaymentStatusReport message to the Creditor Agent.
In Scope: The Creditor Agent informs about the acceptance by sending a positive PaymentStatusReport message with the appropriate reason code to the Debtor Agent.
Out Scope: Reporting (Debit or Credit Advice and/or Statement message).

CaseB2: Request for Cancellation accepted: the Creditor has been credited. The Debtor Agent services an account for the Creditor Agent, or both are linked through a payment clearing system.
In Scope: The Creditor Agent sends the PaymentCancellationRequest message to the Creditor.
In Scope: The Creditor informs about the acceptance by sending a positive PaymentStatusReport message to the Creditor Agent.
In Scope: The Creditor Agent informs about the acceptance by sending a PaymentReturn message with the appropriate reason code to the Debtor Agent.
In Scope: The Debtor Agent **optionally** confirms the processability of the PaymentReturn instruction by sending a positive PaymentStatusReport message to the Creditor Agent.
Out Scope: Reporting (Debit or Credit Advice and/or Statement message).

CaseB3: Request for Cancellation rejected: the Creditor has been credited
In Scope: The Creditor Agent sends the PaymentCancellationRequest message to the Creditor.
In Scope: The Creditor informs about the rejection of the request by sending a negative PaymentStatusReport message to the Creditor Agent.
In Scope: The Creditor Agent informs about the rejection of the request by sending a negative PaymentStatusReport message to the Debtor Agent.
In Scope: The Debtor Agent informs about the rejection of the request by sending a negative PaymentStatusReport message to the Debtor.

Customer Direct Debit Initiation & FIToFI Customer Direct Debit

Introduction

A Direct Debit is a request for payment of an amount to be collected from a party bank account (the Debtor) by an originator (the Creditor). The amounts and dates of collections may vary.
Direct Debits result in cash transfers between Debtors and Creditors through infrastructures or correspondent banks. They may be exchanged as single instructions but are traditionally grouped following some common characteristics and, for convenience or efficiency reasons, exchanged in a batch mode.
Direct Debits are processed in different ways from country to country, especially regarding the handling of the mandate (when it exists) given by the Debtor to the Creditor.
The **CustomerDirectDebitInitiation** message is sent by the Initiating Party (Creditor) to the Forwarding Agent or Creditor Agent. It is used to request single or bulk collection(s) of cash from one or various Debtor account(s) to a Creditor.
The **FItoFICustomerDirectDebit** message is sent by a Financial Institution to another Financial Institution, directly or through a Clearing System. It is used to clear Direct Debit instructions, initiated by non-financial institution customers.

Sequence Diagram



Narrative and Scenarios

Scenario
The original mandate between the Debtor and the Creditor and the mandate management itself are identified as being out of scope and are therefore not included in the diagram. Some information on possible mandate management information flow is available below.
The mandate is the authorisation/expression of consent given by the Debtor, allowing a specified Creditor to originate Direct Debit instructions to debit a specified Debtor account in accordance with the relevant Direct Debit Scheme Rules and, if applicable, the mandate details.
The Creditor invites the Debtor to submit a Mandate. The Debtor provides its banking information on the Mandate (eg, name and account number, financial institution, BIC and IBAN) and signs it (manually or via an electronic signature).
The mandate now represents the Debtor agreement:
- to authorise the Creditor to issue Direct Debit instruction(s) to the Debtor account, and;
- to instruct the Debtor Agent to act upon the Creditor Direct Debit instruction.

Note: in some cases, the Debtor Agent is unaware of the Mandate and simply acts upon the Direct Debit instruction.

The Creditor dematerialises the mandate upon the mandate presentation in paper form. Dematerialised mandate data are referred to as the Mandate Related Information (MRI) only and are not to be considered as the mandate document. The original mandate remains subject for archiving and reference for any legal matter. Prior to the sending of a Direct Debit instruction, the Creditor may notify the Debtor of the amount and date on which the Direct Debit instruction will be presented to the Debtor Agent for debit. This notification may be sent together with or separately from other commercial documents (eg, an invoice).
There are two types of pre-notifications:

- Schedule of payments for a number of subsequent Direct Debits for an agreed period of time;
- Individual advices of a Direct Debit subject for collection on a specified value date only. This requires an update for each individual recurrent Direct Debit prior to its collection.

The Debtor will reconcile the pre-notification with the signed mandate and where relevant other records (such as account payable items, contract details or subscription agreement). The Debtor ensures the account is covered with subject amount.
In Scope: The Creditor sends the CustomerDirectDebitInitiation message to its Agent (the Creditor Agent), together with the Mandate Related Information when requested by the scheme.
In Scope: The Creditor Agent sends a FIToFICustomerDirectDebit message to the Clearing Agent/System, in line with the clearing cycle. The Mandate Related Information (MRI) is also transported, when requested by the scheme.
In Scope: The Clearing Agent/System sends the FIToFICustomerDirectDebit message, together with the Mandate Related Information (MRI), when requested by the scheme, to the Debtor's Agent.
Out of Scope: Potentially, the Debtor Agent could forward the Direct Debit instruction (simplified version) to the debtor (eg, in case pre-notifications are not used in a Scheme).
Out of Scope: The Clearing Agent prepares and sends the payment information for the Settlement Agent (in accordance with the agreed and published settlement cycle). The process includes the calculation of the settlement positions and transmission of the files to the Settlement Agent.
The information provided includes the net position to be debited, the party to be debited, the net position to be credited, the party to be credited and the value date.
The settlement is executed by the Settlement Agent, in accordance with the settlement cycle, based on the settlement report provided by the Clearing Agent. The Settlement Agent performs the transfer of funds from the Debtor Agent to the Creditor Agent.
Out of Scope: Reporting (Debit/Credit) to the Debtors and Creditors is out of scope. Timing may vary depending on market practices and value added services provided by some Agents, that is before or after settlement.

Direct Debit: Payment Status Report (Positive)

Introduction

The positive PaymentStatusReport message is sent by the receiver of an instruction (in this case a CustomerDirectDebitInitiation and a FIToFICustomerDirectDebit) to inform the receiver that the instruction received (either single or grouped) is processable.
A positive PaymentStatusReport message can also be used to confirm the processability of a PaymentCancellation Request message, a PaymentReturn message or a PaymentReversal message.
The positive PaymentStatus Report message is also meant to be generic to ensure re-usability with other Payments Instruments.
The Payment Status Report messages are exchanged, point to point between two parties, optionally and as per bilateral agreements and may be complemented by an Advice of Credit/Debit and/or Statement message (Out of scope).

Sequence Diagram



Narrative and Scenario

Scenario: *Use of the PaymentStatusReport message to confirm the processability of a CustomerDirectDebitInitiation instruction, followed by a FIToFICustomerDirectDebit message.*
In Scope: The Creditor sends the CustomerDirectDebitInitiation message to its Agent (the Creditor Agent).
In Scope: The Creditor Agent confirms the processability of the CustomerDirectDebitInitiation instruction by sending a PaymentStatusReport message (positive) to the Creditor.
In Scope: The Creditor Agent sends a FIToFICustomerDirectDebit message to the Clearing Agent/System, in line with the clearing cycle. The Mandate Related Information (MRI) is also transported, when applicable.
In Scope: The Clearing Agent/System confirms the processability of the FIToFICustomerDirectDebit instruction by sending a positive PaymentStatusReport message to the Creditor Agent.
In Scope: The Clearing Agent/System sends a FIToFICustomerDirectDebit message, together with potentially the Mandate Related Information (MRI) to the Debtor Agent immediately for information purposes only.
In Scope: The Debtor Agent sends a positive PaymentStatusReport message to the Clearing Agent. This positive status message may subsequently be forwarded to the Creditor Agent.

Direct Debit: Payment Status Report (Negative)

Introduction

The negative PaymentStatus Report message is sent by the receiver of an instruction to inform the sender of the instruction about the negative processability of the instruction (in the Direct Debit context, this could be a CustomerDirectDebitInitiation message (Single or Grouped), a FIToFICustomerDirectDebit message (Single or Grouped) or a Payment Cancellation Request message (Single or Grouped).

The negative PaymentStatusReport message is to be sent before settlement. Indeed, after settlement, the correct message to be used is the PaymentReturn message.

Sequence Diagram



Narrative and Scenarios

Scenario 1: *A negative PaymentStatusReport message initiated by the Creditor Agent to reject a CustomerDirectDebitInitiation message.*
The Creditor sends the CustomerDirectDebitInitiation message to its Agent (the Creditor Agent).
The Creditor Agent sends a negative PaymentStatusReport message to the Creditor to inform him about the non processability of the CustomerDirectDebitInitiation instruction, e.g. due to missing information.

Scenario 2: *A negative PaymentStatusReport message initiated by the Clearing Agent to reject a FIToFICustomerDirectDebit message.*
The Creditor sends the CustomerDirectDebitInitiation message to its Agent (the Creditor Agent).
The Creditor Agent confirms the processability of the CustomerDirectDebitInitiation instruction by sending a PaymentStatusReport message (positive) to the Creditor.
The Creditor Agent sends a FIToFICustomerDirectDebit message to the Clearing Agent/System, in line with the clearing cycle. The Mandate Related Information (MRI) is also transported, when applicable.
If information is missing and inter-bank settlement has not taken place yet, the Clearing Agent/System informs the Creditor Agent about the non processability of the FIToFICustomerDirectDebit instruction. The Creditor Agent may inform (but not necessarily) his customer, the Creditor, about the negative processing of the CustomerDirectDebitInitiation instruction by using a negative PaymentStatusReport message, an Advice message (out of scope) or through a Statement message (out of scope).
Note: Before sending a negative PaymentStatusReport message to its customer, it is assumed that the Creditor Agent will try to correct the CustomerDirectDebitInitiation message information and re-submit an FIToFICustomerDirectDebit message to the Clearing Agent. In this case the Creditor will not be involved.

Scenario 3: *Negative PaymentStatusReport message initiated by the Debtor Agent to Reject the FIToFICustomerDirectDebit message.*
The Creditor sends a CustomerDirectDebitInitiation message to its Agent (the Creditor Agent).
The Creditor Agent confirms the processability of the CustomerDirectDebitInitiation instruction by sending a PaymentStatusReport message (positive) to the Creditor.
The Creditor Agent sends a FIToFICustomerDirectDebit message to the Clearing Agent/System, in line with the clearing cycle. The Mandate Related Information (MRI) is also transported, when applicable.
The Clearing Agent/System confirms the processability of the FIToFICustomerDirectDebit instruction by sending a PaymentStatusReport message (positive) to the Creditor Agent.
The Clearing Agent/System sends a FIToFICustomerDirectDebit message, together with potentially the Mandate Related Reference (MRI) to the Debtor Agent immediately for information purposes only.
If settlement has not yet taken place, the Debtor Agent may send a negative PaymentStatusReport message to the Clearing Agent, to inform him about the rejection of the FIToFICustomerDirectDebitinstruction. This negative PaymentStatusReport message may subsequently be forwarded to the Creditor Agent. The Creditor Agent may inform (but not necessarily) his customer, the Creditor, about the negative processing of the CustomerDirectDebitInitiation instruction by using a PaymentStatusReport message, an Advice message (out of scope) or through a Statement message (out of scope).

Scenario 4: *Negative PaymentStatusReport message initiated by the Clearing Agent to reject a PaymentCancellationRequest message for a previously sent FIToFICustomerDirectDebit message.*
Note: This scenario can also apply between the Creditor Agent and the Creditor.
The Creditor sends a CustomerDirectDebitInitiation message to its Agent (the Creditor Agent).
The Creditor Agent confirms the processability of the CustomerDirectDebitInitiation instruction by sending a PaymentStatusReport message (positive) to the Creditor.
The Creditor Agent sends an FIToFICustomerDirectDebit message to the Clearing Agent/System, in line with the clearing cycle. The Mandate Related Information (MRI) is also transported, when applicable.

The Creditor sends a PaymentCancellationRequest message to its Agent, the Creditor Agent, for a previously sent CustomerDirectDebitInitiation message (e.g. Duplicated message).
As the Creditor Agent had already sent a FIToFICustomerDirect Debit message to the Clearing Agent, he will in his turn send a PaymentCancellationRequest message to the Clearing Agent.
If the Clearing Agent sent a FIToFICustomerDirectDebit message already and settlement took place, he will inform the Creditor Agent about the negative processability of the PaymentCancellationRequest instruction by using a negative PaymentStatusReport message.
The Creditor Agent will inform his customer, the Creditor, about the negative processing of the PaymentCancellationRequest instruction by using a negative PaymentStatusReport message.

Direct Debit: Payment Return

Introduction

A PaymentReturn message is initiated by the Debtor Agent and sent to the previous party in the payment chain when a debit can not be executed due to an administrative reason (e.g. non existing/closed account) or due to a banking reason (e.g. insufficient funds).
The PaymentReturn message is also the message to be used by the Debtor Agent following the receipt of a refund request by the Debtor (out of scope) as it is assumed that the refund request will be done through a non-automated tool (e.g. phone/fax) and is not part of the scope.
In this case, the PaymentReturn message will contain a code to indicate that it is triggered by a request for refund by the Debtor.

Sequence Diagram



Narrative and Scenarios

Scenario1: *PaymentReturn message initiated by the Debtor Agent*
The Creditor sends the CustomerDirectDebitInitiation message to its Agent (the Creditor Agent).
The Creditor Agent confirms the processability of the CustomerDirectDebitInitiation instruction by sending a positive PaymentStatusReport to the Creditor.
The Creditor Agent sends a FIToFICustomerDirectDebit message to the Clearing Agent/System, in line with the clearing cycle. The Mandate Related Information (MRI) is also transported, when applicable.
The Clearing Agent/System confirms the processability of the FIToFICustomerDirectDebit instruction by sending a positive PaymentStatusReport message to the Creditor Agent.

The Clearing Agent/System sends a FIToFICustomerDirectDebit message, together with potentially the Mandate Related Reference (MRI) to the Debtor Agent immediately for information purposes only.
The Debtor Agent sends a positive PaymentStatusReport message to the Clearing Agent.
If the Debtor Agent is unable to make the collection from the Debtor Account for one or several reasons (insufficient funds, customer deceased ...), he will initiate a PaymentReturn message, and route it through the Clearing Agent to the Creditor Agent, giving the reason for the Return.
The Clearing Agent optionally confirms the receipt of the PaymentReturn message by sending a positive PaymentStatusReport message to the Debtor Agent.
The Clearing Agent forwards the PaymentReturn message to the Creditor Agent.
The Clearing Agent prepares the (returned) payment information for the Settlement Agent (the net position to be debited, the party to be debited, the net position to be credited, the party to be credited and the value date) in accordance with the agreed and published settlement cycle. The Settlement Agent performs the transfer of cash from the credit party to the debit party (in accordance with the agreed published settlement cycle). (Out of scope and not illustrated).
The Creditor agent will optionally confirm receipt of the PaymentReturn message to the Clearing Agent. Depending on agreements between the Creditor and the Creditor Agent, the Creditor may be informed either through a negative PaymentStatusReport message, or through an Advice message (out of scope) or through a Statement message about the funds return and thus the debit on his account.

Scenario 2: *Refund by the Debtor (Not illustrated in the Sequence Diagram)*
This scenario is similar to scenario 1, except that the PaymentReturn instruction by the Debtor Agent to the Clearing Agent is triggered by a *Refund Request* by the Debtor to his agent, the Debtor Agent (in a non-automated manner). In this case, the PaymentReturn message will contain a code indicating that it was triggered by a request for refund by the Debtor.

Direct Debit: Payment Reversal

Introduction

The Creditor will initiate a CustomerPaymentReversal message, after Settlement, when a paid Direct Debit should not have been processed.
The Creditor Agent will in his turn initiate an FIToFIPaymentReversal for the next agent in the payment chain. Consequently, the Debtor will be credited back.
Note: The Creditor Agent may be the originator of a payment reversal - he will in this case initiation a FIToFIPaymentReversal message.

Sequence Diagram



Narrative and Scenario

The Creditor sends a CustomerDirectDebitInitiation message to its Agent (the Creditor Agent).
The Creditor Agent confirms the processability of the CustomerDirectDebitInitiation instruction by sending a positive PaymentStatusReport message to the Creditor.
The Creditor Agent sends a FIToFICustomerDirectDebit message to the Clearing Agent/System, in line with the clearing cycle. The Mandate Related Information (MRI) is also transported, when applicable.
The Clearing Agent/System confirms the processability of the FIToFICustomerDirectDebit instruction by sending a positive PaymentStatusReport message to the Creditor Agent.
The Clearing Agent/System sends a FIToFICustomerDirectDebit message, together with potentially the Mandate Related Reference (MRI) to the Debtor Agent immediately for information purposes only.
The Debtor Agent sends a positive PaymentStatusReport message to the Clearing Agent.
The Creditor realises this was a duplicated CustomerDirectDebitInitiation instruction. He now wants to send a CustomerPaymentReversal message. He identifies the original CustomerDirectDebitInitiation message (or a file of direct debit instructions) and generates an offsetting transaction in favour of the Debtor, under the quotation of the reversal

reasons. The Creditor Agent may confirm the receipt of the CustomerPaymentReversal message by sending a positive PaymentStatusReport message to the Creditor.
A FIToFIPaymentReversal message is submitted by the Creditor Agent to the Clearing Agent for settlement, under quotation of the original direct debit reference and the reason for the reversal.
The Clearing Agent confirms the processability of the reversal by sending a positive PaymentStatusReport message to the Creditor Agent.
The Clearing Agent/System forwards the FIToFIPaymentReversal message to the Debtor Agent immediately for information purposes only.
The Clearing Agent prepares the payment information for the Settlement Agent (in accordance with the agreed and published settlement cycle). That process includes the calculation of the settlement positions.
The information provided to the Settlement Agent is the net position to be debited, the party to be debited, the net position to the credited, the party to be credited and the value date (Out of Scope)
The Settlement Agent performs the transfer of funds from the Credit Party to the Debit Party (in accordance with the agreed and published settlement cycle) (Out of Scope)
A positive PaymentStatusReport message can optionally be initiated by the Debtor agent and sent to the Clearing Agent to confirm the processability of the reversal message.
Note: it may exceptionally occur that a PaymentReturn message and a PaymentReversal message would cross each other, but that this could only be avoided through value-added monitoring services that could be offered by the scheme manager and/or might provoke exceptions/investigation handling

Direct Debit: Payment Cancellation Request

Introduction

The PaymentCancellationRequest message is sent by the sender of a previously sent CustomerDirectDebitInitiation or FIToFICustomerDirectDebit message, e.g. a PaymentCancellationRequest message can be sent by the Creditor to the Creditor Agent to cancel a CustomerDirectDebitInitiation message, prior to the acceptance by the Creditor Agent (or the bilaterally agreed cancellation cut-off time).
Acceptance or rejection of a PaymentCancellationRequest message is communicated through the PaymentStatusReport message.

Sequence Diagram



Narrative and Scenarios

Scenario 1: *PaymentCancellationRequest message initiated by the Creditor*
The Creditor sends a CustomerDirectDebitInitiation message to its Agent (the Creditor Agent).
The Creditor, prior the acceptance by the Creditor Agent initiates a PaymentCancellationRequest message for a previously sent CustomerDirectDebitInitiation message (e.g. Duplicated Direct Debit instruction).
The Creditor Agent confirms the cancellation of the CustomerDirectDebitInitiation message by sending a positive PaymentStatusReport message to the Creditor.
The Creditor can now reconcile the PaymentStatusReport message he received from the Creditor Agent against the PaymentCancellationRequest message.

Scenario 2: *PaymentCancellationRequest message initiated by the Creditor Agent (e.g. following a mistake on his side)*
The Creditor sends a CustomerDirectDebitInitiation message to its Agent (the Creditor Agent).
The Creditor Agents optionally confirms the processability of the CustomerDirectDebitInitiation message by sending a positive PaymentStatusReport message to the Creditor.
The Creditor Agent sends a FIToFICustomerDirectDebit message to the Clearing Agent/System, in line with the clearing cycle. The Mandate Related Information is also transported, when applicable.
The Creditor Agent realises he made a mistake in the FIToFICustomerDirectDebit message. He sends a PaymentCancellationRequest message to the Clearing Agent.
If Settlement has not taken place yet, the Clearing Agent confirms the cancellation of the Direct Debit instruction by sending a positive PaymentStatusReport message to the Creditor Agent.

Scenario3: *Payment Cancellation Request message forwarded by the Creditor Agent to the Clearing Agent (following a request by the Creditor)*
The Creditor sends a CustomerDirectDebitInitiation message to its Agent (the Creditor Agent).
The Creditor Agent optionally confirms the processability of the CustomerDirectDebitInitiation message by sending a positive PaymentStatusReport message to the Creditor.
The Creditor Agent sends a FIToFICustomerDirectDebit message to the Clearing Agent/System, in line with the clearing cycle. The Mandate Related Information is also transported, when applicable. The Clearing Agent/System optionally confirms the processability of the Direct Debit instruction by sending a positive PaymentStatusReport message to the Creditor Agent.
The Creditor sends a PaymentCancellationRequest message to its Agent, the Creditor Agent for a previously sent CustomerDirectDebitInitiation message (e.g. Duplicated message). The Creditor Agent acknowledges the receipt of the PaymentCancellationRequest message by sending a positive PaymentStatusReport message to his customer, the Creditor.
As the Creditor Agent had already sent a FIToFICustomerDirectDebit message to the Clearing Agent, he will in his turn send a PaymentCancellationRequest message to the Clearing Agent.
If Settlement has not taken place yet, the Clearing Agent will cancel the Direct Debit instruction and confirm the cancellation by sending a positive PaymentStatusReport message to the Creditor Agent.
Note: In some exceptional cases, if the Clearing Agent has already forwarded the FIToFICustomerDirectDebit message to the Debtor Agent and if Settlement has not taken place yet, the Clearing Agent may decide to forward the PaymentCancellationRequest message to the Debtor Agent. The Debtor Agent may confirm the cancellation to the Clearing Agent by using the PaymentStatusReport message.

Scenario 4: *Negative PaymentStatusReport message initiated by the Clearing Agent to reject a Payment Cancellation Request for a previously sent Direct Debit instruction (for clarity reasons, this scenario is already present under the Negative Payment Status Report section).*
Note: This scenario can also apply between the Creditor Agent and the Creditor.
Note: It mainly depends on the clearing cycles of the Scheme whether or not a bank would chase an instruction that has left the bank system.
The Creditor sends a CustomerDirectDebitInitiation message to its Agent (the Creditor Agent).
The Creditor Agent confirms the processability of the CustomerDirectDebitInitiation instruction by sending a PaymentStatusReport message (positive) to the Creditor.

The Creditor Agent sends an FIToFICustomerDirectDebit message to the Clearing Agent/System, in line with the clearing cycle. The Mandate Related Information (MRI) is also transported, when applicable.
The Creditor sends a PaymentCancellationRequest message to its Agent, the Creditor Agent, for a previously sent CustomerDirectDebitInitiation message (e.g. Duplicated message).
As the Creditor Agent had already sent a FIToFICustomerDirectDebit message to the Clearing Agent, he will in his turn send a PaymentCancellationRequest message to the Clearing Agent.
If the Clearing Agent sent a FIToFICustomerDirectDebit message already and settlement took place, he will inform the Creditor Agent about the negative processability of the PaymentCancellationRequest instruction by using a negative PaymentStatusReport message.
The Creditor Agent will inform his customer, the Creditor, about the negative processing of the PaymentCancellationRequest instruction by using a negative PaymentStatusReport message.

Message: FIToFICustomerCreditTransferV01 <pacs.008.001.01>

Message Scope and Usage

Scope

The FinancialInstitutionToFinancialInstitutionCustomerCreditTransfer message is sent by the debtor agent to the creditor agent, directly or through other agents and/or a payment clearing and settlement system. It is used to move funds from a debtor account to a creditor.

Usage

The FIToFICustomerCreditTransfer message is exchanged between agents and can contain one or more customer credit transfer instructions.
The FIToFICustomerCreditTransfer message does not allow for grouping: a CreditTransferTransactionInformation block must be present for each credit transfer transaction.
The FIToFICustomerCreditTransfer message can be used in different ways:

- If the instructing agent and the instructed agent wish to use their direct account relationship in the currency of the transfer then the message contains both the funds for the customer transfer(s) as well as the payment details;

- If the instructing agent and the instructed agent have no direct account relationship in the currency of the transfer, or do not wish to use their account relationship, then other (reimbursement) agents will be involved to cover for the customer transfer(s). The FIToFICustomerCreditTransfer contains only the payment details and the instructing agent must cover the customer transfer by sending a FinancialInstitutionCreditTransfer to a reimbursement agent. This payment method is called the *Cover method*;

- If more than two financial institutions are involved in the payment chain and if the FIToFICustomerCreditTransfer is sent from one financial institution to the next financial institution in the payment chain, then the payment method is called the *Serial method*.

The FIToFICustomerCreditTransfer message can be used in domestic and cross-border scenarios.

Outline

The FIToFICustomerCreditTransfer message is composed of 2 building blocks:

A. Group Header

This building block is mandatory and present once. It contains elements such as MessageIdentification, CreationDateAndTime.

B. Credit Transfer Transaction Information

This building block is mandatory and repetitive. It contains elements related to the debit and credit side of the transaction such as Creditor, CreditorAgent, Debtor, DebtorAgent.

Rules

InstructedAgentRule
If GroupHeader/InstructedAgent is present, then CreditTransferTransactionInformation/InstructedAgent is not allowed.

InstructingAgentRule
If GroupHeader/InstructingAgent is present, then CreditTransferTransactionInformation/InstructingAgent is not allowed.

TotalInterbankSettlementAmount1Rule
If GroupHeader/TotalInterbankSettlementAmount is present, then all occurrences of CreditTransferTransactionInformation/InterbankSettlementAmount must have the same currency as the currency of GroupHeader/TotalInterbankSettlementAmount.

TotalInterbankSettlementAmount2Rule
If GroupHeader/TotalInterbankSettlementAmount is present, then it must equal the sum of all occurrences of CreditTransferTransactionInformation/InterbankSettlementAmount.

InterbankSettlementDateRule
If GroupHeader/InterbankSettlementDate is present, then CreditTransferTransactionInformation/ InterbankSettlementDate is not allowed.
If GroupHeader/InterbankSettlementDate is not present, then CreditTransferTransactionInformation/ InterbankSettlementDate must be present.

PaymentTypeInformationRule
If GroupHeader/PaymentTypeInformation is present, then CreditTransferTransactionInformation/ PaymentTypeInformation is not allowed.

Note : Rules applying to specific message components or message elements are included in the description of the relevant message component or message element.

Message Structure

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
1.0		GroupHeader	<GrpHdr>	[1..1]		
1.1		MessageIdentification	<MsgId>	[1..1]	Text	
1.2		CreationDateTime	<CreDtTm>	[1..1]	DateTime	
1.3		BatchBooking	<BtchBookg>	[0..1]	Indicator	
1.4		NumberOfTransactions	<NbOfTxs>	[1..1]	Text	
1.5		ControlSum	<CtrlSum>	[0..1]	Quantity	
1.6		TotalInterbankSettlementAmount	<TtlIntrBkSttlmAmt>	[0..1]	Amount	
1.7		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime	
1.8		SettlementInformation	<SttlmInf>	[1..1]		
1.9		SettlementMethod	<SttlmMtd>	[1..1]	Code	
1.10		SettlementAccount	<SttlmAcct>	[0..1]	+	
1.11		ClearingSystem	<ClrSys>	[0..1]		
1.12	{Or	ClearingSystemIdentification	<ClrSysId>	[1..1]	Code	
1.13	Or}	Proprietary	<Prtry>	[1..1]	Text	
1.14		InstructingReimbursementAgent	<InstgRmbrsmntAgt>	[0..1]	+	
1.15		InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>	[0..1]	+	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
1.16		InstructedReimbursementAgent	<InstdRmbrsmntAgt>	[0..1]	+	
1.17		InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>	[0..1]	+	
1.18		ThirdReimbursementAgent	<ThrdRmbrsmntAgt>	[0..1]	+	
1.19		ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>	[0..1]	+	
1.20		PaymentTypeInformation	<PmtTpInf>	[0..1]		
1.21		InstructionPriority	<InstrPrty>	[0..1]	Code	
1.22	{Or	ServiceLevel	<SvcLvl>	[0..1]		
1.23	{{Or	Code	<Cd>	[1..1]	Code	
1.24	Or}}	Proprietary	<Prtry>	[1..1]	Text	
1.25	Or}	ClearingChannel	<ClrChanl>	[0..1]	Code	
1.26		LocalInstrument	<LclInstrm>	[0..1]		
1.27	{Or	Code	<Cd>	[1..1]	Code	
1.28	Or}	Proprietary	<Prtry>	[1..1]	Text	
1.29		CategoryPurpose	<CtgyPurp>	[0..1]	Code	
1.30		InstructingAgent	<InstgAgt>	[0..1]	+	
1.31		InstructedAgent	<InstdAgt>	[0..1]	+	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
2.0		CreditTransferTransactionInformation	<CdtTrfTxInf>	[1..n]		
2.1		PaymentIdentification	<PmtId>	[1..1]	+	
2.2		PaymentTypeInformation	<PmtTpInf>	[0..1]		
2.3		InstructionPriority	<InstrPrty>	[0..1]	Code	
2.4	{Or	ServiceLevel	<SvcLvl>	[0..1]		
2.5	{{Or	Code	<Cd>	[1..1]	Code	
2.6	Or}}	Proprietary	<Prtry>	[1..1]	Text	
2.7	Or}	ClearingChannel	<ClrChanl>	[0..1]	Code	
2.8		LocalInstrument	<LclInstrm>	[0..1]		
2.9	{Or	Code	<Cd>	[1..1]	Code	
2.10	Or}	Proprietary	<Prtry>	[1..1]	Text	
2.11		CategoryPurpose	<CtgyPurp>	[0..1]	Code	
2.12		InterbankSettlementAmount	<IntrBkSttlmAmt>	[1..1]	Amount	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
2.13		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime	
2.14		SettlementTimeIndication	<SttlmTmIndctn>	[0..1]		
2.15		DebitDateTime	<DbtDtTm>	[0..1]	DateTime	
2.16		CreditDateTime	<CdtDtTm>	[0..1]	DateTime	
2.17		SettlementTimeRequest	<SttlmTmReq>	[0..1]		
2.18		CLSTime	<CLSTm>	[1..1]	DateTime	
2.19		AcceptanceDateTime	<AccptncDtTm>	[0..1]	DateTime	
2.20		PoolingAdjustmentDate	<PoolgAdjstmntDt>	[0..1]	DateTime	
2.21		InstructedAmount	<InstdAmt>	[0..1]	Amount	
2.22		ExchangeRate	<XchgRate>	[0..1]	Rate	
2.23		ChargeBearer	<ChrgBr>	[1..1]	Code	
2.24		ChargesInformation	<ChrgsInf>	[0..n]	+	
2.25		PreviousInstructingAgent	<PrvsInstgAgt>	[0..1]	+	
2.26		PreviousInstructingAgentAccount	<PrvsInstgAgtAcct>	[0..1]	+	
2.27		InstructingAgent	<InstgAgt>	[0..1]	+	
2.28		InstructedAgent	<InstdAgt>	[0..1]	+	
2.29		IntermediaryAgent1	<IntrmyAgt1>	[0..1]	+	
2.30		IntermediaryAgent1Account	<IntrmyAgt1Acct>	[0..1]	+	
2.31		IntermediaryAgent2	<IntrmyAgt2>	[0..1]	+	
2.32		IntermediaryAgent2Account	<IntrmyAgt2Acct>	[0..1]	+	
2.33		IntermediaryAgent3	<IntrmyAgt3>	[0..1]	+	
2.34		IntermediaryAgent3Account	<IntrmyAgt3Acct>	[0..1]	+	
2.35		UltimateDebtor	<UltmtDbtr>	[0..1]	+	
2.36		InitiatingParty	<InitgPty>	[0..1]	+	
2.37		Debtor	<Dbtr>	[1..1]	+	
2.38		DebtorAccount	<DbtrAcct>	[0..1]	+	
2.39		DebtorAgent	<DbtrAgt>	[1..1]	+	
2.40		DebtorAgentAccount	<DbtrAgtAcct>	[0..1]	+	
2.41		CreditorAgent	<CdtrAgt>	[1..1]	+	
2.42		CreditorAgentAccount	<CdtrAgtAcct>	[0..1]	+	
2.43		Creditor	<Cdtr>	[1..1]	+	
2.44		CreditorAccount	<CdtrAcct>	[0..1]	+	
2.45		UltimateCreditor	<UltmtCdtr>	[0..1]	+	
2.46		InstructionForCreditorAgent	<InstrForCdtrAgt>	[0..n]		
2.47		Code	<Cd>	[0..1]	Code	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
2.48		InstructionInformation	<InstrInf>	[0..1]	Text	
2.49		InstructionForNextAgent	<InstrForNxtAgt>	[0..n]		
2.50		Code	<Cd>	[0..1]	Code	
2.51		InstructionInformation	<InstrInf>	[0..1]	Text	
2.52		Purpose	<Purp>	[0..1]		
2.53	{Or	Code	<Cd>	[1..1]	Code	
2.54	Or}	Proprietary	<Prtry>	[1..1]	Text	
2.55		RegulatoryReporting	<RgltryRptg>	[0..10]		
2.56		DebitCreditReportingIndicator	<DbtCdtRptgInd>	[0..1]	Code	
2.57		Authority	<Authrty>	[0..1]		
2.58		AuthorityName	<AuthrtyNm>	[0..1]	Text	
2.59		AuthorityCountry	<AuthrtyCtry>	[0..1]	Code	
2.60		RegulatoryDetails	<RgltryDtls>	[0..1]		
2.61		Code	<Cd>	[0..1]	Text	
2.62		Amount	<Amt>	[0..1]	Amount	
2.63		Information	<Inf>	[0..1]	Text	
2.64		RelatedRemittanceInformation	<RltdRmtInf>	[0..10]		
2.65		RemittanceIdentification	<RmtId>	[0..1]	Text	
2.66		RemittanceLocationMethod	<RmtLctnMtd>	[0..1]	Code	
2.67		RemittanceLocationElectronicAddress	<RmtLctnElctrncAdr>	[0..1]	Text	
2.68		RemittanceLocationPostalAddress	<RmtLctnPstlAdr>	[0..1]		
2.69		Name	<Nm>	[1..1]	Text	
2.70		Address	<Adr>	[1..1]	+	
2.71		RemittanceInformation	<RmtInf>	[0..1]		
2.72		Unstructured	<Ustrd>	[0..n]	Text	
2.73		Structured	<Strd>	[0..n]		
2.74		ReferredDocumentInformation	<RfrdDocInf>	[0..1]		
2.75		ReferredDocumentType	<RfrdDocTp>	[0..1]		
2.76	{Or	Code	<Cd>	[1..1]	Code	
2.77	Or}	Proprietary	<Prtry>	[1..1]	Text	
2.78		Issuer	<Issr>	[0..1]	Text	
2.79		ReferredDocumentNumber	<RfrdDocNb>	[0..1]	Text	
2.80		ReferredDocumentRelatedDate	<RfrdDocRltdDt>	[0..1]	DateTime	
2.81		ReferredDocumentAmount	<RfrdDocAmt>	[0..n]		
2.82	{Or	DuePayableAmount	<DuePyblAmt>	[1..1]	Amount	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
2.83	Or	DiscountAppliedAmount	<DscntApldAmt>	[1..1]	Amount	
2.84	Or	RemittedAmount	<RmtdAmt>	[1..1]	Amount	
2.85	Or	CreditNoteAmount	<CdtNoteAmt>	[1..1]	Amount	
2.86	Or}	TaxAmount	<TaxAmt>	[1..1]	Amount	
2.87		CreditorReferenceInformation	<CdtrRefInf>	[0..1]		
2.88		CreditorReferenceType	<CdtrRefTp>	[0..1]		
2.89	{Or	Code	<Cd>	[1..1]	Code	
2.90	Or}	Proprietary	<Prtry>	[1..1]	Text	
2.91		Issuer	<Issr>	[0..1]	Text	
2.92		CreditorReference	<CdtrRef>	[0..1]	Text	
2.93		Invoicer	<Invcr>	[0..1]	+	
2.94		Invoicee	<Invcee>	[0..1]	+	
2.95		AdditionalRemittanceInformation	<AddtlRmtInf>	[0..1]	Text	

Message Items Description

*The following section identifies the elements of the **FIToFICustomerCreditTransferV01** message.*

1.0 GroupHeader <GrpHdr>

Presence: [1..1]
Definition: Set of characteristics shared by all individual transactions included in the message.
Type: *The **GroupHeader** block is composed of the following **GroupHeader2** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.1		MessageIdentification	<MsgId>	[1..1]	Text
1.2		CreationDateTime	<CreDtTm>	[1..1]	DateTime
1.3		BatchBooking	<BtchBookg>	[0..1]	Indicator
1.4		NumberOfTransactions	<NbOfTxs>	[1..1]	Text
1.5		ControlSum	<CtrlSum>	[0..1]	Quantity
1.6		TotalInterbankSettlementAmount	<TtlIntrBkSttlmAmt>	[0..1]	Amount
1.7		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime
1.8		SettlementInformation	<SttlmInf>	[1..1]	
1.20		PaymentTypeInformation	<PmtTpInf>	[0..1]	
1.30		InstructingAgent	<InstgAgt>	[0..1]	+
1.31		InstructedAgent	<InstdAgt>	[0..1]	+

Rule(s): TotalInterbankSettlementAmountAndInterbankSettlementDateRule

If TotalInterbankSettlementAmount is present, then InterbankSettlementDate must be present.

1.1 MessageIdentification <MsgId>

Presence: [1..1]

Definition: Point to point reference assigned by the instructing party and sent to the next party in the chain to unambiguously identify the message.

Usage: The instructing party has to make sure that 'MessageIdentification' is unique per instructed party for a pre-agreed period.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

1.2 CreationDateTime <CreDtTm>

Presence: [1..1]

Definition: Date and time at which a (group of) payment instruction(s) was created by the instructing party.

Data Type: ISODateTime

1.3 BatchBooking <BtchBookg>

Presence: [0..1]

Definition: Identifies whether a single entry per individual transaction or a batch entry for the sum of the amounts of all transactions in the message is requested.

Data Type: *One of the following **BatchBookingIndicator** values must be used:*
MeaningWhenTrue: Identifies that a batch entry for the sum of the amounts of all transactions in the message is requested.
MeaningWhenFalse: Identifies that a single entry for each of the transactions in the message is requested.

1.4 NumberOfTransactions <NbOfTxs>

Presence: [1..1]

Definition: Number of individual transactions contained in the message.

Data Type: Max15NumericText

Format: [0-9]{1,15}

1.5 ControlSum <CtrlSum>

Presence: [0..1]

Definition: Total of all individual amounts included in the message, irrespective of currencies.

Data Type: DecimalNumber

Format: fractionDigits: 17
totalDigits: 18

1.6 TotalInterbankSettlementAmount <TtlIntrBkSttlmAmt>

Presence: [0..1]

Definition: Total amount of money transferred between instructing agent and instructed agent.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: CurrencyAndAmount

fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

1.7 InterbankSettlementDate <IntrBkSttlmDt>

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Data Type: ISODate

1.8 SettlementInformation <SttlmInf>

Presence: [1..1]

Definition: Specifies the details on how the settlement of the transaction(s) between the instructing agent and the instructed agent is completed.

Type: *This message item is composed of the following **SettlementInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.9		SettlementMethod	<SttlmMtd>	[1..1]	Code
1.10		SettlementAccount	<SttlmAcct>	[0..1]	+
1.11		ClearingSystem	<ClrSys>	[0..1]	
1.14		InstructingReimbursementAgent	<InstgRmbrsmntAgt>	[0..1]	+
1.15		InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>	[0..1]	+
1.16		InstructedReimbursementAgent	<InstdRmbrsmntAgt>	[0..1]	+
1.17		InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>	[0..1]	+
1.18		ThirdReimbursementAgent	<ThrdRmbrsmntAgt>	[0..1]	+
1.19		ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>	[0..1]	+

Rule(s): InstructedReimbursementAgentAccountRule
If InstructedReimbursementAgent is not present, then InstructedReimbursementAgentAccount is not allowed.

InstructingReimbursementAgentAccountRule
If InstructingReimbursementAgent is not present, then InstructingReimbursementAgentAccount is not allowed.

SettlementMethod1Rule
If SettlementMethod is equal to INDA or INGA then:
- SettlementAccount may be present;
- ReimbursementAgent(s) is(are) not allowed;
- ClearingSystem is not allowed.

SettlementMethod2Rule
If SettlementMethod is equal to COVE then:
- SettlementAccount is not allowed;

- Reimbursement agent(s) must be present;
- ClearingSystem is not allowed.

SettlementMethod3Rule
If SettlementMethod is equal to CLRG then:
- SettlementAccount is not allowed;
- Reimbursement agent(s) is(are) not allowed;
- ClearingSystem must be present.

ThirdReimbursementAgentAccountRule
If ThirdReimbursementAgent is not present, then ThirdReimbursementAgentAccount is not allowed.

ThirdReimbursementAgentRule
If ThirdReimbursementAgent is present, then InstructingReimbursementAgent and InstructedReimbursementAgent must both be present.

1.9 SettlementMethod <SttlmMtd>

Presence: [1..1]
Definition: Method used to settle the (batch of) payment instructions.
Data Type: Code
*One of the following **SettlementMethod1Code** values must be used:*

Code	Name	Definition
CLRG	ClearingSystem	Settlement is done through a payment clearing system.
COVE	CoverMethod	Settlement is done through a cover payment.
INDA	InstructedAgent	Settlement is done by the agent instructed to execute a payment instruction.
INGA	InstructingAgent	Settlement is done by the agent instructing and forwarding the payment to the next party in the payment chain.

1.10 SettlementAccount <SttlmAcct>

Presence: [0..1]
Definition: A specific purpose account used to post debit and credit entries as a result of the transaction.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

1.11 ClearingSystem <ClrSys>

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

Type: *This message item is composed of one of the following* ***ClearingSystemIdentification1Choice*** *element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.12	{Or	ClearingSystemIdentification	<ClrSysId>	[1..1]	Code
1.13	Or}	Proprietary	<Prtry>	[1..1]	Text

1.12 ClearingSystemIdentification <ClrSysId>

Presence: [1..1]

This message item is part of choice ***1.11*** *ClearingSystem.*

Definition: Infrastructure through which the payment instruction is processed.

Data Type: Code

One of the following ***CashClearingSystem3Code*** *values must be used:*

Code	Name	Definition
ABE	EBAEuro1Step1	Scheme code for EBA Euro1/Step1.
AIP	Albania	Scheme code for AL (Albania) - Albania Interbank Payment System.
ART	Austrian	Scheme code for AT (Austria) - Austrian RTGS (ARTIS).
AVP	NewZealand	Scheme code for NZ (New Zealand) - New Zealand Assured Value Payments.
AZM	Azerbaijan	Scheme code for AZ (Azerbaijan) - Azerbaijan Interbank Payment System (AZIPS).
BAP	BosniaHerzegovina	Scheme code for BA (Bosnia and Herzegovina).
BCC	SwedenBGC	Scheme code for SE (Sweden) - Sweden BGC Clearing CUG.
BDS	Barbados	Scheme code for BB (Barbados) - Barbados RTGS (CBRTGS).
BEL	Belgium	Scheme code for BE (Belgium) - Belgium RTGS (ELLIPS).
BGN	Bulgaria	Scheme code for BG (Bulgaria) - Bulgaria RTGS.
BHS	Bahamas	Scheme code for BS (Bahamas) - Bahamas RTGS.
BIS	Botswana	Scheme code for BW (Botswana) - Botswana Interbank Settlement System.
BOF	Finland	Scheme code for FI (Finland) - RTGS (BOF).
BOJ	BankOfJapanNet	Scheme code for the Bank of Japan clearing system.
BRL	Italy	Scheme code for IT (Italy) - Italy RTGS (BIREL).
BSP	Philippines	Scheme code for PH (Philippines) - Philippines Payment System.
CAD	Canada	Scheme code for CA (Canada) - Canadian Large Value Transfer System (LVTS)
CAM	SpainCAM	Scheme code for ES (Spain).

Code	Name	Definition
CBJ	Ireland	Scheme code for IE (Ireland) - Irish RTGS (IRIS).
CHI	USChips	CHIPS is the Clearing House Interbank Payment System in the US.
CHP	UnitedKingdom	Scheme code for GB (UK) - British Euro RTGS (CHAPS).
COP	Columbia	Scheme code for Columbia (CO) - Colombian ACH CENIT Central Bank Payment System.
DDK	DenmarkDDK	Scheme code for DK (Denmark) - Danish Krone RTGS (KRONOS)
DKC	Denmark	Scheme code for DK (Denmark) - Danish Euro RTGS (KRONOS)
EBA	EBAEuro1	Scheme code for EBA Euro1.
ELS	GermanyELS	Scheme code for DE (Germany).
EPM	ECB	Scheme code for ECB (European Central Bank) - ECB Payment Mechanism.
EPN	USChipsACH	Scheme code for the US CHIPS-ACH.
ERP	EBAStep1	Scheme code for EBA step 1 (members).
FDA	USFedACH	Scheme code for the US FED-ACH.
FDW	Fedwire	Scheme code for the US national real time gross settlement system.
FEY	ForeignExchangeYenClearing	Scheme code for the Foreign Exchange Yen Clearing system (FEYCS). It is the Japanese electronic interbank system for sending guaranteed and unconditional yen payments of FX deals for same day settlement from one settlement bank, on behalf of itself or its customers, to another settlement bank.
GIS	Ghana	Scheme code for GH (Ghana) - Ghana Interbank Settlement System (GISS).
HRK	Croatia	Scheme code for HR (Croatia) - HSVP.
HRM	Greece	Scheme code for GR (Greece) - Greek RTGS (HERMES).
HUF	Hungary	Scheme code for HU (Hungary) - VIBER.
INC	NetherlandsIP	Scheme code for NL (Netherlands) - Netherlands Interpay CUG.
JOD	Jordan	Scheme code for JO (Jordan) - Jordan RTGS.
KPS	Kenya	Scheme code for KE (Kenya) - Kenyan Electronic Payment Settlement System.
LGS	Luxemburg	Scheme code for LU (Luxemburg) - Luxembourg RTGS (LIPS).
LKB	SriLanka	Scheme code for LK (Sri Lanka) - Sri Lanka (Lankasettle).
LVL	Latvia	Scheme code for LV (Latvia).
MEP	Singapore	Scheme code for SG (Singapore) - Singapore RTGS (MEPS +).

Code	Name	Definition
MOS	SouthAfrica	Scheme code for ZA (South Africa) - South-African Multiple Option Settlement.
MRS	Malta	Scheme code for MT (Malta) - Malta Realtime Interbank Settlement System.
MUP	Mauritius	Scheme code for MU (Mauritius).
NAM	Namibia	Scheme code for NA (Namibian) - Namibian Interbank Settlement System.
NOC	Norway	Scheme code for NO (Norway).
PCH	Switzerland	Scheme code for CH (Switzerland).
PDS	Australia	Scheme code for AU (Australia).
PEG	Egypt	Scheme code for EG (Egypt).
PNS	FrancePNS	Scheme code for FR (France).
PTR	Angola	Scheme code for AO (Angola) - Angola RTGS.
PVE	Venezuela	Scheme code for Ve (Venezuela).
ROL	RomaniaEPO	Scheme code for RO (Romania) - Romanian Electronic Payment Operations RT.
ROS	RomaniaGSRS	Scheme code for RO (Romania) - Romanian GSRS.
RTP	GermanyRTGSPlus	Scheme code for DE (Germany).
SCP	Chili	Scheme code for CL (Chile) - Chilean Interbank Payment System.
SEC	SwedenSEC	Scheme code for SE (Sweden) - Swedish Euro RTGS (SEC).
SIT	Slovania	Scheme code for SI (Slovenia).
SLB	SpainES	Scheme code for ES (Spain) - Spanish RTGS (SLBE).
SPG	Portugal	Scheme code for PT (Portugal) - Portuguese RTGS (SPGT).
SSK	SwedenSSK	Scheme code for SE (Sweden) - SEK RTGS (RIX).
STG	UnitedKingdomGBP	Scheme code for UK (United Kingdom) - CHAPS Sterling RTGS.
TBF	FranceFR	Scheme code for FR (France) - French RTGS (TBF).
TGT	Target	Scheme code for Target.
THB	Thailand	Scheme code for TH (Thailand) - Thailand Payment System (Bahtnet/2).
TIS	Tanzania	Scheme code for TZ (Tanzania) - Tanzania Interbank Settlement System (TISS).
TOP	Netherlands	Scheme code for NL (Netherlands) - Dutch RTGS (TOP)
TTD	TrinidadAndTobago	Scheme code for TT (Trinidad and Tobago) - Trinidad and Tobago SAFE-TT.
UIS	Uganda	Scheme code for UG (Uganda) - Uganda National Interbank Settlement System.
XCT	EBAStep2	Scheme code for EBA step 2.

Code	Name	Definition
ZEN	Zengin	Scheme code for the Zengin system. The electronic payment system for domestic third party transfers managed by the Tokyo Bankers Association.
ZET	Zimbabwe	Scheme code for ZW (Zimbabwe) - Zimbabwe Electronic Transfer & Settlement System.
ZIS	Zambia	Scheme code for ZM (Zambia) - Zambian Interbank Payment &Settlement System.

1.13 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **1.11** ClearingSystem.*

Definition: Proprietary clearing system service selected for a transaction.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

1.14 InstructingReimbursementAgent <InstgRmbrsmntAgt>

Presence: [0..1]

Definition: Agent through which the instructing agent will reimburse the instructed agent.

Usage: If InstructingAgent and InstructedAgent have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.15 InstructingReimbursementAgentAccount <InstgRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructing reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

1.16 InstructedReimbursementAgent <InstdRmbrsmntAgt>

Presence: [0..1]

Definition: Agent at which the instructed agent will be reimbursed.

Usage: If InstructedReimbursementAgent contains a branch of the InstructedAgent, then the instructed agent will claim reimbursement from that branch/will be paid by that branch.

Usage: If InstructingAgent and InstructedAgent have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.17 InstructedReimbursementAgentAccount <InstdRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructed reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

1.18 ThirdReimbursementAgent <ThrdRmbrsmntAgt>

Presence: [0..1]

Definition: Instructed agent's branch where the amount of money will be made available when different from the instructed reimbursement agent.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.19 ThirdReimbursementAgentAccount <ThrdRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the third reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

1.20 PaymentTypeInformation <PmtTpInf>

Presence: [0..1]

Definition: Set of elements that further specifies the type of transaction.

Type: *This message item is composed of the following **PaymentTypeInformation3** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.21		InstructionPriority	<InstrPrty>	[0..1]	Code
1.22	{Or	ServiceLevel	<SvcLvl>	[0..1]	
1.25	Or}	ClearingChannel	<ClrChanl>	[0..1]	Code
1.26		LocalInstrument	<LclInstrm>	[0..1]	
1.29		CategoryPurpose	<CtgyPurp>	[0..1]	Code

1.21 InstructionPriority <InstrPrty>

Presence: [0..1]

Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the instruction.

Data Type: Code

*When this message item is present, one of the following **Priority2Code** values must be used:*

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.

1.22 ServiceLevel <SvcLvl>

Presence: [0..1]
*This message item is part of choice **1.20** PaymentTypeInformation.*
Definition: Agreement under which or rules under which the transaction should be processed.
Type: *This message item is composed of one of the following **ServiceLevel2Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.23	{Or	Code	<Cd>	[1..1]	Code
1.24	Or}	Proprietary	<Prtry>	[1..1]	Text

1.23 Code <Cd>

Presence: [1..1]
*This message item is part of choice **1.22** ServiceLevel.*
Definition: Identification of a pre-agreed level of service between the parties in a coded form.
Data Type: Code
*One of the following **ServiceLevel1Code** values must be used:*

Code	Name	Definition
PRPT	EBAPriorityService	Transaction must be processed according to the EBA Priority Service.
SDVA	SameDayValue	Payment must be executed with same day value to the creditor.
SEPA	SingleEuroPaymentsArea	Payment must be executed following the Single Euro Payments Area scheme.

1.24 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **1.22** ServiceLevel.*
Definition: Proprietary identification of a pre-agreed level of service between the parties.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

1.25 ClearingChannel <ClrChanl>

Presence: [0..1]
*This message item is part of choice **1.20** PaymentTypeInformation.*
Definition: Specifies the clearing channel to be used for the settlement of the instruction.
Data Type: Code
*When this message item is present, one of the following **ClearingChannel2Code** values must be used:*

Code	Name	Definition
BOOK	BookTransfer	Payment through internal book transfer.
MPNS	MassPaymentNetSystem	Clearing channel is a mass payment net settlement system.

Code	Name	Definition
RTGS	RealTimeGrossSettlementSystem	Clearing channel is a real-time gross settlement system.
RTNS	RealTimeNetSettlementSystem	Clearing channel is a real-time net settlement system.

1.26 LocalInstrument <LclInstrm>

Presence: [0..1]
Definition: User community specific instrument.

Usage : When available, codes provided by local authorities should be used.

Type: *This message item is composed of one of the following **LocalInstrument1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.27	{Or	Code	<Cd>	[1..1]	Code
1.28	Or}	Proprietary	<Prtry>	[1..1]	Text

1.27 Code <Cd>

Presence: [1..1]
*This message item is part of choice **1.26** LocalInstrument.*
Definition: Specifies the local instrument published in an external local instrument code list.
Data Type: ExternalLocalInstrumentCode
Format: maxLength: 35
minLength: 1

1.28 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **1.26** LocalInstrument.*
Definition: Specifies the local instrument as a proprietary code.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

1.29 CategoryPurpose <CtgyPurp>

Presence: [0..1]
Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.
Data Type: Code
*When this message item is present, one of the following **PaymentCategoryPurpose1Code** values must be used:*

Code	Name	Definition
CASH	CashManagementTransfer	Transaction is a general cash management instruction.
CORT	TradeSettlementPayment	Transaction is related to settlement of a trade, eg a foreign exchange deal or a securities transaction.

Code	Name	Definition
DIVI	Dividend	Transaction is the payment of dividends.
GOVT	GovernmentPayment	Transaction is a payment to or from a government department.
HEDG	Hedging	Transaction is related to the payment of a hedging operation.
INTC	IntraCompanyPayment	Transaction is an intra-company payment, ie, a payment between two companies belonging to the same group.
INTE	Interest	Transaction is the payment of interest.
LOAN	Loan	Transaction is related to the transfer of a loan to a borrower.
PENS	PensionPayment	Transaction is the payment of pension.
SALA	SalaryPayment	Transaction is the payment of salaries.
SECU	Securities	Transaction is the payment of securities.
SSBE	SocialSecurityBenefit	Transaction is a social security benefit, ie payment made by a government to support individuals.
SUPP	SupplierPayment	Transaction is related to a payment to a supplier.
TAXS	TaxPayment	Transaction is the payment of taxes.
TRAD	Trade	Transaction is related to the payment of a trade transaction.
TREA	TreasuryPayment	Transaction is related to treasury operations.
VATX	ValueAddedTaxPayment	Transaction is the payment of value added tax.
WHLD	WithHolding	Transaction is the payment of withholding tax.

1.30 InstructingAgent <InstgAgt>

Presence: [0..1]
Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).
Type: *This message item is composed of the following* ***BranchAndFinancialInstitutionIdentification3*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.31 InstructedAgent <InstdAgt>

Presence: [0..1]
Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).
Type: *This message item is composed of the following* ***BranchAndFinancialInstitutionIdentification3*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.0 CreditTransferTransactionInformation <CdtTrfTxInf>

Presence: [1..n]

Definition: Set of elements providing information specific to the individual credit transfer(s).

Type: *The **CreditTransferTransactionInformation** block is composed of the following **CreditTransferTransactionInformation2** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1		PaymentIdentification	<PmtId>	[1..1]	+
2.2		PaymentTypeInformation	<PmtTpInf>	[0..1]	
2.12		InterbankSettlementAmount	<IntrBkSttlmAmt>	[1..1]	Amount
2.13		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime
2.14		SettlementTimeIndication	<SttlmTmIndctn>	[0..1]	
2.17		SettlementTimeRequest	<SttlmTmReq>	[0..1]	
2.19		AcceptanceDateTime	<AccptncDtTm>	[0..1]	DateTime
2.20		PoolingAdjustmentDate	<PoolgAdjstmntDt>	[0..1]	DateTime
2.21		InstructedAmount	<InstdAmt>	[0..1]	Amount
2.22		ExchangeRate	<XchgRate>	[0..1]	Rate
2.23		ChargeBearer	<ChrgBr>	[1..1]	Code
2.24		ChargesInformation	<ChrgsInf>	[0..n]	+
2.25		PreviousInstructingAgent	<PrvsInstgAgt>	[0..1]	+
2.26		PreviousInstructingAgentAccount	<PrvsInstgAgtAcct>	[0..1]	+
2.27		InstructingAgent	<InstgAgt>	[0..1]	+
2.28		InstructedAgent	<InstdAgt>	[0..1]	+
2.29		IntermediaryAgent1	<IntrmyAgt1>	[0..1]	+
2.30		IntermediaryAgent1Account	<IntrmyAgt1Acct>	[0..1]	+
2.31		IntermediaryAgent2	<IntrmyAgt2>	[0..1]	+
2.32		IntermediaryAgent2Account	<IntrmyAgt2Acct>	[0..1]	+
2.33		IntermediaryAgent3	<IntrmyAgt3>	[0..1]	+
2.34		IntermediaryAgent3Account	<IntrmyAgt3Acct>	[0..1]	+
2.35		UltimateDebtor	<UltmtDbtr>	[0..1]	+
2.36		InitiatingParty	<InitgPty>	[0..1]	+
2.37		Debtor	<Dbtr>	[1..1]	+

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.38		DebtorAccount	<DbtrAcct>	[0..1]	+
2.39		DebtorAgent	<DbtrAgt>	[1..1]	+
2.40		DebtorAgentAccount	<DbtrAgtAcct>	[0..1]	+
2.41		CreditorAgent	<CdtrAgt>	[1..1]	+
2.42		CreditorAgentAccount	<CdtrAgtAcct>	[0..1]	+
2.43		Creditor	<Cdtr>	[1..1]	+
2.44		CreditorAccount	<CdtrAcct>	[0..1]	+
2.45		UltimateCreditor	<UltmtCdtr>	[0..1]	+
2.46		InstructionForCreditorAgent	<InstrForCdtrAgt>	[0..n]	
2.49		InstructionForNextAgent	<InstrForNxtAgt>	[0..n]	
2.52		Purpose	<Purp>	[0..1]	
2.55		RegulatoryReporting	<RgltryRptg>	[0..10]	
2.64		RelatedRemittanceInformation	<RltdRmtInf>	[0..10]	
2.71		RemittanceInformation	<RmtInf>	[0..1]	

Rule(s): ChargeBearerRule
If ChargeBearer contains DEBT, then ChargesInformation may be present to communicate charges that have been added for (the) InstructedAgent(s).
If ChargeBearer contains CRED, then at least one occurrence of ChargesInformation must be present to communicate charges that have been deducted from the InstructedAmount by (the) InstructingAgent(s).
If ChargeBearer contains SHAR or SLEV , then ChargesInformation is optional.

ChargesAmountRule
If ChargesInformation/ChargesAmount is present, then the currency of ChargesInformation/ChargesAmount must be the same as the currency of InterbankSettlementAmount.

ChargesInformationAndInstructedAmountRule
If ChargesInformation/ChargesAmount is present, then InstructedAmount must be present.

InstructedAmountAndExchangeRate1Rule
If InstructedAmount is present and the currency is different from the currency in InterbankSettlementAmount, then ExchangeRate must be present.

InstructedAmountAndExchangeRate2Rule
If InstructedAmount is present and the currency is the same as the currency in InterbankSettlementAmount, then ExchangeRate is not allowed.

InstructionForCreditorAgentRule
If InstructionForCreditorAgent/Code contains CHQB, then CreditorAccount is not allowed.

IntermediaryAgent1AccountRule
If IntermediaryAgent1 is not present, then IntermediaryAgent1Account is not allowed.

IntermediaryAgent2AccountRule

If IntermediaryAgent2 is not present, then IntermediaryAgent2Account is not allowed.

IntermediaryAgent2Rule
If IntermediaryAgent2 is present, then IntermediaryAgent1 must be present.

IntermediaryAgent3AccountRule
If IntermediaryAgent3 is not present, then IntermediaryAgent3Account is not allowed.

IntermediaryAgent3Rule
If IntermediaryAgent3 is present, then IntermediaryAgent2 must be present.

PreviousInstructingAgentAccountRule
If PreviousInstructingAgent is not present, then PreviousInstructingAgentAccount is not allowed.

Guideline(s): ChargesInformationGuideline
The repetitive ChargesInformation should contain all separate information on charges amount and which party has taken the charges for all agents along the payment chain.

UltimateCreditorGuideline
UltimateCreditor may only be present if different from Creditor.

UltimateDebtorGuideline
UltimateDebtor may only be present if different from Debtor.

2.1 PaymentIdentification <PmtId>

Presence: [1..1]
Definition: Set of elements to reference a payment instruction.
Type: *This message item is composed of the following **PaymentIdentification2** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	InstructionIdentification	<InstrId>	[0..1]	Text
	EndToEndIdentification	<EndToEndId>	[1..1]	Text
	TransactionIdentification	<TxId>	[1..1]	Text

For additional Type information, please refer to PaymentIdentification2 p.486 in 'Message Item Types' section

2.2 PaymentTypeInformation <PmtTpInf>

Presence: [0..1]
Definition: Set of elements that further specifies the type of transaction.
Type: *This message item is composed of the following **PaymentTypeInformation3** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.3		InstructionPriority	<InstrPrty>	[0..1]	Code
2.4	{Or	ServiceLevel	<SvcLvl>	[0..1]	
2.7	Or}	ClearingChannel	<ClrChanl>	[0..1]	Code
2.8		LocalInstrument	<LclInstrm>	[0..1]	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.11		CategoryPurpose	<CtgyPurp>	[0..1]	Code

2.3 InstructionPriority <InstrPrty>

Presence: [0..1]

Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the instruction.

Data Type: Code

*When this message item is present, one of the following **Priority2Code** values must be used:*

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.

2.4 ServiceLevel <SvcLvl>

Presence: [0..1]

*This message item is part of choice **2.2** PaymentTypeInformation.*

Definition: Agreement under which or rules under which the transaction should be processed.

Type: *This message item is composed of one of the following **ServiceLevel2Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.5	{Or	Code	<Cd>	[1..1]	Code
2.6	Or}	Proprietary	<Prtry>	[1..1]	Text

2.5 Code <Cd>

Presence: [1..1]

*This message item is part of choice **2.4** ServiceLevel.*

Definition: Identification of a pre-agreed level of service between the parties in a coded form.

Data Type: Code

*One of the following **ServiceLevel1Code** values must be used:*

Code	Name	Definition
PRPT	EBAPriorityService	Transaction must be processed according to the EBA Priority Service.
SDVA	SameDayValue	Payment must be executed with same day value to the creditor.
SEPA	SingleEuroPaymentsArea	Payment must be executed following the Single Euro Payments Area scheme.

2.6 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **2.4** ServiceLevel.*

Definition: Proprietary identification of a pre-agreed level of service between the parties.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.7 ClearingChannel <ClrChanl>

Presence: [0..1]

*This message item is part of choice **2.2** PaymentTypeInformation.*

Definition: Specifies the clearing channel to be used for the settlement of the instruction.

Data Type: Code

*When this message item is present, one of the following **ClearingChannel2Code** values must be used:*

Code	Name	Definition
BOOK	BookTransfer	Payment through internal book transfer.
MPNS	MassPaymentNetSystem	Clearing channel is a mass payment net settlement system.
RTGS	RealTimeGrossSettlementSystem	Clearing channel is a real-time gross settlement system.
RTNS	RealTimeNetSettlementSystem	Clearing channel is a real-time net settlement system.

2.8 LocalInstrument <LclInstrm>

Presence: [0..1]

Definition: User community specific instrument.

Usage : When available, codes provided by local authorities should be used.

Type: *This message item is composed of one of the following **LocalInstrument1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.9	{Or	Code	<Cd>	[1..1]	Code
2.10	Or}	Proprietary	<Prtry>	[1..1]	Text

2.9 Code <Cd>

Presence: [1..1]

*This message item is part of choice **2.8** LocalInstrument.*

Definition: Specifies the local instrument published in an external local instrument code list.

Data Type: ExternalLocalInstrumentCode

Format: maxLength: 35
minLength: 1

2.10 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **2.8** LocalInstrument.*

Definition: Specifies the local instrument as a proprietary code.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.11 CategoryPurpose <CtgyPurp>

Presence: [0..1]
Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.
Data Type: Code
*When this message item is present, one of the following **PaymentCategoryPurpose1Code** values must be used:*

Code	Name	Definition
CASH	CashManagementTransfer	Transaction is a general cash management instruction.
CORT	TradeSettlementPayment	Transaction is related to settlement of a trade, eg a foreign exchange deal or a securities transaction.
DIVI	Dividend	Transaction is the payment of dividends.
GOVT	GovernmentPayment	Transaction is a payment to or from a government department.
HEDG	Hedging	Transaction is related to the payment of a hedging operation.
INTC	IntraCompanyPayment	Transaction is an intra-company payment, ie, a payment between two companies belonging to the same group.
INTE	Interest	Transaction is the payment of interest.
LOAN	Loan	Transaction is related to the transfer of a loan to a borrower.
PENS	PensionPayment	Transaction is the payment of pension.
SALA	SalaryPayment	Transaction is the payment of salaries.
SECU	Securities	Transaction is the payment of securities.
SSBE	SocialSecurityBenefit	Transaction is a social security benefit, ie payment made by a government to support individuals.
SUPP	SupplierPayment	Transaction is related to a payment to a supplier.
TAXS	TaxPayment	Transaction is the payment of taxes.
TRAD	Trade	Transaction is related to the payment of a trade transaction.
TREA	TreasuryPayment	Transaction is related to treasury operations.
VATX	ValueAddedTaxPayment	Transaction is the payment of value added tax.
WHLD	WithHolding	Transaction is the payment of withholding tax.

2.12 InterbankSettlementAmount <IntrBkSttlmAmt>

Presence: [1..1]
Definition: Amount of money moved between the instructing agent and the instructed agent.
Data Type: CurrencyAndAmount
*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*
Format: **CurrencyAndAmount**
fractionDigits: 5

minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

2.13 InterbankSettlementDate <IntrBkSttlmDt>

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Data Type: ISODate

2.14 SettlementTimeIndication <SttlmTmIndctn>

Presence: [0..1]

Definition: Provides information on the occurred settlement time(s) of the payment transaction.

Type: *This message item is composed of the following **SettlementDateTimeIndication1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.15		DebitDateTime	<DbtDtTm>	[0..1]	DateTime
2.16		CreditDateTime	<CdtDtTm>	[0..1]	DateTime

2.15 DebitDateTime <DbtDtTm>

Presence: [0..1]

Definition: Date and time at which a payment has been debited at the transaction administrator. In the case of TARGET, the date and time at which the payment has been debited at the central bank, expressed in Central European Time (CET).

Data Type: ISODateTime

2.16 CreditDateTime <CdtDtTm>

Presence: [0..1]

Definition: Date and time at which a payment has been credited at the transaction administrator. In the case of TARGET, the date and time at which the payment has been credited at the receiving central bank, expressed in Central European Time (CET).

Data Type: ISODateTime

2.17 SettlementTimeRequest <SttlmTmReq>

Presence: [0..1]

Definition: Provides information on the requested settlement time of the payment instruction.

Type: *This message item is composed of the following **SettlementTimeRequest1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.18		CLSTime	<CLSTm>	[1..1]	DateTime

2.18 CLSTime <CLSTm>

Presence: [1..1]

Definition: Time by which the funds must be credited, with confirmation, to the CLS Bank's account at the central bank, expressed in Central European Time (CET).

Data Type: ISOTime

2.19 AcceptanceDateTime <AccptncDtTm>

Presence: [0..1]

Definition: Point in time when the payment order from the initiating party meets the processing conditions of the account servicing agent (debtor's agent in case of a credit transfer, creditor's agent in case of a direct debit). This means - amongst others - that the account servicing agent has received the payment order and has applied checks as eg, authorisation, availability of funds.

Data Type: ISODateTime

2.20 PoolingAdjustmentDate <PoolgAdjstmntDt>

Presence: [0..1]

Definition: Date used for the correction of the value date of a cash pool movement that has been posted with a different value date.

Data Type: ISODate

2.21 InstructedAmount <InstdAmt>

Presence: [0..1]

Definition: Amount of money to be moved between the debtor and creditor, before deduction of charges, expressed in the currency as ordered by the initiating party.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

2.22 ExchangeRate <XchgRate>

Presence: [0..1]

Definition: The factor used for conversion of an amount from one currency to another. This reflects the price at which one currency was bought with another currency.

Data Type: BaseOneRate

Format: fractionDigits: 10
totalDigits: 11

2.23 ChargeBearer <ChrgBr>

Presence: [1..1]

Definition: Specifies which party/parties will bear the charges associated with the processing of the payment transaction.

Data Type: Code

*One of the following **ChargeBearerType1Code** values must be used:*

Code	Name	Definition
CRED	BorneByCreditor	All transaction charges are to be borne by the creditor.
DEBT	BorneByDebtor	All transaction charges are to be borne by the debtor.
SHAR	Shared	In a credit transfer context, means that transaction charges on the sender side are to be borne by the debtor, transaction charges on the receiver side are to be borne by the creditor. In a direct debit context, means that transaction charges on the sender side are to be borne by the creditor, transaction charges on the receiver side are to be borne by the debtor.
SLEV	FollowingServiceLevel	Charges are to be applied following the rules agreed in the service level and/or scheme.

2.24 ChargesInformation <ChrgsInf>

Presence: [0..n]

Definition: Provides information on the charges related to the payment transaction.

Type: *This message item is composed of the following **ChargesInformation1** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	ChargesAmount	<ChrgsAmt>	[1..1]	Amount
	ChargesParty	<ChrgsPty>	[1..1]	

For additional Type information, please refer to ChargesInformation1 p.461 in 'Message Item Types' section

2.25 PreviousInstructingAgent <PrvsInstgAgt>

Presence: [0..1]

Definition: Agent immediately prior to the instructing agent.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.26 PreviousInstructingAgentAccount <PrvsInstgAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the previous instructing agent at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.27 InstructingAgent <InstgAgt>

Presence: [0..1]
Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.28 InstructedAgent <InstdAgt>

Presence: [0..1]
Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.29 IntermediaryAgent1 <IntrmyAgt1>

Presence: [0..1]
Definition: Agent between the debtor agent and creditor agent.

Usage: If more than one intermediary agent is present, then IntermediaryAgent1 identifies the agent between the debtor agent and the intermediary agent 2.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.30 IntermediaryAgent1Account <IntrmyAgt1Acct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 1 at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.31 IntermediaryAgent2 <IntrmyAgt2>

Presence: [0..1]

Definition: Agent between the debtor agent and creditor agent.

Usage: If more than two intermediary agents are present, then IntermediaryAgent2 identifies the agent between the intermediary agent 1 and the intermediary agent 3.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.32 IntermediaryAgent2Account <IntrmyAgt2Acct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 2 at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.33 IntermediaryAgent3 <IntrmyAgt3>

Presence: [0..1]
Definition: Agent between the debtor agent and creditor agent.

Usage: If IntermediaryAgent3 is present, then it identifies the agent between the intermediary agent 2 and the creditor agent.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.34 IntermediaryAgent3Account <IntrmyAgt3Acct>

Presence: [0..1]
Definition: Unambiguous identification of the account of the intermediary agent 3 at its servicing agent in the payment chain.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.35 UltimateDebtor <UltmtDbtr>

Presence: [0..1]
Definition: Ultimate party that owes an amount of money to the (ultimate) creditor.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.36 InitiatingParty <InitgPty>

Presence: [0..1]

Definition: Party that initiates the payment. In the payment context, this can either be the debtor (in a credit transfer), the creditor (in a direct debit), or a party that initiates the payment on behalf of the debtor or creditor.

Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.37 Debtor <Dbtr>

Presence: [1..1]

Definition: Party that owes an amount of money to the (ultimate) creditor.

Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.38 DebtorAccount <DbtrAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the debtor to which a debit entry will be made as a result of the transaction.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.39 DebtorAgent <DbtrAgt>

Presence: [1..1]
Definition: Financial institution servicing an account for the debtor.
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.40 DebtorAgentAccount <DbtrAgtAcct>

Presence: [0..1]
Definition: Unambiguous identification of the account of the debtor agent at its servicing agent in the payment chain.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.41 CreditorAgent <CdtrAgt>

Presence: [1..1]
Definition: Financial institution servicing an account for the creditor.
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.42 CreditorAgentAccount <CdtrAgtAcct>

Presence: [0..1]
Definition: Unambiguous identification of the account of the creditor agent at its servicing agent in the payment chain.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.43 Creditor <Cdtr>

Presence: [1..1]
Definition: Party to which an amount of money is due.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.44 CreditorAccount <CdtrAcct>

Presence: [0..1]
Definition: Unambiguous identification of the account of the creditor to which a credit entry will be posted as a result of the payment transaction.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.45 UltimateCreditor <UltmtCdtr>

Presence: [0..1]
Definition: Ultimate party to which an amount of money is due.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.46 InstructionForCreditorAgent <InstrForCdtrAgt>

Presence: [0..n]
Definition: Further information related to the processing of the payment instruction that may need to be acted upon by the creditor agent.

Usage: The instruction can relate to a level of service, can be an instruction to be executed by the creditor's agent, or can be information required by the creditor's agent to process the instruction.
Type: *This message item is composed of the following **InstructionForCreditorAgent1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.47		Code	<Cd>	[0..1]	Code
2.48		InstructionInformation	<InstrInf>	[0..1]	Text

2.47 Code <Cd>

Presence: [0..1]
Definition: Coded information related to the processing of the payment instruction, provided by the initiating party, and intended for the creditor's agent.
Data Type: Code
*When this message item is present, one of the following **Instruction3Code** values must be used:*

Code	Name	Definition
CHQB	PayCreditorByCheque	(Ultimate) creditor must be paid by cheque.

Code	Name	Definition
HOLD	HoldCashForCreditor	Amount of money must be held for the (ultimate) creditor, who will call. Pay on identification.
PHOB	PhoneBeneficiary	Please advise/contact (ultimate) creditor/claimant by phone
TELB	Telecom	Please advise/contact (ultimate) creditor/claimant by the most efficient means of telecommunication.

2.48 InstructionInformation <InstrInf>

Presence: [0..1]

Definition: Further information complementing the coded instruction or instruction to the creditor's agent that is bilaterally agreed or specific to a user community.

Data Type: Max140Text

Format: maxLength: 140
minLength: 1

2.49 InstructionForNextAgent <InstrForNxtAgt>

Presence: [0..n]

Definition: Further information related to the processing of the payment instruction that may need to be acted upon by the next agent.

Usage: The next agent may not be the creditor agent.
The instruction can relate to a level of service, can be an instruction that has to be executed by the agent, or can be information required by the next agent.

Type: *This message item is composed of the following **InstructionForNextAgent1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.50		Code	<Cd>	[0..1]	Code
2.51		InstructionInformation	<InstrInf>	[0..1]	Text

2.50 Code <Cd>

Presence: [0..1]

Definition: Coded information related to the processing of the payment instruction, provided by the initiating party, and intended for the next agent in the payment chain.

Data Type: Code

*When this message item is present, one of the following **Instruction4Code** values must be used:*

Code	Name	Definition
PHOA	PhoneNextAgent	Please advise/contact next agent by phone.
TELA	TelecomNextAgent	Please advise/contact next agent by the most efficient means of telecommunication.

2.51 InstructionInformation <InstrInf>

Presence: [0..1]

Definition: Further information complementing the coded instruction or instruction to the next agent that is bilaterally agreed or specific to a user community.

Data Type: Max140Text

Format: maxLength: 140
minLength: 1

2.52 Purpose <Purp>

Presence: [0..1]

Definition: Underlying reason for the payment transaction.

Usage: Purpose is used by the end-customers, i.e. initiating party, (ultimate) debtor, (ultimate) creditor to provide information concerning the nature of the payment. Purpose is a content element, which is not used for processing by any of the agents involved in the payment chain.

Type: *This message item is composed of one of the following **Purpose1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.53	{Or	Code	<Cd>	[1..1]	Code
2.54	Or}	Proprietary	<Prtry>	[1..1]	Text

2.53 Code <Cd>

Presence: [1..1]

*This message item is part of choice **2.52** Purpose.*

Definition: Specifies the underlying reason for the payment transaction, as published in an external purpose code list.

Data Type: ExternalPurposeCode

Format: maxLength: 35
minLength: 1

2.54 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **2.52** Purpose.*

Definition: User community specific purpose.

Usage: When available, codes provided by local communities should be used.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.55 RegulatoryReporting <RgltryRptg>

Presence: [0..10]

Definition: Information needed due to regulatory and statutory requirements.

Type: *This message item is composed of the following **RegulatoryReporting2** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.56		DebitCreditReportingIndicator	<DbtCdtRptgInd>	[0..1]	Code

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.57		Authority	<Authrty>	[0..1]	
2.60		RegulatoryDetails	<RgltryDtls>	[0..1]	

2.56 DebitCreditReportingIndicator <DbtCdtRptgInd>

Presence: [0..1]

Definition: Identifies whether the regulatory reporting information applies to the debit side, to the credit side or to both debit and credit sides of the transaction.

Data Type: Code

*When this message item is present, one of the following **RegulatoryReportingType1Code** values must be used:*

Code	Name	Definition
BOTH	Both	Regulatory information applies to both credit and debit sides.
CRED	Credit	Regulatory information applies to the credit side.
DEBT	Debit	Regulatory information applies to the debit side.

2.57 Authority <Authrty>

Presence: [0..1]

Definition: Entity requiring the regulatory reporting information.

Type: *This message item is composed of the following **RegulatoryAuthority** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.58		AuthorityName	<AuthrtyNm>	[0..1]	Text
2.59		AuthorityCountry	<AuthrtyCtry>	[0..1]	Code

2.58 AuthorityName <AuthrtyNm>

Presence: [0..1]

Definition: Name of the entity requiring the regulatory reporting information.

Data Type: Max70Text

Format: maxLength: 70
minLength: 1

2.59 AuthorityCountry <AuthrtyCtry>

Presence: [0..1]

Definition: Country of the entity requiring the regulatory reporting information.

Data Type: CountryCode

Format: [A-Z]{2,2}

Rule(s): Country
The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

2.60 RegulatoryDetails <RgltryDtls>

Presence: [0..1]

Definition: Details related to the regulatory reporting information.

Type: *This message item is composed of the following **StructuredRegulatoryReporting2** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.61		Code	<Cd>	[0..1]	Text
2.62		Amount	<Amt>	[0..1]	Amount
2.63		Information	<Inf>	[0..1]	Text

2.61 Code <Cd>

Presence: [0..1]

Definition: Specifies the nature, purpose, and reason for the transaction to be reported for regulatory and statutory requirements in a coded form.

Data Type: Max3Text

Format: maxLength: 3
minLength: 1

2.62 Amount <Amt>

Presence: [0..1]

Definition: Amount of money to be reported for regulatory and statutory requirements.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

2.63 Information <Inf>

Presence: [0..1]

Definition: Additional details that cater for specific domestic regulatory requirements.

Usage: Information is used to provide details that are not catered for in the Code or/and Amount elements.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.64 RelatedRemittanceInformation <RltdRmtInf>

Presence: [0..10]

Definition: Information related to the handling of the remittance information by any of the agents in the transaction processing chain.

Type: *This message item is composed of the following **RemittanceLocation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.65		RemittanceIdentification	<RmtId>	[0..1]	Text
2.66		RemittanceLocationMethod	<RmtLctnMtd>	[0..1]	Code
2.67		RemittanceLocationElectronicAddress	<RmtLctnElctrncAdr>	[0..1]	Text
2.68		RemittanceLocationPostalAddress	<RmtLctnPstlAdr>	[0..1]	

2.65 RemittanceIdentification <RmtId>

Presence: [0..1]

Definition: Unique and unambiguous identification of the remittance information, e.g. a remittance advice, which is sent separately from the payment instruction.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.66 RemittanceLocationMethod <RmtLctnMtd>

Presence: [0..1]

Definition: Specifies the method used to deliver the remittance advice information.

Data Type: Code

*When this message item is present, one of the following **RemittanceLocationMethod1Code** values must be used:*

Code	Name	Definition
EDIC	ElectronicDataInterchange	Remittance advice information must be sent through Electronic Data Interchange (EDI).
EMAL	EMail	Remittance advice information must be sent through e-mail.
FAXI	Fax	Remittance advice information must be faxed.
POST	Post	Remittance advice information must be sent through postal services.
URID	UniformResourceIdentifier	Remittance advice information needs to be sent to a Uniform Resource Identifier (URI). URI is a compact string of characters that uniquely identify an abstract or physical resource. URI's are the super-set of identifiers, such as URLs, email addresses, ftp sites, etc, and as such, provide the syntax for all of the identification schemes.

2.67 RemittanceLocationElectronicAddress <RmtLctnElctrncAdr>

Presence: [0..1]

Definition: Electronic address to which an agent is to send the remittance information.

Data Type: Max256Text

Format: maxLength: 256

minLength: 1

2.68 RemittanceLocationPostalAddress <RmtLctnPstlAdr>

Presence: [0..1]
Definition: Postal address to which an agent is to send the remittance information.
Type: *This message item is composed of the following **NameAndAddress3** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.69		Name	<Nm>	[1..1]	Text
2.70		Address	<Adr>	[1..1]	+

2.69 Name <Nm>

Presence: [1..1]
Definition: Name by which a party is known and is usually used to identify that identity.
Data Type: Max70Text
Format: maxLength: 70
minLength: 1

2.70 Address <Adr>

Presence: [1..1]
Definition: Postal address of a party.
Type: *This message item is composed of the following **PostalAddress1** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	AddressType	<AdrTp>	[0..1]	Code
	AddressLine	<AdrLine>	[0..5]	Text
	StreetName	<StrtNm>	[0..1]	Text
	BuildingNumber	<BldgNb>	[0..1]	Text
	PostCode	<PstCd>	[0..1]	Text
	TownName	<TwnNm>	[0..1]	Text
	CountrySubDivision	<CtrySubDvsn>	[0..1]	Text
	Country	<Ctry>	[1..1]	Code

For additional Type information, please refer to PostalAddress1 p.498 in 'Message Item Types' section

2.71 RemittanceInformation <RmtInf>

Presence: [0..1]
Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, eg, commercial invoices in an accounts' receivable system.
Type: *This message item is composed of the following **RemittanceInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.72		Unstructured	<Ustrd>	[0..n]	Text
2.73		Structured	<Strd>	[0..n]	

2.72 Unstructured <Ustrd>

Presence: [0..n]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, eg, commercial invoices in an accounts' receivable system in an unstructured form.

Data Type: Max140Text

Format: maxLength: 140
minLength: 1

2.73 Structured <Strd>

Presence: [0..n]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, eg, commercial invoices in an accounts' receivable system in a structured form.

Type: *This message item is composed of the following **StructuredRemittanceInformation6** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.74		ReferredDocumentInformation	<RfrdDocInf>	[0..1]	
2.80		ReferredDocumentRelatedDate	<RfrdDocRltdDt>	[0..1]	DateTime
2.81		ReferredDocumentAmount	<RfrdDocAmt>	[0..n]	
2.87		CreditorReferenceInformation	<CdtrRefInf>	[0..1]	
2.93		Invoicer	<Invcr>	[0..1]	+
2.94		Invoicee	<Invcee>	[0..1]	+
2.95		AdditionalRemittanceInformation	<AddtlRmtInf>	[0..1]	Text

2.74 ReferredDocumentInformation <RfrdDocInf>

Presence: [0..1]

Definition: Reference information to allow the identification of the underlying reference documents.

Type: *This message item is composed of the following **ReferredDocumentInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.75		ReferredDocumentType	<RfrdDocTp>	[0..1]	
2.79		ReferredDocumentNumber	<RfrdDocNb>	[0..1]	Text

2.75 ReferredDocumentType <RfrdDocTp>

Presence: [0..1]

Definition: Provides the type of the referred document.

Type: *This message item is composed of the following **ReferredDocumentType1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.76	{Or	Code	<Cd>	[1..1]	Code
2.77	Or}	Proprietary	<Prtry>	[1..1]	Text
2.78		Issuer	<Issr>	[0..1]	Text

2.76 Code <Cd>

Presence: [1..1]
*This message item is part of choice **2.75** ReferredDocumentType.*
Definition: Document type in a coded form.
Data Type: Code
*One of the following **DocumentType2Code** values must be used:*

Code	Name	Definition
CINV	CommercialInvoice	Document is an invoice.
CMCN	CommercialContract	Document is an agreement between the parties, stipulating the terms and conditions of the delivery of goods or services.
CNFA	CreditNoteRelatedToFinancialAdjustment	Document is a credit note for the final amount settled for a commercial transaction.
CREN	CreditNote	Document is a credit note.
DEBN	DebitNote	Document is a debit note.
DISP	DispatchAdvice	Document is a dispatch advice.
DNFA	DebitNoteRelatedToFinancialAdjustment	Document is a debit note for the final amount settled for a commercial transaction.
HIRI	HireInvoice	Document is an invoice for the hiring of human resources or renting goods or equipment.
MSIN	MeteredServiceInvoice	Document is an invoice claiming payment for the supply of metered services, eg, gas or electricity, supplied to a fixed meter.
SBIN	SelfBilledInvoice	Document is an invoice issued by the debtor.
SOAC	StatementOfAccount	Document is a statement of the transactions posted to the debtor's account at the supplier.

2.77 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **2.75** ReferredDocumentType.*
Definition: Proprietary identification of the type of the remittance document.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.78 Issuer <Issr>

Presence: [0..1]
Definition: Identification of the issuer of the reference document type.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.79 ReferredDocumentNumber <RfrdDocNb>

Presence: [0..1]
Definition: Unique and unambiguous identification number of the referred document.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.80 ReferredDocumentRelatedDate <RfrdDocRltdDt>

Presence: [0..1]
Definition: Date associated with the referred document, eg, date of issue.
Data Type: ISODate

2.81 ReferredDocumentAmount <RfrdDocAmt>

Presence: [0..n]
Definition: Amount of money and currency of a document referred to in the remittance section. The amount is typically either the original amount due and payable, or the amount actually remitted for the referred document.
Type: *This message item is composed of one of the following **ReferredDocumentAmount1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.82	{Or	DuePayableAmount	<DuePyblAmt>	[1..1]	Amount
2.83	Or	DiscountAppliedAmount	<DscntApldAmt>	[1..1]	Amount
2.84	Or	RemittedAmount	<RmtdAmt>	[1..1]	Amount
2.85	Or	CreditNoteAmount	<CdtNoteAmt>	[1..1]	Amount
2.86	Or}	TaxAmount	<TaxAmt>	[1..1]	Amount

2.82 DuePayableAmount <DuePyblAmt>

Presence: [1..1]
*This message item is part of choice **2.81** ReferredDocumentAmount.*
Definition: Amount specified is the exact amount due and payable to the creditor.
Data Type: CurrencyAndAmount
*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*
Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode

[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

2.83 DiscountAppliedAmount <DscntApldAmt>

Presence: [1..1]

*This message item is part of choice **2.81** ReferredDocumentAmount.*

Definition: Amount of money resulting from the application of an agreed discount to the amount due and payable to the creditor.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: CurrencyAndAmount
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

2.84 RemittedAmount <RmtdAmt>

Presence: [1..1]

*This message item is part of choice **2.81** ReferredDocumentAmount.*

Definition: Amount of money remitted for the referred document.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: CurrencyAndAmount
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

2.85 CreditNoteAmount <CdtNoteAmt>

Presence: [1..1]

*This message item is part of choice **2.81** ReferredDocumentAmount.*

Definition: Amount specified for the referred document is the amount of a credit note.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: CurrencyAndAmount
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

2.86 TaxAmount <TaxAmt>

Presence: [1..1]
*This message item is part of choice **2.81** ReferredDocumentAmount.*
Definition: Quantity of cash resulting from the calculation of the tax.
Data Type: CurrencyAndAmount
*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*
Format: CurrencyAndAmount
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}
Rule(s): CurrencyCode
ValidationByTable

2.87 CreditorReferenceInformation <CdtrRefInf>

Presence: [0..1]
Definition: Reference information provided by the creditor to allow the identification of the underlying documents.
Type: *This message item is composed of the following **CreditorReferenceInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.88		CreditorReferenceType	<CdtrRefTp>	[0..1]	
2.92		CreditorReference	<CdtrRef>	[0..1]	Text

2.88 CreditorReferenceType <CdtrRefTp>

Presence: [0..1]
Definition: Provides the type of the creditor reference.
Type: *This message item is composed of the following **CreditorReferenceType1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.89	{Or	Code	<Cd>	[1..1]	Code
2.90	Or}	Proprietary	<Prtry>	[1..1]	Text
2.91		Issuer	<Issr>	[0..1]	Text

2.89 Code <Cd>

Presence: [1..1]
*This message item is part of choice **2.88** CreditorReferenceType.*
Definition: Coded creditor reference type.
Data Type: Code
*One of the following **DocumentType3Code** values must be used:*

Code	Name	Definition
DISP	DispatchAdvice	Document is a dispatch advice.
FXDR	ForeignExchangeDealReference	Document is a pre-agreed or pre-arranged foreign exchange transaction to which the payment transaction refers.
PUOR	PurchaseOrder	Document is a purchase order.
RADM	RemittanceAdviceMessage	Document is a remittance advice sent separately from the current transaction.
RPIN	RelatedPaymentInstruction	Document is a linked payment instruction to which the current payment instruction is related, eg, in a cover scenario.
SCOR	StructuredCommunicationReference	Document is a structured communication reference provided by the creditor to identify the referred transaction.

2.90 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **2.88** CreditorReferenceType.*

Definition: Creditor reference type not avilable in a coded format.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.91 Issuer <Issr>

Presence: [0..1]

Definition: Identification of the issuer of the credit reference type.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.92 CreditorReference <CdtrRef>

Presence: [0..1]

Definition: Unique and unambiguous reference assigned by the creditor to refer to the payment transaction.

Usage: if available, the initiating party should provide this reference in the structured remittance information, to enable reconciliation by the creditor upon receipt of the cash.

If the business context requires the use of a creditor reference or a payment remit identification, and only one identifier can be passed through the end-to-end chain, the creditor's reference or payment remittance identification should be quoted in the end-to-end transaction identification.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.93 Invoicer <Invcr>

Presence: [0..1]

Definition: Identification of the organization issuing the invoice when different than the creditor or final party.

Type: *This message item is composed of the following* ***PartyIdentification8*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.94 Invoicee <Invcee>

Presence: [0..1]
Definition: Identification of the party to whom an invoice is issued, when different than the originator or debtor.
Type: *This message item is composed of the following* ***PartyIdentification8*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.95 AdditionalRemittanceInformation <AddtlRmtInf>

Presence: [0..1]
Definition: Additional information, in free text form, to complement the structured remittance information.
Data Type: Max140Text
Format: maxLength: 140
minLength: 1

Business Example 1

Narrative-Step 1

BBBB Bank, New York, has received a payment initiation from its client ABC Corporation, New York, that holds an account 00125574999 with them for payment of the following invoices:
1. An invoice with number 4562, dated 08 September 2006 from DEF Electronics, London: 10 million JPY needs to be paid to DEF Electronics account 23683707994215 with AAAA Bank, London (AAAAGB2L). ABC Corporation assigns reference ABC/4562/2006-09-08 to the payment. Payment transaction charges are shared between ABC Corporation and DEF Electronics.
2. An invoice with number ABC-13679, dated 15 September 2006 from GHI Semiconductors, Brussels: 500,000 EUR needs to be paid to GHI Semiconductors account BE30001216371411 with DDDD Bank, Belgium (DDDDBEBB). ABC Corporation assigns reference ABC/ABC-13679/2006-09-15 to the payment. The accounts receivable department of GHI

Semiconductors needs to be advised when the funds have been credited to the account on telephone number +32/2/2222222. GHI Semiconductors will bear all payment transaction charges.
3. An invoice with number 987-AC, dated 27 September 2006 from their branch ABC Corporation, California: 1 million USD needs to be paid on the branch account 4895623 with BBBB Bank, San Francisco (BBBBUS66). ABC assigns reference ABC/987-AC/2006-09-27 to the payment. Payment transaction charges are shared.
Notes :
1. ABC Corporation sent a CustomerCreditTransferInitiation message containing the 3 transactions to BBBB Bank. This is illustrated in the CustomerCreditTransferInitiation business example section of the Payments Initiation Message Reference Guide.
2. ABC Corporation requested to cancel the third payment transaction. This is illustrated in the PaymentCancellationRequest business example section of the Payments Initiation Message Reference Guide.
To process the other two remaining payment instructions, BBBB Bank sends two FIToFICustomerCreditTransfer messages:
1. A first message to AAAA Bank, London (AAAAGB2L). As the banks do not have a JPY account relationship, the payment is processed using the cover method. The JPY correspondent of BBBB Bank is CCCC Bank, Tokio (CCCCJPJT). The JPY correspondent of BBBB Bank is AAAA Bank, Tokio (AAAAJPJT). For the reimbursement instruction sent by BBBB Bank to its JPY correspondent CCCC Bank, please refer to the FinancialInstitutionCreditTransfer business example 1.
2. A second message to its EUR correspondent EEEE Bank, Frankfurt (EEEEDEFF) where BBBB Bank has multiple accounts, for payment to DDDDBEBB. BBBB Bank specifies that account 29314569847 should be used for reimbursement.
BBBB Bank has also received a payment order from their client Mr. Jones requesting to pay a 5 thousand EUR insurance premium by 30 September 2006 for contract ZZ/JO/164794 to ZZ Insurances, Frankfurt on their account DE89370400440532013000 with EEEEDEFF. Charges will be shared between the parties. BBBB Bank decides to include the latter 2 transactions in one FIToFICustomerCreditTransfer message.

Business Description

First FIToFICustomerCreditTransfer from BBBBUS33 to AAAAGB2L :

Element	***<XMLTag>***	***Content***
Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	BBBB/060928-CCT/JPY/123
CreationDateTime	<CreDtTm>	2006-09-28T16:00:00
NumberOfTransactions	<NbOfTxs>	1
SettlementInformation	<SttlmInf>	
SettlementMethod	<SttlmMtd>	COVE
InstructingReimbursementAgent	<InstgRmbrsmntAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	CCCCJPJT
InstructedReimbursementAgent	<InstdRmbrsmntAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAJPJT
InstructingAgent	<InstgAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBUS33
InstructedAgent	<InstdAgt>	

FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAGB2L
CreditTransferTransactionInformation	<CdtTrfTxInf>	
PaymentIdentification	<PmtId>	
InstructionIdentification	<InstrId>	BBBB/060928-CCT/JPY/123/1
EndToEndIdentification	<EndToEndId>	ABC/4562/2006-09-08
Transaction Identification	<TxId>	BBBB/060928-CCT/JPY/123/1
PaymentTypeInformation	<PmtTpInf>	
InstructionPriority	<InstrPrty>	NORM
InterbankSettlementAmount	<IntrBkSttlmAmt>Ccy=JPY	10000000.
InterbankSettlementDate	<IntrBkSttlmDt>	2006-09-29
ChargeBearer	<ChrgBr>	SHAR
Debtor	<Dbtr>	
Name	<Nm>	ABC Corporation
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Times Square
BuildingNumber	<BldgNb>	7
PostCode	<PstCd>	NY 10036
TownName	<TwnNm>	New York
Country	<Ctry>	US
DebtorAccount	<DbtrAcct>	
Identification	<Id>	
Proprietary Account	<PrtryAcct>	
Identification	<Id>	00125574999
DebtorAgent	<DbtrAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBUS33
CreditorAgent	<CdtrAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAGB2L
Creditor	<Cdtr>	
Name	<Name>	DEF Electronics
PostalAddress	<PstlAdr>	
AddressLine	<AdrLine>	Corn Exchange 5th Floor
StreetName	<StrtNm>	Mark Lane
BuildingNumber	<BldgNb>	55
PostCode	<PstCd>	EC3R7NE

TownName	<TwnNm>	London
Country	<Ctry>	GB
CreditorAccount	<CdtrAcct>	
Identification	<Id>	
Proprietary Account	<PrtryAcct>	
Identification	<Id>	23683707994215
Purpose	<Purp>	
Code	<Cd>	GDDS
RemittanceInformation	<RmtInf>	
Structured	<Strd>	
ReferredDocumentInformation	<RfrdDocInf>	
ReferredDocumentType	<RfrdDocType>	
Code	<Cd>	CINV
ReferredDocumentNumber	<RfrdDocNb>	4562
ReferredDocumentRelatedDate	<RfrdDocRltdDt>	2006-09-08

XML Instance


```
<pacs.008.001.01>
    <GrpHdr>
      <MsgId>BBBB/060928-CCT/JPY/123</MsgId>
      <CreDtTm>2006-09-28T16:00:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <SttlmInf>
        <SttlmMtd>COVE</SttlmMtd>
        <InstgRmbrsmntAgt>
          <FinInstnId>
            <BIC>CCCCJPJT</BIC>
          </FinInstnId>
        </InstgRmbrsmntAgt>
        <InstdRmbrsmntAgt>
          <FinInstnId>
            <BIC>AAAAJPJT</BIC>
          </FinInstnId>
        </InstdRmbrsmntAgt>
      </SttlmInf>
      <InstgAgt>
        <FinInstnId>
          <BIC>BBBBUS33</BIC>
        </FinInstnId>
      </InstgAgt>
      <InstdAgt>
        <FinInstnId>
          <BIC>AAAAGB2L</BIC>
        </FinInstnId>
```

```
    </InstdAgt>
  </GrpHdr>
  <CdtTrfTxInf>
    <PmtId>
      <InstrId>BBBB/060928-CCT/JPY/123/1</InstrId>
      <EndToEndId>ABC/4562/2006-09-08</EndToEndId>
      <TxId>BBBB/060928-CCT/JPY/123/1</TxId>
    </PmtId>
    <PmtTpInf>
      <InstrPrty>NORM</InstrPrty>
    </PmtTpInf>
    <IntrBkSttlmAmt Ccy = "JPY">10000000</IntrBkSttlmAmt>
    <IntrBkSttlmDt>2006-09-29</IntrBkSttlmDt>
    <ChrgBr>SHAR</ChrgBr>
    <Dbtr>
      <Nm>ABC Corporation</Nm>
      <PstlAdr>
        <StrtNm>Times Square</StrtNm>
        <BldgNb>7</BldgNb>
        <PstCd>NY 10036</PstCd>
        <TwnNm>New York</TwnNm>
        <Ctry>US</Ctry>
      </PstlAdr>
    </Dbtr>
    <DbtrAcct>
      <Id>
        <PrtryAcct>
          <Id>00125574999</Id>
        </PrtryAcct>
      </Id>
    </DbtrAcct>
    <DbtrAgt>
      <FinInstnId>
        <BIC>BBBBUS33</BIC>
      </FinInstnId>
    </DbtrAgt>
    <CdtrAgt>
      <FinInstnId>
        <BIC>AAAAGB2L</BIC>
      </FinInstnId>
    </CdtrAgt>
    <Cdtr>
      <Nm>DEF Electronics</Nm>
      <PstlAdr>
        <AdrLine>Corn Exchange 5th Floor</AdrLine>
        <StrtNm>Mark Lane</StrtNm>
        <BldgNb>55</BldgNb>
        <PstCd>EC3R7NE</PstCd>
        <TwnNm>London</TwnNm>
        <Ctry>GB</Ctry>
      </PstlAdr>
    </Cdtr>
```

```
        <CdtrAcct>
          <Id>
            <PrtryAcct>
              <Id>23683707994215</Id>
            </PrtryAcct>
          </Id>
        </CdtrAcct>
        <Purp>
          <Cd>GDDS</Cd>
        </Purp>
        <RmtInf>
          <Strd>
            <RfrdDocInf>
              <RfrdDocTp>
                <Cd>CINV</Cd>
              </RfrdDocTp>
              <RfrdDocNb>4562</RfrdDocNb>
            </RfrdDocInf>
            <RfrdDocRltdDt>2006-09-08</RfrdDocRltdDt>
          </Strd>
        </RmtInf>
      </CdtTrfTxInf>
    </pacs.008.001.01>
```


Business Description

Second FIToFICustomerCreditTransfer from BBBBUS33 to EEEEDEFF :

Element	***<XMLTag>***	***Content***
Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	BBBB/060928-CCT/EUR/912
CreationDateTime	<CreDtTm>	2006-09-28T16:01:00
NumberOfTransactions	<NbOfTxs>	2
TotalInterbankSettlementAmount	<TtlIntrBkSttlmAmt> Ccy=EUR	504500.00
InterbankSettlementDate	<IntrBkSttlmDt>	2006-9-29
SettlementInformation	<SttlmInf>	
SettlementMethod	<SttlmMtd>	INDA
SettlementAccount	<SttlmAcct>	29314569847
InstructingAgent	<InstgAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBUS33
InstructedAgent	<InstdAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	EEEEDEFF
CreditTransferTransactionInformation	<CdtTrfTxInf>	
PaymentIdentification	<PmtId>	

InstructionIdentification	<InstrId>	BBBB/060928-CCT/EUR/912/1
EndToEndIdentification	<EndToEndId>	ABC/ABC-13679/2006-09-15
Transaction Identification	<TxId>	BBBB/060928-CCT/EUR/912/1
PaymentTypeInformation	<PmtTpInf>	
InstructionPriority	<InstrPrty>	NORM
InterbankSettlementAmount	<IntrBkSttlmAmt>Ccy=EUR	499500.00
InstructedAmount	<InstdAmt>Ccy=EUR	500000.00
ChargeBearer	<ChrgBr>	CRED
ChargesInformation	<ChrgsInf>	
ChargesAmount	<ChrgsAmt>Ccy=EUR	500.00
ChargesParty	<ChrgsPty>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBUS33
Debtor	<Dbtr>	
Name	<Nm>	ABC Corporation
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Times Square
BuildingNumber	<BldgNb>	7
PostCode	<PstCd>	NY 10036
TownName	<TwnNm>	New York
Country	<Ctry>	US
DebtorAccount	<DbtrAcct>	
Identification	<Id>	
Proprietary Account	<PrtryAcct>	00125574999
DebtorAgent	<DbtrAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBUS33
CreditorAgent	<CdtrAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	DDDDBEBB
Creditor	<Cdtr>	
Name	<Name>	GHI Semiconductors
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Avenue Brugmann
BuildingNumber	<BldgNb>	415
PostCode	<PstCd>	1180
TownName	<TwnNm>	Brussels

Country	<Ctry>	BE
CreditorAccount	<CdtrAcct>	
Identification	<Id>	
IBAN	<IBAN>	BE30001216371411
Purpose	<Purp>	
Code	<Cd>	GDDS
RemittanceInformation	**<RmtInf>**	
Structured	<Strd>	
ReferredDocumentInformation	<RfrdDocInf>	
ReferredDocumentType	<RfrdDocType>	
Code	<Cd>	CINV
ReferredDocumentNumber	<RfrdDocNb>	ABC-13679
ReferredDocumentRelatedDate	<RfrdDocRltdDt>	2006-09-15
CreditTransferTransactionInformation	<CdtTrfTxInf>	
PaymentIdentification	<PmtId>	
InstructionIdentification	<InstrId>	BBBB/060928-CCT/EUR/912/2
EndToEndIdentification	<EndToEndId>	BBBB/060928-ZZ/JO/164794
Transaction Identification	<TxId>	BBBB/060928-CCT/EUR/912/2
PaymentTypeInformation	<PmtTpInf>	
InstructionPriority	<InstrPrty>	NORM
InterbankSettlementAmount	<IntrBkSttlmAmt>Ccy=EUR	5000.00
ChargeBearer	<ChrgBr>	SHAR
Debtor	<Dbtr>	
Name	<Name>	Mr. Jones
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	16th Street
BuildingNumber	<BldgNb>	30
PostCode	<PstCd>	NY 10023
TownName	<TwnNm>	New York
Country	<Ctry>	US
DebtorAccount	<DbtrAcct>	
Identification	<Id>	
Proprietary Account	<PrtryAcct>	00125583145
DebtorAgent	<DbtrAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBUS33
CreditorAgent	<CdtrAgt>	

FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	EEEEDEFF
Creditor	<Cdtr>	
Name	<Name>	ZZ Insurances
PostalAddress	<PstlAdr>	
AddressLine	<AdrLine>	City Haus 1 10th Floor
StreetName	<StrtNm>	Friedrich-Ebert-Anlage
BuildingNumber	<BldgNb>	2-14
PostCode	<PstCd>	D-60 325
TownName	<TwnNm>	Frankfurt am Main
Country	<Ctry>	DE
CreditorAccount	<CdtrAcct>	
Identification	<Id>	
IBAN	<IBAN>	DE89370400440532013000
RemittanceInformation	<RmtInf>	
Unstructured	<Ustrd>	Contract ZZ/JO/164794

XML Instance

```
<pacs.008.001.01>
  <GrpHdr>
    <MsgId>BBBB/060928-CCT/EUR/912</MsgId>
    <CreDtTm>2006-09-28T16:01:00</CreDtTm>
    <NbOfTxs>2</NbOfTxs>
    <TtlIntrBkSttlmAmt Ccy = "EUR">504500.00</TtlIntrBkSttlmAmt>
    <IntrBkSttlmDt>2006-09-29</IntrBkSttlmDt>
    <SttlmInf>
      <SttlmMtd>INDA</SttlmMtd>
      <SttlmAcct>
        <Id>
          <PrtryAcct>
            <Id>29314569847</Id>
          </PrtryAcct>
        </Id>
      </SttlmAcct>
    </SttlmInf>
    <InstgAgt>
      <FinInstnId>
        <BIC>BBBBUS33</BIC>
      </FinInstnId>
    </InstgAgt>
    <InstdAgt>
      <FinInstnId>
        <BIC>EEEEDEFF</BIC>
      </FinInstnId>
```

```
    </InstdAgt>
  </GrpHdr>
  <CdtTrfTxInf>
    <PmtId>
      <InstrId>BBBB/060928-CCT/EUR/912/1</InstrId>
      <EndToEndId>ABC/ABC-13679/2006-09-15</EndToEndId>
      <TxId>BBBB/060928-CCT/EUR/912/1</TxId>
    </PmtId>
    <PmtTpInf>
      <InstrPrty>NORM</InstrPrty>
    </PmtTpInf>
    <IntrBkSttlmAmt Ccy = "EUR">499500</IntrBkSttlmAmt>
    <InstdAmt Ccy = "EUR">500000</InstdAmt>
    <ChrgBr>CRED</ChrgBr>
    <ChrgsInf>
      <ChrgsAmt Ccy = "EUR">500</ChrgsAmt>
      <ChrgsPty>
        <FinInstnId>
          <BIC>BBBBUS33</BIC>
        </FinInstnId>
      </ChrgsPty>
    </ChrgsInf>
    <Dbtr>
      <Nm>ABC Corporation</Nm>
      <PstlAdr>
        <StrtNm>Times Square</StrtNm>
        <BldgNb>7</BldgNb>
        <PstCd>NY 10036</PstCd>
        <TwnNm>New York</TwnNm>
        <Ctry>US</Ctry>
      </PstlAdr>
    </Dbtr>
    <DbtrAcct>
      <Id>
        <PrtryAcct>
          <Id>00125574999</Id>
        </PrtryAcct>
      </Id>
    </DbtrAcct>
    <DbtrAgt>
      <FinInstnId>
        <BIC>BBBBUS33</BIC>
      </FinInstnId>
    </DbtrAgt>
    <CdtrAgt>
      <FinInstnId>
        <BIC>DDDDBEBB</BIC>
      </FinInstnId>
    </CdtrAgt>
    <Cdtr>
      <Nm>GHI Semiconductors </Nm>
      <PstlAdr>
```

```
            <StrtNm>Avenue Brugmann</StrtNm>
            <BldgNb>415</BldgNb>
            <PstCd>1180</PstCd>
            <TwnNm>Brussels</TwnNm>
            <Ctry>BE</Ctry>
         </PstlAdr>
      </Cdtr>
      <CdtrAcct>
         <Id>
            <IBAN>BE30001216371411</IBAN>
         </Id>
      </CdtrAcct>
      <Purp>
         <Cd>GDDS</Cd>
      </Purp>
      <RmtInf>
         <Strd>
            <RfrdDocInf>
               <RfrdDocTp>
                  <Cd>CINV</Cd>
               </RfrdDocTp>
               <RfrdDocNb>ABC-13679</RfrdDocNb>
            </RfrdDocInf>
            <RfrdDocRltdDt>2006-09-15</RfrdDocRltdDt>
         </Strd>
      </RmtInf>
   </CdtTrfTxInf>
   <CdtTrfTxInf>
      <PmtId>
         <InstrId>BBBB/060928-CCT/EUR/912/2</InstrId>
         <EndToEndId>BBBB/060928-ZZ/JO/164794</EndToEndId>
         <TxId>BBBB/060928-CCT/EUR/912/2</TxId>
      </PmtId>
      <PmtTpInf>
         <InstrPrty>NORM</InstrPrty>
      </PmtTpInf>
      <IntrBkSttlmAmt Ccy = "EUR">5000.00</IntrBkSttlmAmt>
      <ChrgBr>SHAR</ChrgBr>
      <Dbtr>
         <Nm>Mr. Jones</Nm>
         <PstlAdr>
            <StrtNm>16th Street</StrtNm>
            <BldgNb>30</BldgNb>
            <PstCd>NY 10023</PstCd>
            <TwnNm>New York</TwnNm>
            <Ctry>US</Ctry>
         </PstlAdr>
      </Dbtr>
      <DbtrAcct>
         <Id>
            <PrtryAcct>
               <Id>00125583145</Id>
```

```
            </PrtryAcct>
          </Id>
        </DbtrAcct>
        <DbtrAgt>
          <FinInstnId>
            <BIC>BBBBUS33</BIC>
          </FinInstnId>
        </DbtrAgt>
        <CdtrAgt>
          <FinInstnId>
            <BIC>EEEEDEFF</BIC>
          </FinInstnId>
        </CdtrAgt>
        <Cdtr>
          <Nm>ZZ Insurances</Nm>
          <PstlAdr>
            <AdrLine>City Haus 1</AdrLine>
            <StrtNm>Friedrich-Ebert-Anlage</StrtNm>
            <BldgNb>2-14</BldgNb>
            <PstCd>D-60 325</PstCd>
            <TwnNm>Frankfurt am Main</TwnNm>
            <Ctry>DE</Ctry>
          </PstlAdr>
        </Cdtr>
        <RmtInf>
          <Ustrd>Contract ZZ/JO/164794</Ustrd>
        </RmtInf>
      </CdtTrfTxInf>
    </pacs.008.001.01>
```


Narrative - Step 2

On receipt of the message of BBBB Bank, EEEE Bank debits the account of BBBB Bank and credits its customer ZZ Insurances as instructed in the second payment transaction.EEEE Bank creates a new FIToFICustomerCreditTransfer to execute the first payment transaction and sends it to Creditor Agent DDDDBEBB through the clearing system XYZ of which both banks are members.

Business description

FIToFICustomerCreditTransfer from EEEEDEFF to DDDDBEBB :

Element	***<XMLTag>***	***Content***
Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	EEEE/060929-EUR/059
CreationDateTime	<CreDtTm>	2006-09-29T09:00:00
NumberOfTransactions	<NbOfTxs>	1
SettlementInformation	<SttlmInf>	
SettlementMethod	<SttlmMtd>	CLRG

ClearingSystem	<ClrSys>	
Proprietary	<Prtry>	XYZ
InstructingAgent	<InstgAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	EEEEDEFF
InstructedAgent	<InstdAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	DDDDBEBB
CreditTransferTransactionInformation	<CdtTrfTxInf>	
PaymentIdentification		
InstructionIdentification	<InstrId>	EEEE/060929-EUR/059/1
EndToEndIdentification	<EndToEndId>	ABC/ABC-13679/2006-09-15
Transaction Identification	<TxId>	BBBB/060928-CCT/EUR/912/1
PaymentTypeInformation	<PmtTpInf>	
InstructionPriority	<InstrPrty>	NORM
InterbankSettlementAmount	<IntrBkSttlmAmt>Ccy=EUR	499250.00
InterbankSettlementDate	<IntrBkSttlmDt>	2006-09-29
InstructedAmount	<InstdAmt>Ccy=EUR	500000.00
ChargeBearer	<ChrgBr>	CRED
ChargesInformation	<ChrgsInf>	
ChargesAmount	<ChrgsAmt>Ccy=EUR	500.00
ChargesParty	<ChrgsPty>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBUS33
ChargesInformation	<ChrgsInf>	
ChargesAmount	<ChrgsAmt>Ccy=EUR	250.00
ChargesParty	<ChrgsPty>	
FinancialInstitutionIdentification	<FinInstnId>	EEEEDEFF
Debtor	<Dbtr>	
Name	<Nm>	ABC Corporation
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Times Square
BuildingNumber	<BldgNb>	7
PostCode	<PstCd>	NY 10036
TownName	<TwnNm>	New York
Country	<Ctry>	US

DebtorAccount	<DbtrAcct>	
Identification	<Id>	
Proprietary Account	<PrtryAcct>	00125574999
DebtorAgent	<DbtrAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBUS33
CreditorAgent	<CdtrAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	DDDDBEBB
Creditor	<Cdtr>	
Name	<Name>	GHI Semiconductors
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Avenue Brugmann
BuildingNumber	<BldgNb>	415
PostCode	<PstCd>	1180
TownName	<TwnNm>	Brussels
Country	<Ctry>	BE
CreditorAccount	<CdtrAcct>	
Identification	<Id>	
IBAN	<IBAN>	BE30001216371411
Purpose	<Purp>	
Code	<Cd>	GDDS
RemittanceInformation	<RmtInf>	
Structured	<Strd>	
ReferredDocumentInformation	<RfrdDocInf>	
ReferredDocumentType	<RfrdDocType>	
Code	<Cd>	CINV
ReferredDocumentNumber	<RfrdDocNb>	ABC-13679
ReferredDocumentRelatedDate	<RfrdDocRltdDt>	2006-09-15

XML Instance

```
<pacs.008.001.01>
    <GrpHdr>
      <MsgId>EEEE/060929-EUR/059</MsgId>
      <CreDtTm>2006-09-29T09:00:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <SttlmInf>
        <SttlmMtd>CLRG</SttlmMtd>
        <ClrSys>
```

```
            <Prtry>XYZ</Prtry>
          </ClrSys>
        </SttlmInf>
        <InstgAgt>
          <FinInstnId>
            <BIC>EEEEDEFF</BIC>
          </FinInstnId>
        </InstgAgt>
        <InstdAgt>
          <FinInstnId>
            <BIC>DDDDBEBB</BIC>
          </FinInstnId>
        </InstdAgt>
      </GrpHdr>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>EEEE/060929-EUR/059/1</InstrId>
          <EndToEndId>ABC/ABC-13679/2006-09-15</EndToEndId>
          <TxId>BBBB/060928-CCT/EUR/912/1</TxId>
        </PmtId>
        <PmtTpInf>
          <InstrPrty>NORM</InstrPrty>
        </PmtTpInf>
        <IntrBkSttlmAmt Ccy = "EUR">499250</IntrBkSttlmAmt>
        <IntrBkSttlmDt>2006-09-29</IntrBkSttlmDt>
        <InstdAmt Ccy = "EUR">500000</InstdAmt>
        <ChrgBr>CRED</ChrgBr>
        <ChrgsInf>
          <ChrgsAmt Ccy = "EUR">500</ChrgsAmt>
          <ChrgsPty>
            <FinInstnId>
              <BIC>BBBBUS33</BIC>
            </FinInstnId>
          </ChrgsPty>
        </ChrgsInf>
        <ChrgsInf>
          <ChrgsAmt Ccy = "EUR">250</ChrgsAmt>
          <ChrgsPty>
            <FinInstnId>
              <BIC>EEEEDEFF</BIC>
            </FinInstnId>
          </ChrgsPty>
        </ChrgsInf>
        <Dbtr>
          <Nm>ABC Corporation</Nm>
          <PstlAdr>
            <StrtNm>Times Square</StrtNm>
            <BldgNb>7</BldgNb>
            <PstCd>NY 10036</PstCd>
            <TwnNm>New York</TwnNm>
            <Ctry>US</Ctry>
          </PstlAdr>
```

```
      </Dbtr>
      <DbtrAcct>
        <Id>
          <PrtryAcct>
            <Id>00125574999</Id>
          </PrtryAcct>
        </Id>
      </DbtrAcct>
      <DbtrAgt>
        <FinInstnId>
          <BIC>BBBBUS33</BIC>
        </FinInstnId>
      </DbtrAgt>
      <CdtrAgt>
        <FinInstnId>
          <BIC>DDDDBEBB</BIC>
        </FinInstnId>
      </CdtrAgt>
      <Cdtr>
        <Nm>GHI Semiconductors </Nm>
        <PstlAdr>
          <StrtNm>Avenue Brugmann</StrtNm>
          <BldgNb>415</BldgNb>
          <PstCd>1180</PstCd>
          <TwnNm>Brussels</TwnNm>
          <Ctry>BE</Ctry>
        </PstlAdr>
      </Cdtr>
      <CdtrAcct>
        <Id>
          <IBAN>BE30001216371411</IBAN>
        </Id>
      </CdtrAcct>
      <Purp>
        <Cd>GDDS</Cd>
      </Purp>
      <RmtInf>
        <Strd>
          <RfrdDocInf>
            <RfrdDocTp>
              <Cd>CINV</Cd>
            </RfrdDocTp>
            <RfrdDocNb>ABC-13679</RfrdDocNb>
          </RfrdDocInf>
          <RfrdDocRltdDt>2006-09-15</RfrdDocRltdDt>
        </Strd>
      </RmtInf>
    </CdtTrfTxInf>
  </pacs.008.001.01>
```

Business Example 2

Narrative-Step 1

Biogenetics-Crops, Glasgow, subsidiary of Biogenetics HQ, London, has received an invoice with number SX-25T, dated 13 October 2006 from Seed Inc., Dublin: 75 thousand EUR needs to be paid to the account of Seed Inc. IE29CCCC93115212345678 held at CCCC Bank, Dublin (CCCCIE2D). Transaction charges for the payment are shared between Biogenetics and Seed Inc.
The payment of all Biogenetics invoices is centralized at Biogenetics HQ. It assigns reference CROPS/SX-25T/2006-10-13 to the payment order and passes it on to AAAA Bank (AAAAGB2L) where it holds the account 46373892034012. AAAA Bank sends the payment to its correspondent BBBB Bank in Dublin (BBBBIE2D).

Business Description

FIToFICustomerCreditTransfer from AAAA Bank to BBBB Bank :

Element	***<XMLTag>***	***Content***
Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	AAAA/061109-CCT/EUR443
CreationDateTime	<CreDtTm>	2006-11-09T10:03:13
NumberOfTransactions	<NbOfTxs>	1
SettlementInformation	<SttlmInf>	
SettlementMethod	<SttlmMtd>	INDA
InstructingAgent	<InstgAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAGB2L
InstructedAgent	<InstdAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBIE2D
CreditTransferTransactionInformation	<CdtTrfTxInf>	
PaymentIdentification	<PmtId>	
InstructionIdentification	<InstrId>	AAAA/061109-CCT/EUR443/1
EndToEndIdentification	<EndToEndId>	CROPS/SX-25T/2006-10-13
Transaction Identification	<TxId>	AAAA/061109-CCT/EUR443/1
InterbankSettlementAmount	<IntrBkSttlmAmt>Ccy=JPY	75000.00
InterbankSettlementDate	<IntrBkSttlmDt>	2006-11-09
InstructedAmount	<InstdAmt> Ccy=EUR	75000.00
ChargeBearer	<ChrgBr>	SHAR
UltimateDebtor	<UltmtDbtr>	
Name	<Nm>	Biogenetics - CROPS
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Growth Street

BuildingNumber	<BldgNb>	17
PostCode	<PstCd>	G5 OTW
TownName	<TwnNm>	Glasgow
Country	<Ctry>	GB
Debtor	<Dbtr>	
Name	<Nm>	Biogenetics - HQ
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Corn Street
BuildingNumber	<BldgNb>	13
PostCode	<PstCd>	W6 8DR
TownName	<TwnNm>	London
Country	<Ctry>	GB
DebtorAccount	<DbtrAcct>	
Identification	<Id>	
Proprietary Account	<PrtryAcct>	
Identification	<Id>	46373892034012
DebtorAgent	<DbtrAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAGB2L
CreditorAgent	<CdtrAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	CCCCIE2D
Creditor	<Cdtr>	
Name	<Name>	Seed Inc.
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Grain Lane
BuildingNumber	<BldgNb>	27
TownName	<TwnNm>	Dublin
Country	<Ctry>	IE
CreditorAccount	<CdtrAcct>	
Identification	<Id>	
IBAN	<IBAN>	IE29CCCC93115212345678
Purpose	<Purp>	
Code	<Cd>	GDDS
RemittanceInformation	<RmtInf>	
Structured	<Strd>	
ReferredDocumentInformation	<RfrdDocInf>	

ReferredDocumentType	<RfrdDocType>	
Code	<Cd>	CINV
ReferredDocumentNumber	<RfrdDocNb>	SX-25T
ReferredDocumentRelatedDate	<RfrdDocRltdDt>	2006-10-13

XML Instance


```
<pacs.008.001.01>
    <GrpHdr>
      <MsgId>AAAA/061109-CCT/EUR443</MsgId>
      <CreDtTm>2006-11-09T10:03:13</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <SttlmInf>
        <SttlmMtd>INDA</SttlmMtd>
      </SttlmInf>
      <InstgAgt>
        <FinInstnId>
          <BIC>AAAAGB2L</BIC>
        </FinInstnId>
      </InstgAgt>
      <InstdAgt>
        <FinInstnId>
          <BIC>BBBBIE2D</BIC>
        </FinInstnId>
      </InstdAgt>
    </GrpHdr>
    <CdtTrfTxInf>
      <PmtId>
        <InstrId>AAAA/061109-CCT/EUR443/1</InstrId>
        <EndToEndId>CROPS/SX-25T/2006-10-13</EndToEndId>
        <TxId>AAAA/061109-CCT/EUR443/1</TxId>
      </PmtId>
      <IntrBkSttlmAmt Ccy = "EUR">75000</IntrBkSttlmAmt>
      <IntrBkSttlmDt>2006-11-09</IntrBkSttlmDt>
      <InstdAmt Ccy = "EUR">75000</InstdAmt>
      <ChrgBr>SHAR</ChrgBr>
      <UltmtDbtr>
        <Nm>Biogenetics -CROPS</Nm>
        <PstlAdr>
          <StrtNm>Growth Street </StrtNm>
          <BldgNb>17</BldgNb>
          <PstCd>G5 OTW</PstCd>
          <TwnNm>Glasgow</TwnNm>
          <Ctry>GB</Ctry>
        </PstlAdr>
      </UltmtDbtr>
      <Dbtr>
        <Nm>Biogenetics - HQ</Nm>
        <PstlAdr>
```

```
        <StrtNm>Corn Street</StrtNm>
        <BldgNb>13</BldgNb>
        <PstCd>W6 8DR</PstCd>
        <TwnNm>London</TwnNm>
        <Ctry>GB</Ctry>
      </PstlAdr>
    </Dbtr>
    <DbtrAcct>
      <Id>
        <PrtryAcct>
          <Id>46373892034012</Id>
        </PrtryAcct>
      </Id>
    </DbtrAcct>
    <DbtrAgt>
      <FinInstnId>
        <BIC>AAAAGB2L</BIC>
      </FinInstnId>
    </DbtrAgt>
    <CdtrAgt>
      <FinInstnId>
        <BIC>CCCCIE2D</BIC>
      </FinInstnId>
    </CdtrAgt>
    <Cdtr>
      <Nm>Seed Inc.</Nm>
      <PstlAdr>
        <StrtNm>Grain Lane</StrtNm>
        <BldgNb>27</BldgNb>
        <TwnNm>Dublin</TwnNm>
        <Ctry>IE</Ctry>
      </PstlAdr>
    </Cdtr>
    <CdtrAcct>
      <Id>
        <IBAN>IE29CCCC93115212345678</IBAN>
      </Id>
    </CdtrAcct>
    <Purp>
      <Cd>GDDS</Cd>
    </Purp>
    <RmtInf>
      <Strd>
        <RfrdDocInf>
          <RfrdDocTp>
            <Cd>CINV</Cd>
          </RfrdDocTp>
          <RfrdDocNb>SX-25T</RfrdDocNb>
        </RfrdDocInf>
        <RfrdDocRltdDt>2006-10-13</RfrdDocRltdDt>
      </Strd>
    </RmtInf>
```

```
    </CdtTrfTxInf>
  </pacs.008.001.01>
```

Narrative - Step 2

On receipt of the payment instruction, BBBB Bank debits AAAA Bank account, deducts its processing charges and sends an FIToFICustomerCreditTransfer to CCCC Bank, Dublin across the Irish RTGS system.

Business description

FIToFICustomerCreditTransfer from BBBB Bank to CCCC Bank :

Element	***<XMLTag>***	***Content***
Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	BBBB/061109-CBJ056
CreationDateTime	<CreDtTm>	2006-11-09T10:13:00
NumberOfTransactions	<NbOfTxs>	1
SettlementInformation	<SttlmInf>	
SettlementMethod	<SttlmMtd>	CLRG
ClearingSystem	<ClrSys>	
ClearingSystemIdentification	<ClrSys>	CBJ
InstructingAgent	<InstgAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBIE2D
InstructedAgent	<InstdAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	CCCCIE2D
CreditTransferTransactionInformation	<CdtTrfTxInf>	
PaymentIdentification	<PmtId>	
InstructionIdentification	<InstrId>	BBBB/061109-CBJ056/1
EndToEndIdentification	<EndToEndId>	CROPS/SX-25T/2006-10-13
Transaction Identification	<TxId>	AAAA/061109-CCT/EUR443/1
InterbankSettlementAmount	<IntrBkSttlmAmt>Ccy=EUR	74900.00
InterbankSettlementDate	<IntrBkSttlmDt>	2006-11-09
InstructedAmount	<InstdAmt>Ccy=EUR	75000.00
ChargeBearer	<ChrgBr>	SHAR
ChargesInformation	<ChrgsInf>	
ChargesAmount	<ChrgsAmt>Ccy=EUR	100.00
ChargesParty	<ChrgsPty>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBIE2D

UltimateDebtor	<UltmtDbtr>	
Name	<Nm>	Biogenetics - CROPS
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Growth Street
BuildingNumber	<BldgNb>	17
PostCode	<PstCd>	G5 OTW
TownName	<TwnNm>	Glasgow
Country	<Ctry>	GB
Debtor	<Dbtr>	
Name	<Nm>	Biogenetics - HQ
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Corn Street
BuildingNumber	<BldgNb>	13
PostCode	<PstCd>	W6 8DR
TownName	<TwnNm>	London
Country	<Ctry>	GB
DebtorAccount	<DbtrAcct>	
Identification	<Id>	
Proprietary Account	<PrtryAcct>	
Identification	<Id>	46373892034012
DebtorAgent	<DbtrAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAGB2L
CreditorAgent	<CdtrAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	CCCCIE2D
Creditor	<Cdtr>	
Name	<Name>	Seed Inc.
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Grain Lane
BuildingNumber	<BldgNb>	27
TownName	<TwnNm>	Dublin
Country	<Ctry>	IE
CreditorAccount	<CdtrAcct>	
Identification	<Id>	
IBAN	<IBAN>	IE29CCCC93115212345678
Purpose	<Purp>	

Code	<Cd>	GDDS
RemittanceInformation	<RmtInf>	
Structured	<Strd>	
ReferredDocumentInformation	<RfrdDocInf>	
ReferredDocumentType	<RfrdDocType>	
Code	<Cd>	CINV
ReferredDocumentNumber	<RfrdDocNb>	SX-25T
ReferredDocumentRelatedDate	<RfrdDocRltdDt>	2006-10-13

XML Instance


```
<pacs.008.001.01>
    <GrpHdr>
      <MsgId>BBBB/061109-CBJ056</MsgId>
      <CreDtTm>2006-11-09T10:13:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <SttlmInf>
        <SttlmMtd>CLRG</SttlmMtd>
        <ClrSys>
          <ClrSysId>CBJ</ClrSysId>
        </ClrSys>
      </SttlmInf>
      <InstgAgt>
        <FinInstnId>
          <BIC>BBBBIE2D</BIC>
        </FinInstnId>
      </InstgAgt>
      <InstdAgt>
        <FinInstnId>
          <BIC>CCCCIE2D</BIC>
        </FinInstnId>
      </InstdAgt>
    </GrpHdr>
    <CdtTrfTxInf>
      <PmtId>
        <InstrId>BBBB/061109-CBJ056/1</InstrId>
        <EndToEndId>CROPS/SX-25T/2006-10-13</EndToEndId>
        <TxId>AAAA/061109-CCT/EUR443/1</TxId>
      </PmtId>
      <IntrBkSttlmAmt Ccy = "EUR">74900</IntrBkSttlmAmt>
      <IntrBkSttlmDt>2006-11-09</IntrBkSttlmDt>
      <InstdAmt Ccy = "EUR">75000</InstdAmt>
      <ChrgBr>SHAR</ChrgBr>
      <ChrgsInf>
        <ChrgsAmt Ccy = "EUR">100</ChrgsAmt>
        <ChrgsPty>
          <FinInstnId>
            <BIC>BBBBIE2D</BIC>
```

```
        </FinInstnId>
      </ChrgsPty>
    </ChrgsInf>
    <UltmtDbtr>
      <Nm>Biogenetics - CROPS</Nm>
      <PstlAdr>
        <StrtNm>Growth Street </StrtNm>
        <BldgNb>17</BldgNb>
        <PstCd>G5 OTW</PstCd>
        <TwnNm>Glasgow</TwnNm>
        <Ctry>GB</Ctry>
      </PstlAdr>
    </UltmtDbtr>
    <Dbtr>
      <Nm>Biogenetics - HQ</Nm>
      <PstlAdr>
        <StrtNm>Corn Street</StrtNm>
        <BldgNb>13</BldgNb>
        <PstCd>W6 8DR</PstCd>
        <TwnNm>London</TwnNm>
        <Ctry>GB</Ctry>
      </PstlAdr>
    </Dbtr>
    <DbtrAcct>
      <Id>
        <PrtryAcct>
          <Id>46373892034012</Id>
        </PrtryAcct>
      </Id>
    </DbtrAcct>
    <DbtrAgt>
      <FinInstnId>
        <BIC>AAAAGB2L</BIC>
      </FinInstnId>
    </DbtrAgt>
    <CdtrAgt>
      <FinInstnId>
        <BIC>CCCCIE2D</BIC>
      </FinInstnId>
    </CdtrAgt>
    <Cdtr>
      <Nm>Seed Inc.</Nm>
      <PstlAdr>
        <StrtNm>Grain Lane</StrtNm>
        <BldgNb>27</BldgNb>
        <TwnNm>Dublin</TwnNm>
        <Ctry>IE</Ctry>
      </PstlAdr>
    </Cdtr>
    <CdtrAcct>
      <Id>
        <IBAN>IE29CCCC93115212345678</IBAN>
```

```
        </Id>
      </CdtrAcct>
      <Purp>
        <Cd>GDDS</Cd>
      </Purp>
      <RmtInf>
        <Strd>
          <RfrdDocInf>
            <RfrdDocTp>
              <Cd>CINV</Cd>
            </RfrdDocTp>
            <RfrdDocNb>SX-25T</RfrdDocNb>
          </RfrdDocInf>
          <RfrdDocRltdDt>2006-10-13</RfrdDocRltdDt>
        </Strd>
      </RmtInf>
    </CdtTrfTxInf>
  </pacs.008.001.01>
```

Message: FIToFICustomerDirectDebitV01 <pacs.003.001.01>

Message Scope and Usage

Scope

The FinancialInstitutionToFinancialInstitutionCustomerDirectDebit message is sent by the creditor agent to the debtor agent, directly or through other agents and/or a payment clearing and settlement system.
It is used to collect funds from a debtor account for a creditor.

Usage

The FItoFICustomerDirectDebit message can contain one or more customer direct debit instructions.

The FIToFICustomerDirectDebit message does not allow for grouping: the PaymentInformation block must be present once per occurrence of a DirectDebitTransactionInformation block.

The FItoFICustomerDirectDebit message may or may not contain mandate related information, i.e. extracts from a mandate, such as the MandateIdentification or DateOfSignature. The FIToFICustomerDirectDebit message must not be considered as a mandate.
The FItoFICustomerDirectDebit message can be used in domestic and cross-border scenarios.

Outline

The FIToFICustomerDirectDebit message is composed of 2 building blocks:

A. Group Header

This building block is mandatory and present once. It contains elements such as MessageIdentification, CreationDateAndTime.

B. Direct Debit Transaction Information

This building block is mandatory and repetitive. It contains elements related to the debit and credit side of the transaction such as Creditor, CreditorAgent, Debtor, DebtorAgent.

Rules

InstructedAgentRule
If GroupHeader/InstructedAgent is present, then DirectDebitTransactionInformation/InstructedAgent is not allowed.

InstructingAgentRule
If GroupHeader/InstructingAgent is present, then DirectDebitTransactionInformation/InstructingAgent is not allowed.

TotalInterbankSettlementAmount1Rule
If GroupHeader/TotalInterbankSettlementAmount is present, then all occurrences of DirectDebitTransactionInformation/InterbankSettlementAmount must have the same currency as the currency of GroupHeader/TotalInterbankSettlementAmount.

TotalInterbankSettlementAmount2Rule
If GroupHeader/TotalInterbankSettlementAmount is present, then it must equal the sum of all occurrences of DirectDebitTransactionInformation/InterbankSettlementAmount.

InterbankSettlementDateRule

If GroupHeader/InterbankSettlementDate is present, then DirectDebitTransactionInformation/InterbankSettlementDate is not allowed.
If GroupHeader/InterbankSettlementDate is not present, then DirectDebitTransactionInformation/ InterbankSettlementDate must be present.

PaymentTypeInformationRule
If GroupHeader/PaymentTypeInformation is present, then DirectDebitTransactionInformation/PaymentTypeInformation is not allowed.

Note : Rules applying to specific message components or message elements are included in the description of the relevant message component or message element.

Message Structure

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
1.0		GroupHeader	<GrpHdr>	[1..1]		
1.1		MessageIdentification	<MsgId>	[1..1]	Text	
1.2		CreationDateTime	<CreDtTm>	[1..1]	DateTime	
1.3		Authorisation	<Authstn>	[0..2]	Text	
1.4		BatchBooking	<BtchBookg>	[0..1]	Indicator	
1.5		NumberOfTransactions	<NbOfTxs>	[1..1]	Text	
1.6		ControlSum	<CtrlSum>	[0..1]	Quantity	
1.7		TotalInterbankSettlementAmount	<TtlIntrBkSttlmAmt>	[0..1]	Amount	
1.8		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime	
1.9		SettlementInformation	<SttlmInf>	[1..1]		
1.10		SettlementMethod	<SttlmMtd>	[1..1]	Code	
1.11		SettlementAccount	<SttlmAcct>	[0..1]	+	
1.12		ClearingSystem	<ClrSys>	[0..1]		
1.13	{Or	ClearingSystemIdentification	<ClrSysId>	[1..1]	Code	
1.14	Or}	Proprietary	<Prtry>	[1..1]	Text	
1.15		PaymentTypeInformation	<PmtTpInf>	[0..1]		
1.16		InstructionPriority	<InstrPrty>	[0..1]	Code	
1.17	{Or	ServiceLevel	<SvcLvl>	[0..1]		
1.18	{{Or	Code	<Cd>	[1..1]	Code	
1.19	Or}}	Proprietary	<Prtry>	[1..1]	Text	
1.20	Or}	ClearingChannel	<ClrChanl>	[0..1]	Code	
1.21		LocalInstrument	<LclInstrm>	[0..1]		
1.22	{Or	Code	<Cd>	[1..1]	Code	
1.23	Or}	Proprietary	<Prtry>	[1..1]	Text	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
1.24		SequenceType	<SeqTp>	[0..1]	Code	
1.25		CategoryPurpose	<CtgyPurp>	[0..1]	Code	
1.26		InstructingAgent	<InstgAgt>	[0..1]	+	
1.27		InstructedAgent	<InstdAgt>	[0..1]	+	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
2.0		DirectDebitTransactionInformation	<DrctDbtTxInf>	[1..n]		
2.1		PaymentIdentification	<PmtId>	[1..1]	+	
2.2		PaymentTypeInformation	<PmtTpInf>	[0..1]		
2.3		InstructionPriority	<InstrPrty>	[0..1]	Code	
2.4	{Or	ServiceLevel	<SvcLvl>	[0..1]		
2.5	{{Or	Code	<Cd>	[1..1]	Code	
2.6	Or}}	Proprietary	<Prtry>	[1..1]	Text	
2.7	Or}	ClearingChannel	<ClrChanl>	[0..1]	Code	
2.8		LocalInstrument	<LclInstrm>	[0..1]		
2.9	{Or	Code	<Cd>	[1..1]	Code	
2.10	Or}	Proprietary	<Prtry>	[1..1]	Text	
2.11		SequenceType	<SeqTp>	[0..1]	Code	
2.12		CategoryPurpose	<CtgyPurp>	[0..1]	Code	
2.13		InterbankSettlementAmount	<IntrBkSttlmAmt>	[1..1]	Amount	
2.14		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime	
2.15		InstructedAmount	<InstdAmt>	[0..1]	Amount	
2.16		ExchangeRate	<XchgRate>	[0..1]	Rate	
2.17		ChargeBearer	<ChrgBr>	[1..1]	Code	
2.18		ChargesInformation	<ChrgsInf>	[0..n]	+	
2.19		RequestedCollectionDate	<ReqdColltnDt>	[0..1]	DateTime	
2.20		DirectDebitTransaction	<DrctDbtTx>	[0..1]		
2.21		MandateRelatedInformation	<MndtRltdInf>	[0..1]		
2.22		MandateIdentification	<MndtId>	[0..1]	Text	
2.23		DateOfSignature	<DtOfSgntr>	[0..1]	DateTime	
2.24		AmendmentIndicator	<AmdmntInd>	[0..1]	Indicator	
2.25		AmendmentInformationDetails	<AmdmntInfDtls>	[0..1]		
2.26		OriginalMandateIdentification	<OrgnlMndtId>	[0..1]	Text	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
2.27		OriginalCreditorSchemeIdentification	<OrgnlCdtrSchmeId>	[0..1]	+	
2.28		OriginalCreditorAgent	<OrgnlCdtrAgt>	[0..1]	+	
2.29		OriginalCreditorAgentAccount	<OrgnlCdtrAgtAcct>	[0..1]	+	
2.30		OriginalDebtor	<OrgnlDbtr>	[0..1]	+	
2.31		OriginalDebtorAccount	<OrgnlDbtrAcct>	[0..1]	+	
2.32		OriginalDebtorAgent	<OrgnlDbtrAgt>	[0..1]	+	
2.33		OriginalDebtorAgentAccount	<OrgnlDbtrAgtAcct>	[0..1]	+	
2.34		OriginalFinalCollectionDate	<OrgnlFnlColltnDt>	[0..1]	DateTime	
2.35		OriginalFrequency	<OrgnlFrqcy>	[0..1]	Code	
2.36		ElectronicSignature	<ElctrncSgntr>	[0..1]	Text	
2.37		FirstCollectionDate	<FrstColltnDt>	[0..1]	DateTime	
2.38		FinalCollectionDate	<FnlColltnDt>	[0..1]	DateTime	
2.39		Frequency	<Frqcy>	[0..1]	Code	
2.40		CreditorSchemeIdentification	<CdtrSchmeId>	[0..1]	+	
2.41		PreNotificationIdentification	<PreNtfctnId>	[0..1]	Text	
2.42		PreNotificationDate	<PreNtfctnDt>	[0..1]	DateTime	
2.43		Creditor	<Cdtr>	[1..1]	+	
2.44		CreditorAccount	<CdtrAcct>	[0..1]	+	
2.45		CreditorAgent	<CdtrAgt>	[1..1]	+	
2.46		CreditorAgentAccount	<CdtrAgtAcct>	[0..1]	+	
2.47		UltimateCreditor	<UltmtCdtr>	[0..1]	+	
2.48		InitiatingParty	<InitgPty>	[0..1]	+	
2.49		InstructingAgent	<InstgAgt>	[0..1]	+	
2.50		InstructedAgent	<InstdAgt>	[0..1]	+	
2.51		IntermediaryAgent1	<IntrmyAgt1>	[0..1]	+	
2.52		IntermediaryAgent1Account	<IntrmyAgt1Acct>	[0..1]	+	
2.53		IntermediaryAgent2	<IntrmyAgt2>	[0..1]	+	
2.54		IntermediaryAgent2Account	<IntrmyAgt2Acct>	[0..1]	+	
2.55		IntermediaryAgent3	<IntrmyAgt3>	[0..1]	+	
2.56		IntermediaryAgent3Account	<IntrmyAgt3Acct>	[0..1]	+	
2.57		Debtor	<Dbtr>	[1..1]	+	
2.58		DebtorAccount	<DbtrAcct>	[1..1]	+	
2.59		DebtorAgent	<DbtrAgt>	[1..1]	+	
2.60		DebtorAgentAccount	<DbtrAgtAcct>	[0..1]	+	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
2.61		UltimateDebtor	<UltmtDbtr>	[0..1]	+	
2.62		Purpose	<Purp>	[0..1]		
2.63	{Or	Code	<Cd>	[1..1]	Code	
2.64	Or}	Proprietary	<Prtry>	[1..1]	Text	
2.65		RegulatoryReporting	<RgltryRptg>	[0..10]		
2.66		DebitCreditReportingIndicator	<DbtCdtRptgInd>	[0..1]	Code	
2.67		Authority	<Authrty>	[0..1]		
2.68		AuthorityName	<AuthrtyNm>	[0..1]	Text	
2.69		AuthorityCountry	<AuthrtyCtry>	[0..1]	Code	
2.70		RegulatoryDetails	<RgltryDtls>	[0..1]		
2.71		Code	<Cd>	[0..1]	Text	
2.72		Amount	<Amt>	[0..1]	Amount	
2.73		Information	<Inf>	[0..1]	Text	
2.74		RelatedRemittanceInformation	<RltdRmtInf>	[0..10]		
2.75		RemittanceIdentification	<RmtId>	[0..1]	Text	
2.76		RemittanceLocationMethod	<RmtLctnMtd>	[0..1]	Code	
2.77		RemittanceLocationElectronicAddress	<RmtLctnElctrncAdr>	[0..1]	Text	
2.78		RemittanceLocationPostalAddress	<RmtLctnPstlAdr>	[0..1]		
2.79		Name	<Nm>	[1..1]	Text	
2.80		Address	<Adr>	[1..1]	+	
2.81		RemittanceInformation	<RmtInf>	[0..1]		
2.82		Unstructured	<Ustrd>	[0..n]	Text	
2.83		Structured	<Strd>	[0..n]		
2.84		ReferredDocumentInformation	<RfrdDocInf>	[0..1]		
2.85		ReferredDocumentType	<RfrdDocTp>	[0..1]		
2.86	{Or	Code	<Cd>	[1..1]	Code	
2.87	Or}	Proprietary	<Prtry>	[1..1]	Text	
2.88		Issuer	<Issr>	[0..1]	Text	
2.89		ReferredDocumentNumber	<RfrdDocNb>	[0..1]	Text	
2.90		ReferredDocumentRelatedDate	<RfrdDocRltdDt>	[0..1]	DateTime	
2.91		ReferredDocumentAmount	<RfrdDocAmt>	[0..n]		
2.92	{Or	DuePayableAmount	<DuePyblAmt>	[1..1]	Amount	
2.93	Or	DiscountAppliedAmount	<DscntApldAmt>	[1..1]	Amount	
2.94	Or	RemittedAmount	<RmtdAmt>	[1..1]	Amount	
2.95	Or	CreditNoteAmount	<CdtNoteAmt>	[1..1]	Amount	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
2.96	Or}	TaxAmount	<TaxAmt>	[1..1]	Amount	
2.97		CreditorReferenceInformation	<CdtrRefInf>	[0..1]		
2.98		CreditorReferenceType	<CdtrRefTp>	[0..1]		
2.99	{Or	Code	<Cd>	[1..1]	Code	
2.100	Or}	Proprietary	<Prtry>	[1..1]	Text	
2.101		Issuer	<Issr>	[0..1]	Text	
2.102		CreditorReference	<CdtrRef>	[0..1]	Text	
2.103		Invoicer	<Invcr>	[0..1]	+	
2.104		Invoicee	<Invcee>	[0..1]	+	
2.105		AdditionalRemittanceInformation	<AddtlRmtInf>	[0..1]	Text	

Message Items Description

*The following section identifies the elements of the **FIToFICustomerDirectDebitV01** message.*

1.0 GroupHeader <GrpHdr>

Presence: [1..1]
Definition: Set of characteristics shared by all individual transactions included in the message.
Type: *The **GroupHeader** block is composed of the following **GroupHeader3** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.1		MessageIdentification	<MsgId>	[1..1]	Text
1.2		CreationDateTime	<CreDtTm>	[1..1]	DateTime
1.3		Authorisation	<Authstn>	[0..2]	Text
1.4		BatchBooking	<BtchBookg>	[0..1]	Indicator
1.5		NumberOfTransactions	<NbOfTxs>	[1..1]	Text
1.6		ControlSum	<CtrlSum>	[0..1]	Quantity
1.7		TotalInterbankSettlementAmount	<TtlIntrBkSttlmAmt>	[0..1]	Amount
1.8		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime
1.9		SettlementInformation	<SttlmInf>	[1..1]	
1.15		PaymentTypeInformation	<PmtTpInf>	[0..1]	
1.26		InstructingAgent	<InstgAgt>	[0..1]	+
1.27		InstructedAgent	<InstdAgt>	[0..1]	+

Rule(s): TotalInterbankSettlementAmountAndInterbankSettlementDateRule
If TotalInterbankSettlementAmount is present, then InterbankSettlementDate must be present.

1.1 MessageIdentification <MsgId>

Presence: [1..1]

Definition: Point to point reference assigned by the instructing party and sent to the next party in the chain to unambiguously identify the message.

Usage: The instructing party has to make sure that 'MessageIdentification' is unique per instructed party for a pre-agreed period.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

1.2 CreationDateTime <CreDtTm>

Presence: [1..1]

Definition: Date and time at which a (group of) payment instruction(s) was created by the instructing party.

Data Type: ISODateTime

1.3 Authorisation <Authstn>

Presence: [0..2]

Definition: User identification or any user key that allows to check if the initiating party is allowed to initiate transactions from the account specified in the initiation.

Usage: the content is not of a technical nature, but reflects the organisational structure at the initiating side. The authorisation element can typically be used in relay scenarios, payment initiations, payment returns or payment reversals that are initiated on behalf of a different party than the initiating party.

Data Type: Max128Text

Format: maxLength: 128
minLength: 1

1.4 BatchBooking <BtchBookg>

Presence: [0..1]

Definition: Identifies whether a single entry per individual transaction or a batch entry for the sum of the amounts of all transactions in the message is requested.

Data Type: *One of the following **BatchBookingIndicator** values must be used:*
MeaningWhenTrue: Identifies that a batch entry for the sum of the amounts of all transactions in the message is requested.
MeaningWhenFalse: Identifies that a single entry for each of the transactions in the message is requested.

1.5 NumberOfTransactions <NbOfTxs>

Presence: [1..1]

Definition: Number of individual transactions contained in the message.

Data Type: Max15NumericText

Format: [0-9]{1,15}

1.6 ControlSum <CtrlSum>

Presence: [0..1]

Definition: Total of all individual amounts included in the message, irrespective of currencies.

Data Type: DecimalNumber

Format: fractionDigits: 17
totalDigits: 18

1.7 TotalInterbankSettlementAmount <TtlIntrBkSttlmAmt>

Presence: [0..1]

Definition: Total amount of money transferred between instructing agent and instructed agent.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

1.8 InterbankSettlementDate <IntrBkSttlmDt>

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Data Type: ISODate

1.9 SettlementInformation <SttlmInf>

Presence: [1..1]

Definition: Specifies the details on how the settlement of the transaction(s) between the instructing agent and the instructed agent is completed.

Type: *This message item is composed of the following* ***SettlementInformation2*** *element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.10		SettlementMethod	<SttlmMtd>	[1..1]	Code
1.11		SettlementAccount	<SttlmAcct>	[0..1]	+
1.12		ClearingSystem	<ClrSys>	[0..1]	

Rule(s): SettlementMethod1Rule
If SettlementMethod is equal to INDA or INGA then:
- SettlementAccount may be present;
- ClearingSystem is not allowed.

SettlementMethod2Rule
If SettlementMethod is equal to CLRG then:
- SettlementAccount is not allowed;
- ClearingSystem must be present.

1.10 SettlementMethod <SttlmMtd>

Presence: [1..1]
Definition: Method used to settle the (batch of) payment instructions.
Data Type: Code
*One of the following **SettlementMethod2Code** values must be used:*

Code	Name	Definition
CLRG	ClearingSystem	Settlement is done through a payment clearing system.
INDA	InstructedAgent	Settlement is done by the agent instructed to execute a payment instruction.
INGA	InstructingAgent	Settlement is done by the agent instructing and forwarding the payment to the next party in the payment chain.

1.11 SettlementAccount <SttlmAcct>

Presence: [0..1]
Definition: A specific purpose account used to post debit and credit entries as a result of the transaction.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

1.12 ClearingSystem <ClrSys>

Presence: [0..1]
Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.
Type: *This message item is composed of one of the following **ClearingSystemIdentification1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.13	{Or	ClearingSystemIdentification	<ClrSysId>	[1..1]	Code
1.14	Or}	Proprietary	<Prtry>	[1..1]	Text

1.13 ClearingSystemIdentification <ClrSysId>

Presence: [1..1]
*This message item is part of choice **1.12** ClearingSystem.*
Definition: Infrastructure through which the payment instruction is processed.
Data Type: Code

*One of the following **CashClearingSystem3Code** values must be used:*

Code	Name	Definition
ABE	EBAEuro1Step1	Scheme code for EBA Euro1/Step1.
AIP	Albania	Scheme code for AL (Albania) - Albania Interbank Payment System.
ART	Austrian	Scheme code for AT (Austria) - Austrian RTGS (ARTIS).
AVP	NewZealand	Scheme code for NZ (New Zealand) - New Zealand Assured Value Payments.
AZM	Azerbaijan	Scheme code for AZ (Azerbaijan) - Azerbaijan Interbank Payment System (AZIPS).
BAP	BosniaHerzegovina	Scheme code for BA (Bosnia and Herzegovina).
BCC	SwedenBGC	Scheme code for SE (Sweden) - Sweden BGC Clearing CUG.
BDS	Barbados	Scheme code for BB (Barbados) - Barbados RTGS (CBRTGS).
BEL	Belgium	Scheme code for BE (Belgium) - Belgium RTGS (ELLIPS).
BGN	Bulgaria	Scheme code for BG (Bulgaria) - Bulgaria RTGS.
BHS	Bahamas	Scheme code for BS (Bahamas) - Bahamas RTGS.
BIS	Botswana	Scheme code for BW (Botswana) - Botswana Interbank Settlement System.
BOF	Finland	Scheme code for FI (Finland) - RTGS (BOF).
BOJ	BankOfJapanNet	Scheme code for the Bank of Japan clearing system.
BRL	Italy	Scheme code for IT (Italy) - Italy RTGS (BIREL).
BSP	Philippines	Scheme code for PH (Philippines) - Philippines Payment System.
CAD	Canada	Scheme code for CA (Canada) - Canadian Large Value Transfer System (LVTS)
CAM	SpainCAM	Scheme code for ES (Spain).
CBJ	Ireland	Scheme code for IE (Ireland) - Irish RTGS (IRIS).
CHI	USChips	CHIPS is the Clearing House Interbank Payment System in the US.
CHP	UnitedKingdom	Scheme code for GB (UK) - British Euro RTGS (CHAPS).
COP	Columbia	Scheme code for Columbia (CO) - Colombian ACH CENIT Central Bank Payment System.
DDK	DenmarkDDK	Scheme code for DK (Denmark) - Danish Krone RTGS (KRONOS)
DKC	Denmark	Scheme code for DK (Denmark) - Danish Euro RTGS (KRONOS)
EBA	EBAEuro1	Scheme code for EBA Euro1.
ELS	GermanyELS	Scheme code for DE (Germany).

Code	Name	Definition
EPM	ECB	Scheme code for ECB (European Central Bank) - ECB Payment Mechanism.
EPN	USChipsACH	Scheme code for the US CHIPS-ACH.
ERP	EBAStep1	Scheme code for EBA step 1 (members).
FDA	USFedACH	Scheme code for the US FED-ACH.
FDW	Fedwire	Scheme code for the US national real time gross settlement system.
FEY	ForeignExchangeYenClearing	Scheme code for the Foreign Exchange Yen Clearing system (FEYCS). It is the Japanese electronic interbank system for sending guaranteed and unconditional yen payments of FX deals for same day settlement from one settlement bank, on behalf of itself or its customers, to another settlement bank.
GIS	Ghana	Scheme code for GH (Ghana) - Ghana Interbank Settlement System (GISS).
HRK	Croatia	Scheme code for HR (Croatia) - HSVP.
HRM	Greece	Scheme code for GR (Greece) - Greek RTGS (HERMES).
HUF	Hungary	Scheme code for HU (Hungary) - VIBER.
INC	NetherlandsIP	Scheme code for NL (Netherlands) - Netherlands Interpay CUG.
JOD	Jordan	Scheme code for JO (Jordan) - Jordan RTGS.
KPS	Kenya	Scheme code for KE (Kenya) - Kenyan Electronic Payment Settlement System.
LGS	Luxemburg	Scheme code for LU (Luxemburg) - Luxembourg RTGS (LIPS).
LKB	SriLanka	Scheme code for LK (Sri Lanka) - Sri Lanka (Lankasettle).
LVL	Latvia	Scheme code for LV (Latvia).
MEP	Singapore	Scheme code for SG (Singapore) - Singapore RTGS (MEPS +).
MOS	SouthAfrica	Scheme code for ZA (South Africa) - South-African Multiple Option Settlement.
MRS	Malta	Scheme code for MT (Malta) - Malta Realtime Interbank Settlement System.
MUP	Mauritius	Scheme code for MU (Mauritius).
NAM	Namibia	Scheme code for NA (Namibian) - Namibian Interbank Settlement System.
NOC	Norway	Scheme code for NO (Norway).
PCH	Switzerland	Scheme code for CH (Switzerland).
PDS	Australia	Scheme code for AU (Australia).
PEG	Egypt	Scheme code for EG (Egypt).
PNS	FrancePNS	Scheme code for FR (France).

Code	Name	Definition
PTR	Angola	Scheme code for AO (Angola) - Angola RTGS.
PVE	Venezuela	Scheme code for Ve (Venezuela).
ROL	RomaniaEPO	Scheme code for RO (Romania) - Romanian Electronic Payment Operations RT.
ROS	RomaniaGSRS	Scheme code for RO (Romania) - Romanian GSRS.
RTP	GermanyRTGSPlus	Scheme code for DE (Germany).
SCP	Chili	Scheme code for CL (Chile) - Chilean Interbank Payment System.
SEC	SwedenSEC	Scheme code for SE (Sweden) - Swedish Euro RTGS (SEC).
SIT	Slovania	Scheme code for SI (Slovenia).
SLB	SpainES	Scheme code for ES (Spain) - Spanish RTGS (SLBE).
SPG	Portugal	Scheme code for PT (Portugal) - Portuguese RTGS (SPGT).
SSK	SwedenSSK	Scheme code for SE (Sweden) - SEK RTGS (RIX).
STG	UnitedKingdomGBP	Scheme code for UK (United Kingdom) - CHAPS Sterling RTGS.
TBF	FranceFR	Scheme code for FR (France) - French RTGS (TBF).
TGT	Target	Scheme code for Target.
THB	Thailand	Scheme code for TH (Thailand) - Thailand Payment System (Bahtnet/2).
TIS	Tanzania	Scheme code for TZ (Tanzania) - Tanzania Interbank Settlement System (TISS).
TOP	Netherlands	Scheme code for NL (Netherlands) - Dutch RTGS (TOP)
TTD	TrinidadAndTobago	Scheme code for TT (Trinidad and Tobago) - Trinidad and Tobago SAFE-TT.
UIS	Uganda	Scheme code for UG (Uganda) - Uganda National Interbank Settlement System.
XCT	EBAStep2	Scheme code for EBA step 2.
ZEN	Zengin	Scheme code for the Zengin system. The electronic payment system for domestic third party transfers managed by the Tokyo Bankers Association.
ZET	Zimbabwe	Scheme code for ZW (Zimbabwe) - Zimbabwe Electronic Transfer & Settlement System.
ZIS	Zambia	Scheme code for ZM (Zambia) - Zambian Interbank Payment &Settlement System.

1.14 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **1.12** ClearingSystem.*

Definition: Proprietary clearing system service selected for a transaction.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

1.15 PaymentTypeInformation <PmtTpInf>

Presence: [0..1]
Definition: Set of elements that further specifies the type of transaction.
Type: *This message item is composed of the following **PaymentTypeInformation4** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.16		InstructionPriority	<InstrPrty>	[0..1]	Code
1.17	{Or	ServiceLevel	<SvcLvl>	[0..1]	
1.20	Or}	ClearingChannel	<ClrChanl>	[0..1]	Code
1.21		LocalInstrument	<LclInstrm>	[0..1]	
1.24		SequenceType	<SeqTp>	[0..1]	Code
1.25		CategoryPurpose	<CtgyPurp>	[0..1]	Code

1.16 InstructionPriority <InstrPrty>

Presence: [0..1]
Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the instruction.
Data Type: Code
*When this message item is present, one of the following **Priority2Code** values must be used:*

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.

1.17 ServiceLevel <SvcLvl>

Presence: [0..1]
*This message item is part of choice **1.15** PaymentTypeInformation.*
Definition: Agreement under which or rules under which the transaction should be processed.
Type: *This message item is composed of one of the following **ServiceLevel3Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.18	{Or	Code	<Cd>	[1..1]	Code
1.19	Or}	Proprietary	<Prtry>	[1..1]	Text

1.18 Code <Cd>

Presence: [1..1]
*This message item is part of choice **1.17** ServiceLevel.*
Definition: Identification of a pre-agreed level of service between the parties in a coded form.

Data Type: Code
*One of the following **ServiceLevel2Code** values must be used:*

Code	Name	Definition
SDVA	SameDayValue	Payment must be executed with same day value to the creditor.
SEPA	SingleEuroPaymentsArea	Payment must be executed following the Single Euro Payments Area scheme.

1.19 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **1.17** ServiceLevel.*
Definition: Proprietary identification of a pre-agreed level of service between the parties.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

1.20 ClearingChannel <ClrChanl>

Presence: [0..1]
*This message item is part of choice **1.15** PaymentTypeInformation.*
Definition: Specifies the clearing channel to be used for the instruction.
Data Type: Code
*When this message item is present, one of the following **ClearingChannel2Code** values must be used:*

Code	Name	Definition
BOOK	BookTransfer	Payment through internal book transfer.
MPNS	MassPaymentNetSystem	Clearing channel is a mass payment net settlement system.
RTGS	RealTimeGrossSettlementSystem	Clearing channel is a real-time gross settlement system.
RTNS	RealTimeNetSettlementSystem	Clearing channel is a real-time net settlement system.

1.21 LocalInstrument <LclInstrm>

Presence: [0..1]
Definition: User community specific instrument.

Usage : When available, codes provided by local authorities should be used.

Type: *This message item is composed of one of the following **LocalInstrument1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.22	{Or	Code	<Cd>	[1..1]	Code
1.23	Or}	Proprietary	<Prtry>	[1..1]	Text

1.22 Code <Cd>

Presence: [1..1]
*This message item is part of choice **1.21** LocalInstrument.*
Definition: Specifies the local instrument published in an external local instrument code list.
Data Type: ExternalLocalInstrumentCode
Format: maxLength: 35
minLength: 1

1.23 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **1.21** LocalInstrument.*
Definition: Specifies the local instrument as a proprietary code.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

1.24 SequenceType <SeqTp>

Presence: [0..1]
Definition: Identifies the direct debit sequence, eg, first, recurrent, final or one-off.
Data Type: Code
*When this message item is present, one of the following **SequenceType1Code** values must be used:*

Code	Name	Definition
FNAL	Final	Final collection of a series of direct debit instructions.
FRST	First	First collection of a series of direct debit instructions.
OOFF	OneOff	Direct debit instruction where the debtor's authorisation is used to initiate one single direct debit transaction.
RCUR	Recurring	Direct debit instruction where the debtor's authorisation is used for regular direct debit transactions initiated by the creditor.

1.25 CategoryPurpose <CtgyPurp>

Presence: [0..1]
Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.
Data Type: Code
*When this message item is present, one of the following **PaymentCategoryPurpose1Code** values must be used:*

Code	Name	Definition
CASH	CashManagementTransfer	Transaction is a general cash management instruction.
CORT	TradeSettlementPayment	Transaction is related to settlement of a trade, eg a foreign exchange deal or a securities transaction.
DIVI	Dividend	Transaction is the payment of dividends.
GOVT	GovernmentPayment	Transaction is a payment to or from a government department.

Code	Name	Definition
HEDG	Hedging	Transaction is related to the payment of a hedging operation.
INTC	IntraCompanyPayment	Transaction is an intra-company payment, ie, a payment between two companies belonging to the same group.
INTE	Interest	Transaction is the payment of interest.
LOAN	Loan	Transaction is related to the transfer of a loan to a borrower.
PENS	PensionPayment	Transaction is the payment of pension.
SALA	SalaryPayment	Transaction is the payment of salaries.
SECU	Securities	Transaction is the payment of securities.
SSBE	SocialSecurityBenefit	Transaction is a social security benefit, ie payment made by a government to support individuals.
SUPP	SupplierPayment	Transaction is related to a payment to a supplier.
TAXS	TaxPayment	Transaction is the payment of taxes.
TRAD	Trade	Transaction is related to the payment of a trade transaction.
TREA	TreasuryPayment	Transaction is related to treasury operations.
VATX	ValueAddedTaxPayment	Transaction is the payment of value added tax.
WHLD	WithHolding	Transaction is the payment of withholding tax.

1.26 InstructingAgent <InstgAgt>

Presence: [0..1]
Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).
Type: *This message item is composed of the following* ***BranchAndFinancialInstitutionIdentification3*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.27 InstructedAgent <InstdAgt>

Presence: [0..1]
Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).
Type: *This message item is composed of the following* ***BranchAndFinancialInstitutionIdentification3*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.0 DirectDebitTransactionInformation <DrctDbtTxInf>

Presence: [1..n]

Definition: Set of elements providing information specific to the individual direct debit(s).

Type: *The **DirectDebitTransactionInformation** block is composed of the following **DirectDebitTransactionInformation2** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1		PaymentIdentification	<PmtId>	[1..1]	+
2.2		PaymentTypeInformation	<PmtTpInf>	[0..1]	
2.13		InterbankSettlementAmount	<IntrBkSttlmAmt>	[1..1]	Amount
2.14		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime
2.15		InstructedAmount	<InstdAmt>	[0..1]	Amount
2.16		ExchangeRate	<XchgRate>	[0..1]	Rate
2.17		ChargeBearer	<ChrgBr>	[1..1]	Code
2.18		ChargesInformation	<ChrgsInf>	[0..n]	+
2.19		RequestedCollectionDate	<ReqdColltnDt>	[0..1]	DateTime
2.20		DirectDebitTransaction	<DrctDbtTx>	[0..1]	
2.43		Creditor	<Cdtr>	[1..1]	+
2.44		CreditorAccount	<CdtrAcct>	[0..1]	+
2.45		CreditorAgent	<CdtrAgt>	[1..1]	+
2.46		CreditorAgentAccount	<CdtrAgtAcct>	[0..1]	+
2.47		UltimateCreditor	<UltmtCdtr>	[0..1]	+
2.48		InitiatingParty	<InitgPty>	[0..1]	+
2.49		InstructingAgent	<InstgAgt>	[0..1]	+
2.50		InstructedAgent	<InstdAgt>	[0..1]	+
2.51		IntermediaryAgent1	<IntrmyAgt1>	[0..1]	+
2.52		IntermediaryAgent1Account	<IntrmyAgt1Acct>	[0..1]	+
2.53		IntermediaryAgent2	<IntrmyAgt2>	[0..1]	+
2.54		IntermediaryAgent2Account	<IntrmyAgt2Acct>	[0..1]	+
2.55		IntermediaryAgent3	<IntrmyAgt3>	[0..1]	+
2.56		IntermediaryAgent3Account	<IntrmyAgt3Acct>	[0..1]	+
2.57		Debtor	<Dbtr>	[1..1]	+
2.58		DebtorAccount	<DbtrAcct>	[1..1]	+
2.59		DebtorAgent	<DbtrAgt>	[1..1]	+
2.60		DebtorAgentAccount	<DbtrAgtAcct>	[0..1]	+
2.61		UltimateDebtor	<UltmtDbtr>	[0..1]	+

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.62		Purpose	<Purp>	[0..1]	
2.65		RegulatoryReporting	<RgltryRptg>	[0..10]	
2.74		RelatedRemittanceInformation	<RltdRmtInf>	[0..10]	
2.81		RemittanceInformation	<RmtInf>	[0..1]	

Rule(s): ChargesAmountRule
If ChargesInformation/ChargesAmount is present, then the currency of ChargesInformation/ChargesAmount must be the same as the currency of InterbankSettlementAmount.

ChargesInformationAndInstructedAmountRule
If ChargesInformation/ChargesAmount is present, then InstructedAmount must be present.

InstructedAmountAndExchangeRate1Rule
If InstructedAmount is present and the currency is different from the currency in InterbankSettlementAmount, then ExchangeRate must be present.

InstructedAmountAndExchangeRate2Rule
If InstructedAmount is present and the currency is the same as the currency in InterbankSettlementAmount, then ExchangeRate is not allowed.

IntermediaryAgent1AccountRule
If IntermediaryAgent1 is not present, then IntermediaryAgent1Account is not allowed.

IntermediaryAgent2AccountRule
If IntermediaryAgent2 is not present, then IntermediaryAgent2Account is not allowed.

IntermediaryAgent2Rule
If IntermediaryAgent2 is present, then IntermediaryAgent1 must be present.

IntermediaryAgent3AccountRule
If IntermediaryAgent3 is not present, then IntermediaryAgent3Account is not allowed.

IntermediaryAgent3Rule
If IntermediaryAgent3 is present, then IntermediaryAgent2 must be present.

Guideline(s): UltimateCreditorGuideline
UltimateCreditor may only be present if different from Creditor.

UltimateDebtorGuideline
UltimateDebtor may only be present if different from Debtor.

2.1 PaymentIdentification <PmtId>

Presence: [1..1]

Definition: Set of elements to reference a payment instruction.

Type: *This message item is composed of the following **PaymentIdentification2** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	InstructionIdentification	<InstrId>	[0..1]	Text
	EndToEndIdentification	<EndToEndId>	[1..1]	Text
	TransactionIdentification	<TxId>	[1..1]	Text

For additional Type information, please refer to PaymentIdentification2 p.486 in 'Message Item Types' section

2.2 PaymentTypeInformation <PmtTpInf>

Presence: [0..1]
Definition: Set of elements that further specifies the type of transaction.
Type: *This message item is composed of the following **PaymentTypeInformation4** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.3		InstructionPriority	<InstrPrty>	[0..1]	Code
2.4	{Or	ServiceLevel	<SvcLvl>	[0..1]	
2.7	Or}	ClearingChannel	<ClrChanl>	[0..1]	Code
2.8		LocalInstrument	<LclInstrm>	[0..1]	
2.11		SequenceType	<SeqTp>	[0..1]	Code
2.12		CategoryPurpose	<CtgyPurp>	[0..1]	Code

2.3 InstructionPriority <InstrPrty>

Presence: [0..1]
Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the instruction.
Data Type: Code
*When this message item is present, one of the following **Priority2Code** values must be used:*

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.

2.4 ServiceLevel <SvcLvl>

Presence: [0..1]
*This message item is part of choice **2.2** PaymentTypeInformation.*
Definition: Agreement under which or rules under which the transaction should be processed.
Type: *This message item is composed of one of the following **ServiceLevel3Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.5	{Or	Code	<Cd>	[1..1]	Code
2.6	Or}	Proprietary	<Prtry>	[1..1]	Text

2.5 Code <Cd>

Presence: [1..1]
*This message item is part of choice **2.4** ServiceLevel.*
Definition: Identification of a pre-agreed level of service between the parties in a coded form.
Data Type: Code
*One of the following **ServiceLevel2Code** values must be used:*

Code	Name	Definition
SDVA	SameDayValue	Payment must be executed with same day value to the creditor.
SEPA	SingleEuroPaymentsArea	Payment must be executed following the Single Euro Payments Area scheme.

2.6 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **2.4** ServiceLevel.*
Definition: Proprietary identification of a pre-agreed level of service between the parties.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.7 ClearingChannel <ClrChanl>

Presence: [0..1]
*This message item is part of choice **2.2** PaymentTypeInformation.*
Definition: Specifies the clearing channel to be used for the instruction.
Data Type: Code
*When this message item is present, one of the following **ClearingChannel2Code** values must be used:*

Code	Name	Definition
BOOK	BookTransfer	Payment through internal book transfer.
MPNS	MassPaymentNetSystem	Clearing channel is a mass payment net settlement system.
RTGS	RealTimeGrossSettlementSystem	Clearing channel is a real-time gross settlement system.
RTNS	RealTimeNetSettlementSystem	Clearing channel is a real-time net settlement system.

2.8 LocalInstrument <LclInstrm>

Presence: [0..1]
Definition: User community specific instrument.

Usage : When available, codes provided by local authorities should be used.
Type: *This message item is composed of one of the following **LocalInstrument1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.9	{Or	Code	<Cd>	[1..1]	Code
2.10	Or}	Proprietary	<Prtry>	[1..1]	Text

2.9 Code <Cd>

Presence: [1..1]
*This message item is part of choice **2.8** LocalInstrument.*
Definition: Specifies the local instrument published in an external local instrument code list.
Data Type: ExternalLocalInstrumentCode
Format: maxLength: 35
minLength: 1

2.10 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **2.8** LocalInstrument.*
Definition: Specifies the local instrument as a proprietary code.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.11 SequenceType <SeqTp>

Presence: [0..1]
Definition: Identifies the direct debit sequence, eg, first, recurrent, final or one-off.
Data Type: Code
*When this message item is present, one of the following **SequenceType1Code** values must be used:*

Code	Name	Definition
FNAL	Final	Final collection of a series of direct debit instructions.
FRST	First	First collection of a series of direct debit instructions.
OOFF	OneOff	Direct debit instruction where the debtor's authorisation is used to initiate one single direct debit transaction.
RCUR	Recurring	Direct debit instruction where the debtor's authorisation is used for regular direct debit transactions initiated by the creditor.

2.12 CategoryPurpose <CtgyPurp>

Presence: [0..1]
Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.
Data Type: Code
*When this message item is present, one of the following **PaymentCategoryPurpose1Code** values must be used:*

Code	Name	Definition
CASH	CashManagementTransfer	Transaction is a general cash management instruction.

Code	Name	Definition
CORT	TradeSettlementPayment	Transaction is related to settlement of a trade, eg a foreign exchange deal or a securities transaction.
DIVI	Dividend	Transaction is the payment of dividends.
GOVT	GovernmentPayment	Transaction is a payment to or from a government department.
HEDG	Hedging	Transaction is related to the payment of a hedging operation.
INTC	IntraCompanyPayment	Transaction is an intra-company payment, ie, a payment between two companies belonging to the same group.
INTE	Interest	Transaction is the payment of interest.
LOAN	Loan	Transaction is related to the transfer of a loan to a borrower.
PENS	PensionPayment	Transaction is the payment of pension.
SALA	SalaryPayment	Transaction is the payment of salaries.
SECU	Securities	Transaction is the payment of securities.
SSBE	SocialSecurityBenefit	Transaction is a social security benefit, ie payment made by a government to support individuals.
SUPP	SupplierPayment	Transaction is related to a payment to a supplier.
TAXS	TaxPayment	Transaction is the payment of taxes.
TRAD	Trade	Transaction is related to the payment of a trade transaction.
TREA	TreasuryPayment	Transaction is related to treasury operations.
VATX	ValueAddedTaxPayment	Transaction is the payment of value added tax.
WHLD	WithHolding	Transaction is the payment of withholding tax.

2.13 InterbankSettlementAmount <IntrBkSttlmAmt>

Presence: [1..1]

Definition: Amount of money moved between the instructing agent and the instructed agent.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

2.14 InterbankSettlementDate <IntrBkSttlmDt>

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Data Type: ISODate

2.15 InstructedAmount <InstdAmt>

Presence: [0..1]

Definition: Amount of money to be moved between the debtor and creditor, before deduction of charges, expressed in the currency as ordered by the initiating party.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

2.16 ExchangeRate <XchgRate>

Presence: [0..1]

Definition: The factor used for conversion of an amount from one currency into another. This reflects the price at which one currency was bought with another currency.

Data Type: BaseOneRate

Format: fractionDigits: 10
totalDigits: 11

2.17 ChargeBearer <ChrgBr>

Presence: [1..1]

Definition: Specifies which party/parties will bear the charges associated with the processing of the payment transaction.

Data Type: Code

One of the following ***ChargeBearerType1Code*** *values must be used:*

Code	Name	Definition
CRED	BorneByCreditor	All transaction charges are to be borne by the creditor.
DEBT	BorneByDebtor	All transaction charges are to be borne by the debtor.
SHAR	Shared	In a credit transfer context, means that transaction charges on the sender side are to be borne by the debtor, transaction charges on the receiver side are to be borne by the creditor. In a direct debit context, means that transaction charges on the sender side are to be borne by the creditor, transaction charges on the receiver side are to be borne by the debtor.
SLEV	FollowingServiceLevel	Charges are to be applied following the rules agreed in the service level and/or scheme.

2.18 ChargesInformation <ChrgsInf>

Presence: [0..n]

Definition: Provides information on the charges related to the payment transaction.

Type: *This message item is composed of the following* ***ChargesInformation1*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	ChargesAmount	<ChrgsAmt>	[1..1]	Amount
	ChargesParty	<ChrgsPty>	[1..1]	

For additional Type information, please refer to ChargesInformation1 p.461 in 'Message Item Types' section

2.19 RequestedCollectionDate <ReqdColltnDt>

Presence: [0..1]
Definition: Date at which the creditor requests the amount of money to be collected from the debtor.
Data Type: ISODate

2.20 DirectDebitTransaction <DrctDbtTx>

Presence: [0..1]
Definition: Set of elements providing information specific to the direct debit mandate.
Type: *This message item is composed of the following **DirectDebitTransaction1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.21		MandateRelatedInformation	<MndtRltdInf>	[0..1]	
2.40		CreditorSchemeIdentification	<CdtrSchmeId>	[0..1]	+
2.41		PreNotificationIdentification	<PreNtfctnId>	[0..1]	Text
2.42		PreNotificationDate	<PreNtfctnDt>	[0..1]	DateTime

2.21 MandateRelatedInformation <MndtRltdInf>

Presence: [0..1]
Definition: Set of elements used to provide further details related to a direct debit mandate signed between the creditor and the debtor.

Usage: Mandate related information is to be used only when the direct debit relates to a mandate signed between the debtor and the creditor.

Type: *This message item is composed of the following **MandateRelatedInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.22		MandateIdentification	<MndtId>	[0..1]	Text
2.23		DateOfSignature	<DtOfSgntr>	[0..1]	DateTime
2.24		AmendmentIndicator	<AmdmntInd>	[0..1]	Indicator
2.25		AmendmentInformationDetails	<AmdmntInfDtls>	[0..1]	
2.36		ElectronicSignature	<ElctrncSgntr>	[0..1]	Text
2.37		FirstCollectionDate	<FrstColltnDt>	[0..1]	DateTime
2.38		FinalCollectionDate	<FnlColltnDt>	[0..1]	DateTime
2.39		Frequency	<Frqcy>	[0..1]	Code

Rule(s): AmendmentIndicatorRule
If AmendmentIndicator is true, then AmendementInformationDetails must be present, with amended mandate information.

If AmendmentIndicator is false, then AmendmentInformationDetails is not allowed.

2.22 MandateIdentification <MndtId>

Presence: [0..1]
Definition: Reference of the direct debit mandate that has been signed between by the debtor and the creditor.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.23 DateOfSignature <DtOfSgntr>

Presence: [0..1]
Definition: Date on which the direct debit mandate has been signed by the debtor.
Data Type: ISODate

2.24 AmendmentIndicator <AmdmntInd>

Presence: [0..1]
Definition: Indicator notifying whether the underlying mandate is amended or not.
Data Type: *One of the following **TrueFalseIndicator** values must be used:*
MeaningWhenTrue: True
MeaningWhenFalse: False

2.25 AmendmentInformationDetails <AmdmntInfDtls>

Presence: [0..1]
Definition: List of direct debit mandate elements that have been modified.
Type: *This message item is composed of the following **AmendmentInformationDetails1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.26		OriginalMandateIdentification	<OrgnlMndtId>	[0..1]	Text
2.27		OriginalCreditorSchemeIdentification	<OrgnlCdtrSchmeId>	[0..1]	+
2.28		OriginalCreditorAgent	<OrgnlCdtrAgt>	[0..1]	+
2.29		OriginalCreditorAgentAccount	<OrgnlCdtrAgtAcct>	[0..1]	+
2.30		OriginalDebtor	<OrgnlDbtr>	[0..1]	+
2.31		OriginalDebtorAccount	<OrgnlDbtrAcct>	[0..1]	+
2.32		OriginalDebtorAgent	<OrgnlDbtrAgt>	[0..1]	+
2.33		OriginalDebtorAgentAccount	<OrgnlDbtrAgtAcct>	[0..1]	+
2.34		OriginalFinalCollectionDate	<OrgnlFnlColltnDt>	[0..1]	DateTime
2.35		OriginalFrequency	<OrgnlFrqcy>	[0..1]	Code

2.26 OriginalMandateIdentification <OrgnlMndtId>

Presence: [0..1]
Definition: Original mandate identification that has been modified.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.27 OriginalCreditorSchemeIdentification <OrgnlCdtrSchmeId>

Presence: [0..1]
Definition: Original creditor scheme identification that has been modified.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.28 OriginalCreditorAgent <OrgnlCdtrAgt>

Presence: [0..1]
Definition: Original creditor agent that has been modified.
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.29 OriginalCreditorAgentAccount <OrgnlCdtrAgtAcct>

Presence: [0..1]
Definition: Original creditor agent acount that has been modified.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.30 OriginalDebtor <OrgnlDbtr>

Presence: [0..1]
Definition: Original debtor that has been modified.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.31 OriginalDebtorAccount <OrgnlDbtrAcct>

Presence: [0..1]
Definition: Original debtor account that has been modified.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.32 OriginalDebtorAgent <OrgnlDbtrAgt>

Presence: [0..1]
Definition: Original debtor's agent that has been modified.
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.33 OriginalDebtorAgentAccount <OrgnlDbtrAgtAcct>

Presence: [0..1]
Definition: Original debtor agent account that has been modified.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.34 OriginalFinalCollectionDate <OrgnlFnlColltnDt>

Presence: [0..1]
Definition: Original final collection date that has been modified.
Data Type: ISODate

2.35 OriginalFrequency <OrgnlFrqcy>

Presence: [0..1]
Definition: Original frequency that has been modified.
Data Type: Code
*When this message item is present, one of the following **Frequency1Code** values must be used:*

Code	Name	Definition
ADHO	Adhoc	Event takes place on request or as necessary.
DAIL	Daily	Event takes place every day.
INDA	IntraDay	Event takes place several times a day.
MIAN	SemiAnnual	Event takes place every six months or two times a year.
MNTH	Monthly	Event takes place every month or once a month.
QURT	Quarterly	Event takes place every three months or four times a year.
WEEK	Weekly	Event takes place once a week.
YEAR	Annual	Event takes place every year or once a year.

2.36 ElectronicSignature <ElctrncSgntr>

Presence: [0..1]
Definition: Additional security provisions, eg, digital signature as provided by the debtor.
Data Type: Max1025Text
Format: maxLength: 1025

minLength: 1

2.37 FirstCollectionDate <FrstColltnDt>

Presence: [0..1]
Definition: Date of the first collection of a direct debit as per the mandate.
Data Type: ISODate

2.38 FinalCollectionDate <FnlColltnDt>

Presence: [0..1]
Definition: Date of the final collection of a direct debit as per the mandate.
Data Type: ISODate

2.39 Frequency <Frqcy>

Presence: [0..1]
Definition: Regularity with which direct debit instructions are to be created and processed, eg, daily, weekly, monthly.
Data Type: Code
*When this message item is present, one of the following **Frequency1Code** values must be used:*

Code	Name	Definition
ADHO	Adhoc	Event takes place on request or as necessary.
DAIL	Daily	Event takes place every day.
INDA	IntraDay	Event takes place several times a day.
MIAN	SemiAnnual	Event takes place every six months or two times a year.
MNTH	Monthly	Event takes place every month or once a month.
QURT	Quarterly	Event takes place every three months or four times a year.
WEEK	Weekly	Event takes place once a week.
YEAR	Annual	Event takes place every year or once a year.

2.40 CreditorSchemeIdentification <CdtrSchmeId>

Presence: [0..1]
Definition: Credit party that signs the direct debit mandate.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.41 PreNotificationIdentification <PreNtfctnId>

Presence: [0..1]

Definition: Unique and unambiguous identification of the pre-notification which is sent separately from the direct debit instruction.

Usage: the direct debit pre-notification is used to reconcile separately sent collection information with the direct debit transaction information.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.42 PreNotificationDate <PreNtfctnDt>

Presence: [0..1]

Definition: Date on which the creditor notifies the debtor about the amount and date on which the direct debit instruction will be presented to the debtor's agent.

Data Type: ISODate

2.43 Creditor <Cdtr>

Presence: [1..1]

Definition: Party to which an amount of money is due.

Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.44 CreditorAccount <CdtrAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the creditor to which a credit entry will be posted as a result of the payment transaction.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.45 CreditorAgent <CdtrAgt>

Presence: [1..1]
Definition: Financial institution servicing an account for the creditor.
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.46 CreditorAgentAccount <CdtrAgtAcct>

Presence: [0..1]
Definition: Unambiguous identification of the account of the creditor agent at its servicing agent in the payment chain.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.47 UltimateCreditor <UltmtCdtr>

Presence: [0..1]
Definition: Ultimate party to which an amount of money is due.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.48 InitiatingParty <InitgPty>

Presence: [0..1]

Definition: Party that initiates the payment. In the payment context, this can either be the debtor (in a credit transfer), the creditor (in a direct debit), or a party that initiates the payment on behalf of the debtor or creditor.

Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.49 InstructingAgent <InstgAgt>

Presence: [0..1]

Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.50 InstructedAgent <InstdAgt>

Presence: [0..1]

Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.51 IntermediaryAgent1 <IntrmyAgt1>

Presence: [0..1]

Definition: Agent between the debtor agent and creditor agent.

Usage: If more than one intermediary agent is present, then IntermediaryAgent1 identifies the agent between the creditor agent and the intermediary agent 2.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.52 IntermediaryAgent1Account <IntrmyAgt1Acct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 1 at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.53 IntermediaryAgent2 <IntrmyAgt2>

Presence: [0..1]

Definition: Agent between the debtor agent and creditor agent.

Usage: If more than two intermediary agents are present, then IntermediaryAgent2 identifies the agent between the intermediary agent 1 and the intermediary agent 3.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.54 IntermediaryAgent2Account <IntrmyAgt2Acct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 2 at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.55 IntermediaryAgent3 <IntrmyAgt3>

Presence: [0..1]
Definition: Agent between the debtor agent and creditor agent.

Usage: If IntermediaryAgent3 is present, then it identifies the agent between the intermediary agent 2 and the debtor agent.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.56 IntermediaryAgent3Account <IntrmyAgt3Acct>

Presence: [0..1]
Definition: Unambiguous identification of the account of the intermediary agent 3 at its servicing agent in the payment chain.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.57 Debtor <Dbtr>

Presence: [1..1]
Definition: Party that owes an amount of money to the (ultimate) creditor.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.58 DebtorAccount <DbtrAcct>

Presence: [1..1]

Definition: Unambiguous identification of the account of the debtor to which a debit entry will be made as a result of the transaction.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.59 DebtorAgent <DbtrAgt>

Presence: [1..1]

Definition: Financial institution servicing an account for the debtor.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.60 DebtorAgentAccount <DbtrAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the debtor agent at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.61 UltimateDebtor <UltmtDbtr>

Presence: [0..1]
Definition: Ultimate party that owes an amount of money to the (ultimate) creditor.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.62 Purpose <Purp>

Presence: [0..1]
Definition: Underlying reason for the payment transaction.

Usage: Purpose is used by the end-customers, i.e. initiating party, (ultimate) debtor, (ultimate) creditor to provide information concerning the nature of the payment. Purpose is a content element, which is not used for processing by any of the agents involved in the payment chain.

Type: *This message item is composed of one of the following **Purpose1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.63	{Or	Code	<Cd>	[1..1]	Code
2.64	Or}	Proprietary	<Prtry>	[1..1]	Text

2.63 Code <Cd>

Presence: [1..1]
*This message item is part of choice **2.62** Purpose.*
Definition: Specifies the underlying reason for the payment transaction, as published in an external purpose code list.
Data Type: ExternalPurposeCode
Format: maxLength: 35
minLength: 1

2.64 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **2.62** Purpose.*
Definition: User community specific purpose.

Usage: When available, codes provided by local communities should be used.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.65 RegulatoryReporting <RgltryRptg>

Presence: [0..10]
Definition: Information needed due to regulatory and statutory requirements.
Type: *This message item is composed of the following **RegulatoryReporting2** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.66		DebitCreditReportingIndicator	<DbtCdtRptgInd>	[0..1]	Code
2.67		Authority	<Authrty>	[0..1]	
2.70		RegulatoryDetails	<RgltryDtls>	[0..1]	

2.66 DebitCreditReportingIndicator <DbtCdtRptgInd>

Presence: [0..1]
Definition: Identifies whether the regulatory reporting information applies to the debit side, to the credit side or to both debit and credit sides of the transaction.
Data Type: Code
*When this message item is present, one of the following **RegulatoryReportingType1Code** values must be used:*

Code	Name	Definition
BOTH	Both	Regulatory information applies to both credit and debit sides.
CRED	Credit	Regulatory information applies to the credit side.
DEBT	Debit	Regulatory information applies to the debit side.

2.67 Authority <Authrty>

Presence: [0..1]
Definition: Entity requiring the regulatory reporting information.
Type: *This message item is composed of the following **RegulatoryAuthority** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.68		AuthorityName	<AuthrtyNm>	[0..1]	Text
2.69		AuthorityCountry	<AuthrtyCtry>	[0..1]	Code

2.68 AuthorityName <AuthrtyNm>

Presence: [0..1]
Definition: Name of the entity requiring the regulatory reporting information.
Data Type: Max70Text
Format: maxLength: 70
minLength: 1

2.69 AuthorityCountry <AuthrtyCtry>

Presence: [0..1]
Definition: Country of the entity requiring the regulatory reporting information.
Data Type: CountryCode
Format: [A-Z]{2,2}
Rule(s): Country
The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

2.70 RegulatoryDetails <RgltryDtls>

Presence: [0..1]
Definition: Details related to the regulatory reporting information.
Type: *This message item is composed of the following **StructuredRegulatoryReporting2** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.71		Code	<Cd>	[0..1]	Text
2.72		Amount	<Amt>	[0..1]	Amount
2.73		Information	<Inf>	[0..1]	Text

2.71 Code <Cd>

Presence: [0..1]
Definition: Specifies the nature, purpose, and reason for the transaction to be reported for regulatory and statutory requirements in a coded form.
Data Type: Max3Text
Format: maxLength: 3
minLength: 1

2.72 Amount <Amt>

Presence: [0..1]
Definition: Amount of money to be reported for regulatory and statutory requirements.
Data Type: CurrencyAndAmount
*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*
Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18

CurrencyCode
[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

2.73 Information <Inf>

Presence: [0..1]

Definition: Additional details that cater for specific domestic regulatory requirements.

Usage: Information is used to provide details that are not catered for in the Code or/and Amount elements.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.74 RelatedRemittanceInformation <RltdRmtInf>

Presence: [0..10]

Definition: Information related to the handling of the remittance information by any of the agents in the transaction processing chain.

Type: *This message item is composed of the following **RemittanceLocation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.75		RemittanceIdentification	<RmtId>	[0..1]	Text
2.76		RemittanceLocationMethod	<RmtLctnMtd>	[0..1]	Code
2.77		RemittanceLocationElectronicAddress	<RmtLctnElctrncAdr>	[0..1]	Text
2.78		RemittanceLocationPostalAddress	<RmtLctnPstlAdr>	[0..1]	

2.75 RemittanceIdentification <RmtId>

Presence: [0..1]

Definition: Unique and unambiguous identification of the remittance information, e.g. a remittance advice, which is sent separately from the payment instruction.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.76 RemittanceLocationMethod <RmtLctnMtd>

Presence: [0..1]

Definition: Specifies the method used to deliver the remittance advice information.

Data Type: Code

*When this message item is present, one of the following **RemittanceLocationMethod1Code** values must be used:*

Code	Name	Definition
EDIC	ElectronicDataInterchange	Remittance advice information must be sent through Electronic Data Interchange (EDI).
EMAL	EMail	Remittance advice information must be sent through e-mail.

Code	Name	Definition
FAXI	Fax	Remittance advice information must be faxed.
POST	Post	Remittance advice information must be sent through postal services.
URID	UniformResourceIdentifier	Remittance advice information needs to be sent to a Uniform Resource Identifier (URI). URI is a compact string of characters that uniquely identify an abstract or physical resource. URI's are the super-set of identifiers, such as URLs, email addresses, ftp sites, etc, and as such, provide the syntax for all of the identification schemes.

2.77 RemittanceLocationElectronicAddress <RmtLctnElctrncAdr>

Presence: [0..1]
Definition: Electronic address to which an agent is to send the remittance information.
Data Type: Max256Text
Format: maxLength: 256
minLength: 1

2.78 RemittanceLocationPostalAddress <RmtLctnPstlAdr>

Presence: [0..1]
Definition: Postal address to which an agent is to send the remittance information.
Type: *This message item is composed of the following **NameAndAddress3** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.79		Name	<Nm>	[1..1]	Text
2.80		Address	<Adr>	[1..1]	+

2.79 Name <Nm>

Presence: [1..1]
Definition: Name by which a party is known and is usually used to identify that identity.
Data Type: Max70Text
Format: maxLength: 70
minLength: 1

2.80 Address <Adr>

Presence: [1..1]
Definition: Postal address of a party.
Type: *This message item is composed of the following **PostalAddress1** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	AddressType	<AdrTp>	[0..1]	Code
	AddressLine	<AdrLine>	[0..5]	Text

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	StreetName	<StrtNm>	[0..1]	Text
	BuildingNumber	<BldgNb>	[0..1]	Text
	PostCode	<PstCd>	[0..1]	Text
	TownName	<TwnNm>	[0..1]	Text
	CountrySubDivision	<CtrySubDvsn>	[0..1]	Text
	Country	<Ctry>	[1..1]	Code

For additional Type information, please refer to PostalAddress1 p.498 in 'Message Item Types' section

2.81 RemittanceInformation <RmtInf>

Presence: [0..1]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, eg, commercial invoices in an accounts' receivable system.

Type: *This message item is composed of the following **RemittanceInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.82		Unstructured	<Ustrd>	[0..n]	Text
2.83		Structured	<Strd>	[0..n]	

2.82 Unstructured <Ustrd>

Presence: [0..n]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, eg, commercial invoices in an accounts' receivable system in an unstructured form.

Data Type: Max140Text

Format: maxLength: 140
minLength: 1

2.83 Structured <Strd>

Presence: [0..n]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, eg, commercial invoices in an accounts' receivable system in a structured form.

Type: *This message item is composed of the following **StructuredRemittanceInformation6** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.84		ReferredDocumentInformation	<RfrdDocInf>	[0..1]	
2.90		ReferredDocumentRelatedDate	<RfrdDocRltdDt>	[0..1]	DateTime
2.91		ReferredDocumentAmount	<RfrdDocAmt>	[0..n]	
2.97		CreditorReferenceInformation	<CdtrRefInf>	[0..1]	
2.103		Invoicer	<Invcr>	[0..1]	+

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.104		Invoicee	<Invcee>	[0..1]	+
2.105		AdditionalRemittanceInformation	<AddtlRmtInf>	[0..1]	Text

2.84 ReferredDocumentInformation <RfrdDocInf>

Presence: [0..1]
Definition: Reference information to allow the identification of the underlying reference documents.
Type: *This message item is composed of the following **ReferredDocumentInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.85		ReferredDocumentType	<RfrdDocTp>	[0..1]	
2.89		ReferredDocumentNumber	<RfrdDocNb>	[0..1]	Text

2.85 ReferredDocumentType <RfrdDocTp>

Presence: [0..1]
Definition: Provides the type of the referred document.
Type: *This message item is composed of the following **ReferredDocumentType1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.86	{Or	Code	<Cd>	[1..1]	Code
2.87	Or}	Proprietary	<Prtry>	[1..1]	Text
2.88		Issuer	<Issr>	[0..1]	Text

2.86 Code <Cd>

Presence: [1..1]
*This message item is part of choice **2.85** ReferredDocumentType.*
Definition: Document type in a coded form.
Data Type: Code
*One of the following **DocumentType2Code** values must be used:*

Code	Name	Definition
CINV	CommercialInvoice	Document is an invoice.
CMCN	CommercialContract	Document is an agreement between the parties, stipulating the terms and conditions of the delivery of goods or services.
CNFA	CreditNoteRelatedToFinancialAdjustment	Document is a credit note for the final amount settled for a commercial transaction.
CREN	CreditNote	Document is a credit note.
DEBN	DebitNote	Document is a debit note.
DISP	DispatchAdvice	Document is a dispatch advice.

Code	Name	Definition
DNFA	DebitNoteRelatedToFinancialAdjustment	Document is a debit note for the final amount settled for a commercial transaction.
HIRI	HireInvoice	Document is an invoice for the hiring of human resources or renting goods or equipment.
MSIN	MeteredServiceInvoice	Document is an invoice claiming payment for the supply of metered services, eg, gas or electricity, supplied to a fixed meter.
SBIN	SelfBilledInvoice	Document is an invoice issued by the debtor.
SOAC	StatementOfAccount	Document is a statement of the transactions posted to the debtor's account at the supplier.

2.87 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **2.85** ReferredDocumentType.*

Definition: Proprietary identification of the type of the remittance document.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.88 Issuer <Issr>

Presence: [0..1]

Definition: Identification of the issuer of the reference document type.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.89 ReferredDocumentNumber <RfrdDocNb>

Presence: [0..1]

Definition: Unique and unambiguous identification number of the referred document.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.90 ReferredDocumentRelatedDate <RfrdDocRltdDt>

Presence: [0..1]

Definition: Date associated with the referred document, eg, date of issue.

Data Type: ISODate

2.91 ReferredDocumentAmount <RfrdDocAmt>

Presence: [0..n]

Definition: Amount of money and currency of a document referred to in the remittance section. The amount is typically either the original amount due and payable, or the amount actually remitted for the referred document.

Type: *This message item is composed of one of the following **ReferredDocumentAmount1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.92	{Or	DuePayableAmount	<DuePyblAmt>	[1..1]	Amount
2.93	Or	DiscountAppliedAmount	<DscntApldAmt>	[1..1]	Amount
2.94	Or	RemittedAmount	<RmtdAmt>	[1..1]	Amount
2.95	Or	CreditNoteAmount	<CdtNoteAmt>	[1..1]	Amount
2.96	Or}	TaxAmount	<TaxAmt>	[1..1]	Amount

2.92 DuePayableAmount <DuePyblAmt>

Presence: [1..1]

*This message item is part of choice **2.91** ReferredDocumentAmount.*

Definition: Amount specified is the exact amount due and payable to the creditor.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

2.93 DiscountAppliedAmount <DscntApldAmt>

Presence: [1..1]

*This message item is part of choice **2.91** ReferredDocumentAmount.*

Definition: Amount of money resulting from the application of an agreed discount to the amount due and payable to the creditor.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

2.94 RemittedAmount <RmtdAmt>

Presence: [1..1]

*This message item is part of choice **2.91** ReferredDocumentAmount.*

Definition: Amount of money remitted for the referred document.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: CurrencyAndAmount
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

2.95 CreditNoteAmount <CdtNoteAmt>

Presence: [1..1]

*This message item is part of choice **2.91** ReferredDocumentAmount.*

Definition: Amount specified for the referred document is the amount of a credit note.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: CurrencyAndAmount
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

2.96 TaxAmount <TaxAmt>

Presence: [1..1]

*This message item is part of choice **2.91** ReferredDocumentAmount.*

Definition: Quantity of cash resulting from the calculation of the tax.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: CurrencyAndAmount
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

2.97 CreditorReferenceInformation <CdtrRefInf>

Presence: [0..1]

Definition: Reference information provided by the creditor to allow the identification of the underlying documents.

Type: *This message item is composed of the following **CreditorReferenceInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.98		CreditorReferenceType	<CdtrRefTp>	[0..1]	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.102		CreditorReference	<CdtrRef>	[0..1]	Text

2.98 CreditorReferenceType <CdtrRefTp>

Presence: [0..1]
Definition: Provides the type of the creditor reference.
Type: *This message item is composed of the following **CreditorReferenceType1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.99	{Or	Code	<Cd>	[1..1]	Code
2.100	Or}	Proprietary	<Prtry>	[1..1]	Text
2.101		Issuer	<Issr>	[0..1]	Text

2.99 Code <Cd>

Presence: [1..1]
*This message item is part of choice **2.98** CreditorReferenceType.*
Definition: Coded creditor reference type.
Data Type: Code
*One of the following **DocumentType3Code** values must be used:*

Code	Name	Definition
DISP	DispatchAdvice	Document is a dispatch advice.
FXDR	ForeignExchangeDealReference	Document is a pre-agreed or pre-arranged foreign exchange transaction to which the payment transaction refers.
PUOR	PurchaseOrder	Document is a purchase order.
RADM	RemittanceAdviceMessage	Document is a remittance advice sent separately from the current transaction.
RPIN	RelatedPaymentInstruction	Document is a linked payment instruction to which the current payment instruction is related, eg, in a cover scenario.
SCOR	StructuredCommunicationReference	Document is a structured communication reference provided by the creditor to identify the referred transaction.

2.100 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **2.98** CreditorReferenceType.*
Definition: Creditor reference type not avilable in a coded format.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.101 Issuer <Issr>

Presence: [0..1]
Definition: Identification of the issuer of the credit reference type.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.102 CreditorReference <CdtrRef>

Presence: [0..1]
Definition: Unique and unambiguous reference assigned by the creditor to refer to the payment transaction.

Usage: if available, the initiating party should provide this reference in the structured remittance information, to enable reconciliation by the creditor upon receipt of the cash.

If the business context requires the use of a creditor reference or a payment remit identification, and only one identifier can be passed through the end-to-end chain, the creditor's reference or payment remittance identification should be quoted in the end-to-end transaction identification.

Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.103 Invoicer <Invcr>

Presence: [0..1]
Definition: Identification of the organization issuing the invoice when different than the creditor or final party.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.104 Invoicee <Invcee>

Presence: [0..1]
Definition: Identification of the party to whom an invoice is issued, when different than the originator or debtor.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.105 AdditionalRemittanceInformation <AddtlRmtInf>

Presence: [0..1]
Definition: Additional information, in free text form, to complement the structured remittance information.
Data Type: Max140Text
Format: maxLength: 140
minLength: 1

Business Example

Narrative

On 28 June 2006, following the receipt of a CustomerDirectDebitInitiation message from its customer Virgay, AAAAUS29 in its turn sends a FIToFICustomerDirectDebit message to ABABUS23, the common correspondent for AAAAUS29 and BBBBUS39, the agent of debtor Jones.
AAAAUS29 instructs ABABUS23, under Service Level CTRV - 356, to collect USD 1025 from account 123456, owned by Jones, the debtor, and serviced by BBBBUS39. The mandate related information is also provided: the mandate reference is VIRGAY123 and the mandate was signed by Jones on 15 June 2005. The last collection is due to take place on 15 June 2015. The payment is for life insurance. The requested collection date is 3 July 2006 and charges related to the handling of the instruction are shared between the creditor and the debtor.
Note : the CustomerDirectDebitInitiation instruction sent by Virgay to AAAAUS29 is documented in the business example section of the CustomerDirectDebitInitiation message in the Payments Initiation Message Reference Guide.

Business Description

FIToFICustomerDirectDebit from AAAAUS29 to ABABUS23 :

Element	***<XMLTag>***	***Content***
Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	AAAA060327-123v
CreationDateTime	<CreDtTm>	2006-06-28T10:05:00
NumberOfTransactions	<NbOfTxs>	1
InterbankSettlementDate	<IntrBkSttlmDt>	2006-06-28
Settlement Information	<SttlmInf>	
Settlement Method	<SttlmMtd>	INDA
PaymentTypeInformation	<PmtTpInf>	
InstructionPriority	<InstrPrty>	NORM
ServiceLevel	<SvcLvl>	
Proprietary	<Prtry>	CTRV-356
SequenceType	<SeqTp>	RCUR

InstructingAgent	<InstgAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAUS29
InstructedAgent	<InstdAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	ABABUS23
DirectDebitTransactionInformation	<DrctDbtTxInf>	
Payment Identification	<PmtId>	
EndToEndIdentification	<EndToEndId>	VA060327/0123
Transaction Identification	<TxId>	AAAAUS29/20060628/ad458
InterbankSettlementAmount	<IntrBkSttlmAmt>	1025.00
InstructedAmount	<InstdAmt>	1025.00
ChargeBearer	<ChrgBr>	SHAR
RequestedCollectionDate	<ReqdColltnDt>	2006-07-03
DirectDebitTransaction	<DrctDbtTx>	
MandateRelatedInformation	<MndtRltdInf>	
MandateIdentification	<MndtId>	VIRGAY123
DateOfSignature	<DtOfSgntr>	2005-06-15
FinalCollectionDate	<FnlColltnDt>	2015-06-09
Frequency	<Frqcy>	YEAR
Creditor	<Cdtr>	
Name	<Nm>	Virgay
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Virginia Lane
BuildingNumber	<BldgNb>	36
PostCode	<PstCd>	NJ 07311
TownName	<TwnNm>	Jersey City
Country	<Ctry>	US
CreditorAccount	<CdtrAcct>	
Identification	<Id>	
ProprietaryAccount	<PrtryAcct>	
Identification	<Id>	789123
CreditorAgent	<CdtrAgt>	
FinancialInsitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAUS29
Debtor	<Dbtr>	
Name	<Nm>	Jones

PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Hudston Street
BuildingNumber	<BldgNb>	19
PostCode	<PstCd>	NJ 07302
TownName	<TwnNm>	Jersey City
Country	<Ctry>	US
DebtorAccount	<DbtrAcct>	
Identification	<Id>	
ProprietaryAccount	<PrtryAcct>	
Identification	<Id>	123456
DebtorAgent	<DbtrAgt>	
FinancialInsitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBUS39
Purpose	<Purp>	
Code	<Cd>	LIFI
RemittanceInformation	<RmtInf>	
Unstructured	<Ustrd>	LIFE INSURANCE PAYMENT/ JULY 2006

XML Instance


```
<pacs.003.001.01>
  <GrpHdr>
    <MsgId>AAAA060327-123v</MsgId>
    <CreDtTm>2006-06-28T10:05:00</CreDtTm>
    <NbOfTxs>1</NbOfTxs>
    <IntrBkSttlmDt>2006-06-28</IntrBkSttlmDt>
    <SttlmInf>
      <SttlmMtd>INDA</SttlmMtd>
    </SttlmInf>
    <PmtTpInf>
      <InstrPrty>NORM</InstrPrty>
      <SvcLvl>
        <Prtry>CTRV-356</Prtry>
      </SvcLvl>
      <SeqTp>RCUR</SeqTp>
    </PmtTpInf>
    <InstgAgt>
      <FinInstnId>
        <BIC>AAAAUS29</BIC>
      </FinInstnId>
    </InstgAgt>
    <InstdAgt>
      <FinInstnId>
```

```
            <BIC>ABABUS23</BIC>
          </FinInstnId>
        </InstdAgt>
      </GrpHdr>
      <DrctDbtTxInf>
        <PmtId>
          <EndToEndId>VA060327/0123</EndToEndId>
          <TxId>AAAAUS29/20060628/ad458</TxId>
        </PmtId>
        <IntrBkSttlmAmt Ccy = "USD">1025.00</IntrBkSttlmAmt>
        <InstdAmt Ccy = "USD">1025.00</InstdAmt>
        <ChrgBr>SHAR</ChrgBr>
        <ReqdColltnDt>2006-07-03</ReqdColltnDt>
        <DrctDbtTx>
          <MndtRltdInf>
            <MndtId>VIRGAY123</MndtId>
            <DtOfSgntr>2005-06-15</DtOfSgntr>
            <FnlColltnDt>2015-06-09</FnlColltnDt>
            <Frqcy>YEAR</Frqcy>
          </MndtRltdInf>
        </DrctDbtTx>
        <Cdtr>
          <Nm>Virgay</Nm>
          <PstlAdr>
            <StrtNm>Virginia Lane</StrtNm>
            <BldgNb>36</BldgNb>
            <PstCd>NJ 07311</PstCd>
            <TwnNm>Jersey City</TwnNm>
            <Ctry>US</Ctry>
          </PstlAdr>
        </Cdtr>
        <CdtrAcct>
          <Id>
            <PrtryAcct>
              <Id>789123</Id>
            </PrtryAcct>
          </Id>
        </CdtrAcct>
        <CdtrAgt>
          <FinInstnId>
            <BIC>AAAAUS29</BIC>
          </FinInstnId>
        </CdtrAgt>
        <Dbtr>
          <Nm>Jones</Nm>
          <PstlAdr>
            <StrtNm>Hudston Street</StrtNm>
            <BldgNb>19</BldgNb>
            <PstCd>NJ 07302</PstCd>
            <TwnNm>Jersey City</TwnNm>
            <Ctry>US</Ctry>
          </PstlAdr>
```

```
        </Dbtr>
        <DbtrAcct>
          <Id>
            <PrtryAcct>
              <Id>123456</Id>
            </PrtryAcct>
          </Id>
        </DbtrAcct>
        <DbtrAgt>
          <FinInstnId>
            <BIC>BBBBUS39</BIC>
          </FinInstnId>
        </DbtrAgt>
        <Purp>
          <Cd>LIFI</Cd>
        </Purp>
        <RmtInf>
          <Ustrd>LIFE INSURANCE PAYMENT/JULY 2006</Ustrd>
        </RmtInf>
      </DrctDbtTxInf>
    </pacs.003.001.01>
```

Message: FIToFIPaymentReversalV01 <pacs.007.001.01>

Message Scope and Usage

Scope

The FinancialInstitutionToFinancialInstitutionPaymentReversal message is sent by an agent to the next party in the payment chain. It is used to reverse a payment previously executed.

Usage

The FIToFIPaymentReversal message is exchanged between agents to reverse a FIToFICustomerDirectDebit message that has been settled. The result will be a credit on the debtor account.

The FIToFIPaymentReversal message may or may not be the follow-up of a CustomerDirectDebitInitiation message.

The FIToFIPaymentReversal message refers to the original FIToFICustomerDirectDebit message by means of references only or by means of references and a set of elements from the original instruction.

The FIToFIPaymentReversal message can be used in domestic and cross-border scenarios.

Outline

The FIToFIPaymentReversal message is composed of 3 building blocks:

A. Group Header

This building block is mandatory and present once. It contains elements such as MessageIdentification, CreationDateAndTime.

B. Original Group Information

This building block is mandatory and present once. It contains elements such as OriginalMessageIdentification, OriginalMessageNameIdentification.

C. Transaction Information

This building block is optional and repetitive. It contains elements referencing the original instruction (e.g. OriginalEndToEndIdentification, OriginalInterbankSettlementAmount), elements relating to the FIToFIPaymentReversal (e.g. ReversedInterbankSettlementAmount, ReversalReasonInformation). The TransactionInformation block may also transport a set of elements from the original instruction.

Rules

GroupReversalAndTransactionInformationRule
If GroupHeader/GroupReversal is true, then TransactionInformation is not allowed.
If GroupHeader/GroupReversal is false, then at least one occurrence of TransactionInformation must be present.
ReversalReasonRule
If GroupHeader/GroupReversal is true, then OriginalGroupInformation/ReversalReasonInformation/ReversalReason must be present.

InstructedAgentRule
If GroupHeader/InstructedAgent is present, then TransactionInformation/InstructedAgent is not allowed.

InstructingAgentRule

If GroupHeader/InstructingAgent is present, then TransactionInformation/InstructingAgent is not allowed.

InterbankSettlementDateRule
If GroupHeader/InterbankSettlementDate is present, then TransactionInformation/InterbankSettlementDate is not allowed.
If GroupHeader/InterbankSettlementDate is not present, then TransactionInformation/InterbankSettlementDate must be present.

GroupReversalRule
If GroupHeader/GroupReversal is false, then GroupHeader/NumberOfTransactions must equal the number of occurrences of TransactionInformation.

TotalReversedInterbankSettlementAmount1Rule
If GroupHeader/TotalReversedInterbankSettlementAmount is present, then all occurrences of TransactionInformation/ReversedInterbankSettlementAmount must have the same currency as the currency of GroupHeader/TotalReversedInterbankSettlementAmount.

TotalReversedInterbankSettlementAmount2Rule
GroupHeader/TotalReversedInterbankSettlementAmount must equal the sum of all occurrences of TransactionInformation/ReversedInterbankSettlementAmount when present.

SettlementMethodRule
GroupHeader/SettlementInformationSettlementMethod/COVE is not allowed when reversing direct debit transactions.

Note : Rules applying to specific message components or message elements are included in the description of the relevant message component or message element.

Message Structure

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
1.0		GroupHeader	<GrpHdr>	[1..1]		
1.1		MessageIdentification	<MsgId>	[1..1]	Text	
1.2		CreationDateTime	<CreDtTm>	[1..1]	DateTime	
1.3		Authorisation	<Authstn>	[0..2]	Text	
1.4		BatchBooking	<BtchBookg>	[0..1]	Indicator	
1.5		NumberOfTransactions	<NbOfTxs>	[1..1]	Text	
1.6		ControlSum	<CtrlSum>	[0..1]	Quantity	
1.7		GroupReversal	<GrpRvsl>	[0..1]	Indicator	
1.8		TotalReversedInterbankSettlementAmount	<TtlRvsdIntrBkSttlmAmt>	[0..1]	Amount	
1.9		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime	
1.10		SettlementInformation	<SttlmInf>	[1..1]		
1.11		SettlementMethod	<SttlmMtd>	[1..1]	Code	
1.12		SettlementAccount	<SttlmAcct>	[0..1]	+	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
1.13		ClearingSystem	<ClrSys>	[0..1]		
1.14	{Or	ClearingSystemIdentification	<ClrSysId>	[1..1]	Code	
1.15	Or}	Proprietary	<Prtry>	[1..1]	Text	
1.16		InstructingReimbursementAgent	<InstgRmbrsmntAgt>	[0..1]	+	
1.17		InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>	[0..1]	+	
1.18		InstructedReimbursementAgent	<InstdRmbrsmntAgt>	[0..1]	+	
1.19		InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>	[0..1]	+	
1.20		ThirdReimbursementAgent	<ThrdRmbrsmntAgt>	[0..1]	+	
1.21		ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>	[0..1]	+	
1.22		InstructingAgent	<InstgAgt>	[0..1]	+	
1.23		InstructedAgent	<InstdAgt>	[0..1]	+	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
2.0		OriginalGroupInformation	<OrgnlGrpInf>	[1..1]		
2.1		OriginalMessageIdentification	<OrgnlMsgId>	[1..1]	Text	
2.2		OriginalMessageNameIdentification	<OrgnlMsgNmId>	[1..1]	Text	
2.3		OriginalCreationDateTime	<OrgnlCreDtTm>	[0..1]	DateTime	
2.4		ReversalReasonInformation	<RvslRsnInf>	[0..n]		
2.5		ReversalOriginator	<RvslOrgtr>	[0..1]	+	
2.6		ReversalReason	<RvslRsn>	[0..1]		
2.7	{Or	Code	<Cd>	[1..1]	Code	
2.8	Or}	Proprietary	<Prtry>	[1..1]	Text	
2.9		AdditionalReversalReasonInformation	<AddtlRvslRsnInf>	[0..n]	Text	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
3.0		TransactionInformation	<TxInf>	[0..n]		
3.1		ReversalIdentification	<RvslId>	[0..1]	Text	
3.2		OriginalPaymentInformationIdentification	<OrgnlPmtInfId>	[0..1]	Text	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
3.3		OriginalInstructionIdentification	<OrgnlInstrId>	[0..1]	Text	
3.4		OriginalEndToEndIdentification	<OrgnlEndToEndId>	[0..1]	Text	
3.5		OriginalTransactionIdentification	<OrgnlTxId>	[0..1]	Text	
3.6		OriginalInterbankSettlementAmount	<OrgnlIntrBkSttlmAmt>	[0..1]	Amount	
3.7		ReversedInterbankSettlementAmount	<RvsdIntrBkSttlmAmt>	[1..1]	Amount	
3.8		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime	
3.9		ReversedInstructedAmount	<RvsdInstdAmt>	[0..1]	Amount	
3.10		ExchangeRate	<XchgRate>	[0..1]	Rate	
3.11		CompensationAmount	<CompstnAmt>	[0..1]	Amount	
3.12		ChargeBearer	<ChrgBr>	[0..1]	Code	
3.13		ChargesInformation	<ChrgsInf>	[0..n]	+	
3.14		InstructingAgent	<InstgAgt>	[0..1]	+	
3.15		InstructedAgent	<InstdAgt>	[0..1]	+	
3.16		ReversalReasonInformation	<RvslRsnInf>	[0..n]		
3.17		ReversalOriginator	<RvslOrgtr>	[0..1]	+	
3.18		ReversalReason	<RvslRsn>	[0..1]		
3.19	{Or	Code	<Cd>	[1..1]	Code	
3.20	Or}	Proprietary	<Prtry>	[1..1]	Text	
3.21		AdditionalReversalReasonInformation	<AddtlRvslRsnInf>	[0..n]	Text	
3.22		OriginalTransactionReference	<OrgnlTxRef>	[0..1]		
3.23		InterbankSettlementAmount	<IntrBkSttlmAmt>	[0..1]	Amount	
3.24		Amount	<Amt>	[0..1]		
3.25	{Or	InstructedAmount	<InstdAmt>	[1..1]	Amount	
3.26	Or}	EquivalentAmount	<EqvtAmt>	[1..1]		
3.27		Amount	<Amt>	[1..1]	Amount	
3.28		CurrencyOfTransfer	<CcyOfTrf>	[1..1]	Code	
3.29		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime	
3.30	{Or	RequestedExecutionDate	<ReqdExctnDt>	[0..1]	DateTime	
3.31	Or}	RequestedCollectionDate	<ReqdColltnDt>	[0..1]	DateTime	
3.32		CreditorSchemeIdentification	<CdtrSchmeId>	[0..1]	+	
3.33		SettlementInformation	<SttlmInf>	[0..1]		
3.34		SettlementMethod	<SttlmMtd>	[1..1]	Code	
3.35		SettlementAccount	<SttlmAcct>	[0..1]	+	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
3.36		ClearingSystem	<ClrSys>	[0..1]		
3.37	{Or	ClearingSystemIdentification	<ClrSysId>	[1..1]	Code	
3.38	Or}	Proprietary	<Prtry>	[1..1]	Text	
3.39		InstructingReimbursementAgent	<InstgRmbrsmntAgt>	[0..1]	+	
3.40		InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>	[0..1]	+	
3.41		InstructedReimbursementAgent	<InstdRmbrsmntAgt>	[0..1]	+	
3.42		InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>	[0..1]	+	
3.43		ThirdReimbursementAgent	<ThrdRmbrsmntAgt>	[0..1]	+	
3.44		ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>	[0..1]	+	
3.45		PaymentTypeInformation	<PmtTpInf>	[0..1]		
3.46		InstructionPriority	<InstrPrty>	[0..1]	Code	
3.47	{Or	ServiceLevel	<SvcLvl>	[0..1]		
3.48	{{Or	Code	<Cd>	[1..1]	Code	
3.49	Or}}	Proprietary	<Prtry>	[1..1]	Text	
3.50	Or}	ClearingChannel	<ClrChanl>	[0..1]	Code	
3.51		LocalInstrument	<LclInstrm>	[0..1]		
3.52	{Or	Code	<Cd>	[1..1]	Code	
3.53	Or}	Proprietary	<Prtry>	[1..1]	Text	
3.54		SequenceType	<SeqTp>	[0..1]	Code	
3.55		CategoryPurpose	<CtgyPurp>	[0..1]	Code	
3.56		PaymentMethod	<PmtMtd>	[0..1]	Code	
3.57		MandateRelatedInformation	<MndtRltdInf>	[0..1]		
3.58		MandateIdentification	<MndtId>	[0..1]	Text	
3.59		DateOfSignature	<DtOfSgntr>	[0..1]	DateTime	
3.60		AmendmentIndicator	<AmdmntInd>	[0..1]	Indicator	
3.61		AmendmentInformationDetails	<AmdmntInfDtls>	[0..1]		
3.62		OriginalMandateIdentification	<OrgnlMndtId>	[0..1]	Text	
3.63		OriginalCreditorSchemeIdentification	<OrgnlCdtrSchmeId>	[0..1]	+	
3.64		OriginalCreditorAgent	<OrgnlCdtrAgt>	[0..1]	+	
3.65		OriginalCreditorAgentAccount	<OrgnlCdtrAgtAcct>	[0..1]	+	
3.66		OriginalDebtor	<OrgnlDbtr>	[0..1]	+	
3.67		OriginalDebtorAccount	<OrgnlDbtrAcct>	[0..1]	+	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
3.68		OriginalDebtorAgent	<OrgnlDbtrAgt>	[0..1]	+	
3.69		OriginalDebtorAgentAccount	<OrgnlDbtrAgtAcct>	[0..1]	+	
3.70		OriginalFinalCollectionDate	<OrgnlFnlColltnDt>	[0..1]	DateTime	
3.71		OriginalFrequency	<OrgnlFrqcy>	[0..1]	Code	
3.72		ElectronicSignature	<ElctrncSgntr>	[0..1]	Text	
3.73		FirstCollectionDate	<FrstColltnDt>	[0..1]	DateTime	
3.74		FinalCollectionDate	<FnlColltnDt>	[0..1]	DateTime	
3.75		Frequency	<Frqcy>	[0..1]	Code	
3.76		RemittanceInformation	<RmtInf>	[0..1]		
3.77		Unstructured	<Ustrd>	[0..n]	Text	
3.78		Structured	<Strd>	[0..n]		
3.79		ReferredDocumentInformation	<RfrdDocInf>	[0..1]		
3.80		ReferredDocumentType	<RfrdDocTp>	[0..1]		
3.81	{Or	Code	<Cd>	[1..1]	Code	
3.82	Or}	Proprietary	<Prtry>	[1..1]	Text	
3.83		Issuer	<Issr>	[0..1]	Text	
3.84		ReferredDocumentNumber	<RfrdDocNb>	[0..1]	Text	
3.85		ReferredDocumentRelatedDate	<RfrdDocRltdDt>	[0..1]	DateTime	
3.86		ReferredDocumentAmount	<RfrdDocAmt>	[0..n]		
3.87	{Or	DuePayableAmount	<DuePyblAmt>	[1..1]	Amount	
3.88	Or	DiscountAppliedAmount	<DscntApldAmt>	[1..1]	Amount	
3.89	Or	RemittedAmount	<RmtdAmt>	[1..1]	Amount	
3.90	Or	CreditNoteAmount	<CdtNoteAmt>	[1..1]	Amount	
3.91	Or}	TaxAmount	<TaxAmt>	[1..1]	Amount	
3.92		CreditorReferenceInformation	<CdtrRefInf>	[0..1]		
3.93		CreditorReferenceType	<CdtrRefTp>	[0..1]		
3.94	{Or	Code	<Cd>	[1..1]	Code	
3.95	Or}	Proprietary	<Prtry>	[1..1]	Text	
3.96		Issuer	<Issr>	[0..1]	Text	
3.97		CreditorReference	<CdtrRef>	[0..1]	Text	
3.98		Invoicer	<Invcr>	[0..1]	+	
3.99		Invoicee	<Invcee>	[0..1]	+	
3.100		AdditionalRemittanceInformation	<AddtlRmtInf>	[0..1]	Text	
3.101		UltimateDebtor	<UltmtDbtr>	[0..1]	+	
3.102		Debtor	<Dbtr>	[0..1]	+	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
3.103		DebtorAccount	<DbtrAcct>	[0..1]	+	
3.104		DebtorAgent	<DbtrAgt>	[0..1]	+	
3.105		DebtorAgentAccount	<DbtrAgtAcct>	[0..1]	+	
3.106		CreditorAgent	<CdtrAgt>	[0..1]	+	
3.107		CreditorAgentAccount	<CdtrAgtAcct>	[0..1]	+	
3.108		Creditor	<Cdtr>	[0..1]	+	
3.109		CreditorAccount	<CdtrAcct>	[0..1]	+	
3.110		UltimateCreditor	<UltmtCdtr>	[0..1]	+	

Message Items Description

*The following section identifies the elements of the **FIToFIPaymentReversalV01** message.*

1.0 GroupHeader <GrpHdr>

Presence: [1..1]
Definition: Set of characteristics shared by all individual transactions included in the message.
Type: *The **GroupHeader** block is composed of the following **GroupHeader9** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.1		MessageIdentification	<MsgId>	[1..1]	Text
1.2		CreationDateTime	<CreDtTm>	[1..1]	DateTime
1.3		Authorisation	<Authstn>	[0..2]	Text
1.4		BatchBooking	<BtchBookg>	[0..1]	Indicator
1.5		NumberOfTransactions	<NbOfTxs>	[1..1]	Text
1.6		ControlSum	<CtrlSum>	[0..1]	Quantity
1.7		GroupReversal	<GrpRvsl>	[0..1]	Indicator
1.8		TotalReversedInterbankSettlementAmount	<TtlRvsdIntrBkSttlmAmt>	[0..1]	Amount
1.9		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime
1.10		SettlementInformation	<SttlmInf>	[1..1]	
1.22		InstructingAgent	<InstgAgt>	[0..1]	+
1.23		InstructedAgent	<InstdAgt>	[0..1]	+

Rule(s): ControlSumAndGroupReversalRule
If GroupReversal is true, then ControlSum is not allowed.

TotalReversedInterbankSettlementAmountRule
If TotalReversedInterbankSettlementAmount is present, then InterbankSettlementDate must be present.

Guideline(s): GroupReversalAndNumberOfTransactionsGuideline

If GroupReversal is true, then NumberOfTransactions equals the number of transactions in the original message.

1.1 MessageIdentification <MsgId>

Presence: [1..1]

Definition: Point to point reference assigned by the instructing party and sent to the next party in the chain to unambiguously identify the message.

Usage: The instructing party has to make sure that 'MessageIdentification' is unique per instructed party for a pre-agreed period.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

1.2 CreationDateTime <CreDtTm>

Presence: [1..1]

Definition: Date and time at which a (group of) payment instruction(s) was created by the instructing party.

Data Type: ISODateTime

1.3 Authorisation <Authstn>

Presence: [0..2]

Definition: User identification or any user key that allows to check if the initiating party is allowed to initiate transactions from the account specified in the initiation.

Usage: the content is not of a technical nature, but reflects the organisational structure at the initiating side. The authorisation element can typically be used in relay scenarios, payment initiations, payment returns or payment reversals that are initiated on behalf of a different party than the initiating party.

Data Type: Max128Text

Format: maxLength: 128
minLength: 1

1.4 BatchBooking <BtchBookg>

Presence: [0..1]

Definition: Identifies whether a single entry per individual transaction or a batch entry for the sum of the amounts of all transactions in the message is requested.

Data Type: *One of the following **BatchBookingIndicator** values must be used:*
MeaningWhenTrue: Identifies that a batch entry for the sum of the amounts of all transactions in the message is requested.
MeaningWhenFalse: Identifies that a single entry for each of the transactions in the message is requested.

1.5 NumberOfTransactions <NbOfTxs>

Presence: [1..1]

Definition: Number of individual transactions contained in the message.

Data Type: Max15NumericText

Format: [0-9]{1,15}

1.6 ControlSum <CtrlSum>

Presence: [0..1]

Definition: Total of all individual amounts included in the message, irrespective of currencies.

Data Type: DecimalNumber

Format: fractionDigits: 17
totalDigits: 18

1.7 GroupReversal <GrpRvsl>

Presence: [0..1]

Definition: Indicates whether the reversal applies to the whole group of transactions or to individual transactions within the original group.

Data Type: *One of the following **TrueFalseIndicator** values must be used:*
MeaningWhenTrue: True
MeaningWhenFalse: False

1.8 TotalReversedInterbankSettlementAmount <TtlRvsdIntrBkSttlmAmt>

Presence: [0..1]

Definition: Total reversed amount of money transferred between the instructing agent and the instructed agent in the reversal message.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

1.9 InterbankSettlementDate <IntrBkSttlmDt>

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Data Type: ISODate

1.10 SettlementInformation <SttlmInf>

Presence: [1..1]

Definition: Specifies the details on how the settlement of the transaction(s) between the instructing agent and the instructed agent is completed.

Type: *This message item is composed of the following **SettlementInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.11		SettlementMethod	<SttlmMtd>	[1..1]	Code
1.12		SettlementAccount	<SttlmAcct>	[0..1]	+

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.13		ClearingSystem	<ClrSys>	[0..1]	
1.16		InstructingReimbursementAgent	<InstgRmbrsmntAgt>	[0..1]	+
1.17		InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>	[0..1]	+
1.18		InstructedReimbursementAgent	<InstdRmbrsmntAgt>	[0..1]	+
1.19		InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>	[0..1]	+
1.20		ThirdReimbursementAgent	<ThrdRmbrsmntAgt>	[0..1]	+
1.21		ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>	[0..1]	+

Rule(s): InstructedReimbursementAgentAccountRule
If InstructedReimbursementAgent is not present, then InstructedReimbursementAgentAccount is not allowed.

InstructingReimbursementAgentAccountRule
If InstructingReimbursementAgent is not present, then InstructingReimbursementAgentAccount is not allowed.

SettlementMethod1Rule
If SettlementMethod is equal to INDA or INGA then:
- SettlementAccount may be present;
- ReimbursementAgent(s) is(are) not allowed;
- ClearingSystem is not allowed.

SettlementMethod2Rule
If SettlementMethod is equal to COVE then:
- SettlementAccount is not allowed;
- Reimbursement agent(s) must be present;
- ClearingSystem is not allowed.

SettlementMethod3Rule
If SettlementMethod is equal to CLRG then:
- SettlementAccount is not allowed;
- Reimbursement agent(s) is(are) not allowed;
- ClearingSystem must be present.

ThirdReimbursementAgentAccountRule
If ThirdReimbursementAgent is not present, then ThirdReimbursementAgentAccount is not allowed.

ThirdReimbursementAgentRule
If ThirdReimbursementAgent is present, then InstructingReimbursementAgent and InstructedReimbursementAgent must both be present.

1.11 SettlementMethod <SttlmMtd>

Presence: [1..1]
Definition: Method used to settle the (batch of) payment instructions.
Data Type: Code
*One of the following **SettlementMethod1Code** values must be used:*

Code	Name	Definition
CLRG	ClearingSystem	Settlement is done through a payment clearing system.
COVE	CoverMethod	Settlement is done through a cover payment.
INDA	InstructedAgent	Settlement is done by the agent instructed to execute a payment instruction.
INGA	InstructingAgent	Settlement is done by the agent instructing and forwarding the payment to the next party in the payment chain.

1.12 SettlementAccount <SttlmAcct>

Presence: [0..1]
Definition: A specific purpose account used to post debit and credit entries as a result of the transaction.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

1.13 ClearingSystem <ClrSys>

Presence: [0..1]
Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.
Type: *This message item is composed of one of the following **ClearingSystemIdentification1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.14	{Or	ClearingSystemIdentification	<ClrSysId>	[1..1]	Code
1.15	Or}	Proprietary	<Prtry>	[1..1]	Text

1.14 ClearingSystemIdentification <ClrSysId>

Presence: [1..1]
*This message item is part of choice **1.13** ClearingSystem.*
Definition: Infrastructure through which the payment instruction is processed.
Data Type: Code
*One of the following **CashClearingSystem3Code** values must be used:*

Code	Name	Definition
ABE	EBAEuro1Step1	Scheme code for EBA Euro1/Step1.

Code	Name	Definition
AIP	Albania	Scheme code for AL (Albania) - Albania Interbank Payment System.
ART	Austrian	Scheme code for AT (Austria) - Austrian RTGS (ARTIS).
AVP	NewZealand	Scheme code for NZ (New Zealand) - New Zealand Assured Value Payments.
AZM	Azerbaijan	Scheme code for AZ (Azerbaijan) - Azerbaijan Interbank Payment System (AZIPS).
BAP	BosniaHerzegovina	Scheme code for BA (Bosnia and Herzegovina).
BCC	SwedenBGC	Scheme code for SE (Sweden) - Sweden BGC Clearing CUG.
BDS	Barbados	Scheme code for BB (Barbados) - Barbados RTGS (CBRTGS).
BEL	Belgium	Scheme code for BE (Belgium) - Belgium RTGS (ELLIPS).
BGN	Bulgaria	Scheme code for BG (Bulgaria) - Bulgaria RTGS.
BHS	Bahamas	Scheme code for BS (Bahamas) - Bahamas RTGS.
BIS	Botswana	Scheme code for BW (Botswana) - Botswana Interbank Settlement System.
BOF	Finland	Scheme code for FI (Finland) - RTGS (BOF).
BOJ	BankOfJapanNet	Scheme code for the Bank of Japan clearing system.
BRL	Italy	Scheme code for IT (Italy) - Italy RTGS (BIREL).
BSP	Philippines	Scheme code for PH (Philippines) - Philippines Payment System.
CAD	Canada	Scheme code for CA (Canada) - Canadian Large Value Transfer System (LVTS)
CAM	SpainCAM	Scheme code for ES (Spain).
CBJ	Ireland	Scheme code for IE (Ireland) - Irish RTGS (IRIS).
CHI	USChips	CHIPS is the Clearing House Interbank Payment System in the US.
CHP	UnitedKingdom	Scheme code for GB (UK) - British Euro RTGS (CHAPS).
COP	Columbia	Scheme code for Columbia (CO) - Colombian ACH CENIT Central Bank Payment System.
DDK	DenmarkDDK	Scheme code for DK (Denmark) - Danish Krone RTGS (KRONOS)
DKC	Denmark	Scheme code for DK (Denmark) - Danish Euro RTGS (KRONOS)
EBA	EBAEuro1	Scheme code for EBA Euro1.
ELS	GermanyELS	Scheme code for DE (Germany).
EPM	ECB	Scheme code for ECB (European Central Bank) - ECB Payment Mechanism.
EPN	USChipsACH	Scheme code for the US CHIPS-ACH.

Code	Name	Definition
ERP	EBAStep1	Scheme code for EBA step 1 (members).
FDA	USFedACH	Scheme code for the US FED-ACH.
FDW	Fedwire	Scheme code for the US national real time gross settlement system.
FEY	ForeignExchangeYenClearing	Scheme code for the Foreign Exchange Yen Clearing system (FEYCS). It is the Japanese electronic interbank system for sending guaranteed and unconditional yen payments of FX deals for same day settlement from one settlement bank, on behalf of itself or its customers, to another settlement bank.
GIS	Ghana	Scheme code for GH (Ghana) - Ghana Interbank Settlement System (GISS).
HRK	Croatia	Scheme code for HR (Croatia) - HSVP.
HRM	Greece	Scheme code for GR (Greece) - Greek RTGS (HERMES).
HUF	Hungary	Scheme code for HU (Hungary) - VIBER.
INC	NetherlandsIP	Scheme code for NL (Netherlands) - Netherlands Interpay CUG.
JOD	Jordan	Scheme code for JO (Jordan) - Jordan RTGS.
KPS	Kenya	Scheme code for KE (Kenya) - Kenyan Electronic Payment Settlement System.
LGS	Luxemburg	Scheme code for LU (Luxemburg) - Luxembourg RTGS (LIPS).
LKB	SriLanka	Scheme code for LK (Sri Lanka) - Sri Lanka (Lankasettle).
LVL	Latvia	Scheme code for LV (Latvia).
MEP	Singapore	Scheme code for SG (Singapore) - Singapore RTGS (MEPS +).
MOS	SouthAfrica	Scheme code for ZA (South Africa) - South-African Multiple Option Settlement.
MRS	Malta	Scheme code for MT (Malta) - Malta Realtime Interbank Settlement System.
MUP	Mauritius	Scheme code for MU (Mauritius).
NAM	Namibia	Scheme code for NA (Namibian) - Namibian Interbank Settlement System.
NOC	Norway	Scheme code for NO (Norway).
PCH	Switzerland	Scheme code for CH (Switzerland).
PDS	Australia	Scheme code for AU (Australia).
PEG	Egypt	Scheme code for EG (Egypt).
PNS	FrancePNS	Scheme code for FR (France).
PTR	Angola	Scheme code for AO (Angola) - Angola RTGS.
PVE	Venezuela	Scheme code for Ve (Venezuela).

Code	Name	Definition
ROL	RomaniaEPO	Scheme code for RO (Romania) - Romanian Electronic Payment Operations RT.
ROS	RomaniaGSRS	Scheme code for RO (Romania) - Romanian GSRS.
RTP	GermanyRTGSPlus	Scheme code for DE (Germany).
SCP	Chili	Scheme code for CL (Chile) - Chilean Interbank Payment System.
SEC	SwedenSEC	Scheme code for SE (Sweden) - Swedish Euro RTGS (SEC).
SIT	Slovania	Scheme code for SI (Slovenia).
SLB	SpainES	Scheme code for ES (Spain) - Spanish RTGS (SLBE).
SPG	Portugal	Scheme code for PT (Portugal) - Portuguese RTGS (SPGT).
SSK	SwedenSSK	Scheme code for SE (Sweden) - SEK RTGS (RIX).
STG	UnitedKingdomGBP	Scheme code for UK (United Kingdom) - CHAPS Sterling RTGS.
TBF	FranceFR	Scheme code for FR (France) - French RTGS (TBF).
TGT	Target	Scheme code for Target.
THB	Thailand	Scheme code for TH (Thailand) - Thailand Payment System (Bahtnet/2).
TIS	Tanzania	Scheme code for TZ (Tanzania) - Tanzania Interbank Settlement System (TISS).
TOP	Netherlands	Scheme code for NL (Netherlands) - Dutch RTGS (TOP)
TTD	TrinidadAndTobago	Scheme code for TT (Trinidad and Tobago) - Trinidad and Tobago SAFE-TT.
UIS	Uganda	Scheme code for UG (Uganda) - Uganda National Interbank Settlement System.
XCT	EBAStep2	Scheme code for EBA step 2.
ZEN	Zengin	Scheme code for the Zengin system. The electronic payment system for domestic third party transfers managed by the Tokyo Bankers Association.
ZET	Zimbabwe	Scheme code for ZW (Zimbabwe) - Zimbabwe Electronic Transfer & Settlement System.
ZIS	Zambia	Scheme code for ZM (Zambia) - Zambian Interbank Payment &Settlement System.

1.15 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **1.13** ClearingSystem.*

Definition: Proprietary clearing system service selected for a transaction.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

1.16 InstructingReimbursementAgent <InstgRmbrsmntAgt>

Presence: [0..1]

Definition: Agent through which the instructing agent will reimburse the instructed agent.

Usage: If InstructingAgent and InstructedAgent have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.17 InstructingReimbursementAgentAccount <InstgRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructing reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

1.18 InstructedReimbursementAgent <InstdRmbrsmntAgt>

Presence: [0..1]

Definition: Agent at which the instructed agent will be reimbursed.

Usage: If InstructedReimbursementAgent contains a branch of the InstructedAgent, then the instructed agent will claim reimbursement from that branch/will be paid by that branch.

Usage: If InstructingAgent and InstructedAgent have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.19 InstructedReimbursementAgentAccount <InstdRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructed reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

1.20 ThirdReimbursementAgent <ThrdRmbrsmntAgt>

Presence: [0..1]

Definition: Instructed agent's branch where the amount of money will be made available when different from the instructed reimbursement agent.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.21 ThirdReimbursementAgentAccount <ThrdRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the third reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

1.22 InstructingAgent <InstgAgt>

Presence: [0..1]
Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.23 InstructedAgent <InstdAgt>

Presence: [0..1]
Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.0 OriginalGroupInformation <OrgnlGrpInf>

Presence: [1..1]
Definition: Information concerning the original group of transactions, to which the message refers.
Type: *The **OriginalGroupInformation** block is composed of the following **OriginalGroupInformation5** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1		OriginalMessageIdentification	<OrgnlMsgId>	[1..1]	Text
2.2		OriginalMessageNameIdentification	<OrgnlMsgNmId>	[1..1]	Text
2.3		OriginalCreationDateTime	<OrgnlCreDtTm>	[0..1]	DateTime
2.4		ReversalReasonInformation	<RvslRsnInf>	[0..n]	

2.1 OriginalMessageIdentification <OrgnlMsgId>

Presence: [1..1]
Definition: Point to point reference assigned by the original instructing party to unambiguously identify the original group of individual transactions.
Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.2 OriginalMessageNameIdentification <OrgnlMsgNmId>

Presence: [1..1]
Definition: Specifies the original message name identifier to which the message refers, eg, pacs.003.001.01 or MT103.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.3 OriginalCreationDateTime <OrgnlCreDtTm>

Presence: [0..1]
Definition: Date and time at which the original message was created.
Data Type: ISODateTime

2.4 ReversalReasonInformation <RvslRsnInf>

Presence: [0..n]
Definition: Detailed information on the reversal reason.
Type: *This message item is composed of the following **ReversalReasonInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.5		ReversalOriginator	<RvslOrgtr>	[0..1]	+
2.6		ReversalReason	<RvslRsn>	[0..1]	
2.9		AdditionalReversalReasonInformation	<AddtlRvslRsnInf>	[0..n]	Text

2.5 ReversalOriginator <RvslOrgtr>

Presence: [0..1]
Definition: Party issuing the reversal.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.6 ReversalReason <RvslRsn>

Presence: [0..1]
Definition: Specifies the reason for the reversal.
Type: *This message item is composed of one of the following **ReversalReason1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.7	{Or	Code	<Cd>	[1..1]	Code
2.8	Or}	Proprietary	<Prtry>	[1..1]	Text

2.7 Code <Cd>

Presence: [1..1]
*This message item is part of choice **2.6** ReversalReason.*
Definition: Reason for the reversal in a coded form.
Data Type: Code
*One of the following **TransactionReversalReason1Code** values must be used:*

Code	Name	Definition
AC04	ClosedAccountNumber	Account number specified has been closed on the Receiver's books.
AG02	InvalidBankOperationCode	Bank Operation code specified in the message is not valid for receiver.
AM05	Duplication	This message appears to have been duplicated.
MD01	NoMandate	Mandate is cancelled or invalid.
MD05	CollectionNotDue	Creditor or creditor's agent should not have collected the direct debit.

2.8 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **2.6** ReversalReason.*
Definition: Reason for the reversal not catered for by the available codes.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.9 AdditionalReversalReasonInformation <AddtlRvslRsnInf>

Presence: [0..n]
Definition: Further details on the reversal reason.
Data Type: Max105Text
Format: maxLength: 105
minLength: 1

3.0 TransactionInformation <TxInf>

Presence: [0..n]
Definition: Information concerning the original transactions, to which the reversal message refers.
Type: *The **TransactionInformation** block is composed of the following **PaymentTransactionInformation5** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.1		ReversalIdentification	<RvslId>	[0..1]	Text
3.2		OriginalPaymentInformationIdentification	<OrgnlPmtInfId>	[0..1]	Text
3.3		OriginalInstructionIdentification	<OrgnlInstrId>	[0..1]	Text
3.4		OriginalEndToEndIdentification	<OrgnlEndToEndId>	[0..1]	Text
3.5		OriginalTransactionIdentification	<OrgnlTxId>	[0..1]	Text
3.6		OriginalInterbankSettlementAmount	<OrgnlIntrBkSttlmAmt>	[0..1]	Amount
3.7		ReversedInterbankSettlementAmount	<RvsdIntrBkSttlmAmt>	[1..1]	Amount
3.8		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime
3.9		ReversedInstructedAmount	<RvsdInstdAmt>	[0..1]	Amount
3.10		ExchangeRate	<XchgRate>	[0..1]	Rate
3.11		CompensationAmount	<CompstnAmt>	[0..1]	Amount
3.12		ChargeBearer	<ChrgBr>	[0..1]	Code
3.13		ChargesInformation	<ChrgsInf>	[0..n]	+
3.14		InstructingAgent	<InstgAgt>	[0..1]	+
3.15		InstructedAgent	<InstdAgt>	[0..1]	+
3.16		ReversalReasonInformation	<RvslRsnInf>	[0..n]	
3.22		OriginalTransactionReference	<OrgnlTxRef>	[0..1]	

Rule(s): ChargesInformationAndReversedInstructedAmountRule
If ChargesInformation/ChargesAmount is present, then ReversedInstructedAmount must be present.

ReversedInstructedAmountAndExchangeRate1Rule
If ReversedInstructedAmount is present and the currency is different from the currency in InterbankSettlementAmount, then ExchangeRate must be present.

ReversedInstructedAmountAndExchangeRate2Rule
If ReversedInstructedAmount is present and the currency is the same as the currency in InterbankSettlementAmount, then ExchangeRate is not allowed.

3.1 ReversalIdentification <RvslId>

Presence: [0..1]

Definition: Unique identification as assigned by an instructing party for an instructed party to unambiguously identify the reversed transaction.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.2 OriginalPaymentInformationIdentification <OrgnlPmtInfId>

Presence: [0..1]

Definition: Unique and unambiguous identifier of the original payment information block as assigned by the original sending party.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.3 OriginalInstructionIdentification <OrgnlInstrId>

Presence: [0..1]

Definition: Original unique instruction identification as assigned by an instructing party for an instructed party to unambiguously identify the original instruction.

Usage: the original instruction identification is the original point to point reference used between the instructing party and the instructed party to refer to the original instruction.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.4 OriginalEndToEndIdentification <OrgnlEndToEndId>

Presence: [0..1]

Definition: Original unique identification assigned by the initiating party to unambiguously identify the original transaction. This identification is passed on, unchanged, throughout the entire end-to-end chain.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.5 OriginalTransactionIdentification <OrgnlTxId>

Presence: [0..1]

Definition: Original identification of a transaction, as assigned by the first instructing agent and passed on, unchanged, throughout the entire interbank chain.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.6 OriginalInterbankSettlementAmount <OrgnlIntrBkSttlmAmt>

Presence: [0..1]

Definition: Amount of money transferred between the instructing agent and the instructed agent in the original transaction.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.7 ReversedInterbankSettlementAmount <RvsdIntrBkSttlmAmt>

Presence: [1..1]

Definition: Amount of money moved between the instructing agent and the instructed agent in the reversed transaction.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.8 InterbankSettlementDate <IntrBkSttlmDt>

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Usage: the InterbankSettlementDate is the interbank settlement date of the reversal message, and not of the original instruction.

Data Type: ISODate

3.9 ReversedInstructedAmount <RvsdInstdAmt>

Presence: [0..1]

Definition: Amount of money to be moved between the debtor and the creditor, before deduction of charges, in the reversed transaction.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.10 ExchangeRate <XchgRate>

Presence: [0..1]

Definition: The factor used for conversion of an amount from one currency into another. This reflects the price at which one currency was bought with another currency.

Data Type: BaseOneRate

Format: fractionDigits: 10
totalDigits: 11

3.11 CompensationAmount <CompstnAmt>

Presence: [0..1]

Definition: Amount of money asked or paid as compensation for the processing of the instruction.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.12 ChargeBearer <ChrgBr>

Presence: [0..1]

Definition: Specifies if the creditor and/or debtor will bear the charges associated with the processing of the payment transaction.

Usage: The ChargeBearer applies to the reversal message, not to the original instruction.

Data Type: Code

When this message item is present, one of the following ***ChargeBearerType1Code*** *values must be used:*

Code	Name	Definition
CRED	BorneByCreditor	All transaction charges are to be borne by the creditor.
DEBT	BorneByDebtor	All transaction charges are to be borne by the debtor.
SHAR	Shared	In a credit transfer context, means that transaction charges on the sender side are to be borne by the debtor, transaction charges on the receiver side are to be borne by the creditor. In a direct debit context, means that transaction charges on the sender side are to be borne by the creditor, transaction charges on the receiver side are to be borne by the debtor.
SLEV	FollowingServiceLevel	Charges are to be applied following the rules agreed in the service level and/or scheme.

3.13 ChargesInformation <ChrgsInf>

Presence: [0..n]

Definition: Transaction charges to be paid by the charge bearer for the reversal transaction.

Type: *This message item is composed of the following* ***ChargesInformation1*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	ChargesAmount	<ChrgsAmt>	[1..1]	Amount
	ChargesParty	<ChrgsPty>	[1..1]	

For additional Type information, please refer to ChargesInformation1 p.461 in 'Message Item Types' section

3.14 InstructingAgent <InstgAgt>

Presence: [0..1]
Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.15 InstructedAgent <InstdAgt>

Presence: [0..1]
Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.16 ReversalReasonInformation <RvslRsnInf>

Presence: [0..n]
Definition: Detailed information on the reversal reason.
Type: *This message item is composed of the following **ReversalReasonInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.17		ReversalOriginator	<RvslOrgtr>	[0..1]	+
3.18		ReversalReason	<RvslRsn>	[0..1]	
3.21		AdditionalReversalReasonInformation	<AddtlRvslRsnInf>	[0..n]	Text

3.17 ReversalOriginator <RvslOrgtr>

Presence: [0..1]
Definition: Party issuing the reversal.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.18 ReversalReason <RvslRsn>

Presence: [0..1]
Definition: Specifies the reason for the reversal.
Type: *This message item is composed of one of the following **ReversalReason1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.19	{Or	Code	<Cd>	[1..1]	Code
3.20	Or}	Proprietary	<Prtry>	[1..1]	Text

3.19 Code <Cd>

Presence: [1..1]
*This message item is part of choice **3.18** ReversalReason.*
Definition: Reason for the reversal in a coded form.
Data Type: Code
*One of the following **TransactionReversalReason1Code** values must be used:*

Code	Name	Definition
AC04	ClosedAccountNumber	Account number specified has been closed on the Receiver's books.
AG02	InvalidBankOperationCode	Bank Operation code specified in the message is not valid for receiver.
AM05	Duplication	This message appears to have been duplicated.
MD01	NoMandate	Mandate is cancelled or invalid.
MD05	CollectionNotDue	Creditor or creditor's agent should not have collected the direct debit.

3.20 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **3.18** ReversalReason.*
Definition: Reason for the reversal not catered for by the available codes.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.21 AdditionalReversalReasonInformation <AddtlRvslRsnInf>

Presence: [0..n]
Definition: Further details on the reversal reason.
Data Type: Max105Text
Format: maxLength: 105
minLength: 1

3.22 OriginalTransactionReference <OrgnlTxRef>

Presence: [0..1]
Definition: Set of key elements of the original transaction being referred to.
Type: *This message item is composed of the following **OriginalTransactionReference1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.23		InterbankSettlementAmount	<IntrBkSttlmAmt>	[0..1]	Amount
3.24		Amount	<Amt>	[0..1]	
3.29		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime
3.30	{Or	RequestedExecutionDate	<ReqdExctnDt>	[0..1]	DateTime
3.31	Or}	RequestedCollectionDate	<ReqdColltnDt>	[0..1]	DateTime
3.32		CreditorSchemeIdentification	<CdtrSchmeId>	[0..1]	+
3.33		SettlementInformation	<SttlmInf>	[0..1]	
3.45		PaymentTypeInformation	<PmtTpInf>	[0..1]	
3.56		PaymentMethod	<PmtMtd>	[0..1]	Code
3.57		MandateRelatedInformation	<MndtRltdInf>	[0..1]	
3.76		RemittanceInformation	<RmtInf>	[0..1]	
3.101		UltimateDebtor	<UltmtDbtr>	[0..1]	+
3.102		Debtor	<Dbtr>	[0..1]	+
3.103		DebtorAccount	<DbtrAcct>	[0..1]	+
3.104		DebtorAgent	<DbtrAgt>	[0..1]	+
3.105		DebtorAgentAccount	<DbtrAgtAcct>	[0..1]	+
3.106		CreditorAgent	<CdtrAgt>	[0..1]	+
3.107		CreditorAgentAccount	<CdtrAgtAcct>	[0..1]	+
3.108		Creditor	<Cdtr>	[0..1]	+
3.109		CreditorAccount	<CdtrAcct>	[0..1]	+
3.110		UltimateCreditor	<UltmtCdtr>	[0..1]	+

3.23 InterbankSettlementAmount <IntrBkSttlmAmt>

Presence: [0..1]
Definition: Amount of money moved between the instructing agent and the instructed agent.
Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.24 Amount <Amt>

Presence: [0..1]

Definition: Amount of money to be moved between the debtor and creditor, before deduction of charges, expressed in the currency as ordered by the initiating party.

Type: *This message item is composed of one of the following* ***AmountType2Choice*** *element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.25	{Or	InstructedAmount	<InstdAmt>	[1..1]	Amount
3.26	Or}	EquivalentAmount	<EqvtAmt>	[1..1]	

3.25 InstructedAmount <InstdAmt>

Presence: [1..1]

This message item is part of choice ***3.24*** *Amount.*

Definition: Amount of money to be moved between the debtor and creditor, before deduction of charges, expressed in the currency as ordered by the initiating party.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.26 EquivalentAmount <EqvtAmt>

Presence: [1..1]

This message item is part of choice ***3.24*** *Amount.*

Definition: Amount of money to be transferred between the debtor and creditor, before deduction of charges, expressed in the currency of the debtor's account, and to be transferred into a different currency.

Usage : Currency of the amount is expressed in the currency of the debtor's account, but the amount to be transferred is in another currency. The debtor agent will convert the amount and currency to the to be transferred amount and currency, eg, 'pay equivalent of 100000 EUR in JPY'(and account is in EUR).

Type: *This message item is composed of the following* ***EquivalentAmount*** *element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.27		Amount	<Amt>	[1..1]	Amount
3.28		CurrencyOfTransfer	<CcyOfTrf>	[1..1]	Code

3.27 Amount <Amt>

Presence: [1..1]

Definition: Amount of money to be transferred between debtor and creditor, before deduction of charges, expressed in the currency of the debtor's account, and to be transferred in a different currency.

Usage : Currency of the amount is expressed in the currency of the debtor's account, but the amount to be transferred is in another currency. The first agent will convert the amount and currency to the to be transferred amount and currency, eg, 'pay equivalent of 100000 EUR in JPY'(and account is in EUR).

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.28 CurrencyOfTransfer <CcyOfTrf>

Presence: [1..1]

Definition: Specifies the currency of the to be transferred amount, which is different from the currency of the debtor's account.

Data Type: CurrencyCode

Format: [A-Z]{3,3}

Rule(s): ValidationByTable

3.29 InterbankSettlementDate <IntrBkSttlmDt>

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Data Type: ISODate

3.30 RequestedExecutionDate <ReqdExctnDt>

Presence: [0..1]

This message item is part of choice ***3.22*** *OriginalTransactionReference.*

Definition: Date at which the initiating party requests that the clearing agent to process the payment. If payment by cheque, the date when the cheque must be generated by the bank.

Usage: This is the date on which the debtor's account(s) is (are) to be debited.

Data Type: ISODate

3.31 RequestedCollectionDate <ReqdColltnDt>

Presence: [0..1]
*This message item is part of choice **3.22** OriginalTransactionReference.*
Definition: Date at which the creditor requests the amount of money to be collected from the debtor.
Data Type: ISODate

3.32 CreditorSchemeIdentification <CdtrSchmeId>

Presence: [0..1]
Definition: Credit party that signs the direct debit mandate.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.33 SettlementInformation <SttlmInf>

Presence: [0..1]
Definition: Specifies the details on how the settlement of the original transaction(s) between the instructing agent and the instructed agent was completed.
Type: *This message item is composed of the following **SettlementInformation3** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.34		SettlementMethod	<SttlmMtd>	[1..1]	Code
3.35		SettlementAccount	<SttlmAcct>	[0..1]	+
3.36		ClearingSystem	<ClrSys>	[0..1]	
3.39		InstructingReimbursementAgent	<InstgRmbrsmntAgt>	[0..1]	+
3.40		InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>	[0..1]	+
3.41		InstructedReimbursementAgent	<InstdRmbrsmntAgt>	[0..1]	+
3.42		InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>	[0..1]	+
3.43		ThirdReimbursementAgent	<ThrdRmbrsmntAgt>	[0..1]	+
3.44		ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>	[0..1]	+

3.34 SettlementMethod <SttlmMtd>

Presence: [1..1]
Definition: Method used to settle the (batch of) payment instructions.
Data Type: Code

*One of the following **SettlementMethod1Code** values must be used:*

Code	Name	Definition
CLRG	ClearingSystem	Settlement is done through a payment clearing system.
COVE	CoverMethod	Settlement is done through a cover payment.
INDA	InstructedAgent	Settlement is done by the agent instructed to execute a payment instruction.
INGA	InstructingAgent	Settlement is done by the agent instructing and forwarding the payment to the next party in the payment chain.

3.35 SettlementAccount <SttlmAcct>

Presence: [0..1]
Definition: A specific purpose account used to post debit and credit entries as a result of the transaction.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.36 ClearingSystem <ClrSys>

Presence: [0..1]
Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.
Type: *This message item is composed of one of the following **ClearingSystemIdentification1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.37	{Or	ClearingSystemIdentification	<ClrSysId>	[1..1]	Code
3.38	Or}	Proprietary	<Prtry>	[1..1]	Text

3.37 ClearingSystemIdentification <ClrSysId>

Presence: [1..1]
*This message item is part of choice **3.36** ClearingSystem.*
Definition: Infrastructure through which the payment instruction is processed.
Data Type: Code
*One of the following **CashClearingSystem3Code** values must be used:*

Code	Name	Definition
ABE	EBAEuro1Step1	Scheme code for EBA Euro1/Step1.

Code	Name	Definition
AIP	Albania	Scheme code for AL (Albania) - Albania Interbank Payment System.
ART	Austrian	Scheme code for AT (Austria) - Austrian RTGS (ARTIS).
AVP	NewZealand	Scheme code for NZ (New Zealand) - New Zealand Assured Value Payments.
AZM	Azerbaijan	Scheme code for AZ (Azerbaijan) - Azerbaijan Interbank Payment System (AZIPS).
BAP	BosniaHerzegovina	Scheme code for BA (Bosnia and Herzegovina).
BCC	SwedenBGC	Scheme code for SE (Sweden) - Sweden BGC Clearing CUG.
BDS	Barbados	Scheme code for BB (Barbados) - Barbados RTGS (CBRTGS).
BEL	Belgium	Scheme code for BE (Belgium) - Belgium RTGS (ELLIPS).
BGN	Bulgaria	Scheme code for BG (Bulgaria) - Bulgaria RTGS.
BHS	Bahamas	Scheme code for BS (Bahamas) - Bahamas RTGS.
BIS	Botswana	Scheme code for BW (Botswana) - Botswana Interbank Settlement System.
BOF	Finland	Scheme code for FI (Finland) - RTGS (BOF).
BOJ	BankOfJapanNet	Scheme code for the Bank of Japan clearing system.
BRL	Italy	Scheme code for IT (Italy) - Italy RTGS (BIREL).
BSP	Philippines	Scheme code for PH (Philippines) - Philippines Payment System.
CAD	Canada	Scheme code for CA (Canada) - Canadian Large Value Transfer System (LVTS)
CAM	SpainCAM	Scheme code for ES (Spain).
CBJ	Ireland	Scheme code for IE (Ireland) - Irish RTGS (IRIS).
CHI	USChips	CHIPS is the Clearing House Interbank Payment System in the US.
CHP	UnitedKingdom	Scheme code for GB (UK) - British Euro RTGS (CHAPS).
COP	Columbia	Scheme code for Columbia (CO) - Colombian ACH CENIT Central Bank Payment System.
DDK	DenmarkDDK	Scheme code for DK (Denmark) - Danish Krone RTGS (KRONOS)
DKC	Denmark	Scheme code for DK (Denmark) - Danish Euro RTGS (KRONOS)
EBA	EBAEuro1	Scheme code for EBA Euro1.
ELS	GermanyELS	Scheme code for DE (Germany).
EPM	ECB	Scheme code for ECB (European Central Bank) - ECB Payment Mechanism.
EPN	USChipsACH	Scheme code for the US CHIPS-ACH.

Code	Name	Definition
ERP	EBAStep1	Scheme code for EBA step 1 (members).
FDA	USFedACH	Scheme code for the US FED-ACH.
FDW	Fedwire	Scheme code for the US national real time gross settlement system.
FEY	ForeignExchangeYenClearing	Scheme code for the Foreign Exchange Yen Clearing system (FEYCS). It is the Japanese electronic interbank system for sending guaranteed and unconditional yen payments of FX deals for same day settlement from one settlement bank, on behalf of itself or its customers, to another settlement bank.
GIS	Ghana	Scheme code for GH (Ghana) - Ghana Interbank Settlement System (GISS).
HRK	Croatia	Scheme code for HR (Croatia) - HSVP.
HRM	Greece	Scheme code for GR (Greece) - Greek RTGS (HERMES).
HUF	Hungary	Scheme code for HU (Hungary) - VIBER.
INC	NetherlandsIP	Scheme code for NL (Netherlands) - Netherlands Interpay CUG.
JOD	Jordan	Scheme code for JO (Jordan) - Jordan RTGS.
KPS	Kenya	Scheme code for KE (Kenya) - Kenyan Electronic Payment Settlement System.
LGS	Luxemburg	Scheme code for LU (Luxemburg) - Luxembourg RTGS (LIPS).
LKB	SriLanka	Scheme code for LK (Sri Lanka) - Sri Lanka (Lankasettle).
LVL	Latvia	Scheme code for LV (Latvia).
MEP	Singapore	Scheme code for SG (Singapore) - Singapore RTGS (MEPS +).
MOS	SouthAfrica	Scheme code for ZA (South Africa) - South-African Multiple Option Settlement.
MRS	Malta	Scheme code for MT (Malta) - Malta Realtime Interbank Settlement System.
MUP	Mauritius	Scheme code for MU (Mauritius).
NAM	Namibia	Scheme code for NA (Namibian) - Namibian Interbank Settlement System.
NOC	Norway	Scheme code for NO (Norway).
PCH	Switzerland	Scheme code for CH (Switzerland).
PDS	Australia	Scheme code for AU (Australia).
PEG	Egypt	Scheme code for EG (Egypt).
PNS	FrancePNS	Scheme code for FR (France).
PTR	Angola	Scheme code for AO (Angola) - Angola RTGS.
PVE	Venezuela	Scheme code for Ve (Venezuela).

Code	Name	Definition
ROL	RomaniaEPO	Scheme code for RO (Romania) - Romanian Electronic Payment Operations RT.
ROS	RomaniaGSRS	Scheme code for RO (Romania) - Romanian GSRS.
RTP	GermanyRTGSPlus	Scheme code for DE (Germany).
SCP	Chili	Scheme code for CL (Chile) - Chilean Interbank Payment System.
SEC	SwedenSEC	Scheme code for SE (Sweden) - Swedish Euro RTGS (SEC).
SIT	Slovania	Scheme code for SI (Slovenia).
SLB	SpainES	Scheme code for ES (Spain) - Spanish RTGS (SLBE).
SPG	Portugal	Scheme code for PT (Portugal) - Portuguese RTGS (SPGT).
SSK	SwedenSSK	Scheme code for SE (Sweden) - SEK RTGS (RIX).
STG	UnitedKingdomGBP	Scheme code for UK (United Kingdom) - CHAPS Sterling RTGS.
TBF	FranceFR	Scheme code for FR (France) - French RTGS (TBF).
TGT	Target	Scheme code for Target.
THB	Thailand	Scheme code for TH (Thailand) - Thailand Payment System (Bahtnet/2).
TIS	Tanzania	Scheme code for TZ (Tanzania) - Tanzania Interbank Settlement System (TISS).
TOP	Netherlands	Scheme code for NL (Netherlands) - Dutch RTGS (TOP)
TTD	TrinidadAndTobago	Scheme code for TT (Trinidad and Tobago) - Trinidad and Tobago SAFE-TT.
UIS	Uganda	Scheme code for UG (Uganda) - Uganda National Interbank Settlement System.
XCT	EBAStep2	Scheme code for EBA step 2.
ZEN	Zengin	Scheme code for the Zengin system. The electronic payment system for domestic third party transfers managed by the Tokyo Bankers Association.
ZET	Zimbabwe	Scheme code for ZW (Zimbabwe) - Zimbabwe Electronic Transfer & Settlement System.
ZIS	Zambia	Scheme code for ZM (Zambia) - Zambian Interbank Payment &Settlement System.

3.38 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **3.36** ClearingSystem.*

Definition: Proprietary clearing system service selected for a transaction.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.39 InstructingReimbursementAgent <InstgRmbrsmntAgt>

Presence: [0..1]

Definition: Specifies the agent through which the instructing agent will reimburse the instructed agent.

Usage: If the instructing and instructed agents have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.40 InstructingReimbursementAgentAccount <InstgRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructing reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.41 InstructedReimbursementAgent <InstdRmbrsmntAgt>

Presence: [0..1]

Definition: Agent at which the instructed agent will be reimbursed.

Usage: If InstructedReimbursementAgent contains a branch of the InstructedAgent, then the instructed agent will claim reimbursement from that branch/will be paid by that branch.

Usage: If InstructingAgent and InstructedAgent have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.42 InstructedReimbursementAgentAccount <InstdRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructed reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.43 ThirdReimbursementAgent <ThrdRmbrsmntAgt>

Presence: [0..1]

Definition: Specifies the branch of the instructed agent where the amount of money will be made available when different from the instructed reimbursement agent.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.44 ThirdReimbursementAgentAccount <ThrdRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the third reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.45 PaymentTypeInformation <PmtTpInf>

Presence: [0..1]
Definition: Set of elements that further specifies the type of transaction.
Type: *This message item is composed of the following **PaymentTypeInformation6** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.46		InstructionPriority	<InstrPrty>	[0..1]	Code
3.47	{Or	ServiceLevel	<SvcLvl>	[0..1]	
3.50	Or}	ClearingChannel	<ClrChanl>	[0..1]	Code
3.51		LocalInstrument	<LclInstrm>	[0..1]	
3.54		SequenceType	<SeqTp>	[0..1]	Code
3.55		CategoryPurpose	<CtgyPurp>	[0..1]	Code

3.46 InstructionPriority <InstrPrty>

Presence: [0..1]
Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the instruction.
Data Type: Code
*When this message item is present, one of the following **Priority2Code** values must be used:*

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.

3.47 ServiceLevel <SvcLvl>

Presence: [0..1]
*This message item is part of choice **3.45** PaymentTypeInformation.*
Definition: Agreement under which or rules under which the transaction should be processed.
Type: *This message item is composed of one of the following **ServiceLevel2Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.48	{Or	Code	<Cd>	[1..1]	Code
3.49	Or}	Proprietary	<Prtry>	[1..1]	Text

3.48 Code <Cd>

Presence: [1..1]
*This message item is part of choice **3.47** ServiceLevel.*
Definition: Identification of a pre-agreed level of service between the parties in a coded form.
Data Type: Code

*One of the following **ServiceLevel1Code** values must be used:*

Code	Name	Definition
PRPT	EBAPriorityService	Transaction must be processed according to the EBA Priority Service.
SDVA	SameDayValue	Payment must be executed with same day value to the creditor.
SEPA	SingleEuroPaymentsArea	Payment must be executed following the Single Euro Payments Area scheme.

3.49 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **3.47** ServiceLevel.*
Definition: Proprietary identification of a pre-agreed level of service between the parties.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.50 ClearingChannel <ClrChanl>

Presence: [0..1]
*This message item is part of choice **3.45** PaymentTypeInformation.*
Definition: Specifies the clearing channel to be used for the settlement of the instruction.
Data Type: Code
*When this message item is present, one of the following **ClearingChannel2Code** values must be used:*

Code	Name	Definition
BOOK	BookTransfer	Payment through internal book transfer.
MPNS	MassPaymentNetSystem	Clearing channel is a mass payment net settlement system.
RTGS	RealTimeGrossSettlementSystem	Clearing channel is a real-time gross settlement system.
RTNS	RealTimeNetSettlementSystem	Clearing channel is a real-time net settlement system.

3.51 LocalInstrument <LclInstrm>

Presence: [0..1]
Definition: User community specific instrument.

Usage : When available, codes provided by local authorities should be used.

Type: *This message item is composed of one of the following **LocalInstrument1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.52	{Or	Code	<Cd>	[1..1]	Code
3.53	Or}	Proprietary	<Prtry>	[1..1]	Text

3.52 Code <Cd>

Presence: [1..1]
*This message item is part of choice **3.51** LocalInstrument.*
Definition: Specifies the local instrument published in an external local instrument code list.
Data Type: ExternalLocalInstrumentCode
Format: maxLength: 35
minLength: 1

3.53 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **3.51** LocalInstrument.*
Definition: Specifies the local instrument as a proprietary code.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.54 SequenceType <SeqTp>

Presence: [0..1]
Definition: Identifies the direct debit sequence, eg, first, recurrent, final or one-off.
Data Type: Code
*When this message item is present, one of the following **SequenceType1Code** values must be used:*

Code	Name	Definition
FNAL	Final	Final collection of a series of direct debit instructions.
FRST	First	First collection of a series of direct debit instructions.
OOFF	OneOff	Direct debit instruction where the debtor's authorisation is used to initiate one single direct debit transaction.
RCUR	Recurring	Direct debit instruction where the debtor's authorisation is used for regular direct debit transactions initiated by the creditor.

3.55 CategoryPurpose <CtgyPurp>

Presence: [0..1]
Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.
Data Type: Code
*When this message item is present, one of the following **PaymentCategoryPurpose1Code** values must be used:*

Code	Name	Definition
CASH	CashManagementTransfer	Transaction is a general cash management instruction.
CORT	TradeSettlementPayment	Transaction is related to settlement of a trade, eg a foreign exchange deal or a securities transaction.
DIVI	Dividend	Transaction is the payment of dividends.
GOVT	GovernmentPayment	Transaction is a payment to or from a government department.

Code	Name	Definition
HEDG	Hedging	Transaction is related to the payment of a hedging operation.
INTC	IntraCompanyPayment	Transaction is an intra-company payment, ie, a payment between two companies belonging to the same group.
INTE	Interest	Transaction is the payment of interest.
LOAN	Loan	Transaction is related to the transfer of a loan to a borrower.
PENS	PensionPayment	Transaction is the payment of pension.
SALA	SalaryPayment	Transaction is the payment of salaries.
SECU	Securities	Transaction is the payment of securities.
SSBE	SocialSecurityBenefit	Transaction is a social security benefit, ie payment made by a government to support individuals.
SUPP	SupplierPayment	Transaction is related to a payment to a supplier.
TAXS	TaxPayment	Transaction is the payment of taxes.
TRAD	Trade	Transaction is related to the payment of a trade transaction.
TREA	TreasuryPayment	Transaction is related to treasury operations.
VATX	ValueAddedTaxPayment	Transaction is the payment of value added tax.
WHLD	WithHolding	Transaction is the payment of withholding tax.

3.56 PaymentMethod <PmtMtd>

Presence: [0..1]
Definition: Specifies the transfer method that will be used by the instructing agent to transfer the funds to the creditor.
Data Type: Code
*When this message item is present, one of the following **PaymentMethod4Code** values must be used:*

Code	Name	Definition
CHK	Cheque	Written order to a bank to pay a certain amount of money from one person to another person.
DD	DirectDebit	Collection of an amount of money from the debtor's bank account by the creditor. The amount of money and dates of collections may vary.
TRA	TransferAdvice	Transfer of an amount of money in the books of the account servicer. An advice should be sent back to the account owner.
TRF	CreditTransfer	Transfer of an amount of money in the books of the account servicer.

3.57 MandateRelatedInformation <MndtRltdInf>

Presence: [0..1]
Definition: Set of elements used to provide further details related to a direct debit mandate signed between the creditor and the debtor.

Usage: Mandate related information is to be used only when the direct debit relates to a mandate signed between the debtor and the creditor.

Type: *This message item is composed of the following **MandateRelatedInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.58		MandateIdentification	<MndtId>	[0..1]	Text
3.59		DateOfSignature	<DtOfSgntr>	[0..1]	DateTime
3.60		AmendmentIndicator	<AmdmntInd>	[0..1]	Indicator
3.61		AmendmentInformationDetails	<AmdmntInfDtls>	[0..1]	
3.72		ElectronicSignature	<ElctrncSgntr>	[0..1]	Text
3.73		FirstCollectionDate	<FrstColltnDt>	[0..1]	DateTime
3.74		FinalCollectionDate	<FnlColltnDt>	[0..1]	DateTime
3.75		Frequency	<Frqcy>	[0..1]	Code

Rule(s): AmendmentIndicatorRule
If AmendmentIndicator is true, then AmendementInformationDetails must be present, with amended mandate information.

If AmendmentIndicator is false, then AmendmentInformationDetails is not allowed.

3.58 MandateIdentification <MndtId>

Presence: [0..1]
Definition: Reference of the direct debit mandate that has been signed between by the debtor and the creditor.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.59 DateOfSignature <DtOfSgntr>

Presence: [0..1]
Definition: Date on which the direct debit mandate has been signed by the debtor.
Data Type: ISODate

3.60 AmendmentIndicator <AmdmntInd>

Presence: [0..1]
Definition: Indicator notifying whether the underlying mandate is amended or not.
Data Type: *One of the following **TrueFalseIndicator** values must be used:*
MeaningWhenTrue: True
MeaningWhenFalse: False

3.61 AmendmentInformationDetails <AmdmntInfDtls>

Presence: [0..1]
Definition: List of direct debit mandate elements that have been modified.
Type: *This message item is composed of the following **AmendmentInformationDetails1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.62		OriginalMandateIdentification	<OrgnlMndtId>	[0..1]	Text
3.63		OriginalCreditorSchemeIdentification	<OrgnlCdtrSchmeId>	[0..1]	+
3.64		OriginalCreditorAgent	<OrgnlCdtrAgt>	[0..1]	+
3.65		OriginalCreditorAgentAccount	<OrgnlCdtrAgtAcct>	[0..1]	+
3.66		OriginalDebtor	<OrgnlDbtr>	[0..1]	+
3.67		OriginalDebtorAccount	<OrgnlDbtrAcct>	[0..1]	+
3.68		OriginalDebtorAgent	<OrgnlDbtrAgt>	[0..1]	+
3.69		OriginalDebtorAgentAccount	<OrgnlDbtrAgtAcct>	[0..1]	+
3.70		OriginalFinalCollectionDate	<OrgnlFnlColltnDt>	[0..1]	DateTime
3.71		OriginalFrequency	<OrgnlFrqcy>	[0..1]	Code

3.62 OriginalMandateIdentification <OrgnlMndtId>

Presence: [0..1]
Definition: Original mandate identification that has been modified.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.63 OriginalCreditorSchemeIdentification <OrgnlCdtrSchmeId>

Presence: [0..1]
Definition: Original creditor scheme identification that has been modified.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.64 OriginalCreditorAgent <OrgnlCdtrAgt>

Presence: [0..1]
Definition: Original creditor agent that has been modified.
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.65 OriginalCreditorAgentAccount <OrgnlCdtrAgtAcct>

Presence: [0..1]
Definition: Original creditor agent acount that has been modified.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.66 OriginalDebtor <OrgnlDbtr>

Presence: [0..1]
Definition: Original debtor that has been modified.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.67 OriginalDebtorAccount <OrgnlDbtrAcct>

Presence: [0..1]
Definition: Original debtor account that has been modified.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.68 OriginalDebtorAgent <OrgnlDbtrAgt>

Presence: [0..1]
Definition: Original debtor's agent that has been modified.
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.69 OriginalDebtorAgentAccount <OrgnlDbtrAgtAcct>

Presence: [0..1]
Definition: Original debtor agent account that has been modified.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.70 OriginalFinalCollectionDate <OrgnlFnlColltnDt>

Presence: [0..1]
Definition: Original final collection date that has been modified.
Data Type: ISODate

3.71 OriginalFrequency <OrgnlFrqcy>

Presence: [0..1]
Definition: Original frequency that has been modified.
Data Type: Code
*When this message item is present, one of the following **Frequency1Code** values must be used:*

Code	Name	Definition
ADHO	Adhoc	Event takes place on request or as necessary.
DAIL	Daily	Event takes place every day.
INDA	IntraDay	Event takes place several times a day.
MIAN	SemiAnnual	Event takes place every six months or two times a year.
MNTH	Monthly	Event takes place every month or once a month.
QURT	Quarterly	Event takes place every three months or four times a year.
WEEK	Weekly	Event takes place once a week.
YEAR	Annual	Event takes place every year or once a year.

3.72 ElectronicSignature <ElctrncSgntr>

Presence: [0..1]
Definition: Additional security provisions, eg, digital signature as provided by the debtor.
Data Type: Max1025Text
Format: maxLength: 1025
minLength: 1

3.73 FirstCollectionDate <FrstColltnDt>

Presence: [0..1]
Definition: Date of the first collection of a direct debit as per the mandate.
Data Type: ISODate

3.74 FinalCollectionDate <FnlColltnDt>

Presence: [0..1]
Definition: Date of the final collection of a direct debit as per the mandate.
Data Type: ISODate

3.75 Frequency <Frqcy>

Presence: [0..1]
Definition: Regularity with which direct debit instructions are to be created and processed, eg, daily, weekly, monthly.
Data Type: Code
*When this message item is present, one of the following **Frequency1Code** values must be used:*

Code	Name	Definition
ADHO	Adhoc	Event takes place on request or as necessary.
DAIL	Daily	Event takes place every day.
INDA	IntraDay	Event takes place several times a day.
MIAN	SemiAnnual	Event takes place every six months or two times a year.
MNTH	Monthly	Event takes place every month or once a month.
QURT	Quarterly	Event takes place every three months or four times a year.
WEEK	Weekly	Event takes place once a week.

Code	Name	Definition
YEAR	Annual	Event takes place every year or once a year.

3.76 RemittanceInformation <RmtInf>

Presence: [0..1]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, eg, commercial invoices in an accounts' receivable system.

Type: *This message item is composed of the following **RemittanceInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.77		Unstructured	<Ustrd>	[0..n]	Text
3.78		Structured	<Strd>	[0..n]	

3.77 Unstructured <Ustrd>

Presence: [0..n]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, eg, commercial invoices in an accounts' receivable system in an unstructured form.

Data Type: Max140Text

Format: maxLength: 140
minLength: 1

3.78 Structured <Strd>

Presence: [0..n]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, eg, commercial invoices in an accounts' receivable system in a structured form.

Type: *This message item is composed of the following **StructuredRemittanceInformation6** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.79		ReferredDocumentInformation	<RfrdDocInf>	[0..1]	
3.85		ReferredDocumentRelatedDate	<RfrdDocRltdDt>	[0..1]	DateTime
3.86		ReferredDocumentAmount	<RfrdDocAmt>	[0..n]	
3.92		CreditorReferenceInformation	<CdtrRefInf>	[0..1]	
3.98		Invoicer	<Invcr>	[0..1]	+
3.99		Invoicee	<Invcee>	[0..1]	+
3.100		AdditionalRemittanceInformation	<AddtlRmtInf>	[0..1]	Text

3.79 ReferredDocumentInformation <RfrdDocInf>

Presence: [0..1]

Definition: Reference information to allow the identification of the underlying reference documents.

Type: *This message item is composed of the following **ReferredDocumentInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.80		ReferredDocumentType	<RfrdDocTp>	[0..1]	
3.84		ReferredDocumentNumber	<RfrdDocNb>	[0..1]	Text

3.80 ReferredDocumentType <RfrdDocTp>

Presence: [0..1]
Definition: Provides the type of the referred document.
Type: *This message item is composed of the following **ReferredDocumentType1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.81	{Or	Code	<Cd>	[1..1]	Code
3.82	Or}	Proprietary	<Prtry>	[1..1]	Text
3.83		Issuer	<Issr>	[0..1]	Text

3.81 Code <Cd>

Presence: [1..1]
*This message item is part of choice **3.80** ReferredDocumentType.*
Definition: Document type in a coded form.
Data Type: Code
*One of the following **DocumentType2Code** values must be used:*

Code	Name	Definition
CINV	CommercialInvoice	Document is an invoice.
CMCN	CommercialContract	Document is an agreement between the parties, stipulating the terms and conditions of the delivery of goods or services.
CNFA	CreditNoteRelatedToFinancialAdjustment	Document is a credit note for the final amount settled for a commercial transaction.
CREN	CreditNote	Document is a credit note.
DEBN	DebitNote	Document is a debit note.
DISP	DispatchAdvice	Document is a dispatch advice.
DNFA	DebitNoteRelatedToFinancialAdjustment	Document is a debit note for the final amount settled for a commercial transaction.
HIRI	HireInvoice	Document is an invoice for the hiring of human resources or renting goods or equipment.
MSIN	MeteredServiceInvoice	Document is an invoice claiming payment for the supply of metered services, eg, gas or electricity, supplied to a fixed meter.
SBIN	SelfBilledInvoice	Document is an invoice issued by the debtor.
SOAC	StatementOfAccount	Document is a statement of the transactions posted to the debtor's account at the supplier.

3.82 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **3.80** ReferredDocumentType.*

Definition: Proprietary identification of the type of the remittance document.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.83 Issuer <Issr>

Presence: [0..1]

Definition: Identification of the issuer of the reference document type.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.84 ReferredDocumentNumber <RfrdDocNb>

Presence: [0..1]

Definition: Unique and unambiguous identification number of the referred document.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.85 ReferredDocumentRelatedDate <RfrdDocRltdDt>

Presence: [0..1]

Definition: Date associated with the referred document, eg, date of issue.

Data Type: ISODate

3.86 ReferredDocumentAmount <RfrdDocAmt>

Presence: [0..n]

Definition: Amount of money and currency of a document referred to in the remittance section. The amount is typically either the original amount due and payable, or the amount actually remitted for the referred document.

Type: *This message item is composed of one of the following **ReferredDocumentAmount1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.87	{Or	DuePayableAmount	<DuePyblAmt>	[1..1]	Amount
3.88	Or	DiscountAppliedAmount	<DscntApldAmt>	[1..1]	Amount
3.89	Or	RemittedAmount	<RmtdAmt>	[1..1]	Amount
3.90	Or	CreditNoteAmount	<CdtNoteAmt>	[1..1]	Amount
3.91	Or}	TaxAmount	<TaxAmt>	[1..1]	Amount

3.87 DuePayableAmount <DuePyblAmt>

Presence: [1..1]

*This message item is part of choice **3.86** ReferredDocumentAmount.*

Definition: Amount specified is the exact amount due and payable to the creditor.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.88 DiscountAppliedAmount <DscntApldAmt>

Presence: [1..1]

*This message item is part of choice **3.86** ReferredDocumentAmount.*

Definition: Amount of money resulting from the application of an agreed discount to the amount due and payable to the creditor.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.89 RemittedAmount <RmtdAmt>

Presence: [1..1]

*This message item is part of choice **3.86** ReferredDocumentAmount.*

Definition: Amount of money remitted for the referred document.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.90 CreditNoteAmount <CdtNoteAmt>

Presence: [1..1]

*This message item is part of choice **3.86** ReferredDocumentAmount.*

Definition: Amount specified for the referred document is the amount of a credit note.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.91 TaxAmount <TaxAmt>

Presence: [1..1]

This message item is part of choice ***3.86*** *ReferredDocumentAmount.*

Definition: Quantity of cash resulting from the calculation of the tax.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.92 CreditorReferenceInformation <CdtrRefInf>

Presence: [0..1]

Definition: Reference information provided by the creditor to allow the identification of the underlying documents.

Type: *This message item is composed of the following* ***CreditorReferenceInformation1*** *element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.93		CreditorReferenceType	<CdtrRefTp>	[0..1]	
3.97		CreditorReference	<CdtrRef>	[0..1]	Text

3.93 CreditorReferenceType <CdtrRefTp>

Presence: [0..1]

Definition: Provides the type of the creditor reference.

Type: *This message item is composed of the following* ***CreditorReferenceType1*** *element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.94	{Or	Code	<Cd>	[1..1]	Code
3.95	Or}	Proprietary	<Prtry>	[1..1]	Text

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.96		Issuer	<Issr>	[0..1]	Text

3.94 Code <Cd>

Presence: [1..1]
*This message item is part of choice **3.93** CreditorReferenceType.*
Definition: Coded creditor reference type.
Data Type: Code
*One of the following **DocumentType3Code** values must be used:*

Code	Name	Definition
DISP	DispatchAdvice	Document is a dispatch advice.
FXDR	ForeignExchangeDealReference	Document is a pre-agreed or pre-arranged foreign exchange transaction to which the payment transaction refers.
PUOR	PurchaseOrder	Document is a purchase order.
RADM	RemittanceAdviceMessage	Document is a remittance advice sent separately from the current transaction.
RPIN	RelatedPaymentInstruction	Document is a linked payment instruction to which the current payment instruction is related, eg, in a cover scenario.
SCOR	StructuredCommunicationReference	Document is a structured communication reference provided by the creditor to identify the referred transaction.

3.95 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **3.93** CreditorReferenceType.*
Definition: Creditor reference type not avilable in a coded format.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.96 Issuer <Issr>

Presence: [0..1]
Definition: Identification of the issuer of the credit reference type.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.97 CreditorReference <CdtrRef>

Presence: [0..1]
Definition: Unique and unambiguous reference assigned by the creditor to refer to the payment transaction.

Usage: if available, the initiating party should provide this reference in the structured remittance information, to enable reconciliation by the creditor upon receipt of the cash.

If the business context requires the use of a creditor reference or a payment remit identification, and only one identifier can be passed through the end-to-end chain, the creditor's reference or payment remittance identification should be quoted in the end-to-end transaction identification.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.98 Invoicer <Invcr>

Presence: [0..1]

Definition: Identification of the organization issuing the invoice when different than the creditor or final party.

Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.99 Invoicee <Invcee>

Presence: [0..1]

Definition: Identification of the party to whom an invoice is issued, when different than the originator or debtor.

Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.100 AdditionalRemittanceInformation <AddtlRmtInf>

Presence: [0..1]

Definition: Additional information, in free text form, to complement the structured remittance information.

Data Type: Max140Text

Format: maxLength: 140
minLength: 1

3.101 UltimateDebtor <UltmtDbtr>

Presence: [0..1]
Definition: Ultimate party that owes an amount of money to the (ultimate) creditor.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.102 Debtor <Dbtr>

Presence: [0..1]
Definition: Party that owes an amount of money to the (ultimate) creditor.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.103 DebtorAccount <DbtrAcct>

Presence: [0..1]
Definition: Unambiguous identification of the account of the debtor to which a debit entry will be made as a result of the transaction.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.104 DebtorAgent <DbtrAgt>

Presence: [0..1]
Definition: Financial institution servicing an account for the debtor.
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.105 DebtorAgentAccount <DbtrAgtAcct>

Presence: [0..1]
Definition: Unambiguous identification of the account of the debtor agent at its servicing agent in the payment chain.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.106 CreditorAgent <CdtrAgt>

Presence: [0..1]
Definition: Financial institution servicing an account for the creditor.
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.107 CreditorAgentAccount <CdtrAgtAcct>

Presence: [0..1]
Definition: Unambiguous identification of the account of the creditor agent at its servicing agent in the payment chain.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.108 Creditor <Cdtr>

Presence: [0..1]
Definition: Party to which an amount of money is due.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.109 CreditorAccount <CdtrAcct>

Presence: [0..1]
Definition: Unambiguous identification of the account of the creditor to which a credit entry will be posted as a result of the payment transaction.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.110 UltimateCreditor <UltmtCdtr>

Presence: [0..1]
Definition: Ultimate party to which an amount of money is due.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

Business Example - Reversal of a FIToFICustomerDirectDebit

Narrative

On 4 July 2006, AAAAUS29 finds out that the FIToFICustomerDirectDebit message it sent to ABABUS23 on 28 June 2006, for the collection of USD 1025 from Debtor Jones, was a duplicated payment instruction. As the requested collection date was 3 July 2006, AAAAUS29 decides to send a FIToFIPaymentReversal message to its correspondent ABABUS23, giving the reason for the reversal.
Any potential charges related to the reversal will be settled outside of the message (i.e. as part of the monthly billing process).
Note : the FIToFICustomerDirectDebit instruction from AAAAUS29 to ABABUS23 is included in the business example section of the FIToFICustomerDirectDebit message.

Business Description

FIToFIPaymentReversal from AAAAUS29 to ABABUS23 :

Element	***<XMLTag>***	***Content***
Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	AAAAUS29-REVERSAL/0012
CreationDateTime	<CreDtTm>	2006-07-04T=10:35:00
NumberOfTransactions	<NbOfTxs>	1
InterbankSettlementDate	<IntrBkSttlmDt>	2006-07-04
SettlementInformation	<SttlmInf>	
Settlement Method	<SttlmMtd>	INDA
InstructingAgent	<InstgAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAUS29
InstructedAgent	<InstdAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	ABABUS23
OriginalGroupInformation	<OrgnlGrpInf>	
OriginalMessageIdentification	<OrgnlMsgId>	AAAA060327-123v
OriginalMessageName Identification	<OrgnlMsgNmId>	Pacs.003.001.01
OriginalCreationDateAndTime	<OrgnlCreDtTm>	2006-06-28T10:05:00

TransactionInformation	<TxInf>	
ReversalID	<RvslId>	AAAAUS29_REV2563
OriginalEndToEndIdentification	<OrgnlEndToEnd>	VA060327/0123
OriginalTransactionID	<OrgnlTxID>	AAAAUS29/20060628/ad458
ReversedInterbankSettlementAmount	<RvsdIntrBkSttlmAmtCcy=USD>	1025.00
ReversedInstructedAmount	<RvsdInstdAmtCcy=USD>	1025.00
ReversalReasonInformation	<RvslRsnInf>	
ReversalOriginator	<RvslOrgtr>	
Identification	<Id>	
OrganisationIdentification	<OrgId>	
BIC	<BIC>	AAAAUS29
ReversalReason	<RvslRsn>	
Code	<Cd>	AM05
OriginalTransactionReference	<OrgnlTxRef>	
InterbankSettlementAmount	<IntrBkSttlmAmt>	1025.00
InterbankSettlementDate	<IntrBkSttlmDt>	2006-06-28
RequestedCollectionDate	<ReqdColltnDt>	2006-07-03
MandateRelatedInformation	<MndtRltdInf>	
MandateIdentification	<MndtId>	VIRGAY123
Debtor	<Dbtr>	
Name	<Nm>	Jones
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Hudston Street
BuildingNumber	<BldgNb>	19
PostCode	<PstCd>	NJ 07302
TownName	<TwnNm>	Jersey City
Country	<Ctry>	US
DebtorAccount	<DbtrAcct>	
Identification	<Id>	
ProprietaryAccount	<PrtryAcct>	
Identification	<Id>	123456
DebtorAgent	<DbtrAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBUS39
Creditor	<Cdtr>	
Name	<Nm>	Jones
PostalAddress	<PstlAdr>	

StreetName	<StrtNm>	Virginia Lane
BuildingNumber	<BldgNb>	36
PostCode	<PstCd>	NJ 07311
TownName	<TwnNm>	Jersey City
Country	<Ctry>	US

XML Instance


```
<pacs.007.001.01>
  <GrpHdr>
    <MsgId>AAAAUS29-REVERSAL/0012</MsgId>
    <CreDtTm>2006-07-04T10:35:00</CreDtTm>
    <NbOfTxs>1</NbOfTxs>
    <IntrBkSttlmDt>2006-07-04</IntrBkSttlmDt>
    <SttlmInf>  <SttlmMtd>INDA</SttlmMtd></SttlmInf><InstgAgt>
      <FinInstnId>
        <BIC>AAAAUS29</BIC>
      </FinInstnId>
    </InstgAgt>
    <InstdAgt>
      <FinInstnId>
        <BIC>ABABUS23</BIC>
      </FinInstnId>
    </InstdAgt>
  </GrpHdr>
  <OrgnlGrpInf>
    <OrgnlMsgId>AAAA060327-123v</OrgnlMsgId>
    <OrgnlMsgNmId>Pacs.003.001.01</OrgnlMsgNmId>
    <OrgnlCreDtTm>2006-06-28T10:05:00</OrgnlCreDtTm>
  </OrgnlGrpInf>
  <TxInf>
    <RvslId>AAAAUS29_REV2563</RvslId>
    <OrgnlEndToEndId>VA060327/0123</OrgnlEndToEndId>
    <OrgnlTxId>AAAAUS29/20060628/ad458</OrgnlTxId>
    <RvsdIntrBkSttlmAmt Ccy = "USD">1025.00</RvsdIntrBkSttlmAmt>
    <RvsdInstdAmt Ccy = "USD">1025.00</RvsdInstdAmt>
    <RvslRsnInf>
      <RvslOrgtr>
        <Id>
          <OrgId>
            <BIC>AAAAUS29</BIC>
          </OrgId>
        </Id>
      </RvslOrgtr>
      <RvslRsn>
        <Cd>AM05</Cd>
      </RvslRsn>
    </RvslRsnInf>
    <OrgnlTxRef>
```

```
        <IntrBkSttlmAmt Ccy = "USD">1025.00</IntrBkSttlmAmt>
        <IntrBkSttlmDt>2006-06-28</IntrBkSttlmDt>
        <ReqdColltnDt>2006-07-03</ReqdColltnDt>
        <MndtRltdInf>
          <MndtId>VIRGAY123</MndtId>
        </MndtRltdInf>
        <Dbtr>
          <Nm>Jones</Nm>
          <PstlAdr>
            <StrtNm>Hudson Street</StrtNm>
            <BldgNb>19</BldgNb>
            <PstCd>NJ 07302</PstCd>
            <TwnNm>Jersey City</TwnNm>
            <Ctry>US</Ctry>
          </PstlAdr>
        </Dbtr>
        <DbtrAcct>
          <Id>
            <PrtryAcct>
              <Id>123456</Id>
            </PrtryAcct>
          </Id>
        </DbtrAcct>
        <DbtrAgt>
          <FinInstnId>
            <BIC>BBBBUS39</BIC>
          </FinInstnId>
        </DbtrAgt>
        <Cdtr>
          <Nm>Virgay</Nm>
          <PstlAdr>
            <StrtNm>Virginia Lane</StrtNm>
            <BldgNb>36</BldgNb>
            <PstCd>NJ 07311</PstCd>
            <TwnNm>Jersey City</TwnNm>
            <Ctry>US</Ctry>
          </PstlAdr>
        </Cdtr>
      </OrgnlTxRef>
    </TxInf>
  </pacs.007.001.01>
```

Message: FinancialInstitutionCreditTransferV01 <pacs.009.001.01>

Message Scope and Usage

Scope

The FinancialInstitutionCreditTransfer message is sent by a debtor financial institution to a creditor financial institution, directly or through other agents and/or a payment clearing and settlement system.
It is used to move funds from a debtor account to a creditor, where both debtor and creditor are financial institutions.

Usage

The FinancialInstitutionCreditTransfer message is exchanged between agents and can contain one or more credit transfer instructions where debtor and creditor are both financial institutions.

The FinancialInstitutionCreditTransfer message does not allow for grouping: a CreditTransferTransactionInformation block must be present for each credit transfer transaction.

The FinancialInstitutionCreditTransfer message can be used in domestic and cross-border scenarios.

Outline

The FinancialInstitutionCreditTransfer message is composed of 2 building blocks:

A. Group Header

This building block is mandatory and present once. It contains elements such as MessageIdentification, CreationDateAndTime.

B. Credit Transfer Transaction Information

This building block is mandatory and repetitive. It contains elements related to the debit and credit side of the transaction such as Creditor, Debtor.

Rules

InstructedAgentRule
If GroupHeader/InstructedAgent is present, then CreditTransferTransactionInformation/InstructedAgent is not allowed.

InstructingAgentRule
If GroupHeader/InstructingAgent is present, then CreditTransferTransactionInformation/InstructingAgent is not allowed.

TotalInterbankSettlementAmount1Rule
If GroupHeader/TotalInterbankSettlementAmount is present, then all occurrences of CreditTransferTransactionInformation/InterbankSettlementAmount must have the same currency as the currency of GroupHeader/TotalInterbankSettlementAmount.

TotalInterbankSettlementAmount2Rule
If GroupHeader/TotalInterbankSettlementAmount is present, then it must equal the sum of all occurrences of CreditTransferTransactionInformation/InterbankSettlementAmount.

InterbankSettlementDateRule

If GroupHeader/InterbankSettlementDate is present, then CreditTransferTransactionInformation/ InterbankSettlementDate is not allowed.
If GroupHeader/InterbankSettlementDate is not present, then CreditTransferTransactionInformation/ InterbankSettlementDate must be present.

PaymentTypeInformationRule
If GroupHeader/PaymentTypeInformation is present, then CreditTransferTransactionInformation/ PaymentTypeInformation is not allowed.

Note : Rules applying to specific message components or message elements are included in the description of the relevant message component or message element.

Message Structure

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
1.0		GroupHeader	<GrpHdr>	[1..1]		
1.1		MessageIdentification	<MsgId>	[1..1]	Text	
1.2		CreationDateTime	<CreDtTm>	[1..1]	DateTime	
1.3		BatchBooking	<BtchBookg>	[0..1]	Indicator	
1.4		NumberOfTransactions	<NbOfTxs>	[1..1]	Text	
1.5		ControlSum	<CtrlSum>	[0..1]	Quantity	
1.6		TotalInterbankSettlementAmount	<TtlIntrBkSttlmAmt>	[0..1]	Amount	
1.7		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime	
1.8		SettlementInformation	<SttlmInf>	[1..1]		
1.9		SettlementMethod	<SttlmMtd>	[1..1]	Code	
1.10		SettlementAccount	<SttlmAcct>	[0..1]	+	
1.11		ClearingSystem	<ClrSys>	[0..1]		
1.12	{Or	ClearingSystemIdentification	<ClrSysId>	[1..1]	Code	
1.13	Or}	Proprietary	<Prtry>	[1..1]	Text	
1.14		InstructingReimbursementAgent	<InstgRmbrsmntAgt>	[0..1]	+	
1.15		InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>	[0..1]	+	
1.16		InstructedReimbursementAgent	<InstdRmbrsmntAgt>	[0..1]	+	
1.17		InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>	[0..1]	+	
1.18		ThirdReimbursementAgent	<ThrdRmbrsmntAgt>	[0..1]	+	
1.19		ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>	[0..1]	+	
1.20		PaymentTypeInformation	<PmtTpInf>	[0..1]		

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
1.21		InstructionPriority	<InstrPrty>	[0..1]	Code	
1.22	{Or	ServiceLevel	<SvcLvl>	[0..1]		
1.23	{{Or}}	Proprietary	<Prtry>	[1..1]	Text	
1.24	Or}	ClearingChannel	<ClrChanl>	[0..1]	Code	
1.25		LocalInstrument	<LclInstrm>	[0..1]		
1.26	{Or}	Proprietary	<Prtry>	[1..1]	Text	
1.27		InstructingAgent	<InstgAgt>	[0..1]	+	
1.28		InstructedAgent	<InstdAgt>	[0..1]	+	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
2.0		CreditTransferTransactionInformation	<CdtTrfTxInf>	[1..n]		
2.1		PaymentIdentification	<PmtId>	[1..1]	+	
2.2		PaymentTypeInformation	<PmtTpInf>	[0..1]		
2.3		InstructionPriority	<InstrPrty>	[0..1]	Code	
2.4	{Or	ServiceLevel	<SvcLvl>	[0..1]		
2.5	{{Or}}	Proprietary	<Prtry>	[1..1]	Text	
2.6	Or}	ClearingChannel	<ClrChanl>	[0..1]	Code	
2.7		LocalInstrument	<LclInstrm>	[0..1]		
2.8	{Or}	Proprietary	<Prtry>	[1..1]	Text	
2.9		InterbankSettlementAmount	<IntrBkSttlmAmt>	[1..1]	Amount	
2.10		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime	
2.11		SettlementTimeIndication	<SttlmTmIndctn>	[0..1]		
2.12		DebitDateTime	<DbtDtTm>	[0..1]	DateTime	
2.13		CreditDateTime	<CdtDtTm>	[0..1]	DateTime	
2.14		SettlementTimeRequest	<SttlmTmReq>	[0..1]		
2.15		CLSTime	<CLSTm>	[1..1]	DateTime	
2.16		PreviousInstructingAgent	<PrvsInstgAgt>	[0..1]	+	
2.17		PreviousInstructingAgentAccount	<PrvsInstgAgtAcct>	[0..1]	+	
2.18		InstructingAgent	<InstgAgt>	[0..1]	+	
2.19		InstructedAgent	<InstdAgt>	[0..1]	+	
2.20		IntermediaryAgent1	<IntrmyAgt1>	[0..1]	+	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
2.21		IntermediaryAgent1Account	<IntrmyAgt1Acct>	[0..1]	+	
2.22		IntermediaryAgent2	<IntrmyAgt2>	[0..1]	+	
2.23		IntermediaryAgent2Account	<IntrmyAgt2Acct>	[0..1]	+	
2.24		IntermediaryAgent3	<IntrmyAgt3>	[0..1]	+	
2.25		IntermediaryAgent3Account	<IntrmyAgt3Acct>	[0..1]	+	
2.26		UltimateDebtor	<UltmtDbtr>	[0..1]	+	
2.27		Debtor	<Dbtr>	[1..1]	+	
2.28		DebtorAccount	<DbtrAcct>	[0..1]	+	
2.29		DebtorAgent	<DbtrAgt>	[0..1]	+	
2.30		DebtorAgentAccount	<DbtrAgtAcct>	[0..1]	+	
2.31		CreditorAgent	<CdtrAgt>	[0..1]	+	
2.32		CreditorAgentAccount	<CdtrAgtAcct>	[0..1]	+	
2.33		Creditor	<Cdtr>	[1..1]	+	
2.34		CreditorAccount	<CdtrAcct>	[0..1]	+	
2.35		UltimateCreditor	<UltmtCdtr>	[0..1]	+	
2.36		InstructionForCreditorAgent	<InstrForCdtrAgt>	[0..n]		
2.37		Code	<Cd>	[0..1]	Code	
2.38		InstructionInformation	<InstrInf>	[0..1]	Text	
2.39		InstructionForNextAgent	<InstrForNxtAgt>	[0..n]		
2.40		Code	<Cd>	[0..1]	Code	
2.41		InstructionInformation	<InstrInf>	[0..1]	Text	
2.42		RemittanceInformation	<RmtInf>	[0..1]		
2.43		Unstructured	<Ustrd>	[0..n]	Text	

Message Items Description

*The following section identifies the elements of the **FinancialInstitutionCreditTransferV01** message.*

1.0 GroupHeader <GrpHdr>

Presence: [1..1]
Definition: Set of characteristics shared by all individual transactions included in the message.
Type: *The **GroupHeader** block is composed of the following **GroupHeader4** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.1		MessageIdentification	<MsgId>	[1..1]	Text
1.2		CreationDateTime	<CreDtTm>	[1..1]	DateTime
1.3		BatchBooking	<BtchBookg>	[0..1]	Indicator

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.4		NumberOfTransactions	<NbOfTxs>	[1..1]	Text
1.5		ControlSum	<CtrlSum>	[0..1]	Quantity
1.6		TotalInterbankSettlementAmount	<TtlIntrBkSttlmAmt>	[0..1]	Amount
1.7		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime
1.8		SettlementInformation	<SttlmInf>	[1..1]	
1.20		PaymentTypeInformation	<PmtTpInf>	[0..1]	
1.27		InstructingAgent	<InstgAgt>	[0..1]	+
1.28		InstructedAgent	<InstdAgt>	[0..1]	+

Rule(s): TotalInterbankSettlementAmountAndInterbankSettlementDateRule
If TotalInterbankSettlementAmount is present, then InterbankSettlementDate must be present.

1.1 MessageIdentification <MsgId>

Presence: [1..1]

Definition: Point to point reference assigned by the instructing party and sent to the next party in the chain to unambiguously identify the message.

Usage: The instructing party has to make sure that 'MessageIdentification' is unique per instructed party for a pre-agreed period.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

1.2 CreationDateTime <CreDtTm>

Presence: [1..1]

Definition: Date and time at which a (group of) payment instruction(s) was created by the instructing party.

Data Type: ISODateTime

1.3 BatchBooking <BtchBookg>

Presence: [0..1]

Definition: Identifies whether a single entry per individual transaction or a batch entry for the sum of the amounts of all transactions in the message is requested.

Data Type: *One of the following **BatchBookingIndicator** values must be used:*
MeaningWhenTrue: Identifies that a batch entry for the sum of the amounts of all transactions in the message is requested.
MeaningWhenFalse: Identifies that a single entry for each of the transactions in the message is requested.

1.4 NumberOfTransactions <NbOfTxs>

Presence: [1..1]

Definition: Number of individual transactions contained in the message.

Data Type: Max15NumericText

Format: [0-9]{1,15}

1.5 ControlSum <CtrlSum>

Presence: [0..1]

Definition: Total of all individual amounts included in the message, irrespective of currencies.

Data Type: DecimalNumber

Format: fractionDigits: 17
totalDigits: 18

1.6 TotalInterbankSettlementAmount <TtlIntrBkSttlmAmt>

Presence: [0..1]

Definition: Total amount of money transferred between instructing agent and instructed agent.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

1.7 InterbankSettlementDate <IntrBkSttlmDt>

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Data Type: ISODate

1.8 SettlementInformation <SttlmInf>

Presence: [1..1]

Definition: Specifies the details on how the settlement of the transaction(s) between the instructing agent and the instructed agent is completed.

Type: *This message item is composed of the following* ***SettlementInformation1*** *element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.9		SettlementMethod	<SttlmMtd>	[1..1]	Code
1.10		SettlementAccount	<SttlmAcct>	[0..1]	+
1.11		ClearingSystem	<ClrSys>	[0..1]	
1.14		InstructingReimbursementAgent	<InstgRmbrsmntAgt>	[0..1]	+
1.15		InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>	[0..1]	+
1.16		InstructedReimbursementAgent	<InstdRmbrsmntAgt>	[0..1]	+
1.17		InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>	[0..1]	+
1.18		ThirdReimbursementAgent	<ThrdRmbrsmntAgt>	[0..1]	+
1.19		ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>	[0..1]	+

Rule(s): InstructedReimbursementAgentAccountRule
If InstructedReimbursementAgent is not present, then InstructedReimbursementAgentAccount is not allowed.

InstructingReimbursementAgentAccountRule
If InstructingReimbursementAgent is not present, then InstructingReimbursementAgentAccount is not allowed.

SettlementMethod1Rule
If SettlementMethod is equal to INDA or INGA then:
- SettlementAccount may be present;
- ReimbursementAgent(s) is(are) not allowed;
- ClearingSystem is not allowed.

SettlementMethod2Rule
If SettlementMethod is equal to COVE then:
- SettlementAccount is not allowed;
- Reimbursement agent(s) must be present;
- ClearingSystem is not allowed.

SettlementMethod3Rule
If SettlementMethod is equal to CLRG then:
- SettlementAccount is not allowed;
- Reimbursement agent(s) is(are) not allowed;
- ClearingSystem must be present.

ThirdReimbursementAgentAccountRule
If ThirdReimbursementAgent is not present, then ThirdReimbursementAgentAccount is not allowed.

ThirdReimbursementAgentRule
If ThirdReimbursementAgent is present, then InstructingReimbursementAgent and InstructedReimbursementAgent must both be present.

1.9 SettlementMethod <SttlmMtd>

Presence: [1..1]
Definition: Method used to settle the (batch of) payment instructions.
Data Type: Code
*One of the following **SettlementMethod1Code** values must be used:*

Code	Name	Definition
CLRG	ClearingSystem	Settlement is done through a payment clearing system.
COVE	CoverMethod	Settlement is done through a cover payment.
INDA	InstructedAgent	Settlement is done by the agent instructed to execute a payment instruction.
INGA	InstructingAgent	Settlement is done by the agent instructing and forwarding the payment to the next party in the payment chain.

1.10 SettlementAccount <SttlmAcct>

Presence: [0..1]
Definition: A specific purpose account used to post debit and credit entries as a result of the transaction.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

1.11 ClearingSystem <ClrSys>

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

Type: *This message item is composed of one of the following **ClearingSystemIdentification1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.12	{Or	ClearingSystemIdentification	<ClrSysId>	[1..1]	Code
1.13	Or}	Proprietary	<Prtry>	[1..1]	Text

1.12 ClearingSystemIdentification <ClrSysId>

Presence: [1..1]

*This message item is part of choice **1.11** ClearingSystem.*

Definition: Infrastructure through which the payment instruction is processed.

Data Type: Code

*One of the following **CashClearingSystem3Code** values must be used:*

Code	Name	Definition
ABE	EBAEuro1Step1	Scheme code for EBA Euro1/Step1.
AIP	Albania	Scheme code for AL (Albania) - Albania Interbank Payment System.
ART	Austrian	Scheme code for AT (Austria) - Austrian RTGS (ARTIS).
AVP	NewZealand	Scheme code for NZ (New Zealand) - New Zealand Assured Value Payments.
AZM	Azerbaijan	Scheme code for AZ (Azerbaijan) - Azerbaijan Interbank Payment System (AZIPS).
BAP	BosniaHerzegovina	Scheme code for BA (Bosnia and Herzegovina).
BCC	SwedenBGC	Scheme code for SE (Sweden) - Sweden BGC Clearing CUG.
BDS	Barbados	Scheme code for BB (Barbados) - Barbados RTGS (CBRTGS).
BEL	Belgium	Scheme code for BE (Belgium) - Belgium RTGS (ELLIPS).

Code	Name	Definition
BGN	Bulgaria	Scheme code for BG (Bulgaria) - Bulgaria RTGS.
BHS	Bahamas	Scheme code for BS (Bahamas) - Bahamas RTGS.
BIS	Botswana	Scheme code for BW (Botswana) - Botswana Interbank Settlement System.
BOF	Finland	Scheme code for FI (Finland) - RTGS (BOF).
BOJ	BankOfJapanNet	Scheme code for the Bank of Japan clearing system.
BRL	Italy	Scheme code for IT (Italy) - Italy RTGS (BIREL).
BSP	Philippines	Scheme code for PH (Philippines) - Philippines Payment System.
CAD	Canada	Scheme code for CA (Canada) - Canadian Large Value Transfer System (LVTS)
CAM	SpainCAM	Scheme code for ES (Spain).
CBJ	Ireland	Scheme code for IE (Ireland) - Irish RTGS (IRIS).
CHI	USChips	CHIPS is the Clearing House Interbank Payment System in the US.
CHP	UnitedKingdom	Scheme code for GB (UK) - British Euro RTGS (CHAPS).
COP	Columbia	Scheme code for Columbia (CO) - Colombian ACH CENIT Central Bank Payment System.
DDK	DenmarkDDK	Scheme code for DK (Denmark) - Danish Krone RTGS (KRONOS)
DKC	Denmark	Scheme code for DK (Denmark) - Danish Euro RTGS (KRONOS)
EBA	EBAEuro1	Scheme code for EBA Euro1.
ELS	GermanyELS	Scheme code for DE (Germany).
EPM	ECB	Scheme code for ECB (European Central Bank) - ECB Payment Mechanism.
EPN	USChipsACH	Scheme code for the US CHIPS-ACH.
ERP	EBAStep1	Scheme code for EBA step 1 (members).
FDA	USFedACH	Scheme code for the US FED-ACH.
FDW	Fedwire	Scheme code for the US national real time gross settlement system.
FEY	ForeignExchangeYenClearing	Scheme code for the Foreign Exchange Yen Clearing system (FEYCS). It is the Japanese electronic interbank system for sending guaranteed and unconditional yen payments of FX deals for same day settlement from one settlement bank, on behalf of itself or its customers, to another settlement bank.
GIS	Ghana	Scheme code for GH (Ghana) - Ghana Interbank Settlement System (GISS).
HRK	Croatia	Scheme code for HR (Croatia) - HSVP.
HRM	Greece	Scheme code for GR (Greece) - Greek RTGS (HERMES).

Code	Name	Definition
HUF	Hungary	Scheme code for HU (Hungary) - VIBER.
INC	NetherlandsIP	Scheme code for NL (Netherlands) - Netherlands Interpay CUG.
JOD	Jordan	Scheme code for JO (Jordan) - Jordan RTGS.
KPS	Kenya	Scheme code for KE (Kenya) - Kenyan Electronic Payment Settlement System.
LGS	Luxemburg	Scheme code for LU (Luxemburg) - Luxembourg RTGS (LIPS).
LKB	SriLanka	Scheme code for LK (Sri Lanka) - Sri Lanka (Lankasettle).
LVL	Latvia	Scheme code for LV (Latvia).
MEP	Singapore	Scheme code for SG (Singapore) - Singapore RTGS (MEPS +).
MOS	SouthAfrica	Scheme code for ZA (South Africa) - South-African Multiple Option Settlement.
MRS	Malta	Scheme code for MT (Malta) - Malta Realtime Interbank Settlement System.
MUP	Mauritius	Scheme code for MU (Mauritius).
NAM	Namibia	Scheme code for NA (Namibian) - Namibian Interbank Settlement System.
NOC	Norway	Scheme code for NO (Norway).
PCH	Switzerland	Scheme code for CH (Switzerland).
PDS	Australia	Scheme code for AU (Australia).
PEG	Egypt	Scheme code for EG (Egypt).
PNS	FrancePNS	Scheme code for FR (France).
PTR	Angola	Scheme code for AO (Angola) - Angola RTGS.
PVE	Venezuela	Scheme code for Ve (Venezuela).
ROL	RomaniaEPO	Scheme code for RO (Romania) - Romanian Electronic Payment Operations RT.
ROS	RomaniaGSRS	Scheme code for RO (Romania) - Romanian GSRS.
RTP	GermanyRTGSPlus	Scheme code for DE (Germany).
SCP	Chili	Scheme code for CL (Chile) - Chilean Interbank Payment System.
SEC	SwedenSEC	Scheme code for SE (Sweden) - Swedish Euro RTGS (SEC).
SIT	Slovania	Scheme code for SI (Slovenia).
SLB	SpainES	Scheme code for ES (Spain) - Spanish RTGS (SLBE).
SPG	Portugal	Scheme code for PT (Portugal) - Portuguese RTGS (SPGT).
SSK	SwedenSSK	Scheme code for SE (Sweden) - SEK RTGS (RIX).
STG	UnitedKingdomGBP	Scheme code for UK (United Kingdom) - CHAPS Sterling RTGS.

Code	Name	Definition
TBF	FranceFR	Scheme code for FR (France) - French RTGS (TBF).
TGT	Target	Scheme code for Target.
THB	Thailand	Scheme code for TH (Thailand) - Thailand Payment System (Bahtnet/2).
TIS	Tanzania	Scheme code for TZ (Tanzania) - Tanzania Interbank Settlement System (TISS).
TOP	Netherlands	Scheme code for NL (Netherlands) - Dutch RTGS (TOP)
TTD	TrinidadAndTobago	Scheme code for TT (Trinidad and Tobago) - Trinidad and Tobago SAFE-TT.
UIS	Uganda	Scheme code for UG (Uganda) - Uganda National Interbank Settlement System.
XCT	EBAStep2	Scheme code for EBA step 2.
ZEN	Zengin	Scheme code for the Zengin system. The electronic payment system for domestic third party transfers managed by the Tokyo Bankers Association.
ZET	Zimbabwe	Scheme code for ZW (Zimbabwe) - Zimbabwe Electronic Transfer & Settlement System.
ZIS	Zambia	Scheme code for ZM (Zambia) - Zambian Interbank Payment &Settlement System.

1.13 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **1.11** ClearingSystem.*

Definition: Proprietary clearing system service selected for a transaction.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

1.14 InstructingReimbursementAgent <InstgRmbrsmntAgt>

Presence: [0..1]

Definition: Agent through which the instructing agent will reimburse the instructed agent.

Usage: If InstructingAgent and InstructedAgent have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.15 InstructingReimbursementAgentAccount <InstgRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructing reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

1.16 InstructedReimbursementAgent <InstdRmbrsmntAgt>

Presence: [0..1]

Definition: Agent at which the instructed agent will be reimbursed.

Usage: If InstructedReimbursementAgent contains a branch of the InstructedAgent, then the instructed agent will claim reimbursement from that branch/will be paid by that branch.

Usage: If InstructingAgent and InstructedAgent have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.17 InstructedReimbursementAgentAccount <InstdRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructed reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

1.18 ThirdReimbursementAgent <ThrdRmbrsmntAgt>

Presence: [0..1]

Definition: Instructed agent's branch where the amount of money will be made available when different from the instructed reimbursement agent.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.19 ThirdReimbursementAgentAccount <ThrdRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the third reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

1.20 PaymentTypeInformation <PmtTpInf>

Presence: [0..1]

Definition: Set of elements that further specifies the type of transaction.

Type: *This message item is composed of the following **PaymentTypeInformation5** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.21		InstructionPriority	<InstrPrty>	[0..1]	Code
1.22	{Or	ServiceLevel	<SvcLvl>	[0..1]	
1.24	Or}	ClearingChannel	<ClrChanl>	[0..1]	Code

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.25		LocalInstrument	<LclInstrm>	[0..1]	

1.21 InstructionPriority <InstrPrty>

Presence: [0..1]

Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the instruction.

Data Type: Code

*When this message item is present, one of the following **Priority2Code** values must be used:*

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.

1.22 ServiceLevel <SvcLvl>

Presence: [0..1]

*This message item is part of choice **1.20** PaymentTypeInformation.*

Definition: Agreement under which or rules under which the transaction should be processed.

Type: *This message item is composed of one of the following **RestrictedProprietaryChoice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.23	{Or}	Proprietary	<Prtry>	[1..1]	Text

1.23 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **1.22** ServiceLevel.*

Definition: Proprietary identification of a pre-agreed level of service between the parties.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

1.24 ClearingChannel <ClrChanl>

Presence: [0..1]

*This message item is part of choice **1.20** PaymentTypeInformation.*

Definition: Specifies the clearing channel to be used for the instruction.

Data Type: Code

*When this message item is present, one of the following **ClearingChannel2Code** values must be used:*

Code	Name	Definition
BOOK	BookTransfer	Payment through internal book transfer.
MPNS	MassPaymentNetSystem	Clearing channel is a mass payment net settlement system.

Code	Name	Definition
RTGS	RealTimeGrossSettlementSystem	Clearing channel is a real-time gross settlement system.
RTNS	RealTimeNetSettlementSystem	Clearing channel is a real-time net settlement system.

1.25 LocalInstrument <LclInstrm>

Presence: [0..1]
Definition: User community specific instrument required for use within that user community.

Usage : When available, codes provided by local authorities should be used.

Type: *This message item is composed of one of the following **RestrictedProprietaryChoice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.26	{Or}	Proprietary	<Prtry>	[1..1]	Text

1.26 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **1.25** LocalInstrument.*
Definition: Proprietary identification of a pre-agreed level of service between the parties.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

1.27 InstructingAgent <InstgAgt>

Presence: [0..1]
Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.28 InstructedAgent <InstdAgt>

Presence: [0..1]
Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.0 CreditTransferTransactionInformation <CdtTrfTxInf>

Presence: [1..n]

Definition: Set of elements providing information specific to the individual credit transfer(s).

Type: *The **CreditTransferTransactionInformation** block is composed of the following **CreditTransferTransactionInformation3** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1		PaymentIdentification	<PmtId>	[1..1]	+
2.2		PaymentTypeInformation	<PmtTpInf>	[0..1]	
2.9		InterbankSettlementAmount	<IntrBkSttlmAmt>	[1..1]	Amount
2.10		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime
2.11		SettlementTimeIndication	<SttlmTmIndctn>	[0..1]	
2.14		SettlementTimeRequest	<SttlmTmReq>	[0..1]	
2.16		PreviousInstructingAgent	<PrvsInstgAgt>	[0..1]	+
2.17		PreviousInstructingAgentAccount	<PrvsInstgAgtAcct>	[0..1]	+
2.18		InstructingAgent	<InstgAgt>	[0..1]	+
2.19		InstructedAgent	<InstdAgt>	[0..1]	+
2.20		IntermediaryAgent1	<IntrmyAgt1>	[0..1]	+
2.21		IntermediaryAgent1Account	<IntrmyAgt1Acct>	[0..1]	+
2.22		IntermediaryAgent2	<IntrmyAgt2>	[0..1]	+
2.23		IntermediaryAgent2Account	<IntrmyAgt2Acct>	[0..1]	+
2.24		IntermediaryAgent3	<IntrmyAgt3>	[0..1]	+
2.25		IntermediaryAgent3Account	<IntrmyAgt3Acct>	[0..1]	+
2.26		UltimateDebtor	<UltmtDbtr>	[0..1]	+
2.27		Debtor	<Dbtr>	[1..1]	+
2.28		DebtorAccount	<DbtrAcct>	[0..1]	+
2.29		DebtorAgent	<DbtrAgt>	[0..1]	+
2.30		DebtorAgentAccount	<DbtrAgtAcct>	[0..1]	+
2.31		CreditorAgent	<CdtrAgt>	[0..1]	+
2.32		CreditorAgentAccount	<CdtrAgtAcct>	[0..1]	+
2.33		Creditor	<Cdtr>	[1..1]	+

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.34		CreditorAccount	<CdtrAcct>	[0..1]	+
2.35		UltimateCreditor	<UltmtCdtr>	[0..1]	+
2.36		InstructionForCreditorAgent	<InstrForCdtrAgt>	[0..n]	
2.39		InstructionForNextAgent	<InstrForNxtAgt>	[0..n]	
2.42		RemittanceInformation	<RmtInf>	[0..1]	

Rule(s): CreditorAgentAccountRule
If CreditorAgent is not present, then CreditorAgentAccount is not allowed.

DebtorAgentAccountRule
If DebtorAgent is not present, then DebtorAgentAccount is not allowed.

IntermediaryAgent1AccountRule
If IntermediaryAgent1 is not present, then IntermediaryAgent1Account is not allowed.

IntermediaryAgent1Rule
If IntermediaryAgent1 is present, then CreditorAgent must be present.

IntermediaryAgent2AccountRule
If IntermediaryAgent2 is not present, then IntermediaryAgent2Account is not allowed.

IntermediaryAgent2Rule
If IntermediaryAgent2 is present, then IntermediaryAgent1 must be present.

IntermediaryAgent3AccountRule
If IntermediaryAgent3 is not present, then IntermediaryAgent3Account is not allowed.

IntermediaryAgent3Rule
If IntermediaryAgent3 is present, then IntermediaryAgent2 must be present.

PreviousInstructingAgentAccountRule
If PreviousInstructingAgent is not present, then PreviousInstructingAgentAccount is not allowed.

Guideline(s): UltimateCreditorGuideline
UltimateCreditor may only be present if different from Creditor.

UltimateDebtorGuideline
UltimateDebtor may only be present if different from Debtor.

2.1 PaymentIdentification <PmtId>

Presence: [1..1]

Definition: Set of elements to reference a payment instruction.

Type: *This message item is composed of the following **PaymentIdentification2** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	InstructionIdentification	<InstrId>	[0..1]	Text

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	EndToEndIdentification	<EndToEndId>	[1..1]	Text
	TransactionIdentification	<TxId>	[1..1]	Text

For additional Type information, please refer to PaymentIdentification2 p.486 in 'Message Item Types' section

2.2 PaymentTypeInformation <PmtTpInf>

Presence: [0..1]
Definition: Set of elements that further specifies the type of transaction.
Type: *This message item is composed of the following **PaymentTypeInformation5** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.3		InstructionPriority	<InstrPrty>	[0..1]	Code
2.4	{Or	ServiceLevel	<SvcLvl>	[0..1]	
2.6	Or}	ClearingChannel	<ClrChanl>	[0..1]	Code
2.7		LocalInstrument	<LclInstrm>	[0..1]	

2.3 InstructionPriority <InstrPrty>

Presence: [0..1]
Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the instruction.
Data Type: Code
*When this message item is present, one of the following **Priority2Code** values must be used:*

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.

2.4 ServiceLevel <SvcLvl>

Presence: [0..1]
*This message item is part of choice **2.2** PaymentTypeInformation.*
Definition: Agreement under which or rules under which the transaction should be processed.
Type: *This message item is composed of one of the following **RestrictedProprietaryChoice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.5	{Or}	Proprietary	<Prtry>	[1..1]	Text

2.5 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **2.4** ServiceLevel.*

Definition: Proprietary identification of a pre-agreed level of service between the parties.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.6 ClearingChannel <ClrChanl>

Presence: [0..1]
*This message item is part of choice **2.2** PaymentTypeInformation.*
Definition: Specifies the clearing channel to be used for the instruction.
Data Type: Code
*When this message item is present, one of the following **ClearingChannel2Code** values must be used:*

Code	Name	Definition
BOOK	BookTransfer	Payment through internal book transfer.
MPNS	MassPaymentNetSystem	Clearing channel is a mass payment net settlement system.
RTGS	RealTimeGrossSettlementSystem	Clearing channel is a real-time gross settlement system.
RTNS	RealTimeNetSettlementSystem	Clearing channel is a real-time net settlement system.

2.7 LocalInstrument <LclInstrm>

Presence: [0..1]
Definition: User community specific instrument required for use within that user community.

Usage : When available, codes provided by local authorities should be used.
Type: *This message item is composed of one of the following **RestrictedProprietaryChoice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.8	{Or}	Proprietary	<Prtry>	[1..1]	Text

2.8 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **2.7** LocalInstrument.*
Definition: Proprietary identification of a pre-agreed level of service between the parties.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.9 InterbankSettlementAmount <IntrBkSttlmAmt>

Presence: [1..1]
Definition: Amount of money moved between the instructing agent and the instructed agent.
Data Type: CurrencyAndAmount
*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

2.10 InterbankSettlementDate <IntrBkSttlmDt>

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Data Type: ISODate

2.11 SettlementTimeIndication <SttlmTmIndctn>

Presence: [0..1]

Definition: Provides information on the occurred settlement time(s) of the payment transaction.

Type: *This message item is composed of the following* ***SettlementDateTimeIndication1*** *element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.12		DebitDateTime	<DbtDtTm>	[0..1]	DateTime
2.13		CreditDateTime	<CdtDtTm>	[0..1]	DateTime

2.12 DebitDateTime <DbtDtTm>

Presence: [0..1]

Definition: Date and time at which a payment has been debited at the transaction administrator. In the case of TARGET, the date and time at which the payment has been debited at the central bank, expressed in Central European Time (CET).

Data Type: ISODateTime

2.13 CreditDateTime <CdtDtTm>

Presence: [0..1]

Definition: Date and time at which a payment has been credited at the transaction administrator. In the case of TARGET, the date and time at which the payment has been credited at the receiving central bank, expressed in Central European Time (CET).

Data Type: ISODateTime

2.14 SettlementTimeRequest <SttlmTmReq>

Presence: [0..1]

Definition: Provides information on the requested settlement time of the payment instruction.

Type: *This message item is composed of the following* ***SettlementTimeRequest1*** *element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.15		CLSTime	<CLSTm>	[1..1]	DateTime

2.15 CLSTime <CLSTm>

Presence: [1..1]

Definition: Time by which the funds must be credited, with confirmation, to the CLS Bank's account at the central bank, expressed in Central European Time (CET).

Data Type: ISOTime

2.16 PreviousInstructingAgent <PrvsInstgAgt>

Presence: [0..1]

Definition: Agent immediately prior to the instructing agent.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.17 PreviousInstructingAgentAccount <PrvsInstgAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the previous instructing agent at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.18 InstructingAgent <InstgAgt>

Presence: [0..1]

Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.19 InstructedAgent <InstdAgt>

Presence: [0..1]

Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.20 IntermediaryAgent1 <IntrmyAgt1>

Presence: [0..1]

Definition: Agent between the debtor agent and creditor agent.

Usage: If more than one intermediary agent is present, then IntermediaryAgent1 identifies the agent between the debtor agent and the intermediary agent 2.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.21 IntermediaryAgent1Account <IntrmyAgt1Acct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 1 at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.22 IntermediaryAgent2 <IntrmyAgt2>

Presence: [0..1]

Definition: Agent between the debtor agent and creditor agent.

Usage: If more than one intermediary agent is present, then IntermediaryAgent2 identifies the agent between the intermediary agent 1 and the intermediary agent 3.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.23 IntermediaryAgent2Account <IntrmyAgt2Acct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 2 at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.24 IntermediaryAgent3 <IntrmyAgt3>

Presence: [0..1]

Definition: Agent between the debtor agent and creditor agent.

Usage: If more than one intermediary agent is present, then IntermediaryAgent3 identifies the agent between the intermediary agent 2 and the creditor agent.

Type: *This message item is composed of the following* ***BranchAndFinancialInstitutionIdentification3*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.25 IntermediaryAgent3Account <IntrmyAgt3Acct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the intermediary agent 3 at its servicing agent in the payment chain.

Type: *This message item is composed of the following* ***CashAccount7*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.26 UltimateDebtor <UltmtDbtr>

Presence: [0..1]

Definition: Ultimate financial institution that owes an amount of money to the (ultimate) institutional creditor.

Type: *This message item is composed of the following* ***BranchAndFinancialInstitutionIdentification3*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.27 Debtor <Dbtr>

Presence: [1..1]

Definition: Financial institution that owes an amount of money to the (ultimate) financial institutional creditor.

Type: *This message item is composed of the following* ***BranchAndFinancialInstitutionIdentification3*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.28 DebtorAccount <DbtrAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the debtor to which a debit entry will be made as a result of the transaction.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.29 DebtorAgent <DbtrAgt>

Presence: [0..1]

Definition: Financial institution servicing an account for the debtor.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.30 DebtorAgentAccount <DbtrAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the debtor agent at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.31 CreditorAgent <CdtrAgt>

Presence: [0..1]
Definition: Financial institution servicing an account for the creditor.
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.32 CreditorAgentAccount <CdtrAgtAcct>

Presence: [0..1]
Definition: Unambiguous identification of the account of the creditor agent at its servicing agent in the payment chain.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.33 Creditor <Cdtr>

Presence: [1..1]
Definition: Financial institution that receives an amount of money from the financial institutional debtor.
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.34 CreditorAccount <CdtrAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the creditor to which a credit entry will be posted as a result of the payment transaction.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

2.35 UltimateCreditor <UltmtCdtr>

Presence: [0..1]

Definition: Ultimate financial institution to which an amount of money is due.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.36 InstructionForCreditorAgent <InstrForCdtrAgt>

Presence: [0..n]

Definition: Further information related to the processing of the payment instruction that may need to be acted upon by the creditor agent.

Usage: The instruction can relate to a level of service, can be an instruction to be executed by the creditor's agent, or can be information required by the creditor's agent to process the instruction.

Type: *This message item is composed of the following **InstructionForCreditorAgent2** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.37		Code	<Cd>	[0..1]	Code
2.38		InstructionInformation	<InstrInf>	[0..1]	Text

2.37 Code <Cd>

Presence: [0..1]

Definition: Coded information related to the processing of the payment instruction, provided by the initiating party, and intended for the creditor's agent.

Data Type: Code

*When this message item is present, one of the following **Instruction5Code** values must be used:*

Code	Name	Definition
PHOB	PhoneBeneficiary	Please advise/contact (ultimate) creditor/claimant by phone
TELB	Telecom	Please advise/contact (ultimate) creditor/claimant by the most efficient means of telecommunication.

2.38 InstructionInformation <InstrInf>

Presence: [0..1]

Definition: Further information complementing the coded instruction or instruction to the creditor's agent that is bilaterally agreed or specific to a user community.

Data Type: Max140Text

Format: maxLength: 140
minLength: 1

2.39 InstructionForNextAgent <InstrForNxtAgt>

Presence: [0..n]

Definition: Further information related to the processing of the payment instruction that may need to be acted upon by the next agent.

Usage: The next agent may not be the creditor agent.
The instruction can relate to a level of service, can be an instruction that has to be executed by the agent, or can be information required by the next agent.

Type: *This message item is composed of the following **InstructionForNextAgent1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.40		Code	<Cd>	[0..1]	Code
2.41		InstructionInformation	<InstrInf>	[0..1]	Text

2.40 Code <Cd>

Presence: [0..1]

Definition: Coded information related to the processing of the payment instruction, provided by the initiating party, and intended for the next agent in the payment chain.

Data Type: Code

*When this message item is present, one of the following **Instruction4Code** values must be used:*

Code	Name	Definition
PHOA	PhoneNextAgent	Please advise/contact next agent by phone.
TELA	TelecomNextAgent	Please advise/contact next agent by the most efficient means of telecommunication.

2.41 InstructionInformation <InstrInf>

Presence: [0..1]

Definition: Further information complementing the coded instruction or instruction to the next agent that is bilaterally agreed or specific to a user community.

Data Type: Max140Text

Format: maxLength: 140
minLength: 1

2.42 RemittanceInformation <RmtInf>

Presence: [0..1]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle.

Type: *This message item is composed of the following **RemittanceInformation2** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.43		Unstructured	<Ustrd>	[0..n]	Text

2.43 Unstructured <Ustrd>

Presence: [0..n]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, eg, commercial invoices in an accounts' receivable system in an unstructured form.

Data Type: Max140Text

Format: maxLength: 140
minLength: 1

Business Example 1

Narrative-Step 1

Under business example 1 of the FIToFICustomerCreditTransfer, BBBB Bank, New York (BBBBUS33) sent an FIToFICustomerCreditTransfer message to AAAA Bank (AAAAGB2L) using the cover method as BBBB Bank does not have a JPY account relationship with AAAA Bank. BBBB Bank uses CCCC Bank, Tokyo as its correspondent. AAAA Bank uses AAAA Bank, Tokio (AAAAJPJT) as its JPY correspondent. Immediately after sending the FIToFICustomerCreditTransfer to AAAA Bank, BBBB Bank sends its correspondent CCCC Bank a FinancialInstitutionCreditTransfer message to cover the customer payment.

Business Description

FinancialInstitutionCreditTransfer from BBBB Bank to CCCC Bank :

Element	***<XMLTag>***	***Content***
Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	BBBB/060928-FICT/JPY/430
CreationDateTime	<CreDtTm>	2006-09-28T16:00:00
NumberOfTransactions	<NbOfTxs>	1
SettlementInformation	<SttlmInf>	
SettlementMethod	<SttlmMtd>	INDA

InstructingAgent	<InstgAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBUS33
InstructedAgent	<InstdAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	CCCCJPJT
CreditTransferTransactionInformation	<CdtTrfTxInf>	
PaymentIdentification	<PmtId>	
InstructionIdentification	<InstrId>	BBBB/060928-FICT/JPY/430/1
EndToEndIdentification	<EndToEndId>	BBBB/060928-CCT/JPY/123/1
Transaction Identification	<TxId>	BBBB/060928-FICT/JPY/430/1
InterbankSettlementAmount	<IntrBkSttlmAmt>Ccy=JPY	10000000.
InterbankSettlementDate	<IntrBkSttlmDt>	2006-09-29
Debtor	<Dbtr>	
FinancialInstitutionIdentification	<FinInstId>	
BIC	<BIC>	BBBBUS33
CreditorAgent	<CdtrAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAJPJT
Creditor	<Cdtr>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAGB2L

XML Instance

```
<pacs.009.001.01>
    <GrpHdr>
      <MsgId>BBBB/060928-FICT/JPY/430</MsgId>
      <CreDtTm>2006-09-28T16:01:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <SttlmInf>
        <SttlmMtd>INDA</SttlmMtd>
      </SttlmInf>
      <InstgAgt>
        <FinInstnId>
          <BIC>BBBBUS33</BIC>
        </FinInstnId>
      </InstgAgt>
      <InstdAgt>
        <FinInstnId>
          <BIC>CCCCJPJT</BIC>
        </FinInstnId>
```

```
      </InstdAgt>
    </GrpHdr>
    <CdtTrfTxInf>
      <PmtId>
        <InstrId>BBBB/060928-FICT/JPY/430/1</InstrId>
        <EndToEndId>BBBB/060928-CCT/JPY/123/1</EndToEndId>
        <TxId>BBBB/060928-FICT/JPY/430/1</TxId>
      </PmtId>
      <IntrBkSttlmAmt Ccy = "JPY">10000000</IntrBkSttlmAmt>
      <IntrBkSttlmDt>2006-09-29</IntrBkSttlmDt>
      <Dbtr>
        <FinInstnId>
          <BIC>BBBBUS33</BIC>
        </FinInstnId>
      </Dbtr>
      <CdtrAgt>
        <FinInstnId>
          <BIC>AAAAJPJT</BIC>
        </FinInstnId>
      </CdtrAgt>
      <Cdtr>
        <FinInstnId>
          <BIC>AAAAGB2L</BIC>
        </FinInstnId>
      </Cdtr>
    </CdtTrfTxInf>
  </pacs.009.001.01>
```


Narrative - Step 2

On receipt of the instruction of BBBB Bank, CCCC Bank forwards the FinancialInstitutionCreditTransfer to the Creditor Agent AAAAJPJT. CCCC Bank holds multiple accounts with AAAAJPJT, and specifies that account 3451571 has to be used for reimbursement.

Business Description

FinancialInstitutionCreditTransfer from CCCCJPJT to AAAAJPJT :

Element	***<XMLTag>***	***Content***
Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	CCCC/060929-FICT/743
CreationDateTime	<CreDtTm>	2006-09-29T08:00:10
NumberOfTransactions	<NbOfTxs>	1
SettlementInformation	<SttlmInf>	
SettlementMethod	<SttlmMtd>	INDA
SettlementAccount	<SttlmAcct>	
Identification	<Id>	
ProprietaryAccount	<PrtryAcct>	3451571
InstructingAgent	<InstgAgt>	

FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	CCCCJPJT
InstructedAgent	<InstdAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAJPJT
CreditTransferTransactionInformation	<CdtTrfTxInf>	
PaymentIdentification	<PmtId>	
InstructionIdentification	<InstrId>	CCCC/060929-FICT/743/1
EndToEndIdentification	<EndToEndId>	BBBB/060928-CCT/JPY/123/1
Transaction Identification	<TxId>	BBBB/060928-FICT/JPY/430/1
InterbankSettlementAmount	<IntrBkSttlmAmt>Ccy=JPY	10000000.
InterbankSettlementDate	<IntrBkSttlmDt>	2006-09-29
Debtor	<Dbtr>	
FinancialInstitutionIdentification	<FinInstId>	
BIC	<BIC>	BBBBUS33
Creditor	<Cdtr>	
FinancialInstitutionIdentification	<FinInstId>	
BIC	<BIC>	AAAAGB2L

XML Instance


```
<pacs.009.001.01>
    <GrpHdr>
      <MsgId>CCCC/060929-FICT/743</MsgId>
      <CreDtTm>2006-09-29T08:00:10</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <SttlmInf>
        <SttlmMtd>INDA</SttlmMtd>
        <SttlmAcct>
          <Id>
            <PrtryAcct>
              <Id>3451571</Id>
            </PrtryAcct>
          </Id>
        </SttlmAcct>
      </SttlmInf>
      <InstgAgt>
        <FinInstnId>
          <BIC>CCCCJPJT</BIC>
        </FinInstnId>
      </InstgAgt>
      <InstdAgt>
        <FinInstnId>
```

```
            <BIC>AAAAJPJT</BIC>
          </FinInstnId>
        </InstdAgt>
      </GrpHdr>
      <CdtTrfTxInf>
        <PmtId>
          <InstrId>CCCC/060929-FICT/743/1</InstrId>
          <EndToEndId>BBBB/060928-CCT/JPY/123/1</EndToEndId>
          <TxId>BBBB/060928-FICT/JPY/430/1</TxId>
        </PmtId>
        <IntrBkSttlmAmt Ccy = "JPY">10000000</IntrBkSttlmAmt>
        <IntrBkSttlmDt>2006-09-29</IntrBkSttlmDt>
        <Dbtr>
          <FinInstnId>
            <BIC>BBBBUS33</BIC>
          </FinInstnId>
        </Dbtr>
        <Cdtr>
          <FinInstnId>
            <BIC>AAAAGB2L</BIC>
          </FinInstnId>
        </Cdtr>
      </CdtTrfTxInf>
    </pacs.009.001.01>
```


Business Example 2

Narrative-Step 1

On 20 October 2006, AAAAFRPP agrees on a foreign exchange deal with BBBBITTT: 100 million SEK is sold against 10,621,575.00 EUR (exchange rate 9.4148). The deal is confirmed with common reference BBBBTT4148AAAAPP.
On the same day AAAAFRPP sends a FinancialInstitutionCreditTransfer message to its SEK correspondent CCCCSESS. They instruct CCCCSESS to debit their account 123456789 with value date 22 October 2006 to pay 100 million SEK to BBBBITTT.
BBBBITTT has communicated the following settlement instructions: the SEK amount is to be credited to the SEK sub-account of their account 995566ZZ876 with DDDDLULL. DDDDLULL owns a SEK account 24538877443 with FFFF Bank (FFFFSESS).

Business Description

FinancialInstitutionCreditTransfer from AAAAFRPP to CCCCSESS :

Element	***<XMLTag>***	***Content***
Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	AAAA/061020-SEK/005
CreationDateTime	<CreDtTm>	2006-10-20T11:03:00
NumberOfTransactions	<NbOfTxs>	1
SettlementInformation	<SttlmInf>	
SettlementMethod	<SttlmMtd>	INDA
SettlementAccount	<SttlmAcct>	

Identification	<Id>	
ProprietaryAccount	<PrtryAcct>	123456789
InstructingAgent	<InstgAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAFRPP
InstructedAgent	<InstdAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	CCCCSESS
CreditTransferTransactionInformation	<CdtTrfTxInf>	
PaymentIdentification	<PmtId>	
InstructionIdentification	<InstrId>	AAAA/061020-SEK/005/1
EndToEndIdentification	<EndToEndId>	BBBBTT4148AAAAPP
Transaction Identification	<TxId>	AAAA/061020-SEK/005/1
InterbankSettlementAmount	<IntrBkSttlmAmt>Ccy=JPY	100000000.
InterbankSettlementDate	<IntrBkSttlmDt>	2006-10-22
IntermediaryAgent1	<IntrmyAgt1>	
FinancialInstitutionIdentification	<FinInstId>	
BIC	<BIC>	FFFFSESS
Debtor	<Dbtr>	
FinancialInstitutionIdentification	<FinInstId>	
BIC	<BIC>	AAAAFRPP
CreditorAgent	<CdtrAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	DDDDLULL
CreditorAgentAccount	<CdtrAgtAcct>	
Identification	<Id>	
ProprietaryAccount	<PrtryAcct>	
Identification	<Id>	24538877443
Creditor	<Cdtr>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBITTT
CreditorAccount	<CdtrAcct>	
Identification	<Id>	
Proprietary Account	<PrtryAcct>	
Identification	<Id>	995566ZZ876
Currency	<Ccy>	SEK

XML Instance


```
<pacs.009.001.01>
    <GrpHdr>
      <MsgId>AAAA/061020-SEK/005</MsgId>
      <CreDtTm>2006-10-20T11:03:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <SttlmInf>
        <SttlmMtd>INDA</SttlmMtd>
        <SttlmAcct>
          <Id>
            <PrtryAcct>
              <Id>123456789</Id>
            </PrtryAcct>
          </Id>
        </SttlmAcct>
      </SttlmInf>
      <InstgAgt>
        <FinInstnId>
          <BIC>AAAAFRPP</BIC>
        </FinInstnId>
      </InstgAgt>
      <InstdAgt>
        <FinInstnId>
          <BIC>CCCCSESS</BIC>
        </FinInstnId>
      </InstdAgt>
    </GrpHdr>
    <CdtTrfTxInf>
      <PmtId>
        <InstrId>AAAA/061020-SEK/005/1</InstrId>
        <EndToEndId>BBBBTT4148AAAAPP</EndToEndId>
        <TxId>AAAA/061020-SEK/005/1</TxId>
      </PmtId>
      <IntrBkSttlmAmt Ccy = "SEK">100000000.</IntrBkSttlmAmt>
      <IntrBkSttlmDt>2006-10-22</IntrBkSttlmDt>
      <IntrmyAgt1>
        <FinInstnId>
          <BIC>FFFFSESS</BIC>
        </FinInstnId>
      </IntrmyAgt1>
      <Dbtr>
        <FinInstnId>
          <BIC>AAAAFRPP</BIC>
        </FinInstnId>
      </Dbtr>
      <CdtrAgt>
        <FinInstnId>
          <BIC>DDDDLULL</BIC>
        </FinInstnId>
      </CdtrAgt>
```

```
      <CdtrAgtAcct>
        <Id>
          <PrtryAcct>
            <Id>24538877443</Id>
          </PrtryAcct>
        </Id>
      </CdtrAgtAcct>
      <Cdtr>
        <FinInstnId>
          <BIC>BBBBITTT</BIC>
        </FinInstnId>
      </Cdtr>
      <CdtrAcct>
        <Id>
          <PrtryAcct>
            <Id>995566ZZ876</Id>
          </PrtryAcct>
        </Id>
        <Ccy>SEK</Ccy>
      </CdtrAcct>
    </CdtTrfTxInf>
  </pacs.009.001.01>
```


Narrative - Step 2

On 22 October 2006 CCCC forwards the FinancialInstitutionCreditTransfer to the next party in the chain FFFF through the Swedish RTGS system RIX.

Business Description

FinancialInstitutionCreditTransfer from CCCCSESS to FFFFSESS :

Element	***<XMLTag>***	***Content***
Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	CCCC/061022-SSK/075
CreationDateTime	<CreDtTm>	2006-10-22T09:00:00
NumberOfTransactions	<NbOfTxs>	1
SettlementInformation	<SttlmInf>	
SettlementMethod	<SttlmMtd>	CLRG
ClearingSystem	<ClrSys>	SSK
ClearingSystemIdentification	<ClrSysId>	
InstructingAgent	<InstgAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	CCCCSESS
InstructedAgent	<InstdAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	FFFFSESS
CreditTransferTransactionInformation	<CdtTrfTxInf>	

PaymentIdentification	<PmtId>	
InstructionIdentification	<InstrId>	CCCC/061022-SSK/075/1
EndToEndIdentification	<EndToEndId>	BBBBTT4148AAAAPP
Transaction Identification	<TxId>	AAAA/061020-SEK/005/1
InterbankSettlementAmount	<IntrBkSttlmAmt>Ccy=JPY	10000000.
InterbankSettlementDate	<IntrBkSttlmDt>	2006-10-22
Debtor	<Dbtr>	
FinancialInstitutionIdentification	<FinInstId>	
BIC	<BIC>	AAAAFRPP
CreditorAgent	<CdtrAgt>	
FinancialInstitutionIdentification	<FinInstId>	
BIC	<BIC>	DDDDLULL
CreditorAgentAccount	<CdtrAgAcct>	
Identification	<Id>	
Proprietary Account	<PrtryAcct>	
Identification	<Id>	24538877443
Creditor	<Cdtr>	
FinancialInstitutionIdentification	<FinInstId>	
BIC	<BIC>	BBBBITTT
CreditorAccount	<CdtrAcct>	
Identification	<Id>	
ProprietaryAccount	<PrtryAcct>	
Identification	<Id>	995566ZZ876
Currency	<Ccy>	SEK

XML Instance

```
<pacs.009.001.01>
    <GrpHdr>
      <MsgId>CCCC/061022-SSK/075</MsgId>
      <CreDtTm>2006-10-22T09:00:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <SttlmInf>
        <SttlmMtd>CLRG</SttlmMtd>
        <ClrSys>
          <ClrSysId>SSK</ClrSysId>
        </ClrSys>
      </SttlmInf>
      <InstgAgt>
        <FinInstnId>
          <BIC>CCCCSESS</BIC>
        </FinInstnId>
```

```
      </InstgAgt>
      <InstdAgt>
        <FinInstnId>
          <BIC>FFFFSESS</BIC>
        </FinInstnId>
      </InstdAgt>
    </GrpHdr>
    <CdtTrfTxInf>
      <PmtId>
        <InstrId>CCCC/061022-SSK/075/1</InstrId>
        <EndToEndId>BBBBTT4148AAAAPP</EndToEndId>
        <TxId>AAAA/061020-SEK/005/1</TxId>
      </PmtId>
      <IntrBkSttlmAmt Ccy = "SEK">100000000.</IntrBkSttlmAmt>
      <IntrBkSttlmDt>2006-10-22</IntrBkSttlmDt>
      <Dbtr>
        <FinInstnId>
          <BIC>AAAAFRPP</BIC>
        </FinInstnId>
      </Dbtr>
      <CdtrAgt>
        <FinInstnId>
          <BIC>DDDDLULL</BIC>
        </FinInstnId>
      </CdtrAgt>
      <CdtrAgtAcct>
        <Id>
          <PrtryAcct>
            <Id>24538877443</Id>
          </PrtryAcct>
        </Id>
      </CdtrAgtAcct>
      <Cdtr>
        <FinInstnId>
          <BIC>BBBBITTT</BIC>
        </FinInstnId>
      </Cdtr>
      <CdtrAcct>
        <Id>
          <PrtryAcct>
            <Id>995566ZZ876</Id>
          </PrtryAcct>
        </Id>
        <Ccy>SEK</Ccy>
      </CdtrAcct>
    </CdtTrfTxInf>
  </pacs.009.001.01>
```


Narrative - Step 3

FFFF sends a FinancialInstitutionCreditTransfer to the next party which is the creditor agent DDDD, Luxemburg, for whom they service a SEK account. On receipt, DDDD will credit the SEK account of its client BBBBITTT.

Business Description

FinancialInstitutionCreditTransfer from FFFFSESS to DDDDLULL :

Element	***<XMLTag>***	***Content***
Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	FFFF/061022-SEK/110
CreationDateTime	<CreDtTm>	2006-10-22T10:11:00
NumberOfTransactions	<NbOfTxs>	1
SettlementInformation	<SttlmInf>	
SettlementMethod	<SttlmMtd>	INGA
SettlementAccount	<SttlmAcct>	
Identification	<Id>	
ProprietaryAccount	<PrtryAcct>	
Identification	<Id>	24538877443
InstructingAgent	<InstgAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	FFFFSESS
InstructedAgent	<InstdAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	DDDDLULL
CreditTransferTransactionInformation	<CdtTrfTxInf>	
PaymentIdentification		
InstructionIdentification	<InstrId>	FFFF/061022-SEK/110/1
EndToEndIdentification	<EndToEndId>	BBBBTT4148AAAAPP
Transaction Identification	<TxId>	AAAA/061020-SEK/005/1
InterbankSettlementAmount	<IntrBkSttlmAmt>Ccy=JPY	10000000.
InterbankSettlementDate	<IntrBkSttlmDt>	2006-10-22
Debtor	<Dbtr>	
FinancialInstitutionIdentification	<FinInstId>	
BIC	<BIC>	AAAAFRPP
DebtorAgent	<DbtrAgt>	
FinancialInstitutionIdentification	<FinInstId>	
BIC	<BIC>	CCCCSESS
Creditor	<Cdtr>	
FinancialInstitutionIdentification	<FinInstId>	
BIC	<BIC>	BBBBITTT
CreditorAccount	<CdtrAcct>	
Identification	<Id>	

ProprietaryAccount	<PrtryAcct>	
Identification	<Id>	995566ZZ876
Currency	<Ccy>	SEK

XML Instance


```
<pacs.009.001.01>
    <GrpHdr>
      <MsgId>FFFF/061022-SEK/110</MsgId>
      <CreDtTm>2006-10-22T10:11:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <SttlmInf>
        <SttlmMtd>INGA</SttlmMtd>
        <SttlmAcct>
          <Id>
            <PrtryAcct>
              <Id>24538877443</Id>
            </PrtryAcct>
          </Id>
        </SttlmAcct>
      </SttlmInf>
      <InstgAgt>
        <FinInstnId>
          <BIC>FFFFSESS</BIC>
        </FinInstnId>
      </InstgAgt>
      <InstdAgt>
        <FinInstnId>
          <BIC>DDDDLULL</BIC>
        </FinInstnId>
      </InstdAgt>
    </GrpHdr>
    <CdtTrfTxInf>
      <PmtId>
        <InstrId>FFFF/061022-SEK/110/1</InstrId>
        <EndToEndId>BBBBTT4148AAAAPP</EndToEndId>
        <TxId>AAAA/061020-SEK/005/1</TxId>
      </PmtId>
      <IntrBkSttlmAmt Ccy = "SEK">100000000.</IntrBkSttlmAmt>
      <IntrBkSttlmDt>2006-10-22</IntrBkSttlmDt>
      <Dbtr>
        <FinInstnId>
          <BIC>AAAAFRPP</BIC>
        </FinInstnId>
      </Dbtr>
      <DbtrAgt>
        <FinInstnId>
          <BIC>CCCCSESS</BIC>
        </FinInstnId>
      </DbtrAgt>
      <Cdtr>
```

```
        <FinInstnId>
          <BIC>BBBBITTT</BIC>
        </FinInstnId>
      </Cdtr>
      <CdtrAcct>
        <Id>
          <PrtryAcct>
            <Id>995566ZZ876</Id>
          </PrtryAcct>
        </Id>
        <Ccy>SEK</Ccy>
      </CdtrAcct>
    </CdtTrfTxInf>
  </pacs.009.001.01>
```

Message: PaymentCancellationRequestV01 <pacs.006.001.01>

Message Scope and Usage

Scope

The PaymentCancellationRequest message is sent by the initiating party or any agent, to the next party in the payment chain. It is used to request the cancellation of an instruction previously sent.

Usage

The PaymentCancellationRequest message is exchanged between agents to request the cancellation of a payment message previously sent (i.e. FIToFICustomerCreditTransfer, FIToFICustomerDirectDebit, and FinancialInstitutionCreditTransfer).

The PaymentCancellationRequest message can be used to request the cancellation of single instructions or multiple instructions, from one or multiple files.

The PaymentCancellationRequest message can be used in domestic and cross-border scenarios.

The PaymentCancellationRequest message refers to the original instruction(s) by means of references only or by means of references and a set of elements from the original instruction.

The PaymentCancellationRequest message exchanged between agents is identified in the schema as follows:
urn:iso:std:iso:20022:tech:xsd: pacs.006.001.01

Outline

The PaymentCancellationRequest message is composed of 3 building blocks:

A. Group Header

This building block is mandatory and present once. It contains elements such as MessageIdentification, CreationDateAndTime, GroupCancellation indicator.

B. Original Group Information

This building block is mandatory and present once. It contains elements such as OriginalMessageIdentification, OriginalMessageNameIdentification.

C. Transaction Information

This building block is optional and repetitive. It contains elements referencing the original instruction (e.g. OriginalEndToEndIdentification, OriginalInterbankSettlementAmount), elements relating to the CancellationRequest (e.g. CancellationReasonInformation). The TransactionInformation block may also transport a set of elements from the original instruction.

Rules

InstructedAgentRule
If GroupHeader/InstructedAgent is present, then TransactionInformation/InstructedAgent is not allowed.

InstructingAgentRule
If GroupHeader/InstructingAgent is present, then TransactionInformation/InstructingAgent is not allowed.

ForwardingAgentRule
GroupHeader/ForwardingAgent is not allowed.

CreditorAgentRule
GroupHeader/CreditorAgent is not allowed.

DebtorAgentRule
GroupHeader/DebtorAgent is not allowed.

InitiatingPartyRule
GroupHeader/InitiatingParty is not allowed.

GroupCancellationAndTransactionInformationRule
If GroupHeader/GroupCancellation is true, then TransactionInformation is not allowed.
If GroupHeader/GroupCancellation is false, then at least one occurrence of TransactionInformation must be present.

GroupCancellation1Rule
If GroupHeader/GroupCancellation is true, then OriginalGroupInformation/CancellationReasonInformation/ CancellationReason must be present.

GroupCancellation2Rule
If GroupHeader/GroupCancellation is false, then GroupHeader/NumberOfTransactions must equal the number of occurrences of TransactionInformation.

Note : Rules applying to specific message components or message elements are included in the description of the relevant message component or message element.

Message Structure

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
1.0		GroupHeader	<GrpHdr>	[1..1]		
1.1		MessageIdentification	<MsgId>	[1..1]	Text	
1.2		CreationDateTime	<CreDtTm>	[1..1]	DateTime	
1.3		NumberOfTransactions	<NbOfTxs>	[1..1]	Text	
1.4		ControlSum	<CtrlSum>	[0..1]	Quantity	
1.5		GroupCancellation	<GrpCxl>	[0..1]	Indicator	
1.6		InitiatingParty	<InitgPty>	[0..1]	+	
1.7		ForwardingAgent	<FwdgAgt>	[0..1]	+	
1.8		DebtorAgent	<DbtrAgt>	[0..1]	+	
1.9		CreditorAgent	<CdtrAgt>	[0..1]	+	
1.10		InstructingAgent	<InstgAgt>	[0..1]	+	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
1.11		InstructedAgent	<InstdAgt>	[0..1]	+	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
2.0		OriginalGroupInformation	<OrgnlGrpInf>	[1..1]		
2.1		OriginalMessageIdentification	<OrgnlMsgId>	[1..1]	Text	
2.2		OriginalMessageNameIdentification	<OrgnlMsgNmId>	[1..1]	Text	
2.3		OriginalCreationDateTime	<OrgnlCreDtTm>	[0..1]	DateTime	
2.4		CancellationReasonInformation	<CxlRsnInf>	[0..n]		
2.5		CancellationOriginator	<CxlOrgtr>	[0..1]	+	
2.6		CancellationReason	<CxlRsn>	[0..1]		
2.7	{Or	Code	<Cd>	[1..1]	Code	
2.8	Or}	Proprietary	<Prtry>	[1..1]	Text	
2.9		AdditionalCancellationReasonInformation	<AddtlCxlRsnInf>	[0..n]	Text	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
3.0		TransactionInformation	<TxInf>	[0..n]		
3.1		CancellationIdentification	<CxlId>	[0..1]	Text	
3.2		OriginalPaymentInformationIdentification	<OrgnlPmtInfId>	[0..1]	Text	
3.3		OriginalInstructionIdentification	<OrgnlInstrId>	[0..1]	Text	
3.4		OriginalEndToEndIdentification	<OrgnlEndToEndId>	[0..1]	Text	
3.5		OriginalTransactionIdentification	<OrgnlTxId>	[0..1]	Text	
3.6		OriginalInterbankSettlementAmount	<OrgnlIntrBkSttlmAmt>	[0..1]	Amount	
3.7		OriginalInstructedAmount	<OrgnlInstdAmt>	[0..1]	Amount	
3.8		InstructingAgent	<InstgAgt>	[0..1]	+	
3.9		InstructedAgent	<InstdAgt>	[0..1]	+	
3.10		CancellationReasonInformation	<CxlRsnInf>	[0..n]		
3.11		CancellationOriginator	<CxlOrgtr>	[0..1]	+	
3.12		CancellationReason	<CxlRsn>	[0..1]		
3.13	{Or	Code	<Cd>	[1..1]	Code	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
3.14	Or}	Proprietary	<Prtry>	[1..1]	Text	
3.15		AdditionalCancellationReasonInformation	<AddtlCxlRsnInf>	[0..n]	Text	
3.16		OriginalTransactionReference	<OrgnlTxRef>	[0..1]		
3.17		InterbankSettlementAmount	<IntrBkSttlmAmt>	[0..1]	Amount	
3.18		Amount	<Amt>	[0..1]		
3.19	{Or	InstructedAmount	<InstdAmt>	[1..1]	Amount	
3.20	Or}	EquivalentAmount	<EqvtAmt>	[1..1]		
3.21		Amount	<Amt>	[1..1]	Amount	
3.22		CurrencyOfTransfer	<CcyOfTrf>	[1..1]	Code	
3.23		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime	
3.24	{Or	RequestedExecutionDate	<ReqdExctnDt>	[0..1]	DateTime	
3.25	Or}	RequestedCollectionDate	<ReqdColltnDt>	[0..1]	DateTime	
3.26		CreditorSchemeIdentification	<CdtrSchmeId>	[0..1]	+	
3.27		SettlementInformation	<SttlmInf>	[0..1]		
3.28		SettlementMethod	<SttlmMtd>	[1..1]	Code	
3.29		SettlementAccount	<SttlmAcct>	[0..1]	+	
3.30		ClearingSystem	<ClrSys>	[0..1]		
3.31	{Or	ClearingSystemIdentification	<ClrSysId>	[1..1]	Code	
3.32	Or}	Proprietary	<Prtry>	[1..1]	Text	
3.33		InstructingReimbursementAgent	<InstgRmbrsmntAgt>	[0..1]	+	
3.34		InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>	[0..1]	+	
3.35		InstructedReimbursementAgent	<InstdRmbrsmntAgt>	[0..1]	+	
3.36		InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>	[0..1]	+	
3.37		ThirdReimbursementAgent	<ThrdRmbrsmntAgt>	[0..1]	+	
3.38		ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>	[0..1]	+	
3.39		PaymentTypeInformation	<PmtTpInf>	[0..1]		
3.40		InstructionPriority	<InstrPrty>	[0..1]	Code	
3.41	{Or	ServiceLevel	<SvcLvl>	[0..1]		
3.42	{{Or	Code	<Cd>	[1..1]	Code	
3.43	Or}}	Proprietary	<Prtry>	[1..1]	Text	
3.44	Or}	ClearingChannel	<ClrChanl>	[0..1]	Code	
3.45		LocalInstrument	<LclInstrm>	[0..1]		

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
3.46	{Or	Code	<Cd>	[1..1]	Code	
3.47	Or}	Proprietary	<Prtry>	[1..1]	Text	
3.48		SequenceType	<SeqTp>	[0..1]	Code	
3.49		CategoryPurpose	<CtgyPurp>	[0..1]	Code	
3.50		PaymentMethod	<PmtMtd>	[0..1]	Code	
3.51		MandateRelatedInformation	<MndtRltdInf>	[0..1]		
3.52		MandateIdentification	<MndtId>	[0..1]	Text	
3.53		DateOfSignature	<DtOfSgntr>	[0..1]	DateTime	
3.54		AmendmentIndicator	<AmdmntInd>	[0..1]	Indicator	
3.55		AmendmentInformationDetails	<AmdmntInfDtls>	[0..1]		
3.56		OriginalMandateIdentification	<OrgnlMndtId>	[0..1]	Text	
3.57		OriginalCreditorSchemeIdentification	<OrgnlCdtrSchmeId>	[0..1]	+	
3.58		OriginalCreditorAgent	<OrgnlCdtrAgt>	[0..1]	+	
3.59		OriginalCreditorAgentAccount	<OrgnlCdtrAgtAcct>	[0..1]	+	
3.60		OriginalDebtor	<OrgnlDbtr>	[0..1]	+	
3.61		OriginalDebtorAccount	<OrgnlDbtrAcct>	[0..1]	+	
3.62		OriginalDebtorAgent	<OrgnlDbtrAgt>	[0..1]	+	
3.63		OriginalDebtorAgentAccount	<OrgnlDbtrAgtAcct>	[0..1]	+	
3.64		OriginalFinalCollectionDate	<OrgnlFnlColltnDt>	[0..1]	DateTime	
3.65		OriginalFrequency	<OrgnlFrqcy>	[0..1]	Code	
3.66		ElectronicSignature	<ElctrncSgntr>	[0..1]	Text	
3.67		FirstCollectionDate	<FrstColltnDt>	[0..1]	DateTime	
3.68		FinalCollectionDate	<FnlColltnDt>	[0..1]	DateTime	
3.69		Frequency	<Frqcy>	[0..1]	Code	
3.70		RemittanceInformation	<RmtInf>	[0..1]		
3.71		Unstructured	<Ustrd>	[0..n]	Text	
3.72		Structured	<Strd>	[0..n]		
3.73		ReferredDocumentInformation	<RfrdDocInf>	[0..1]		
3.74		ReferredDocumentType	<RfrdDocTp>	[0..1]		
3.75	{Or	Code	<Cd>	[1..1]	Code	
3.76	Or}	Proprietary	<Prtry>	[1..1]	Text	
3.77		Issuer	<Issr>	[0..1]	Text	
3.78		ReferredDocumentNumber	<RfrdDocNb>	[0..1]	Text	
3.79		ReferredDocumentRelatedDate	<RfrdDocRltdDt>	[0..1]	DateTime	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
3.80		ReferredDocumentAmount	<RfrdDocAmt>	[0..n]		
3.81	{Or	DuePayableAmount	<DuePyblAmt>	[1..1]	Amount	
3.82	Or	DiscountAppliedAmount	<DscntApldAmt>	[1..1]	Amount	
3.83	Or	RemittedAmount	<RmtdAmt>	[1..1]	Amount	
3.84	Or	CreditNoteAmount	<CdtNoteAmt>	[1..1]	Amount	
3.85	Or}	TaxAmount	<TaxAmt>	[1..1]	Amount	
3.86		CreditorReferenceInformation	<CdtrRefInf>	[0..1]		
3.87		CreditorReferenceType	<CdtrRefTp>	[0..1]		
3.88	{Or	Code	<Cd>	[1..1]	Code	
3.89	Or}	Proprietary	<Prtry>	[1..1]	Text	
3.90		Issuer	<Issr>	[0..1]	Text	
3.91		CreditorReference	<CdtrRef>	[0..1]	Text	
3.92		Invoicer	<Invcr>	[0..1]	+	
3.93		Invoicee	<Invcee>	[0..1]	+	
3.94		AdditionalRemittanceInformation	<AddtlRmtInf>	[0..1]	Text	
3.95		UltimateDebtor	<UltmtDbtr>	[0..1]	+	
3.96		Debtor	<Dbtr>	[0..1]	+	
3.97		DebtorAccount	<DbtrAcct>	[0..1]	+	
3.98		DebtorAgent	<DbtrAgt>	[0..1]	+	
3.99		DebtorAgentAccount	<DbtrAgtAcct>	[0..1]	+	
3.100		CreditorAgent	<CdtrAgt>	[0..1]	+	
3.101		CreditorAgentAccount	<CdtrAgtAcct>	[0..1]	+	
3.102		Creditor	<Cdtr>	[0..1]	+	
3.103		CreditorAccount	<CdtrAcct>	[0..1]	+	
3.104		UltimateCreditor	<UltmtCdtr>	[0..1]	+	

Message Items Description

*The following section identifies the elements of the **PaymentCancellationRequestV01** message.*

1.0 GroupHeader <GrpHdr>

Presence: [1..1]

Definition: Set of characteristics shared by all individual transactions included in the message.

Type: *The **GroupHeader** block is composed of the following **GroupHeader7** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.1		MessageIdentification	<MsgId>	[1..1]	Text

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.2		CreationDateTime	<CreDtTm>	[1..1]	DateTime
1.3		NumberOfTransactions	<NbOfTxs>	[1..1]	Text
1.4		ControlSum	<CtrlSum>	[0..1]	Quantity
1.5		GroupCancellation	<GrpCxl>	[0..1]	Indicator
1.6		InitiatingParty	<InitgPty>	[0..1]	+
1.7		ForwardingAgent	<FwdgAgt>	[0..1]	+
1.8		DebtorAgent	<DbtrAgt>	[0..1]	+
1.9		CreditorAgent	<CdtrAgt>	[0..1]	+
1.10		InstructingAgent	<InstgAgt>	[0..1]	+
1.11		InstructedAgent	<InstdAgt>	[0..1]	+

Guideline(s): GroupCancellationAndNumberOfTransactionsGuideline
If GroupCancellation is true, then NumberOfTransactions equals the number of transactions in the original message.

1.1 MessageIdentification <MsgId>

Presence: [1..1]

Definition: Point to point reference assigned by the instructing party and sent to the next party in the chain to unambiguously identify the message.

Usage: The instructing party has to make sure that 'MessageIdentification' is unique per instructed party for a pre-agreed period.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

1.2 CreationDateTime <CreDtTm>

Presence: [1..1]

Definition: Date and time at which the (group of) cancellation request(s) was created by the instructing party.

Data Type: ISODateTime

1.3 NumberOfTransactions <NbOfTxs>

Presence: [1..1]

Definition: Number of individual transactions contained in the message.

Data Type: Max15NumericText

Format: [0-9]{1,15}

1.4 ControlSum <CtrlSum>

Presence: [0..1]

Definition: Total of all individual amounts included in the message, irrespective of currencies.

Data Type: DecimalNumber

Format: fractionDigits: 17

totalDigits: 18

1.5 GroupCancellation <GrpCxl>

Presence: [0..1]

Definition: Indicates whether the cancellation applies to a whole group of transactions or to individual transactions within the original group.

Data Type: *One of the following **GroupingIndicator** values must be used:*
MeaningWhenTrue: Indicates that there is only one occurrence of the PaymentInformation block and several occurrences of the PaymentTransaction block.
MeaningWhenFalse: Indicates that there is the same number of occurrences of the PaymentInformation block and of the PaymentTransaction block.

1.6 InitiatingParty <InitgPty>

Presence: [0..1]

Definition: Party initiating the payment. In the payment context, this can either be the debtor (in a credit transfer), the creditor (in a direct debit), or the party that initiates the payment on behalf of the debtor or creditor.

Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

1.7 ForwardingAgent <FwdgAgt>

Presence: [0..1]

Definition: Financial institution that receives the instruction from the initiating party and forwards it to the next agent in the payment chain.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.8 DebtorAgent <DbtrAgt>

Presence: [0..1]

Definition: Financial institution servicing an account for the debtor.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.9 CreditorAgent <CdtrAgt>

Presence: [0..1]

Definition: Financial institution servicing an account for the creditor.

Type: *This message item is composed of the following* ***BranchAndFinancialInstitutionIdentification3*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.10 InstructingAgent <InstgAgt>

Presence: [0..1]

Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).

Type: *This message item is composed of the following* ***BranchAndFinancialInstitutionIdentification3*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.11 InstructedAgent <InstdAgt>

Presence: [0..1]

Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).

Type: *This message item is composed of the following* ***BranchAndFinancialInstitutionIdentification3*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.0 OriginalGroupInformation <OrgnlGrpInf>

Presence: [1..1]
Definition: Information concerning the original group of transactions, to which the message refers.
Type: *The **OriginalGroupInformation** block is composed of the following **OriginalGroupInformation4** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1		OriginalMessageIdentification	<OrgnlMsgId>	[1..1]	Text
2.2		OriginalMessageNameIdentification	<OrgnlMsgNmId>	[1..1]	Text
2.3		OriginalCreationDateTime	<OrgnlCreDtTm>	[0..1]	DateTime
2.4		CancellationReasonInformation	<CxlRsnInf>	[0..n]	

2.1 OriginalMessageIdentification <OrgnlMsgId>

Presence: [1..1]
Definition: Point to point reference assigned by the original instructing party to unambiguously identify the original group of individual transactions.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.2 OriginalMessageNameIdentification <OrgnlMsgNmId>

Presence: [1..1]
Definition: Specifies the original message name identifier to which the message refers, eg, pacs.003.001.01 or MT103.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.3 OriginalCreationDateTime <OrgnlCreDtTm>

Presence: [0..1]
Definition: Original date and time at which the message was created.
Data Type: ISODateTime

2.4 CancellationReasonInformation <CxlRsnInf>

Presence: [0..n]
Definition: Detailed information on the cancellation reason.
Type: *This message item is composed of the following **CancellationReasonInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.5		CancellationOriginator	<CxlOrgtr>	[0..1]	+
2.6		CancellationReason	<CxlRsn>	[0..1]	
2.9		AdditionalCancellationReasonInformation	<AddtlCxlRsnInf>	[0..n]	Text

2.5 CancellationOriginator <CxlOrgtr>

Presence: [0..1]
Definition: Party issuing the cancellation request.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.6 CancellationReason <CxlRsn>

Presence: [0..1]
Definition: Specifies the reason for the cancellation.
Type: *This message item is composed of one of the following **CancellationReason1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.7	{Or	Code	<Cd>	[1..1]	Code
2.8	Or}	Proprietary	<Prtry>	[1..1]	Text

2.7 Code <Cd>

Presence: [1..1]
*This message item is part of choice **2.6** CancellationReason.*
Definition: Reason for the cancellation request in a coded form.
Data Type: Code
*One of the following **CancellationReason2Code** values must be used:*

Code	Name	Definition
AGNT	IncorrectAgent	Agent in the payment workflow is incorrect.
CURR	IncorrectCurrency	Currency of the payment is incorrect.
CUST	RequestedByCustomer	Cancellation requested by the Debtor.
DUPL	DuplicatePayment	Payment is a duplicate of another payment.
SUSP	SuspiciousPayment	Payment is a suspicious payment.
UPAY	UnduePayment	Payment is not justified.

2.8 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **2.6** CancellationReason.*

Definition: Reason for the cancellation request not catered for by the available codes.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.9 AdditionalCancellationReasonInformation <AddtlCxlRsnInf>

Presence: [0..n]

Definition: Further details on the cancellation request reason.

Usage: Additional cancellation reason information can be used to further detail the cancellation request reason.

Data Type: Max105Text

Format: maxLength: 105
minLength: 1

3.0 TransactionInformation <TxInf>

Presence: [0..n]

Definition: Information concerning the original transactions, to which the cancellation request message refers.

Type: *The **TransactionInformation** block is composed of the following **PaymentTransactionInformation3** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.1		CancellationIdentification	<CxlId>	[0..1]	Text
3.2		OriginalPaymentInformationIdentification	<OrgnlPmtInfId>	[0..1]	Text
3.3		OriginalInstructionIdentification	<OrgnlInstrId>	[0..1]	Text
3.4		OriginalEndToEndIdentification	<OrgnlEndToEndId>	[0..1]	Text
3.5		OriginalTransactionIdentification	<OrgnlTxId>	[0..1]	Text
3.6		OriginalInterbankSettlementAmount	<OrgnlIntrBkSttlmAmt>	[0..1]	Amount
3.7		OriginalInstructedAmount	<OrgnlInstdAmt>	[0..1]	Amount
3.8		InstructingAgent	<InstgAgt>	[0..1]	+
3.9		InstructedAgent	<InstdAgt>	[0..1]	+
3.10		CancellationReasonInformation	<CxlRsnInf>	[0..n]	
3.16		OriginalTransactionReference	<OrgnlTxRef>	[0..1]	

3.1 CancellationIdentification <CxlId>

Presence: [0..1]

Definition: Unique and unambiguous identifier of a cancellation request, assigned by an instructing party.

Usage: the cancellation request identification can be used for reconciliation or to link tasks relating to the cancellation request transaction.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.2 OriginalPaymentInformationIdentification <OrgnlPmtInfId>

Presence: [0..1]

Definition: Unique and unambiguous identifier of the original payment information block as assigned by the original sending party.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.3 OriginalInstructionIdentification <OrgnlInstrId>

Presence: [0..1]

Definition: Original unique instruction identification as assigned by an instructing party for an instructed party to unambiguously identify the original instruction.

Usage: the original instruction identification is the original point to point reference used between the instructing party and the instructed party to refer to the original instruction.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.4 OriginalEndToEndIdentification <OrgnlEndToEndId>

Presence: [0..1]

Definition: Original unique identification assigned by the initiating party to unambiguously identify the original transaction. This identification is passed on, unchanged, throughout the entire end-to-end chain.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.5 OriginalTransactionIdentification <OrgnlTxId>

Presence: [0..1]

Definition: Original identification of a transaction, as assigned by the first instructing agent and passed on, unchanged, throughout the entire interbank chain.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.6 OriginalInterbankSettlementAmount <OrgnlIntrBkSttlmAmt>

Presence: [0..1]

Definition: Amount of money transferred between the instructing agent and the instructed agent in the original transaction.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode

[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

3.7 OriginalInstructedAmount <OrgnlInstdAmt>

Presence: [0..1]

Definition: Amount of money to be moved between the debtor and the creditor, before deduction of charges, expressed in the currency as ordered by the initiating party in the original transaction.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: CurrencyAndAmount
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

3.8 InstructingAgent <InstgAgt>

Presence: [0..1]

Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.9 InstructedAgent <InstdAgt>

Presence: [0..1]

Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.10 CancellationReasonInformation <CxlRsnInf>

Presence: [0..n]

Definition: Detailed information on the cancellation reason.

Type: *This message item is composed of the following **CancellationReasonInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.11		CancellationOriginator	<CxlOrgtr>	[0..1]	+
3.12		CancellationReason	<CxlRsn>	[0..1]	
3.15		AdditionalCancellationReasonInformation	<AddtlCxlRsnInf>	[0..n]	Text

3.11 CancellationOriginator <CxlOrgtr>

Presence: [0..1]

Definition: Party issuing the cancellation request.

Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.12 CancellationReason <CxlRsn>

Presence: [0..1]

Definition: Specifies the reason for the cancellation.

Type: *This message item is composed of one of the following **CancellationReason1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.13	{Or	Code	<Cd>	[1..1]	Code
3.14	Or}	Proprietary	<Prtry>	[1..1]	Text

3.13 Code <Cd>

Presence: [1..1]

*This message item is part of choice **3.12** CancellationReason.*

Definition: Reason for the cancellation request in a coded form.

Data Type: Code

*One of the following **CancellationReason2Code** values must be used:*

Code	Name	Definition
AGNT	IncorrectAgent	Agent in the payment workflow is incorrect.
CURR	IncorrectCurrency	Currency of the payment is incorrect.

Code	Name	Definition
CUST	RequestedByCustomer	Cancellation requested by the Debtor.
DUPL	DuplicatePayment	Payment is a duplicate of another payment.
SUSP	SuspiciousPayment	Payment is a suspicious payment.
UPAY	UnduePayment	Payment is not justified.

3.14 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **3.12** CancellationReason.*
Definition: Reason for the cancellation request not catered for by the available codes.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.15 AdditionalCancellationReasonInformation <AddtlCxlRsnInf>

Presence: [0..n]
Definition: Further details on the cancellation request reason.

Usage: Additional cancellation reason information can be used to further detail the cancellation request reason.

Data Type: Max105Text
Format: maxLength: 105
minLength: 1

3.16 OriginalTransactionReference <OrgnlTxRef>

Presence: [0..1]
Definition: Set of key elements of the original transaction being referred to.
Type: *This message item is composed of the following **OriginalTransactionReference1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.17		InterbankSettlementAmount	<IntrBkSttlmAmt>	[0..1]	Amount
3.18		Amount	<Amt>	[0..1]	
3.23		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime
3.24	{Or	RequestedExecutionDate	<ReqdExctnDt>	[0..1]	DateTime
3.25	Or}	RequestedCollectionDate	<ReqdColltnDt>	[0..1]	DateTime
3.26		CreditorSchemeIdentification	<CdtrSchmeId>	[0..1]	+
3.27		SettlementInformation	<SttlmInf>	[0..1]	
3.39		PaymentTypeInformation	<PmtTpInf>	[0..1]	
3.50		PaymentMethod	<PmtMtd>	[0..1]	Code
3.51		MandateRelatedInformation	<MndtRltdInf>	[0..1]	
3.70		RemittanceInformation	<RmtInf>	[0..1]	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.95		UltimateDebtor	<UltmtDbtr>	[0..1]	+
3.96		Debtor	<Dbtr>	[0..1]	+
3.97		DebtorAccount	<DbtrAcct>	[0..1]	+
3.98		DebtorAgent	<DbtrAgt>	[0..1]	+
3.99		DebtorAgentAccount	<DbtrAgtAcct>	[0..1]	+
3.100		CreditorAgent	<CdtrAgt>	[0..1]	+
3.101		CreditorAgentAccount	<CdtrAgtAcct>	[0..1]	+
3.102		Creditor	<Cdtr>	[0..1]	+
3.103		CreditorAccount	<CdtrAcct>	[0..1]	+
3.104		UltimateCreditor	<UltmtCdtr>	[0..1]	+

3.17 InterbankSettlementAmount <IntrBkSttlmAmt>

Presence: [0..1]

Definition: Amount of money moved between the instructing agent and the instructed agent.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.18 Amount <Amt>

Presence: [0..1]

Definition: Amount of money to be moved between the debtor and creditor, before deduction of charges, expressed in the currency as ordered by the initiating party.

Type: *This message item is composed of one of the following* ***AmountType2Choice*** *element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.19	{Or	InstructedAmount	<InstdAmt>	[1..1]	Amount
3.20	Or}	EquivalentAmount	<EqvtAmt>	[1..1]	

3.19 InstructedAmount <InstdAmt>

Presence: [1..1]

This message item is part of choice ***3.18*** *Amount.*

Definition: Amount of money to be moved between the debtor and creditor, before deduction of charges, expressed in the currency as ordered by the initiating party.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.20 EquivalentAmount <EqvtAmt>

Presence: [1..1]

This message item is part of choice ***3.18*** *Amount.*

Definition: Amount of money to be transferred between the debtor and creditor, before deduction of charges, expressed in the currency of the debtor's account, and to be transferred into a different currency.

Usage : Currency of the amount is expressed in the currency of the debtor's account, but the amount to be transferred is in another currency. The debtor agent will convert the amount and currency to the to be transferred amount and currency, eg, 'pay equivalent of 100000 EUR in JPY'(and account is in EUR).

Type: *This message item is composed of the following* ***EquivalentAmount*** *element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.21		Amount	<Amt>	[1..1]	Amount
3.22		CurrencyOfTransfer	<CcyOfTrf>	[1..1]	Code

3.21 Amount <Amt>

Presence: [1..1]

Definition: Amount of money to be transferred between debtor and creditor, before deduction of charges, expressed in the currency of the debtor's account, and to be transferred in a different currency.

Usage : Currency of the amount is expressed in the currency of the debtor's account, but the amount to be transferred is in another currency. The first agent will convert the amount and currency to the to be transferred amount and currency, eg, 'pay equivalent of 100000 EUR in JPY'(and account is in EUR).

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.22 CurrencyOfTransfer <CcyOfTrf>

Presence: [1..1]

Definition: Specifies the currency of the to be transferred amount, which is different from the currency of the debtor's account.

Data Type: CurrencyCode

Format: [A-Z]{3,3}

Rule(s): ValidationByTable

3.23 InterbankSettlementDate <IntrBkSttlmDt>

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Data Type: ISODate

3.24 RequestedExecutionDate <ReqdExctnDt>

Presence: [0..1]

*This message item is part of choice **3.16** OriginalTransactionReference.*

Definition: Date at which the initiating party requests that the clearing agent to process the payment. If payment by cheque, the date when the cheque must be generated by the bank.

Usage: This is the date on which the debtor's account(s) is (are) to be debited.

Data Type: ISODate

3.25 RequestedCollectionDate <ReqdColltnDt>

Presence: [0..1]

*This message item is part of choice **3.16** OriginalTransactionReference.*

Definition: Date at which the creditor requests the amount of money to be collected from the debtor.

Data Type: ISODate

3.26 CreditorSchemeIdentification <CdtrSchmeId>

Presence: [0..1]

Definition: Credit party that signs the direct debit mandate.

Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.27 SettlementInformation <SttlmInf>

Presence: [0..1]

Definition: Specifies the details on how the settlement of the original transaction(s) between the instructing agent and the instructed agent was completed.

Type: *This message item is composed of the following **SettlementInformation3** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.28		SettlementMethod	<SttlmMtd>	[1..1]	Code
3.29		SettlementAccount	<SttlmAcct>	[0..1]	+
3.30		ClearingSystem	<ClrSys>	[0..1]	
3.33		InstructingReimbursementAgent	<InstgRmbrsmntAgt>	[0..1]	+
3.34		InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>	[0..1]	+
3.35		InstructedReimbursementAgent	<InstdRmbrsmntAgt>	[0..1]	+
3.36		InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>	[0..1]	+
3.37		ThirdReimbursementAgent	<ThrdRmbrsmntAgt>	[0..1]	+
3.38		ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>	[0..1]	+

3.28 SettlementMethod <SttlmMtd>

Presence: [1..1]

Definition: Method used to settle the (batch of) payment instructions.

Data Type: Code

*One of the following **SettlementMethod1Code** values must be used:*

Code	Name	Definition
CLRG	ClearingSystem	Settlement is done through a payment clearing system.
COVE	CoverMethod	Settlement is done through a cover payment.
INDA	InstructedAgent	Settlement is done by the agent instructed to execute a payment instruction.
INGA	InstructingAgent	Settlement is done by the agent instructing and forwarding the payment to the next party in the payment chain.

3.29 SettlementAccount <SttlmAcct>

Presence: [0..1]

Definition: A specific purpose account used to post debit and credit entries as a result of the transaction.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.30 ClearingSystem <ClrSys>

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

Type: *This message item is composed of one of the following **ClearingSystemIdentification1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.31	{Or	ClearingSystemIdentification	<ClrSysId>	[1..1]	Code
3.32	Or}	Proprietary	<Prtry>	[1..1]	Text

3.31 ClearingSystemIdentification <ClrSysId>

Presence: [1..1]

*This message item is part of choice **3.30** ClearingSystem.*

Definition: Infrastructure through which the payment instruction is processed.

Data Type: Code

*One of the following **CashClearingSystem3Code** values must be used:*

Code	Name	Definition
ABE	EBAEuro1Step1	Scheme code for EBA Euro1/Step1.
AIP	Albania	Scheme code for AL (Albania) - Albania Interbank Payment System.
ART	Austrian	Scheme code for AT (Austria) - Austrian RTGS (ARTIS).
AVP	NewZealand	Scheme code for NZ (New Zealand) - New Zealand Assured Value Payments.
AZM	Azerbaijan	Scheme code for AZ (Azerbaijan) - Azerbaijan Interbank Payment System (AZIPS).
BAP	BosniaHerzegovina	Scheme code for BA (Bosnia and Herzegovina).
BCC	SwedenBGC	Scheme code for SE (Sweden) - Sweden BGC Clearing CUG.
BDS	Barbados	Scheme code for BB (Barbados) - Barbados RTGS (CBRTGS).
BEL	Belgium	Scheme code for BE (Belgium) - Belgium RTGS (ELLIPS).
BGN	Bulgaria	Scheme code for BG (Bulgaria) - Bulgaria RTGS.
BHS	Bahamas	Scheme code for BS (Bahamas) - Bahamas RTGS.
BIS	Botswana	Scheme code for BW (Botswana) - Botswana Interbank Settlement System.

Code	Name	Definition
BOF	Finland	Scheme code for FI (Finland) - RTGS (BOF).
BOJ	BankOfJapanNet	Scheme code for the Bank of Japan clearing system.
BRL	Italy	Scheme code for IT (Italy) - Italy RTGS (BIREL).
BSP	Philippines	Scheme code for PH (Philippines) - Philippines Payment System.
CAD	Canada	Scheme code for CA (Canada) - Canadian Large Value Transfer System (LVTS)
CAM	SpainCAM	Scheme code for ES (Spain).
CBJ	Ireland	Scheme code for IE (Ireland) - Irish RTGS (IRIS).
CHI	USChips	CHIPS is the Clearing House Interbank Payment System in the US.
CHP	UnitedKingdom	Scheme code for GB (UK) - British Euro RTGS (CHAPS).
COP	Columbia	Scheme code for Columbia (CO) - Colombian ACH CENIT Central Bank Payment System.
DDK	DenmarkDDK	Scheme code for DK (Denmark) - Danish Krone RTGS (KRONOS)
DKC	Denmark	Scheme code for DK (Denmark) - Danish Euro RTGS (KRONOS)
EBA	EBAEuro1	Scheme code for EBA Euro1.
ELS	GermanyELS	Scheme code for DE (Germany).
EPM	ECB	Scheme code for ECB (European Central Bank) - ECB Payment Mechanism.
EPN	USChipsACH	Scheme code for the US CHIPS-ACH.
ERP	EBAStep1	Scheme code for EBA step 1 (members).
FDA	USFedACH	Scheme code for the US FED-ACH.
FDW	Fedwire	Scheme code for the US national real time gross settlement system.
FEY	ForeignExchangeYenClearing	Scheme code for the Foreign Exchange Yen Clearing system (FEYCS). It is the Japanese electronic interbank system for sending guaranteed and unconditional yen payments of FX deals for same day settlement from one settlement bank, on behalf of itself or its customers, to another settlement bank.
GIS	Ghana	Scheme code for GH (Ghana) - Ghana Interbank Settlement System (GISS).
HRK	Croatia	Scheme code for HR (Croatia) - HSVP.
HRM	Greece	Scheme code for GR (Greece) - Greek RTGS (HERMES).
HUF	Hungary	Scheme code for HU (Hungary) - VIBER.
INC	NetherlandsIP	Scheme code for NL (Netherlands) - Netherlands Interpay CUG.
JOD	Jordan	Scheme code for JO (Jordan) - Jordan RTGS.

Code	Name	Definition
KPS	Kenya	Scheme code for KE (Kenya) - Kenyan Electronic Payment Settlement System.
LGS	Luxemburg	Scheme code for LU (Luxemburg) - Luxembourg RTGS (LIPS).
LKB	SriLanka	Scheme code for LK (Sri Lanka) - Sri Lanka (Lankasettle).
LVL	Latvia	Scheme code for LV (Latvia).
MEP	Singapore	Scheme code for SG (Singapore) - Singapore RTGS (MEPS +).
MOS	SouthAfrica	Scheme code for ZA (South Africa) - South-African Multiple Option Settlement.
MRS	Malta	Scheme code for MT (Malta) - Malta Realtime Interbank Settlement System.
MUP	Mauritius	Scheme code for MU (Mauritius).
NAM	Namibia	Scheme code for NA (Namibian) - Namibian Interbank Settlement System.
NOC	Norway	Scheme code for NO (Norway).
PCH	Switzerland	Scheme code for CH (Switzerland).
PDS	Australia	Scheme code for AU (Australia).
PEG	Egypt	Scheme code for EG (Egypt).
PNS	FrancePNS	Scheme code for FR (France).
PTR	Angola	Scheme code for AO (Angola) - Angola RTGS.
PVE	Venezuela	Scheme code for Ve (Venezuela).
ROL	RomaniaEPO	Scheme code for RO (Romania) - Romanian Electronic Payment Operations RT.
ROS	RomaniaGSRS	Scheme code for RO (Romania) - Romanian GSRS.
RTP	GermanyRTGSPlus	Scheme code for DE (Germany).
SCP	Chili	Scheme code for CL (Chile) - Chilean Interbank Payment System.
SEC	SwedenSEC	Scheme code for SE (Sweden) - Swedish Euro RTGS (SEC).
SIT	Slovania	Scheme code for SI (Slovenia).
SLB	SpainES	Scheme code for ES (Spain) - Spanish RTGS (SLBE).
SPG	Portugal	Scheme code for PT (Portugal) - Portuguese RTGS (SPGT).
SSK	SwedenSSK	Scheme code for SE (Sweden) - SEK RTGS (RIX).
STG	UnitedKingdomGBP	Scheme code for UK (United Kingdom) - CHAPS Sterling RTGS.
TBF	FranceFR	Scheme code for FR (France) - French RTGS (TBF).
TGT	Target	Scheme code for Target.
THB	Thailand	Scheme code for TH (Thailand) - Thailand Payment System (Bahtnet/2).

Code	Name	Definition
TIS	Tanzania	Scheme code for TZ (Tanzania) - Tanzania Interbank Settlement System (TISS).
TOP	Netherlands	Scheme code for NL (Netherlands) - Dutch RTGS (TOP)
TTD	TrinidadAndTobago	Scheme code for TT (Trinidad and Tobago) - Trinidad and Tobago SAFE-TT.
UIS	Uganda	Scheme code for UG (Uganda) - Uganda National Interbank Settlement System.
XCT	EBAStep2	Scheme code for EBA step 2.
ZEN	Zengin	Scheme code for the Zengin system. The electronic payment system for domestic third party transfers managed by the Tokyo Bankers Association.
ZET	Zimbabwe	Scheme code for ZW (Zimbabwe) - Zimbabwe Electronic Transfer & Settlement System.
ZIS	Zambia	Scheme code for ZM (Zambia) - Zambian Interbank Payment &Settlement System.

3.32 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **3.30** ClearingSystem.*

Definition: Proprietary clearing system service selected for a transaction.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.33 InstructingReimbursementAgent <InstgRmbrsmntAgt>

Presence: [0..1]

Definition: Specifies the agent through which the instructing agent will reimburse the instructed agent.

Usage: If the instructing and instructed agents have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.34 InstructingReimbursementAgentAccount <InstgRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructing reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.35 InstructedReimbursementAgent <InstdRmbrsmntAgt>

Presence: [0..1]

Definition: Agent at which the instructed agent will be reimbursed.

Usage: If InstructedReimbursementAgent contains a branch of the InstructedAgent, then the instructed agent will claim reimbursement from that branch/will be paid by that branch.

Usage: If InstructingAgent and InstructedAgent have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.36 InstructedReimbursementAgentAccount <InstdRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructed reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.37 ThirdReimbursementAgent <ThrdRmbrsmntAgt>

Presence: [0..1]

Definition: Specifies the branch of the instructed agent where the amount of money will be made available when different from the instructed reimbursement agent.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.38 ThirdReimbursementAgentAccount <ThrdRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the third reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.39 PaymentTypeInformation <PmtTpInf>

Presence: [0..1]

Definition: Set of elements that further specifies the type of transaction.

Type: *This message item is composed of the following **PaymentTypeInformation6** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.40		InstructionPriority	<InstrPrty>	[0..1]	Code
3.41	{Or	ServiceLevel	<SvcLvl>	[0..1]	
3.44	Or}	ClearingChannel	<ClrChanl>	[0..1]	Code
3.45		LocalInstrument	<LclInstrm>	[0..1]	
3.48		SequenceType	<SeqTp>	[0..1]	Code
3.49		CategoryPurpose	<CtgyPurp>	[0..1]	Code

3.40 InstructionPriority <InstrPrty>

Presence: [0..1]

Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the instruction.

Data Type: Code

*When this message item is present, one of the following **Priority2Code** values must be used:*

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.

3.41 ServiceLevel <SvcLvl>

Presence: [0..1]

*This message item is part of choice **3.39** PaymentTypeInformation.*

Definition: Agreement under which or rules under which the transaction should be processed.

Type: *This message item is composed of one of the following **ServiceLevel2Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.42	{Or	Code	<Cd>	[1..1]	Code
3.43	Or}	Proprietary	<Prtry>	[1..1]	Text

3.42 Code <Cd>

Presence: [1..1]

*This message item is part of choice **3.41** ServiceLevel.*

Definition: Identification of a pre-agreed level of service between the parties in a coded form.

Data Type: Code

*One of the following **ServiceLevel1Code** values must be used:*

Code	Name	Definition
PRPT	EBAPriorityService	Transaction must be processed according to the EBA Priority Service.
SDVA	SameDayValue	Payment must be executed with same day value to the creditor.
SEPA	SingleEuroPaymentsArea	Payment must be executed following the Single Euro Payments Area scheme.

3.43 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **3.41** ServiceLevel.*

Definition: Proprietary identification of a pre-agreed level of service between the parties.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

3.44 ClearingChannel <ClrChanl>

Presence: [0..1]
*This message item is part of choice **3.39** PaymentTypeInformation.*
Definition: Specifies the clearing channel to be used for the settlement of the instruction.
Data Type: Code
*When this message item is present, one of the following **ClearingChannel2Code** values must be used:*

Code	Name	Definition
BOOK	BookTransfer	Payment through internal book transfer.
MPNS	MassPaymentNetSystem	Clearing channel is a mass payment net settlement system.
RTGS	RealTimeGrossSettlementSystem	Clearing channel is a real-time gross settlement system.
RTNS	RealTimeNetSettlementSystem	Clearing channel is a real-time net settlement system.

3.45 LocalInstrument <LclInstrm>

Presence: [0..1]
Definition: User community specific instrument.

Usage : When available, codes provided by local authorities should be used.
Type: *This message item is composed of one of the following **LocalInstrument1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.46	{Or	Code	<Cd>	[1..1]	Code
3.47	Or}	Proprietary	<Prtry>	[1..1]	Text

3.46 Code <Cd>

Presence: [1..1]
*This message item is part of choice **3.45** LocalInstrument.*
Definition: Specifies the local instrument published in an external local instrument code list.
Data Type: ExternalLocalInstrumentCode
Format: maxLength: 35
minLength: 1

3.47 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **3.45** LocalInstrument.*
Definition: Specifies the local instrument as a proprietary code.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.48 SequenceType <SeqTp>

Presence: [0..1]
Definition: Identifies the direct debit sequence, eg, first, recurrent, final or one-off.
Data Type: Code
*When this message item is present, one of the following **SequenceType1Code** values must be used:*

Code	Name	Definition
FNAL	Final	Final collection of a series of direct debit instructions.
FRST	First	First collection of a series of direct debit instructions.
OOFF	OneOff	Direct debit instruction where the debtor's authorisation is used to initiate one single direct debit transaction.
RCUR	Recurring	Direct debit instruction where the debtor's authorisation is used for regular direct debit transactions initiated by the creditor.

3.49 CategoryPurpose <CtgyPurp>

Presence: [0..1]
Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.
Data Type: Code
*When this message item is present, one of the following **PaymentCategoryPurpose1Code** values must be used:*

Code	Name	Definition
CASH	CashManagementTransfer	Transaction is a general cash management instruction.
CORT	TradeSettlementPayment	Transaction is related to settlement of a trade, eg a foreign exchange deal or a securities transaction.
DIVI	Dividend	Transaction is the payment of dividends.
GOVT	GovernmentPayment	Transaction is a payment to or from a government department.
HEDG	Hedging	Transaction is related to the payment of a hedging operation.
INTC	IntraCompanyPayment	Transaction is an intra-company payment, ie, a payment between two companies belonging to the same group.
INTE	Interest	Transaction is the payment of interest.
LOAN	Loan	Transaction is related to the transfer of a loan to a borrower.
PENS	PensionPayment	Transaction is the payment of pension.
SALA	SalaryPayment	Transaction is the payment of salaries.
SECU	Securities	Transaction is the payment of securities.
SSBE	SocialSecurityBenefit	Transaction is a social security benefit, ie payment made by a government to support individuals.
SUPP	SupplierPayment	Transaction is related to a payment to a supplier.
TAXS	TaxPayment	Transaction is the payment of taxes.
TRAD	Trade	Transaction is related to the payment of a trade transaction.

Code	Name	Definition
TREA	TreasuryPayment	Transaction is related to treasury operations.
VATX	ValueAddedTaxPayment	Transaction is the payment of value added tax.
WHLD	WithHolding	Transaction is the payment of withholding tax.

3.50 PaymentMethod <PmtMtd>

Presence: [0..1]
Definition: Specifies the transfer method that will be used by the instructing agent to transfer the funds to the creditor.
Data Type: Code
*When this message item is present, one of the following **PaymentMethod4Code** values must be used:*

Code	Name	Definition
CHK	Cheque	Written order to a bank to pay a certain amount of money from one person to another person.
DD	DirectDebit	Collection of an amount of money from the debtor's bank account by the creditor. The amount of money and dates of collections may vary.
TRA	TransferAdvice	Transfer of an amount of money in the books of the account servicer. An advice should be sent back to the account owner.
TRF	CreditTransfer	Transfer of an amount of money in the books of the account servicer.

3.51 MandateRelatedInformation <MndtRltdInf>

Presence: [0..1]
Definition: Set of elements used to provide further details related to a direct debit mandate signed between the creditor and the debtor.

Usage: Mandate related information is to be used only when the direct debit relates to a mandate signed between the debtor and the creditor.

Type: *This message item is composed of the following **MandateRelatedInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.52		MandateIdentification	<MndtId>	[0..1]	Text
3.53		DateOfSignature	<DtOfSgntr>	[0..1]	DateTime
3.54		AmendmentIndicator	<AmdmntInd>	[0..1]	Indicator
3.55		AmendmentInformationDetails	<AmdmntInfDtls>	[0..1]	
3.66		ElectronicSignature	<ElctrncSgntr>	[0..1]	Text
3.67		FirstCollectionDate	<FrstColltnDt>	[0..1]	DateTime
3.68		FinalCollectionDate	<FnlColltnDt>	[0..1]	DateTime
3.69		Frequency	<Frqcy>	[0..1]	Code

Rule(s): AmendmentIndicatorRule
If AmendmentIndicator is true, then AmendementInformationDetails must be present, with amended mandate information.

If AmendmentIndicator is false, then AmendmentInformationDetails is not allowed.

3.52 MandateIdentification <MndtId>

Presence: [0..1]
Definition: Reference of the direct debit mandate that has been signed between by the debtor and the creditor.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.53 DateOfSignature <DtOfSgntr>

Presence: [0..1]
Definition: Date on which the direct debit mandate has been signed by the debtor.
Data Type: ISODate

3.54 AmendmentIndicator <AmdmntInd>

Presence: [0..1]
Definition: Indicator notifying whether the underlying mandate is amended or not.
Data Type: *One of the following **TrueFalseIndicator** values must be used:*
MeaningWhenTrue: True
MeaningWhenFalse: False

3.55 AmendmentInformationDetails <AmdmntInfDtls>

Presence: [0..1]
Definition: List of direct debit mandate elements that have been modified.
Type: *This message item is composed of the following **AmendmentInformationDetails1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.56		OriginalMandateIdentification	<OrgnlMndtId>	[0..1]	Text
3.57		OriginalCreditorSchemeIdentification	<OrgnlCdtrSchmeId>	[0..1]	+
3.58		OriginalCreditorAgent	<OrgnlCdtrAgt>	[0..1]	+
3.59		OriginalCreditorAgentAccount	<OrgnlCdtrAgtAcct>	[0..1]	+
3.60		OriginalDebtor	<OrgnlDbtr>	[0..1]	+
3.61		OriginalDebtorAccount	<OrgnlDbtrAcct>	[0..1]	+
3.62		OriginalDebtorAgent	<OrgnlDbtrAgt>	[0..1]	+
3.63		OriginalDebtorAgentAccount	<OrgnlDbtrAgtAcct>	[0..1]	+
3.64		OriginalFinalCollectionDate	<OrgnlFnlColltnDt>	[0..1]	DateTime
3.65		OriginalFrequency	<OrgnlFrqcy>	[0..1]	Code

3.56 OriginalMandateIdentification <OrgnlMndtId>

Presence: [0..1]
Definition: Original mandate identification that has been modified.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.57 OriginalCreditorSchemeIdentification <OrgnlCdtrSchmeId>

Presence: [0..1]
Definition: Original creditor scheme identification that has been modified.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.58 OriginalCreditorAgent <OrgnlCdtrAgt>

Presence: [0..1]
Definition: Original creditor agent that has been modified.
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.59 OriginalCreditorAgentAccount <OrgnlCdtrAgtAcct>

Presence: [0..1]
Definition: Original creditor agent acount that has been modified.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.60 OriginalDebtor <OrgnlDbtr>

Presence: [0..1]
Definition: Original debtor that has been modified.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.61 OriginalDebtorAccount <OrgnlDbtrAcct>

Presence: [0..1]
Definition: Original debtor account that has been modified.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.62 OriginalDebtorAgent <OrgnlDbtrAgt>

Presence: [0..1]
Definition: Original debtor's agent that has been modified.
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.63 OriginalDebtorAgentAccount <OrgnlDbtrAgtAcct>

Presence: [0..1]
Definition: Original debtor agent account that has been modified.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.64 OriginalFinalCollectionDate <OrgnlFnlColltnDt>

Presence: [0..1]
Definition: Original final collection date that has been modified.
Data Type: ISODate

3.65 OriginalFrequency <OrgnlFrqcy>

Presence: [0..1]
Definition: Original frequency that has been modified.
Data Type: Code
*When this message item is present, one of the following **Frequency1Code** values must be used:*

Code	Name	Definition
ADHO	Adhoc	Event takes place on request or as necessary.
DAIL	Daily	Event takes place every day.
INDA	IntraDay	Event takes place several times a day.
MIAN	SemiAnnual	Event takes place every six months or two times a year.
MNTH	Monthly	Event takes place every month or once a month.
QURT	Quarterly	Event takes place every three months or four times a year.
WEEK	Weekly	Event takes place once a week.
YEAR	Annual	Event takes place every year or once a year.

3.66 ElectronicSignature <ElctrncSgntr>

Presence: [0..1]
Definition: Additional security provisions, eg, digital signature as provided by the debtor.
Data Type: Max1025Text
Format: maxLength: 1025

minLength: 1

3.67 FirstCollectionDate <FrstColltnDt>

Presence: [0..1]
Definition: Date of the first collection of a direct debit as per the mandate.
Data Type: ISODate

3.68 FinalCollectionDate <FnlColltnDt>

Presence: [0..1]
Definition: Date of the final collection of a direct debit as per the mandate.
Data Type: ISODate

3.69 Frequency <Frqcy>

Presence: [0..1]
Definition: Regularity with which direct debit instructions are to be created and processed, eg, daily, weekly, monthly.
Data Type: Code
*When this message item is present, one of the following **Frequency1Code** values must be used:*

Code	Name	Definition
ADHO	Adhoc	Event takes place on request or as necessary.
DAIL	Daily	Event takes place every day.
INDA	IntraDay	Event takes place several times a day.
MIAN	SemiAnnual	Event takes place every six months or two times a year.
MNTH	Monthly	Event takes place every month or once a month.
QURT	Quarterly	Event takes place every three months or four times a year.
WEEK	Weekly	Event takes place once a week.
YEAR	Annual	Event takes place every year or once a year.

3.70 RemittanceInformation <RmtInf>

Presence: [0..1]
Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, eg, commercial invoices in an accounts' receivable system.
Type: *This message item is composed of the following **RemittanceInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.71		Unstructured	<Ustrd>	[0..n]	Text
3.72		Structured	<Strd>	[0..n]	

3.71 Unstructured <Ustrd>

Presence: [0..n]
Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, eg, commercial invoices in an accounts' receivable system in an unstructured form.

Data Type: Max140Text

Format: maxLength: 140
minLength: 1

3.72 Structured <Strd>

Presence: [0..n]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, eg, commercial invoices in an accounts' receivable system in a structured form.

Type: *This message item is composed of the following **StructuredRemittanceInformation6** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.73		ReferredDocumentInformation	<RfrdDocInf>	[0..1]	
3.79		ReferredDocumentRelatedDate	<RfrdDocRltdDt>	[0..1]	DateTime
3.80		ReferredDocumentAmount	<RfrdDocAmt>	[0..n]	
3.86		CreditorReferenceInformation	<CdtrRefInf>	[0..1]	
3.92		Invoicer	<Invcr>	[0..1]	+
3.93		Invoicee	<Invcee>	[0..1]	+
3.94		AdditionalRemittanceInformation	<AddtlRmtInf>	[0..1]	Text

3.73 ReferredDocumentInformation <RfrdDocInf>

Presence: [0..1]

Definition: Reference information to allow the identification of the underlying reference documents.

Type: *This message item is composed of the following **ReferredDocumentInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.74		ReferredDocumentType	<RfrdDocTp>	[0..1]	
3.78		ReferredDocumentNumber	<RfrdDocNb>	[0..1]	Text

3.74 ReferredDocumentType <RfrdDocTp>

Presence: [0..1]

Definition: Provides the type of the referred document.

Type: *This message item is composed of the following **ReferredDocumentType1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.75	{Or	Code	<Cd>	[1..1]	Code
3.76	Or}	Proprietary	<Prtry>	[1..1]	Text
3.77		Issuer	<Issr>	[0..1]	Text

3.75 Code <Cd>

Presence: [1..1]

*This message item is part of choice **3.74** ReferredDocumentType.*

Definition: Document type in a coded form.

Data Type: Code

*One of the following **DocumentType2Code** values must be used:*

Code	Name	Definition
CINV	CommercialInvoice	Document is an invoice.
CMCN	CommercialContract	Document is an agreement between the parties, stipulating the terms and conditions of the delivery of goods or services.
CNFA	CreditNoteRelatedToFinancialAdjustment	Document is a credit note for the final amount settled for a commercial transaction.
CREN	CreditNote	Document is a credit note.
DEBN	DebitNote	Document is a debit note.
DISP	DispatchAdvice	Document is a dispatch advice.
DNFA	DebitNoteRelatedToFinancialAdjustment	Document is a debit note for the final amount settled for a commercial transaction.
HIRI	HireInvoice	Document is an invoice for the hiring of human resources or renting goods or equipment.
MSIN	MeteredServiceInvoice	Document is an invoice claiming payment for the supply of metered services, eg, gas or electricity, supplied to a fixed meter.
SBIN	SelfBilledInvoice	Document is an invoice issued by the debtor.
SOAC	StatementOfAccount	Document is a statement of the transactions posted to the debtor's account at the supplier.

3.76 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **3.74** ReferredDocumentType.*

Definition: Proprietary identification of the type of the remittance document.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.77 Issuer <Issr>

Presence: [0..1]

Definition: Identification of the issuer of the reference document type.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.78 ReferredDocumentNumber <RfrdDocNb>

Presence: [0..1]

Definition: Unique and unambiguous identification number of the referred document.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.79 ReferredDocumentRelatedDate <RfrdDocRltdDt>

Presence: [0..1]

Definition: Date associated with the referred document, eg, date of issue.

Data Type: ISODate

3.80 ReferredDocumentAmount <RfrdDocAmt>

Presence: [0..n]

Definition: Amount of money and currency of a document referred to in the remittance section. The amount is typically either the original amount due and payable, or the amount actually remitted for the referred document.

Type: *This message item is composed of one of the following **ReferredDocumentAmount1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.81	{Or	DuePayableAmount	<DuePyblAmt>	[1..1]	Amount
3.82	Or	DiscountAppliedAmount	<DscntApldAmt>	[1..1]	Amount
3.83	Or	RemittedAmount	<RmtdAmt>	[1..1]	Amount
3.84	Or	CreditNoteAmount	<CdtNoteAmt>	[1..1]	Amount
3.85	Or}	TaxAmount	<TaxAmt>	[1..1]	Amount

3.81 DuePayableAmount <DuePyblAmt>

Presence: [1..1]

*This message item is part of choice **3.80** ReferredDocumentAmount.*

Definition: Amount specified is the exact amount due and payable to the creditor.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.82 DiscountAppliedAmount <DscntApldAmt>

Presence: [1..1]

*This message item is part of choice **3.80** ReferredDocumentAmount.*

Definition: Amount of money resulting from the application of an agreed discount to the amount due and payable to the creditor.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: **CurrencyAndAmount**

fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

3.83 RemittedAmount <RmtdAmt>

Presence: [1..1]

*This message item is part of choice **3.80** ReferredDocumentAmount.*

Definition: Amount of money remitted for the referred document.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: CurrencyAndAmount
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

3.84 CreditNoteAmount <CdtNoteAmt>

Presence: [1..1]

*This message item is part of choice **3.80** ReferredDocumentAmount.*

Definition: Amount specified for the referred document is the amount of a credit note.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: CurrencyAndAmount
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

3.85 TaxAmount <TaxAmt>

Presence: [1..1]

*This message item is part of choice **3.80** ReferredDocumentAmount.*

Definition: Quantity of cash resulting from the calculation of the tax.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: CurrencyAndAmount
fractionDigits: 5
minInclusive: 0

totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

3.86 CreditorReferenceInformation <CdtrRefInf>

Presence: [0..1]
Definition: Reference information provided by the creditor to allow the identification of the underlying documents.
Type: *This message item is composed of the following **CreditorReferenceInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.87		CreditorReferenceType	<CdtrRefTp>	[0..1]	
3.91		CreditorReference	<CdtrRef>	[0..1]	Text

3.87 CreditorReferenceType <CdtrRefTp>

Presence: [0..1]
Definition: Provides the type of the creditor reference.
Type: *This message item is composed of the following **CreditorReferenceType1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.88	{Or	Code	<Cd>	[1..1]	Code
3.89	Or}	Proprietary	<Prtry>	[1..1]	Text
3.90		Issuer	<Issr>	[0..1]	Text

3.88 Code <Cd>

Presence: [1..1]
*This message item is part of choice **3.87** CreditorReferenceType.*
Definition: Coded creditor reference type.
Data Type: Code
*One of the following **DocumentType3Code** values must be used:*

Code	Name	Definition
DISP	DispatchAdvice	Document is a dispatch advice.
FXDR	ForeignExchangeDealReference	Document is a pre-agreed or pre-arranged foreign exchange transaction to which the payment transaction refers.
PUOR	PurchaseOrder	Document is a purchase order.
RADM	RemittanceAdviceMessage	Document is a remittance advice sent separately from the current transaction.
RPIN	RelatedPaymentInstruction	Document is a linked payment instruction to which the current payment instruction is related, eg, in a cover scenario.

Code	Name	Definition
SCOR	StructuredCommunicationReference	Document is a structured communication reference provided by the creditor to identify the referred transaction.

3.89 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **3.87** CreditorReferenceType.*

Definition: Creditor reference type not avilable in a coded format.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.90 Issuer <Issr>

Presence: [0..1]

Definition: Identification of the issuer of the credit reference type.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.91 CreditorReference <CdtrRef>

Presence: [0..1]

Definition: Unique and unambiguous reference assigned by the creditor to refer to the payment transaction.

Usage: if available, the initiating party should provide this reference in the structured remittance information, to enable reconciliation by the creditor upon receipt of the cash.

If the business context requires the use of a creditor reference or a payment remit identification, and only one identifier can be passed through the end-to-end chain, the creditor's reference or payment remittance identification should be quoted in the end-to-end transaction identification.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.92 Invoicer <Invcr>

Presence: [0..1]

Definition: Identification of the organization issuing the invoice when different than the creditor or final party.

Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.93 Invoicee <Invcee>

Presence: [0..1]
Definition: Identification of the party to whom an invoice is issued, when different than the originator or debtor.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.94 AdditionalRemittanceInformation <AddtlRmtInf>

Presence: [0..1]
Definition: Additional information, in free text form, to complement the structured remittance information.
Data Type: Max140Text
Format: maxLength: 140
minLength: 1

3.95 UltimateDebtor <UltmtDbtr>

Presence: [0..1]
Definition: Ultimate party that owes an amount of money to the (ultimate) creditor.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.96 Debtor <Dbtr>

Presence: [0..1]
Definition: Party that owes an amount of money to the (ultimate) creditor.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.97 DebtorAccount <DbtrAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the debtor to which a debit entry will be made as a result of the transaction.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.98 DebtorAgent <DbtrAgt>

Presence: [0..1]

Definition: Financial institution servicing an account for the debtor.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.99 DebtorAgentAccount <DbtrAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the debtor agent at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.100 CreditorAgent <CdtrAgt>

Presence: [0..1]
Definition: Financial institution servicing an account for the creditor.
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.101 CreditorAgentAccount <CdtrAgtAcct>

Presence: [0..1]
Definition: Unambiguous identification of the account of the creditor agent at its servicing agent in the payment chain.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.102 Creditor <Cdtr>

Presence: [0..1]
Definition: Party to which an amount of money is due.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.103 CreditorAccount <CdtrAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the creditor to which a credit entry will be posted as a result of the payment transaction.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.104 UltimateCreditor <UltmtCdtr>

Presence: [0..1]

Definition: Ultimate party to which an amount of money is due.

Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

Business Example - Request to cancel a FIToFICustomerCreditTransfer

Narrative-Step 1

At the accounts payable department of Biogenetics, a mix-up of invoices occurred and the 75 thousand EUR were not due to Seeds Inc. Biogenetics HQ requests AAAA Bank to send a cancellation request for the payment. AAAA Bank sends the PaymentCancellationRequest to its correspondent BBBB Bank, to which it sent the original payment instruction. Note : the FIToFICustomerCreditTransfer sent by AAAA Bank to BBBB Bank is documented in the business example section (business example 2) of the FIToFICustomerCreditTransfer message.

Business Description

PaymentCancellationRequest from AAAA Bank to BBBB Bank :

Element	***<XMLTag>***	***Content***
Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	AAAA/061117-PCR/011
CreationDateTime	<CreDtTm>	2006-11-17T13:07:00
NumberOfTransactions	<NbOfTxs>	1
GroupCancellation	<GrpCxl>	false
InstructingAgent	<InstgAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAGB2L
InstructedAgent	<InstdAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBIE2D
OriginalGroupInformation	<OrgnlGrpInf>	
OriginalMessageIdentification	<OrgnlMsgId>	AAAA/061109-CCT/EUR443
OriginalMessageNameIdentification	<OrgnlMsgNmId>	pacs.008.001.01
OriginalCreationDateTime	<OrgnlCreDtTm>	2006-11-09T10:03:13
TransactionInformation	<TxInf>	
CancellationIdentification	<CxlId>	AAAA/061117-PCR/011/1
OriginalInstructionIdentification	<OrgnlInstrId>	AAAA/061109-CCT/EUR443/1
OriginalEndToEndIdentification	<OrgnlEndToEndId>	CROPS/SX-25T/2006-10-13
OriginalTransactionIdentification	<OrgnlTxId>	AAAA/061109-CCT/EUR443/1
CancellationReasonInformation	<CxlRsnInf>	
CancellationOriginator	<CxlOrgtr>	
Name	<Nm>	Biogenetics
CancellationReason	<CxlRsn>	
Code	<Cd>	CUST
OriginalTransactionReference	<OrgnlTxRef>	
InterbankSettlementAmount	<IntrBkSttlmAmt>Ccy=JPY	75000.00
InterbankSettlementDate	<IntrBkSttlmDt>	2006-11-09
SettlementInformation	<SttlmInf>	
SettlementMethod	<SttlmMtd>	INDA
UltimateDebtor	<UltmtDbtr>	
Name	<Nm>	Biogenetics - CROPS
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Growth Street

BuildingNumber	<BldgNb>	17
PostCode	<PstCd>	G5 OTW
TownName	<TwnNm>	Glasgow
Country	<Ctry>	GB
Debtor	<Dbtr>	
Name	<Nm>	Biogenetics - HQ
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Corn Street
BuildingNumber	<BldgNb>	13
PostCode	<PstCd>	W6 8DR
TownName	<TwnNm>	London
Country	<Ctry>	GB
DebtorAccount	<DbtrAcct>	
Identification	<Id>	
Proprietary Account	<PrtryAcct>	
Identification	<Id>	46373892034012
DebtorAgent	<DbtrAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAGB2L
CreditorAgent	<CdtrAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	CCCCIE2D
Creditor	<Cdtr>	
Name	<Name>	Seed Inc.
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Grain Lane
BuildingNumber	<BldgNb>	27
TownName	<TwnNm>	DUBLIN
Country	<Ctry>	IE
CreditorAccount	<CdtrAcct>	
Identification	<Id>	
IBAN	<IBAN>	IE29CCCC93115212345678

XML Instance

```
<pacs.006.001.01>
    <GrpHdr>
      <MsgId>AAAA/061117-PCR/011</MsgId>
      <CreDtTm>2006-11-17T13:07:00</CreDtTm>
```

```
    <NbOfTxs>1</NbOfTxs>
    <GrpCxl>false</GrpCxl>
    <InstgAgt>
      <FinInstnId>
        <BIC>AAAAGB2L</BIC>
      </FinInstnId>
    </InstgAgt>
    <InstdAgt>
      <FinInstnId>
        <BIC>BBBBIE2D</BIC>
      </FinInstnId>
    </InstdAgt>
  </GrpHdr>
  <OrgnlGrpInf>
    <OrgnlMsgId>AAAA/061109-CCT/EUR443</OrgnlMsgId>
    <OrgnlMsgNmId>pacs.008.001.01</OrgnlMsgNmId>
    <OrgnlCreDtTm>2006-11-09T10:03:13</OrgnlCreDtTm>
  </OrgnlGrpInf>
  <TxInf>
    <CxlId>AAAA/061117-PCR/011/1</CxlId>
    <OrgnlInstrId>AAAA/061109-CCT/EUR443/1</OrgnlInstrId>
    <OrgnlEndToEndId>CROPS/SX-25T/2006-10-13</OrgnlEndToEndId>
    <OrgnlTxId>AAAA/061109-CCT/EUR443/1</OrgnlTxId>
    <CxlRsnInf>
      <CxlOrgtr>
        <Nm>Biogenetics - HQ</Nm>
      </CxlOrgtr>
      <CxlRsn>
        <Cd>CUST</Cd>
      </CxlRsn>
    </CxlRsnInf>
    <OrgnlTxRef>
      <IntrBkSttlmAmt Ccy = "EUR">75000</IntrBkSttlmAmt>
      <IntrBkSttlmDt>2006-11-09</IntrBkSttlmDt>
      <SttlmInf>
        <SttlmMtd>INDA</SttlmMtd>
      </SttlmInf>
      <UltmtDbtr>
        <Nm>Biogenetics - CROPS</Nm>
        <PstlAdr>
          <StrtNm>Growth Street</StrtNm>
          <BldgNb>17</BldgNb>
          <PstCd>G5 OTW</PstCd>
          <TwnNm>Glasgow</TwnNm>
          <Ctry>GB</Ctry>
        </PstlAdr>
      </UltmtDbtr>
      <Dbtr>
        <Nm>Biogenetics -HQ</Nm>
        <PstlAdr>
          <StrtNm>Corn Street</StrtNm>
          <BldgNb>13</BldgNb>
```

```
            <PstCd>W6 8DR</PstCd>
            <TwnNm>London</TwnNm>
            <Ctry>GB</Ctry>
          </PstlAdr>
        </Dbtr>
        <DbtrAcct>
          <Id>
            <PrtryAcct>
              <Id>46373892034012</Id>
            </PrtryAcct>
          </Id>
        </DbtrAcct>
        <DbtrAgt>
          <FinInstnId>
            <BIC>AAAAGB2L</BIC>
          </FinInstnId>
        </DbtrAgt>
        <CdtrAgt>
          <FinInstnId>
            <BIC>CCCCIE2D</BIC>
          </FinInstnId>
        </CdtrAgt>
        <Cdtr>
          <Nm>Seed Inc.</Nm>
          <PstlAdr>
            <StrtNm>Grain Lane</StrtNm>
            <BldgNb>27</BldgNb>
            <TwnNm>Dublin</TwnNm>
            <Ctry>IE</Ctry>
          </PstlAdr>
        </Cdtr>
        <CdtrAcct>
          <Id>
            <IBAN>IE29CCCC93115212345678</IBAN>
          </Id>
        </CdtrAcct>
      </OrgnlTxRef>
    </TxInf>
  </pacs.006.001.01>
```


Narrative - Step 2

On receipt of the cancellation request from AAAA Bank, BBBB Bank forwards the cancellation request to CCCC Bank as it has already executed the payment.
Note : BBBB Bankwill send a status report to AAAA Bank to inform AAAA Bank of the status of the PaymentCancellationRequest. This is documented in the business example section of the PaymentStatusReport message.

Business description

PaymentCancellationRequest from BBBB Bank to CCCC Bank :

Element	***<XMLTag>***	***Content***

Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	BBBB/061117-PCR001
CreationDateTime	<CreDtTm>	2006-11-17T13:59:00
NumberOfTransactions	<NbOfTxs>	1
GroupCancellation	<GrpCxl>	false
InstructingAgent	<InstgAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBIE2D
InstructedAgent	<InstdAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	CCCCIE2D
OriginalGroupInformation	<OrgnlGrpInf>	
OriginalMessageIdentification	<OrgnlMsgId>	BBBB/061109-CBJ056
OriginalMessageNameIdentification	<OrgnlMsgNmId>	pacs.008.001.01
OriginalCreationDateTime	<OrgnlCreDtTm>	2006-11-09T10:13:00
TransactionInformation	<TxInf>	
CancellationIdentification	<CxlId>	BBBB/061117-PCR001/1
OriginalInstructionIdentification	<OrgnlInstrId>	BBBB/061109-CBJ056/1
OriginalEndToEndIdentification	<OrgnlEndToEndId>	CROPS/SX-25T/2006-10-13
OriginalTransactionIdentification	<OrgnlTxId>	AAAA/061109-CCT/EUR443/1
CancellationReasonInformation	<CxlRsnInf>	
CancellationOriginator	<CxlOrgtr>	
Name	<Nm>	Biogenetics- HQ
CancellationReason	<CxlRsn>	
Code	<Cd>	CUST
OriginalTransactionReference	<OrgnlTxRef>	
InterbankSettlementAmount	<IntrBkSttlmAmt>Ccy=JPY	74900.00
InterbankSettlementDate	<IntrBkSttlmDt>	2006-11-09
SettlementInformation	<SttlmInf>	
SettlementMethod	<SttlmMtd>	CLRG
ClearingSystem	<ClrSys>	
ClearingSystemIdentification	<ClrSysId>	CBJ
Ultimate Debtor	<UltmtDbtr>	
Name	<Nm>	Biogenetics - CROPS
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Growth Street
BuildingNumber	<BldgNb>	17

PostCode	<PstCd>	G5 OTW
TownName	<TwnNm>	Glasgow
Country	<Ctry>	GB
Debtor	<Dbtr>	
Name	<Nm>	Biogenetics - HQ
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Corn Street
BuildingNumber	<BldgNb>	13
PostCode	<PstCd>	W6 8DR
TownName	<TwnNm>	London
Country	<Ctry>	GB
DebtorAccount	<DbtrAcct>	
Identification	<Id>	
Proprietary Account	<PrtryAcct>	
Identification	<Id>	46373892034012
DebtorAgent	<DbtrAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAGB2L
CreditorAgent	<CdtrAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	CCCCIE2D
Creditor	<Cdtr>	
Name	<Name>	Seed Inc.
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Grain Lane
BuildingNumber	<BldgNb>	27
TownName	<TwnNm>	Dublin
Country	<Ctry>	IE
CreditorAccount	<CdtrAcct>	
Identification	<Id>	
IBAN	<IBAN>	IE29CCCC93115212345678

XML Instance

```
<pacs.006.001.01>
    <GrpHdr>
      <MsgId>BBBB/061117-PCR001</MsgId>
      <CreDtTm>2006-11-17T13:59:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
```

```
    <GrpCxl>false</GrpCxl>
    <InstgAgt>
      <FinInstnId>
        <BIC>BBBBIE2D</BIC>
      </FinInstnId>
    </InstgAgt>
    <InstdAgt>
      <FinInstnId>
        <BIC>CCCCIE2D</BIC>
      </FinInstnId>
    </InstdAgt>
  </GrpHdr>
  <OrgnlGrpInf>
    <OrgnlMsgId>BBBB/061109-CBJ056</OrgnlMsgId>
    <OrgnlMsgNmId>pacs.008.001.01</OrgnlMsgNmId>
    <OrgnlCreDtTm>2006-11-09T10:13:00</OrgnlCreDtTm>
  </OrgnlGrpInf>
  <TxInf>
    <CxlId>BBBB/061117-PCR001/1</CxlId>
    <OrgnlInstrId>BBBB/061109-CBJ056/1</OrgnlInstrId>
    <OrgnlEndToEndId>CROPS/SX-25T/2006-10-13</OrgnlEndToEndId>
    <OrgnlTxId>AAAA/061109-CCT/EUR443/1</OrgnlTxId>
    <CxlRsnInf>
      <CxlOrgtr>
        <Nm>Biogenetics - HQ</Nm>
      </CxlOrgtr>
      <CxlRsn>
        <Cd>CUST</Cd>
      </CxlRsn>
    </CxlRsnInf>
    <OrgnlTxRef>
      <IntrBkSttlmAmt Ccy = "EUR">74900</IntrBkSttlmAmt>
      <IntrBkSttlmDt>2006-11-09</IntrBkSttlmDt>
      <SttlmInf>
        <SttlmMtd>CLRG</SttlmMtd>
        <ClrSys>
          <ClrSysId>CBJ</ClrSysId>
        </ClrSys>
      </SttlmInf>
      <UltmtDbtr>
        <Nm>Biogenetics - CROPS</Nm>
        <PstlAdr>
          <StrtNm>Growth Street</StrtNm>
          <BldgNb>17</BldgNb>
          <PstCd>G5 OTW</PstCd>
          <TwnNm>Glasgow</TwnNm>
          <Ctry>GB</Ctry>
        </PstlAdr>
      </UltmtDbtr>
      <Dbtr>
        <Nm>Biogenetics - HQ</Nm>
        <PstlAdr>
```

```
            <StrtNm>Corn Street</StrtNm>
            <BldgNb>13</BldgNb>
            <PstCd>W6 8DR</PstCd>
            <TwnNm>London</TwnNm>
            <Ctry>GB</Ctry>
          </PstlAdr>
        </Dbtr>
        <DbtrAcct>
          <Id>
            <PrtryAcct>
              <Id>46373892034012</Id>
            </PrtryAcct>
          </Id>
        </DbtrAcct>
        <DbtrAgt>
          <FinInstnId>
            <BIC>AAAAGB2L</BIC>
          </FinInstnId>
        </DbtrAgt>
        <CdtrAgt>
          <FinInstnId>
            <BIC>CCCCIE2D</BIC>
          </FinInstnId>
        </CdtrAgt>
        <Cdtr>
          <Nm>Seed Inc.</Nm>
          <PstlAdr>
            <StrtNm>Grain Lane</StrtNm>
            <BldgNb>27</BldgNb>
            <TwnNm>Dublin</TwnNm>
            <Ctry>IE</Ctry>
          </PstlAdr>
        </Cdtr>
        <CdtrAcct>
          <Id>
            <IBAN>IE29CCCC93115212345678</IBAN>
          </Id>
        </CdtrAcct>
      </OrgnlTxRef>
    </TxInf>
  </pacs.006.001.01>
```


Business Example - Request to cancel a FIToFICustomerDirectDebit

Narrative

AAAAUS29 received a PaymentCancellationRequest from its customer Virgay (documented in the business example section of the PaymentCancellationRequest message in the Payments Initiation Message Reference Guide). Upon receipt of the PaymentCancellationRequest from Virgay, AAAAUS29 executes the necessary checks and finds out that it has already sent a FIToFICustomerDirect Debit instruction to ABABUS23, the common correspondent for AAAAUS29 and BBBBUS23.
AAAAUS29 decides to send a Cancellation Request to ABABUS23.

Business Description

PaymentCancellationRequest from AAAAUS29 to ABABUS23 :

Element	***<XMLTag>***	***Content***
Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	CAN974-206
CreationDateTime	<CreDtTm>	2006-06-28T=11:00:00
NumberOfTransactions	<NbOfTxs>	1
GroupCancellation	<GrpCxl>	false
InstructingAgent	<InstgAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAUS29
InstructedAgent	<InstdAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	ABABUS23
OriginalGroupInformation	<OrgnlGrpInf>	
OriginalMessageIdentification	<OrgnlMsgId>	AAAA060327-123v
OriginalMessageNameIdentification	<OrgnlMsgNmId>	Pacs.003.001.01
OriginalCreationDateTime	<OrgnlCreDtTm>	2006-06-28T=10:05:00
TransactionInformation	<TxInf>	
CancellationIdentification	<CxlId>	AAAA-060327-CAN-256
OriginalEndtoEndIdentification	<OrgnlEndToEndId>	VA060327/0123
OriginalInstructedAmount	<OrgnlInstdAmtCCy = USD>	1025.00
CancellationReasonInformation	<CxlRsnInf>	
CancellationReason	<CxlRsn>	
Code	<Cd>	DUPL

XML Instance

```
<pacs.006.001.01>
  <GrpHdr>
    <MsgId>CAN974-206</MsgId>
    <CreDtTm>2006-06-28T11:00:00</CreDtTm>
    <NbOfTxs>1</NbOfTxs>
    <GrpCxl>false</GrpCxl>
    <InstgAgt>
      <FinInstnId>
        <BIC>AAAAUS29</BIC>
      </FinInstnId>
    </InstgAgt>
    <InstdAgt>
      <FinInstnId>
```

```
            <BIC>ABABUS23</BIC>
         </FinInstnId>
      </InstdAgt>
   </GrpHdr>
   <OrgnlGrpInf>
      <OrgnlMsgId>AAAA060327-123v</OrgnlMsgId>
      <OrgnlMsgNmId>Pacs.003.001.01</OrgnlMsgNmId>
      <OrgnlCreDtTm>2006-06-28T10:05:00</OrgnlCreDtTm>
   </OrgnlGrpInf>
   <TxInf>
      <CxlId>AAAA-060327-CAN-256</CxlId>
      <OrgnlEndToEndId>VA060327/0123</OrgnlEndToEndId>
      <OrgnlInstdAmt Ccy = "USD">1025.00</OrgnlInstdAmt>
      <CxlRsnInf>
         <CxlRsn>
            <Cd>DUPL</Cd>
         </CxlRsn>
      </CxlRsnInf>
   </TxInf>
</pacs.006.001.01>
```

Message: PaymentReturnV01 <pacs.004.001.01>

Message Scope and Usage

Scope

The PaymentReturn message is sent by an agent to the previous agent in the payment chain to undo a payment previously settled.

Usage

The PaymentReturn message is exchanged between agents to return funds after settlement of credit transfer instructions (i.e. FIToFICustomerCreditTransfer message and FinancialInstitutionCreditTransfer message) or direct debit instructions (FIToFICustomerDirectDebit message).

The PaymentReturn message should not be used between agents and non-financial institution customers. Non-financial institution customers will be informed about a debit or a credit on their account(s) through an Advice of Credit/Debit message and/or Statement message.

The PaymentReturn message can be used to return single instructions or multiple instructions from one or different files.

The PaymentReturn message can be used in domestic and cross-border scenarios.

The PaymentReturn message refers to the original instruction(s) by means of references only or by means of references and a set of elements from the original instruction.

Outline

The PaymentReturn message is composed of 3 building blocks:

A. Group Header

This building block is mandatory and present once. It contains elements such as MessageIdentification, CreationDateAndTime, GroupReturn indicator.

B. Original Group Information

This building block is optional and present once. It contains elements such as OriginalMessageIdentification, OriginalMessageNameIdentification.

C. Transaction Information

This building block is optional and repetitive. It contains elements referencing the original instruction (e.g. OriginalGroupInformation, OriginalInterbankSettlementAmount), elements relating to the return instruction (e.g. ReturnedInstructedAmount, ChargeBearer). The TransactionInformation block may also transport a set of elements from the original instruction.

Rules

GroupReturnAndTransactionInformationRule
If GroupHeader/GroupReturn is true, then TransactionInformation is not allowed.
If GroupHeader/GroupReturn is false, then at least one occurrence of TransactionInformation must be present.

GroupReturnAndReturnReasonRule

If GroupHeader/GroupReturn is true, then OriginalGroupInformation/ReturnReasonInformation/ReturnReason must be present.

InstructedAgentRule
If GroupHeader/InstructedAgent is present, then TransactionInformation/InstructedAgent is not allowed.

InstructingAgentRule
If GroupHeader/InstructingAgent is present, then TransactionInformation/InstructingAgent is not allowed.

InterbankSettlementDateRule
If GroupHeader/InterbankSettlementDate is present, then TransactionInformation/InterbankSettlementDate is not allowed.
If GroupHeader/InterbankSettlementDate is not present, then TransactionInformation/InterbankSettlementDate must be present.

GroupReturnAndNumberOfTransactionsRule
If GroupHeader/GroupReturn is false, then GroupHeader/NumberOfTransactions must equal the number of occurrences of TransactionInformation.

TotalReturnedInterbankSettlementAmount1Rule
If GroupHeader/TotalReturnedInterbankSettlementAmount is present, then all occurrences of TransactionInformation/ ReturnedInterbankSettlementAmount must have the same currency as the currency of GroupHeader/ TotalReturnedInterbankSettlementAmount.

TotalReturnedInterbankSettlementAmount2Rule
GroupHeader/TotalReturnedInterbankSettlementAmount must equal the sum of all occurrences of TransactionInformation/ReturnedInterbankSettlementAmount when present.

OriginalGroupInformationRule
If OriginalGroupInformation is present, then TransactionInformation/OriginalGroupInformation is not allowed.

SettlementMethodRule
GroupHeader/SettlementInformation/SettlementMethod/COVE is not allowed when returning direct debit transactions.

Note : Rules applying to specific message components or message elements are included in the description of the relevant message component or message element.

Message Structure

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
1.0		GroupHeader	<GrpHdr>	[1..1]		
1.1		MessageIdentification	<MsgId>	[1..1]	Text	
1.2		CreationDateTime	<CreDtTm>	[1..1]	DateTime	
1.3		Authorisation	<Authstn>	[0..2]	Text	
1.4		BatchBooking	<BtchBookg>	[0..1]	Indicator	
1.5		NumberOfTransactions	<NbOfTxs>	[1..1]	Text	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
1.6		ControlSum	<CtrlSum>	[0..1]	Quantity	
1.7		GroupReturn	<GrpRtr>	[0..1]	Indicator	
1.8		TotalReturnedInterbankSettlementAmount	<TtlRtrdIntrBkSttlmAmt>	[0..1]	Amount	
1.9		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime	
1.10		SettlementInformation	<SttlmInf>	[1..1]		
1.11		SettlementMethod	<SttlmMtd>	[1..1]	Code	
1.12		SettlementAccount	<SttlmAcct>	[0..1]	+	
1.13		ClearingSystem	<ClrSys>	[0..1]		
1.14	{Or	ClearingSystemIdentification	<ClrSysId>	[1..1]	Code	
1.15	Or}	Proprietary	<Prtry>	[1..1]	Text	
1.16		InstructingReimbursementAgent	<InstgRmbrsmntAgt>	[0..1]	+	
1.17		InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>	[0..1]	+	
1.18		InstructedReimbursementAgent	<InstdRmbrsmntAgt>	[0..1]	+	
1.19		InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>	[0..1]	+	
1.20		ThirdReimbursementAgent	<ThrdRmbrsmntAgt>	[0..1]	+	
1.21		ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>	[0..1]	+	
1.22		InstructingAgent	<InstgAgt>	[0..1]	+	
1.23		InstructedAgent	<InstdAgt>	[0..1]	+	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
2.0		OriginalGroupInformation	<OrgnlGrpInf>	[0..1]		
2.1		OriginalMessageIdentification	<OrgnlMsgId>	[1..1]	Text	
2.2		OriginalMessageNameIdentification	<OrgnlMsgNmId>	[1..1]	Text	
2.3		OriginalCreationDateTime	<OrgnlCreDtTm>	[0..1]	DateTime	
2.4		ReturnReasonInformation	<RtrRsnInf>	[0..n]		
2.5		ReturnOriginator	<RtrOrgtr>	[0..1]	+	
2.6		ReturnReason	<RtrRsn>	[0..1]		
2.7	{Or	Code	<Cd>	[1..1]	Code	
2.8	Or}	Proprietary	<Prtry>	[1..1]	Text	
2.9		AdditionalReturnReasonInformation	<AddtlRtrRsnInf>	[0..n]	Text	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
3.0		TransactionInformation	<TxInf>	[0..n]		
3.1		ReturnIdentification	<RtrId>	[0..1]	Text	
3.2		OriginalGroupInformation	<OrgnlGrpInf>	[0..1]		
3.3		OriginalMessageIdentification	<OrgnlMsgId>	[1..1]	Text	
3.4		OriginalMessageNameIdentification	<OrgnlMsgNmId>	[1..1]	Text	
3.5		OriginalCreationDateTime	<OrgnlCreDtTm>	[0..1]	DateTime	
3.6		OriginalInstructionIdentification	<OrgnlInstrId>	[0..1]	Text	
3.7		OriginalEndToEndIdentification	<OrgnlEndToEndId>	[0..1]	Text	
3.8		OriginalTransactionIdentification	<OrgnlTxId>	[0..1]	Text	
3.9		OriginalInterbankSettlementAmount	<OrgnlIntrBkSttlmAmt>	[0..1]	Amount	
3.10		ReturnedInterbankSettlementAmount	<RtrdIntrBkSttlmAmt>	[1..1]	Amount	
3.11		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime	
3.12		ReturnedInstructedAmount	<RtrdInstdAmt>	[0..1]	Amount	
3.13		ExchangeRate	<XchgRate>	[0..1]	Rate	
3.14		CompensationAmount	<CompstnAmt>	[0..1]	Amount	
3.15		ChargeBearer	<ChrgBr>	[0..1]	Code	
3.16		ChargesInformation	<ChrgsInf>	[0..n]	+	
3.17		InstructingAgent	<InstgAgt>	[0..1]	+	
3.18		InstructedAgent	<InstdAgt>	[0..1]	+	
3.19		ReturnReasonInformation	<RtrRsnInf>	[0..n]		
3.20		ReturnOriginator	<RtrOrgtr>	[0..1]	+	
3.21		ReturnReason	<RtrRsn>	[0..1]		
3.22	{Or	Code	<Cd>	[1..1]	Code	
3.23	Or}	Proprietary	<Prtry>	[1..1]	Text	
3.24		AdditionalReturnReasonInformation	<AddtlRtrRsnInf>	[0..n]	Text	
3.25		OriginalTransactionReference	<OrgnlTxRef>	[0..1]		
3.26		InterbankSettlementAmount	<IntrBkSttlmAmt>	[0..1]	Amount	
3.27		Amount	<Amt>	[0..1]		
3.28	{Or	InstructedAmount	<InstdAmt>	[1..1]	Amount	
3.29	Or}	EquivalentAmount	<EqvtAmt>	[1..1]		
3.30		Amount	<Amt>	[1..1]	Amount	
3.31		CurrencyOfTransfer	<CcyOfTrf>	[1..1]	Code	
3.32		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
3.33	{Or	RequestedExecutionDate	<ReqdExctnDt>	[0..1]	DateTime	
3.34	Or}	RequestedCollectionDate	<ReqdColltnDt>	[0..1]	DateTime	
3.35		CreditorSchemeIdentification	<CdtrSchmeId>	[0..1]	+	
3.36		SettlementInformation	<SttlmInf>	[0..1]		
3.37		SettlementMethod	<SttlmMtd>	[1..1]	Code	
3.38		SettlementAccount	<SttlmAcct>	[0..1]	+	
3.39		ClearingSystem	<ClrSys>	[0..1]		
3.40	{Or	ClearingSystemIdentification	<ClrSysId>	[1..1]	Code	
3.41	Or}	Proprietary	<Prtry>	[1..1]	Text	
3.42		InstructingReimbursementAgent	<InstgRmbrsmntAgt>	[0..1]	+	
3.43		InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>	[0..1]	+	
3.44		InstructedReimbursementAgent	<InstdRmbrsmntAgt>	[0..1]	+	
3.45		InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>	[0..1]	+	
3.46		ThirdReimbursementAgent	<ThrdRmbrsmntAgt>	[0..1]	+	
3.47		ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>	[0..1]	+	
3.48		PaymentTypeInformation	<PmtTpInf>	[0..1]		
3.49		InstructionPriority	<InstrPrty>	[0..1]	Code	
3.50	{Or	ServiceLevel	<SvcLvl>	[0..1]		
3.51	{{Or	Code	<Cd>	[1..1]	Code	
3.52	Or}}	Proprietary	<Prtry>	[1..1]	Text	
3.53	Or}	ClearingChannel	<ClrChanl>	[0..1]	Code	
3.54		LocalInstrument	<LclInstrm>	[0..1]		
3.55	{Or	Code	<Cd>	[1..1]	Code	
3.56	Or}	Proprietary	<Prtry>	[1..1]	Text	
3.57		SequenceType	<SeqTp>	[0..1]	Code	
3.58		CategoryPurpose	<CtgyPurp>	[0..1]	Code	
3.59		PaymentMethod	<PmtMtd>	[0..1]	Code	
3.60		MandateRelatedInformation	<MndtRltdInf>	[0..1]		
3.61		MandateIdentification	<MndtId>	[0..1]	Text	
3.62		DateOfSignature	<DtOfSgntr>	[0..1]	DateTime	
3.63		AmendmentIndicator	<AmdmntInd>	[0..1]	Indicator	
3.64		AmendmentInformationDetails	<AmdmntInfDtls>	[0..1]		
3.65		OriginalMandateIdentification	<OrgnlMndtId>	[0..1]	Text	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
3.66		OriginalCreditorSchemeIdentification	<OrgnlCdtrSchmeId>	[0..1]	+	
3.67		OriginalCreditorAgent	<OrgnlCdtrAgt>	[0..1]	+	
3.68		OriginalCreditorAgentAccount	<OrgnlCdtrAgtAcct>	[0..1]	+	
3.69		OriginalDebtor	<OrgnlDbtr>	[0..1]	+	
3.70		OriginalDebtorAccount	<OrgnlDbtrAcct>	[0..1]	+	
3.71		OriginalDebtorAgent	<OrgnlDbtrAgt>	[0..1]	+	
3.72		OriginalDebtorAgentAccount	<OrgnlDbtrAgtAcct>	[0..1]	+	
3.73		OriginalFinalCollectionDate	<OrgnlFnlColltnDt>	[0..1]	DateTime	
3.74		OriginalFrequency	<OrgnlFrqcy>	[0..1]	Code	
3.75		ElectronicSignature	<ElctrncSgntr>	[0..1]	Text	
3.76		FirstCollectionDate	<FrstColltnDt>	[0..1]	DateTime	
3.77		FinalCollectionDate	<FnlColltnDt>	[0..1]	DateTime	
3.78		Frequency	<Frqcy>	[0..1]	Code	
3.79		RemittanceInformation	<RmtInf>	[0..1]		
3.80		Unstructured	<Ustrd>	[0..n]	Text	
3.81		Structured	<Strd>	[0..n]		
3.82		ReferredDocumentInformation	<RfrdDocInf>	[0..1]		
3.83		ReferredDocumentType	<RfrdDocTp>	[0..1]		
3.84	{Or	Code	<Cd>	[1..1]	Code	
3.85	Or}	Proprietary	<Prtry>	[1..1]	Text	
3.86		Issuer	<Issr>	[0..1]	Text	
3.87		ReferredDocumentNumber	<RfrdDocNb>	[0..1]	Text	
3.88		ReferredDocumentRelatedDate	<RfrdDocRltdDt>	[0..1]	DateTime	
3.89		ReferredDocumentAmount	<RfrdDocAmt>	[0..n]		
3.90	{Or	DuePayableAmount	<DuePyblAmt>	[1..1]	Amount	
3.91	Or	DiscountAppliedAmount	<DscntApldAmt>	[1..1]	Amount	
3.92	Or	RemittedAmount	<RmtdAmt>	[1..1]	Amount	
3.93	Or	CreditNoteAmount	<CdtNoteAmt>	[1..1]	Amount	
3.94	Or}	TaxAmount	<TaxAmt>	[1..1]	Amount	
3.95		CreditorReferenceInformation	<CdtrRefInf>	[0..1]		
3.96		CreditorReferenceType	<CdtrRefTp>	[0..1]		
3.97	{Or	Code	<Cd>	[1..1]	Code	
3.98	Or}	Proprietary	<Prtry>	[1..1]	Text	
3.99		Issuer	<Issr>	[0..1]	Text	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
3.100		CreditorReference	<CdtrRef>	[0..1]	Text	
3.101		Invoicer	<Invcr>	[0..1]	+	
3.102		Invoicee	<Invcee>	[0..1]	+	
3.103		AdditionalRemittanceInformation	<AddtlRmtInf>	[0..1]	Text	
3.104		UltimateDebtor	<UltmtDbtr>	[0..1]	+	
3.105		Debtor	<Dbtr>	[0..1]	+	
3.106		DebtorAccount	<DbtrAcct>	[0..1]	+	
3.107		DebtorAgent	<DbtrAgt>	[0..1]	+	
3.108		DebtorAgentAccount	<DbtrAgtAcct>	[0..1]	+	
3.109		CreditorAgent	<CdtrAgt>	[0..1]	+	
3.110		CreditorAgentAccount	<CdtrAgtAcct>	[0..1]	+	
3.111		Creditor	<Cdtr>	[0..1]	+	
3.112		CreditorAccount	<CdtrAcct>	[0..1]	+	
3.113		UltimateCreditor	<UltmtCdtr>	[0..1]	+	

Message Items Description

*The following section identifies the elements of the **PaymentReturnV01** message.*

1.0 GroupHeader <GrpHdr>

Presence: [1..1]
Definition: Set of characteristics shared by all individual transactions included in the message.
Type: *The **GroupHeader** block is composed of the following **GroupHeader6** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.1		MessageIdentification	<MsgId>	[1..1]	Text
1.2		CreationDateTime	<CreDtTm>	[1..1]	DateTime
1.3		Authorisation	<Authstn>	[0..2]	Text
1.4		BatchBooking	<BtchBookg>	[0..1]	Indicator
1.5		NumberOfTransactions	<NbOfTxs>	[1..1]	Text
1.6		ControlSum	<CtrlSum>	[0..1]	Quantity
1.7		GroupReturn	<GrpRtr>	[0..1]	Indicator
1.8		TotalReturnedInterbankSettlementAmount	<TtlRtrdIntrBkSttlmAmt>	[0..1]	Amount
1.9		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime
1.10		SettlementInformation	<SttlmInf>	[1..1]	
1.22		InstructingAgent	<InstgAgt>	[0..1]	+
1.23		InstructedAgent	<InstdAgt>	[0..1]	+

Rule(s): ControlSumAndGroupReturnRule
If GroupReturn is true, then ControlSum is not allowed.

TotalReturnedInterbankSettlementAmountRule
If TotalReturnedInterbankSettlementAmount is present, then InterbankSettlementDate must be present.

Guideline(s): GroupReturnAndNumberOfTransactionsGuideline
If GroupReturn is true, then NumberOfTransactions equals the number of transactions in the original message.

1.1 MessageIdentification <MsgId>

Presence: [1..1]

Definition: Point to point reference assigned by the instructing party and sent to the next party in the chain to unambiguously identify the message.

Usage: The instructing party has to make sure that 'MessageIdentification' is unique per instructed party for a pre-agreed period.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

1.2 CreationDateTime <CreDtTm>

Presence: [1..1]

Definition: Date and time at which a (group of) payment instruction(s) was created by the instructing party.

Data Type: ISODateTime

1.3 Authorisation <Authstn>

Presence: [0..2]

Definition: User identification or any user key that allows to check if the initiating party is allowed to initiate transactions from the account specified in the initiation.

Usage: the content is not of a technical nature, but reflects the organisational structure at the initiating side. The authorisation element can typically be used in relay scenarios, payment initiations, payment returns or payment reversals that are initiated on behalf of a different party than the initiating party.

Data Type: Max128Text

Format: maxLength: 128
minLength: 1

1.4 BatchBooking <BtchBookg>

Presence: [0..1]

Definition: Identifies whether a single entry per individual transaction or a batch entry for the sum of the amounts of all transactions in the message is requested.

Data Type: *One of the following **BatchBookingIndicator** values must be used:*
MeaningWhenTrue: Identifies that a batch entry for the sum of the amounts of all transactions in the message is requested.
MeaningWhenFalse: Identifies that a single entry for each of the transactions in the message is requested.

1.5 NumberOfTransactions <NbOfTxs>

Presence: [1..1]

Definition: Number of individual transactions contained in the message.

Data Type: Max15NumericText

Format: [0-9]{1,15}

1.6 ControlSum <CtrlSum>

Presence: [0..1]

Definition: Total of all individual amounts included in the message, irrespective of currencies.

Data Type: DecimalNumber

Format: fractionDigits: 17
totalDigits: 18

1.7 GroupReturn <GrpRtr>

Presence: [0..1]

Definition: Indicates whether the return applies to the whole group of transactions or to individual transactions within the original group(s).

Data Type: *One of the following **TrueFalseIndicator** values must be used:*
MeaningWhenTrue: True
MeaningWhenFalse: False

1.8 TotalReturnedInterbankSettlementAmount <TtlRtrdIntrBkSttlmAmt>

Presence: [0..1]

Definition: Total returned amount of money transferred between the instructing agent and the instructed agent in the return message.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency** (**Ccy**) which is typed by **CurrencyCode**.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

1.9 InterbankSettlementDate <IntrBkSttlmDt>

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Data Type: ISODate

1.10 SettlementInformation <SttlmInf>

Presence: [1..1]

Definition: Specifies the details on how the settlement of the transaction(s) between the instructing agent and the instructed agent is completed.

Type: *This message item is composed of the following **SettlementInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.11		SettlementMethod	<SttlmMtd>	[1..1]	Code
1.12		SettlementAccount	<SttlmAcct>	[0..1]	+
1.13		ClearingSystem	<ClrSys>	[0..1]	
1.16		InstructingReimbursementAgent	<InstgRmbrsmntAgt>	[0..1]	+
1.17		InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>	[0..1]	+
1.18		InstructedReimbursementAgent	<InstdRmbrsmntAgt>	[0..1]	+
1.19		InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>	[0..1]	+
1.20		ThirdReimbursementAgent	<ThrdRmbrsmntAgt>	[0..1]	+
1.21		ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>	[0..1]	+

Rule(s): InstructedReimbursementAgentAccountRule
If InstructedReimbursementAgent is not present, then InstructedReimbursementAgentAccount is not allowed.

InstructingReimbursementAgentAccountRule
If InstructingReimbursementAgent is not present, then InstructingReimbursementAgentAccount is not allowed.

SettlementMethod1Rule
If SettlementMethod is equal to INDA or INGA then:
- SettlementAccount may be present;
- ReimbursementAgent(s) is(are) not allowed;
- ClearingSystem is not allowed.

SettlementMethod2Rule
If SettlementMethod is equal to COVE then:
- SettlementAccount is not allowed;
- Reimbursement agent(s) must be present;
- ClearingSystem is not allowed.

SettlementMethod3Rule
If SettlementMethod is equal to CLRG then:
- SettlementAccount is not allowed;
- Reimbursement agent(s) is(are) not allowed;
- ClearingSystem must be present.

ThirdReimbursementAgentAccountRule
If ThirdReimbursementAgent is not present, then ThirdReimbursementAgentAccount is not allowed.

ThirdReimbursementAgentRule
If ThirdReimbursementAgent is present, then InstructingReimbursementAgent and InstructedReimbursementAgent must both be present.

1.11 SettlementMethod <SttlmMtd>

Presence: [1..1]
Definition: Method used to settle the (batch of) payment instructions.
Data Type: Code

*One of the following **SettlementMethod1Code** values must be used:*

Code	Name	Definition
CLRG	ClearingSystem	Settlement is done through a payment clearing system.
COVE	CoverMethod	Settlement is done through a cover payment.
INDA	InstructedAgent	Settlement is done by the agent instructed to execute a payment instruction.
INGA	InstructingAgent	Settlement is done by the agent instructing and forwarding the payment to the next party in the payment chain.

1.12 SettlementAccount <SttlmAcct>

Presence: [0..1]
Definition: A specific purpose account used to post debit and credit entries as a result of the transaction.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

1.13 ClearingSystem <ClrSys>

Presence: [0..1]
Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.
Type: *This message item is composed of one of the following **ClearingSystemIdentification1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.14	{Or	ClearingSystemIdentification	<ClrSysId>	[1..1]	Code
1.15	Or}	Proprietary	<Prtry>	[1..1]	Text

1.14 ClearingSystemIdentification <ClrSysId>

Presence: [1..1]
*This message item is part of choice **1.13** ClearingSystem.*
Definition: Infrastructure through which the payment instruction is processed.
Data Type: Code
*One of the following **CashClearingSystem3Code** values must be used:*

Code	Name	Definition
ABE	EBAEuro1Step1	Scheme code for EBA Euro1/Step1.

Code	Name	Definition
AIP	Albania	Scheme code for AL (Albania) - Albania Interbank Payment System.
ART	Austrian	Scheme code for AT (Austria) - Austrian RTGS (ARTIS).
AVP	NewZealand	Scheme code for NZ (New Zealand) - New Zealand Assured Value Payments.
AZM	Azerbaijan	Scheme code for AZ (Azerbaijan) - Azerbaijan Interbank Payment System (AZIPS).
BAP	BosniaHerzegovina	Scheme code for BA (Bosnia and Herzegovina).
BCC	SwedenBGC	Scheme code for SE (Sweden) - Sweden BGC Clearing CUG.
BDS	Barbados	Scheme code for BB (Barbados) - Barbados RTGS (CBRTGS).
BEL	Belgium	Scheme code for BE (Belgium) - Belgium RTGS (ELLIPS).
BGN	Bulgaria	Scheme code for BG (Bulgaria) - Bulgaria RTGS.
BHS	Bahamas	Scheme code for BS (Bahamas) - Bahamas RTGS.
BIS	Botswana	Scheme code for BW (Botswana) - Botswana Interbank Settlement System.
BOF	Finland	Scheme code for FI (Finland) - RTGS (BOF).
BOJ	BankOfJapanNet	Scheme code for the Bank of Japan clearing system.
BRL	Italy	Scheme code for IT (Italy) - Italy RTGS (BIREL).
BSP	Philippines	Scheme code for PH (Philippines) - Philippines Payment System.
CAD	Canada	Scheme code for CA (Canada) - Canadian Large Value Transfer System (LVTS)
CAM	SpainCAM	Scheme code for ES (Spain).
CBJ	Ireland	Scheme code for IE (Ireland) - Irish RTGS (IRIS).
CHI	USChips	CHIPS is the Clearing House Interbank Payment System in the US.
CHP	UnitedKingdom	Scheme code for GB (UK) - British Euro RTGS (CHAPS).
COP	Columbia	Scheme code for Columbia (CO) - Colombian ACH CENIT Central Bank Payment System.
DDK	DenmarkDDK	Scheme code for DK (Denmark) - Danish Krone RTGS (KRONOS)
DKC	Denmark	Scheme code for DK (Denmark) - Danish Euro RTGS (KRONOS)
EBA	EBAEuro1	Scheme code for EBA Euro1.
ELS	GermanyELS	Scheme code for DE (Germany).
EPM	ECB	Scheme code for ECB (European Central Bank) - ECB Payment Mechanism.
EPN	USChipsACH	Scheme code for the US CHIPS-ACH.

Code	Name	Definition
ERP	EBAStep1	Scheme code for EBA step 1 (members).
FDA	USFedACH	Scheme code for the US FED-ACH.
FDW	Fedwire	Scheme code for the US national real time gross settlement system.
FEY	ForeignExchangeYenClearing	Scheme code for the Foreign Exchange Yen Clearing system (FEYCS). It is the Japanese electronic interbank system for sending guaranteed and unconditional yen payments of FX deals for same day settlement from one settlement bank, on behalf of itself or its customers, to another settlement bank.
GIS	Ghana	Scheme code for GH (Ghana) - Ghana Interbank Settlement System (GISS).
HRK	Croatia	Scheme code for HR (Croatia) - HSVP.
HRM	Greece	Scheme code for GR (Greece) - Greek RTGS (HERMES).
HUF	Hungary	Scheme code for HU (Hungary) - VIBER.
INC	NetherlandsIP	Scheme code for NL (Netherlands) - Netherlands Interpay CUG.
JOD	Jordan	Scheme code for JO (Jordan) - Jordan RTGS.
KPS	Kenya	Scheme code for KE (Kenya) - Kenyan Electronic Payment Settlement System.
LGS	Luxemburg	Scheme code for LU (Luxemburg) - Luxembourg RTGS (LIPS).
LKB	SriLanka	Scheme code for LK (Sri Lanka) - Sri Lanka (Lankasettle).
LVL	Latvia	Scheme code for LV (Latvia).
MEP	Singapore	Scheme code for SG (Singapore) - Singapore RTGS (MEPS +).
MOS	SouthAfrica	Scheme code for ZA (South Africa) - South-African Multiple Option Settlement.
MRS	Malta	Scheme code for MT (Malta) - Malta Realtime Interbank Settlement System.
MUP	Mauritius	Scheme code for MU (Mauritius).
NAM	Namibia	Scheme code for NA (Namibian) - Namibian Interbank Settlement System.
NOC	Norway	Scheme code for NO (Norway).
PCH	Switzerland	Scheme code for CH (Switzerland).
PDS	Australia	Scheme code for AU (Australia).
PEG	Egypt	Scheme code for EG (Egypt).
PNS	FrancePNS	Scheme code for FR (France).
PTR	Angola	Scheme code for AO (Angola) - Angola RTGS.
PVE	Venezuela	Scheme code for Ve (Venezuela).

Code	Name	Definition
ROL	RomaniaEPO	Scheme code for RO (Romania) - Romanian Electronic Payment Operations RT.
ROS	RomaniaGSRS	Scheme code for RO (Romania) - Romanian GSRS.
RTP	GermanyRTGSPlus	Scheme code for DE (Germany).
SCP	Chili	Scheme code for CL (Chile) - Chilean Interbank Payment System.
SEC	SwedenSEC	Scheme code for SE (Sweden) - Swedish Euro RTGS (SEC).
SIT	Slovania	Scheme code for SI (Slovenia).
SLB	SpainES	Scheme code for ES (Spain) - Spanish RTGS (SLBE).
SPG	Portugal	Scheme code for PT (Portugal) - Portuguese RTGS (SPGT).
SSK	SwedenSSK	Scheme code for SE (Sweden) - SEK RTGS (RIX).
STG	UnitedKingdomGBP	Scheme code for UK (United Kingdom) - CHAPS Sterling RTGS.
TBF	FranceFR	Scheme code for FR (France) - French RTGS (TBF).
TGT	Target	Scheme code for Target.
THB	Thailand	Scheme code for TH (Thailand) - Thailand Payment System (Bahtnet/2).
TIS	Tanzania	Scheme code for TZ (Tanzania) - Tanzania Interbank Settlement System (TISS).
TOP	Netherlands	Scheme code for NL (Netherlands) - Dutch RTGS (TOP)
TTD	TrinidadAndTobago	Scheme code for TT (Trinidad and Tobago) - Trinidad and Tobago SAFE-TT.
UIS	Uganda	Scheme code for UG (Uganda) - Uganda National Interbank Settlement System.
XCT	EBAStep2	Scheme code for EBA step 2.
ZEN	Zengin	Scheme code for the Zengin system. The electronic payment system for domestic third party transfers managed by the Tokyo Bankers Association.
ZET	Zimbabwe	Scheme code for ZW (Zimbabwe) - Zimbabwe Electronic Transfer & Settlement System.
ZIS	Zambia	Scheme code for ZM (Zambia) - Zambian Interbank Payment &Settlement System.

1.15 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **1.13** ClearingSystem.*

Definition: Proprietary clearing system service selected for a transaction.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

1.16 InstructingReimbursementAgent <InstgRmbrsmntAgt>

Presence: [0..1]

Definition: Agent through which the instructing agent will reimburse the instructed agent.

Usage: If InstructingAgent and InstructedAgent have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.17 InstructingReimbursementAgentAccount <InstgRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructing reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

1.18 InstructedReimbursementAgent <InstdRmbrsmntAgt>

Presence: [0..1]

Definition: Agent at which the instructed agent will be reimbursed.

Usage: If InstructedReimbursementAgent contains a branch of the InstructedAgent, then the instructed agent will claim reimbursement from that branch/will be paid by that branch.

Usage: If InstructingAgent and InstructedAgent have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.19 InstructedReimbursementAgentAccount <InstdRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructed reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

1.20 ThirdReimbursementAgent <ThrdRmbrsmntAgt>

Presence: [0..1]

Definition: Instructed agent's branch where the amount of money will be made available when different from the instructed reimbursement agent.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.21 ThirdReimbursementAgentAccount <ThrdRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the third reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

1.22 InstructingAgent <InstgAgt>

Presence: [0..1]
Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.23 InstructedAgent <InstdAgt>

Presence: [0..1]
Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.0 OriginalGroupInformation <OrgnlGrpInf>

Presence: [0..1]
Definition: Information concerning the original group of transactions, to which the message refers.
Type: *The **OriginalGroupInformation** block is composed of the following **OriginalGroupInformation2** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1		OriginalMessageIdentification	<OrgnlMsgId>	[1..1]	Text
2.2		OriginalMessageNameIdentification	<OrgnlMsgNmId>	[1..1]	Text
2.3		OriginalCreationDateTime	<OrgnlCreDtTm>	[0..1]	DateTime
2.4		ReturnReasonInformation	<RtrRsnInf>	[0..n]	

2.1 OriginalMessageIdentification <OrgnlMsgId>

Presence: [1..1]
Definition: Point to point reference assigned by the original instructing party to unambiguously identify the original group of individual transactions.
Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.2 OriginalMessageNameIdentification <OrgnlMsgNmId>

Presence: [1..1]
Definition: Specifies the original message name identifier to which the message refers, eg, pacs.003.001.01 or MT103.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.3 OriginalCreationDateTime <OrgnlCreDtTm>

Presence: [0..1]
Definition: Date and time at which the original message was created.
Data Type: ISODateTime

2.4 ReturnReasonInformation <RtrRsnInf>

Presence: [0..n]
Definition: Detailed information on the return reason.
Type: *This message item is composed of the following **ReturnReasonInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.5		ReturnOriginator	<RtrOrgtr>	[0..1]	+
2.6		ReturnReason	<RtrRsn>	[0..1]	
2.9		AdditionalReturnReasonInformation	<AddtlRtrRsnInf>	[0..n]	Text

Rule(s): ReturnReasonRule
If ReturnReason/Code is equal to 'NARR', then at least one occurrence of AdditionalReturnReasonInformation must be present.

2.5 ReturnOriginator <RtrOrgtr>

Presence: [0..1]
Definition: Party issuing the return.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.6 ReturnReason <RtrRsn>

Presence: [0..1]
Definition: Specifies the reason for the return.
Type: *This message item is composed of one of the following* ***ReturnReason1Choice*** *element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.7	{Or	Code	<Cd>	[1..1]	Code
2.8	Or}	Proprietary	<Prtry>	[1..1]	Text

2.7 Code <Cd>

Presence: [1..1]
This message item is part of choice ***2.6*** *ReturnReason.*
Definition: Reason for the return in a coded form.
Data Type: Code
One of the following ***TransactionRejectReason2Code*** *values must be used:*

Code	Name	Definition
AC01	IncorrectAccountNumber	Format of the account number specified is not correct.
AC04	ClosedAccountNumber	Account number specified has been closed on the Receiver's books.
AC06	BlockedAccount	Account specified is blocked, prohibiting posting of transactions against it.
AG01	TransactionForbidden	Transaction forbidden on this type of account (formerly NoAgreement).
AG02	InvalidBankOperationCode	Bank Operation code specified in the message is not valid for receiver.
AM01	ZeroAmount	Specified message amount is equal to zero.
AM02	NotAllowedAmount	Specified transaction/message amount is greater than allowed maximum.
AM03	NotAllowedCurrency	Specified message amount is in an non processable currency outside of existing agreement.
AM04	InsufficientFunds	Amount of funds available to cover specified message amount is insufficient.
AM05	Duplication	This message appears to have been duplicated.
AM06	TooLowAmount	Specified transaction amount is less than agreed minimum.
AM07	BlockedAmount	Amount specified in message has been blocked by regulatory authorities.
AM09	WrongAmount	Amount received is not the amount agreed or expected.
AM10	InvalidControlSum	Sum of instructed amounts does not equal the control sum.
BE01	InconsistentWithEndCustomer	Identification of end customer is not consistent with associated account number. (formerly CreditorConsistency)

Code	Name	Definition
BE04	MissingCreditorAddress	Specification of creditor's address, which is required for payment, is missing/not correct (formerly IncorrectCreditorAddress).
BE05	UnrecognisedInitiatingParty	Party who initiated the message is not recognised by the end customer.
BE06	UnknownEndCustomer	End customer specified is not known at associated Sort/ National Bank Code or does no longer exist in the books.
BE07	MissingDebtorAddress	Specification of debtor's address, which is required for payment, is missing/not correct.
DT01	InvalidDate	Invalid date (eg, wrong settlement date).
ED01	CorrespondentBankNotPossible	Correspondent bank not possible.
ED03	BalanceInfoRequested	Balance of payments complementary info is requested.
ED05	SettlementFailed	Settlement of the transaction has failed.
MD01	NoMandate	Mandate is cancelled or invalid.
MD02	MissingMandatoryInformationInMandate	Mandate related information data required by the scheme is missing.
MD03	InvalidFileFormatForOtherReasonThanGroupingIndicator	File format incomplete or invalid.
MD04	InvalidFileFormatForGroupingIndicator	File format incorrect in terms of grouping indicator.
MD06	RefundRequestByEndCustomer	Return of funds requested by end customer.
MD07	EndCustomerDeceased	End customer is deceased.
MS02	NotSpecifiedReasonCustomerGenerated	Reason has not been specified by end customer.
MS03	NotSpecifiedReasonAgentGenerated	Reason has not been specified by agent.
NARR	Narrative	Reason is provided as narrative information in the additional reason information.
RC01	BankIdentifierIncorrect	Bank identifier code specified in the message has an incorrect format (formerly IncorrectFormatForRoutingCode).
RF01	NotUniqueTransactionReference	Transaction reference is not unique within the message.
TM01	CutOffTime	Associated message was received after agreed processing cut-off time.

2.8 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **2.6** ReturnReason.*

Definition: Reason for the return not catered for by the available codes.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.9 AdditionalReturnReasonInformation <AddtlRtrRsnInf>

Presence: [0..n]
Definition: Further details on the return reason.
Data Type: Max105Text
Format: maxLength: 105
minLength: 1

3.0 TransactionInformation <TxInf>

Presence: [0..n]
Definition: Information concerning the original transactions, to which the return message refers.
Type: *The **TransactionInformation** block is composed of the following **PaymentTransactionInformation2** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.1		ReturnIdentification	<RtrId>	[0..1]	Text
3.2		OriginalGroupInformation	<OrgnlGrpInf>	[0..1]	
3.6		OriginalInstructionIdentification	<OrgnlInstrId>	[0..1]	Text
3.7		OriginalEndToEndIdentification	<OrgnlEndToEndId>	[0..1]	Text
3.8		OriginalTransactionIdentification	<OrgnlTxId>	[0..1]	Text
3.9		OriginalInterbankSettlementAmount	<OrgnlIntrBkSttlmAmt>	[0..1]	Amount
3.10		ReturnedInterbankSettlementAmount	<RtrdIntrBkSttlmAmt>	[1..1]	Amount
3.11		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime
3.12		ReturnedInstructedAmount	<RtrdInstdAmt>	[0..1]	Amount
3.13		ExchangeRate	<XchgRate>	[0..1]	Rate
3.14		CompensationAmount	<CompstnAmt>	[0..1]	Amount
3.15		ChargeBearer	<ChrgBr>	[0..1]	Code
3.16		ChargesInformation	<ChrgsInf>	[0..n]	+
3.17		InstructingAgent	<InstgAgt>	[0..1]	+
3.18		InstructedAgent	<InstdAgt>	[0..1]	+
3.19		ReturnReasonInformation	<RtrRsnInf>	[0..n]	
3.25		OriginalTransactionReference	<OrgnlTxRef>	[0..1]	

Rule(s): ChargesInformationAndReturnedInstructedAmountRule
If ChargesInformation/ChargesAmount is present at least once, then ReturnedInstructedAmount must be present.

ReturnedInstructedAmountAndExchangeRate1Rule
If ReturnedInstructedAmount is present and the currency is different from the currency in InterbankSettlementAmount, then ExchangeRate must be present.

ReturnedInstructedAmountAndExchangeRate2Rule
If ReturnedInstructedAmount is present and the currency is the same as the currency in InterbankSettlementAmount, then ExchangeRate is not allowed.

3.1 ReturnIdentification <RtrId>

Presence: [0..1]

Definition: Unique identification as assigned by an instructing party for an instructed party to unambiguously identify the returned transaction.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.2 OriginalGroupInformation <OrgnlGrpInf>

Presence: [0..1]

Definition: Information concerning the original group of transactions, to which the message refers.

Type: *This message item is composed of the following **OriginalGroupInformation3** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.3		OriginalMessageIdentification	<OrgnlMsgId>	[1..1]	Text
3.4		OriginalMessageNameIdentification	<OrgnlMsgNmId>	[1..1]	Text
3.5		OriginalCreationDateTime	<OrgnlCreDtTm>	[0..1]	DateTime

3.3 OriginalMessageIdentification <OrgnlMsgId>

Presence: [1..1]

Definition: Point to point reference assigned by the original instructing party to unambiguously identify the original group of individual transactions.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.4 OriginalMessageNameIdentification <OrgnlMsgNmId>

Presence: [1..1]

Definition: Specifies the original message name identifier to which the message refers, eg, pacs.003.001.01 or MT103.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.5 OriginalCreationDateTime <OrgnlCreDtTm>

Presence: [0..1]

Definition: Original date and time at which the message was created.

Data Type: ISODateTime

3.6 OriginalInstructionIdentification <OrgnlInstrId>

Presence: [0..1]

Definition: Original unique instruction identification as assigned by an instructing party for an instructed party to unambiguously identify the original instruction.

Usage: the original instruction identification is the original point to point reference used between the instructing party and the instructed party to refer to the original instruction.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.7 OriginalEndToEndIdentification <OrgnlEndToEndId>

Presence: [0..1]

Definition: Original unique identification assigned by the initiating party to unambiguously identify the original transaction. This identification is passed on, unchanged, throughout the entire end-to-end chain.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.8 OriginalTransactionIdentification <OrgnlTxId>

Presence: [0..1]

Definition: Original identification of a transaction, as assigned by the first instructing agent and passed on, unchanged, throughout the entire interbank chain.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.9 OriginalInterbankSettlementAmount <OrgnlIntrBkSttlmAmt>

Presence: [0..1]

Definition: Original amount of money as moved between the instructing agent and the instructed agent in the original transaction.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.10 ReturnedInterbankSettlementAmount <RtrdIntrBkSttlmAmt>

Presence: [1..1]

Definition: Returned amount of money moved between the instructing agent and the instructed agent in the return transaction.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.11 InterbankSettlementDate <IntrBkSttlmDt>

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Usage: the InterbankSettlementDate is the interbank settlement date of the return message, and not of the original instruction.

Data Type: ISODate

3.12 ReturnedInstructedAmount <RtrdInstdAmt>

Presence: [0..1]

Definition: Amount of money to be moved between the debtor and the creditor, before deduction of charges, in the returned transaction.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.13 ExchangeRate <XchgRate>

Presence: [0..1]

Definition: The factor used for conversion of an amount from one currency into another. This reflects the price at which one currency was bought with another currency.

Data Type: BaseOneRate

Format: fractionDigits: 10
totalDigits: 11

3.14 CompensationAmount <CompstnAmt>

Presence: [0..1]

Definition: Amount of money asked or paid as compensation for the processing of the instruction.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: CurrencyAndAmount
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

3.15 ChargeBearer <ChrgBr>

Presence: [0..1]

Definition: Specifies which party/parties will bear the charges associated with the processing of the payment transaction.

Usage: The ChargeBearer applies to the return message, not to the original instruction.

Data Type: Code

When this message item is present, one of the following ***ChargeBearerType1Code*** *values must be used:*

Code	Name	Definition
CRED	BorneByCreditor	All transaction charges are to be borne by the creditor.
DEBT	BorneByDebtor	All transaction charges are to be borne by the debtor.
SHAR	Shared	In a credit transfer context, means that transaction charges on the sender side are to be borne by the debtor, transaction charges on the receiver side are to be borne by the creditor. In a direct debit context, means that transaction charges on the sender side are to be borne by the creditor, transaction charges on the receiver side are to be borne by the debtor.
SLEV	FollowingServiceLevel	Charges are to be applied following the rules agreed in the service level and/or scheme.

3.16 ChargesInformation <ChrgsInf>

Presence: [0..n]

Definition: Transaction charges to be paid by the charge bearer for the return transaction.

Type: *This message item is composed of the following* ***ChargesInformation1*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	ChargesAmount	<ChrgsAmt>	[1..1]	Amount
	ChargesParty	<ChrgsPty>	[1..1]	

For additional Type information, please refer to ChargesInformation1 p.461 in 'Message Item Types' section

3.17 InstructingAgent <InstgAgt>

Presence: [0..1]

Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).

Type: *This message item is composed of the following* ***BranchAndFinancialInstitutionIdentification3*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.18 InstructedAgent <InstdAgt>

Presence: [0..1]
Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.19 ReturnReasonInformation <RtrRsnInf>

Presence: [0..n]
Definition: Detailed information on the return reason.
Type: *This message item is composed of the following **ReturnReasonInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.20		ReturnOriginator	<RtrOrgtr>	[0..1]	+
3.21		ReturnReason	<RtrRsn>	[0..1]	
3.24		AdditionalReturnReasonInformation	<AddtlRtrRsnInf>	[0..n]	Text

Rule(s): ReturnReasonRule
If ReturnReason/Code is equal to 'NARR', then at least one occurrence of AddititionalReturnReasonInformation must be present.

3.20 ReturnOriginator <RtrOrgtr>

Presence: [0..1]
Definition: Party issuing the return.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.21 ReturnReason <RtrRsn>

Presence: [0..1]
Definition: Specifies the reason for the return.
Type: *This message item is composed of one of the following **ReturnReason1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.22	{Or	Code	<Cd>	[1..1]	Code
3.23	Or}	Proprietary	<Prtry>	[1..1]	Text

3.22 Code <Cd>

Presence: [1..1]
*This message item is part of choice **3.21** ReturnReason.*
Definition: Reason for the return in a coded form.
Data Type: Code
*One of the following **TransactionRejectReason2Code** values must be used:*

Code	Name	Definition
AC01	IncorrectAccountNumber	Format of the account number specified is not correct.
AC04	ClosedAccountNumber	Account number specified has been closed on the Receiver's books.
AC06	BlockedAccount	Account specified is blocked, prohibiting posting of transactions against it.
AG01	TransactionForbidden	Transaction forbidden on this type of account (formerly NoAgreement).
AG02	InvalidBankOperationCode	Bank Operation code specified in the message is not valid for receiver.
AM01	ZeroAmount	Specified message amount is equal to zero.
AM02	NotAllowedAmount	Specified transaction/message amount is greater than allowed maximum.
AM03	NotAllowedCurrency	Specified message amount is in an non processable currency outside of existing agreement.
AM04	InsufficientFunds	Amount of funds available to cover specified message amount is insufficient.
AM05	Duplication	This message appears to have been duplicated.
AM06	TooLowAmount	Specified transaction amount is less than agreed minimum.

Code	Name	Definition
AM07	BlockedAmount	Amount specified in message has been blocked by regulatory authorities.
AM09	WrongAmount	Amount received is not the amount agreed or expected.
AM10	InvalidControlSum	Sum of instructed amounts does not equal the control sum.
BE01	InconsistentWithEndCustomer	Identification of end customer is not consistent with associated account number. (formerly CreditorConsistency)
BE04	MissingCreditorAddress	Specification of creditor's address, which is required for payment, is missing/not correct (formerly IncorrectCreditorAddress).
BE05	UnrecognisedInitiatingParty	Party who initiated the message is not recognised by the end customer.
BE06	UnknownEndCustomer	End customer specified is not known at associated Sort/ National Bank Code or does no longer exist in the books.
BE07	MissingDebtorAddress	Specification of debtor's address, which is required for payment, is missing/not correct.
DT01	InvalidDate	Invalid date (eg, wrong settlement date).
ED01	CorrespondentBankNotPossible	Correspondent bank not possible.
ED03	BalanceInfoRequested	Balance of payments complementary info is requested.
ED05	SettlementFailed	Settlement of the transaction has failed.
MD01	NoMandate	Mandate is cancelled or invalid.
MD02	MissingMandatoryInformationInMandate	Mandate related information data required by the scheme is missing.
MD03	InvalidFileFormatForOtherReasonThanGroupingIndicator	File format incomplete or invalid.
MD04	InvalidFileFormatForGroupingIndicator	File format incorrect in terms of grouping indicator.
MD06	RefundRequestByEndCustomer	Return of funds requested by end customer.
MD07	EndCustomerDeceased	End customer is deceased.
MS02	NotSpecifiedReasonCustomerGenerated	Reason has not been specified by end customer.
MS03	NotSpecifiedReasonAgentGenerated	Reason has not been specified by agent.
NARR	Narrative	Reason is provided as narrative information in the additional reason information.
RC01	BankIdentifierIncorrect	Bank identifier code specified in the message has an incorrect format (formerly IncorrectFormatForRoutingCode).
RF01	NotUniqueTransactionReference	Transaction reference is not unique within the message.

Code	Name	Definition
TM01	CutOffTime	Associated message was received after agreed processing cut-off time.

3.23 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **3.21** ReturnReason.*

Definition: Reason for the return not catered for by the available codes.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.24 AdditionalReturnReasonInformation <AddtlRtrRsnInf>

Presence: [0..n]

Definition: Further details on the return reason.

Data Type: Max105Text

Format: maxLength: 105
minLength: 1

3.25 OriginalTransactionReference <OrgnlTxRef>

Presence: [0..1]

Definition: Set of key elements of the original transaction being referred to.

Type: *This message item is composed of the following **OriginalTransactionReference1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.26		InterbankSettlementAmount	<IntrBkSttlmAmt>	[0..1]	Amount
3.27		Amount	<Amt>	[0..1]	
3.32		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime
3.33	{Or	RequestedExecutionDate	<ReqdExctnDt>	[0..1]	DateTime
3.34	Or}	RequestedCollectionDate	<ReqdColltnDt>	[0..1]	DateTime
3.35		CreditorSchemeIdentification	<CdtrSchmeId>	[0..1]	+
3.36		SettlementInformation	<SttlmInf>	[0..1]	
3.48		PaymentTypeInformation	<PmtTpInf>	[0..1]	
3.59		PaymentMethod	<PmtMtd>	[0..1]	Code
3.60		MandateRelatedInformation	<MndtRltdInf>	[0..1]	
3.79		RemittanceInformation	<RmtInf>	[0..1]	
3.104		UltimateDebtor	<UltmtDbtr>	[0..1]	+
3.105		Debtor	<Dbtr>	[0..1]	+
3.106		DebtorAccount	<DbtrAcct>	[0..1]	+
3.107		DebtorAgent	<DbtrAgt>	[0..1]	+
3.108		DebtorAgentAccount	<DbtrAgtAcct>	[0..1]	+

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.109		CreditorAgent	<CdtrAgt>	[0..1]	+
3.110		CreditorAgentAccount	<CdtrAgtAcct>	[0..1]	+
3.111		Creditor	<Cdtr>	[0..1]	+
3.112		CreditorAccount	<CdtrAcct>	[0..1]	+
3.113		UltimateCreditor	<UltmtCdtr>	[0..1]	+

3.26 InterbankSettlementAmount <IntrBkSttlmAmt>

Presence: [0..1]

Definition: Amount of money moved between the instructing agent and the instructed agent.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.27 Amount <Amt>

Presence: [0..1]

Definition: Amount of money to be moved between the debtor and creditor, before deduction of charges, expressed in the currency as ordered by the initiating party.

Type: *This message item is composed of one of the following* ***AmountType2Choice*** *element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.28	{Or	InstructedAmount	<InstdAmt>	[1..1]	Amount
3.29	Or}	EquivalentAmount	<EqvtAmt>	[1..1]	

3.28 InstructedAmount <InstdAmt>

Presence: [1..1]

This message item is part of choice ***3.27*** *Amount.*

Definition: Amount of money to be moved between the debtor and creditor, before deduction of charges, expressed in the currency as ordered by the initiating party.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18

CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.29 EquivalentAmount <EqvtAmt>

Presence: [1..1]

*This message item is part of choice **3.27** Amount.*

Definition: Amount of money to be transferred between the debtor and creditor, before deduction of charges, expressed in the currency of the debtor's account, and to be transferred into a different currency.

Usage : Currency of the amount is expressed in the currency of the debtor's account, but the amount to be transferred is in another currency. The debtor agent will convert the amount and currency to the to be transferred amount and currency, eg, 'pay equivalent of 100000 EUR in JPY'(and account is in EUR).

Type: *This message item is composed of the following **EquivalentAmount** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.30		Amount	<Amt>	[1..1]	Amount
3.31		CurrencyOfTransfer	<CcyOfTrf>	[1..1]	Code

3.30 Amount <Amt>

Presence: [1..1]

Definition: Amount of money to be transferred between debtor and creditor, before deduction of charges, expressed in the currency of the debtor's account, and to be transferred in a different currency.

Usage : Currency of the amount is expressed in the currency of the debtor's account, but the amount to be transferred is in another currency. The first agent will convert the amount and currency to the to be transferred amount and currency, eg, 'pay equivalent of 100000 EUR in JPY'(and account is in EUR).

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.31 CurrencyOfTransfer <CcyOfTrf>

Presence: [1..1]

Definition: Specifies the currency of the to be transferred amount, which is different from the currency of the debtor's account.

Data Type: CurrencyCode

Format: [A-Z]{3,3}

Rule(s): ValidationByTable

3.32 InterbankSettlementDate <IntrBkSttlmDt>

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Data Type: ISODate

3.33 RequestedExecutionDate <ReqdExctnDt>

Presence: [0..1]

*This message item is part of choice **3.25** OriginalTransactionReference.*

Definition: Date at which the initiating party requests that the clearing agent to process the payment. If payment by cheque, the date when the cheque must be generated by the bank.

Usage: This is the date on which the debtor's account(s) is (are) to be debited.

Data Type: ISODate

3.34 RequestedCollectionDate <ReqdColltnDt>

Presence: [0..1]

*This message item is part of choice **3.25** OriginalTransactionReference.*

Definition: Date at which the creditor requests the amount of money to be collected from the debtor.

Data Type: ISODate

3.35 CreditorSchemeIdentification <CdtrSchmeId>

Presence: [0..1]

Definition: Credit party that signs the direct debit mandate.

Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.36 SettlementInformation <SttlmInf>

Presence: [0..1]

Definition: Specifies the details on how the settlement of the original transaction(s) between the instructing agent and the instructed agent was completed.

Type: *This message item is composed of the following **SettlementInformation3** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.37		SettlementMethod	<SttlmMtd>	[1..1]	Code
3.38		SettlementAccount	<SttlmAcct>	[0..1]	+

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.39		ClearingSystem	<ClrSys>	[0..1]	
3.42		InstructingReimbursementAgent	<InstgRmbrsmntAgt>	[0..1]	+
3.43		InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>	[0..1]	+
3.44		InstructedReimbursementAgent	<InstdRmbrsmntAgt>	[0..1]	+
3.45		InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>	[0..1]	+
3.46		ThirdReimbursementAgent	<ThrdRmbrsmntAgt>	[0..1]	+
3.47		ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>	[0..1]	+

3.37 SettlementMethod <SttlmMtd>

Presence: [1..1]
Definition: Method used to settle the (batch of) payment instructions.
Data Type: Code
*One of the following **SettlementMethod1Code** values must be used:*

Code	Name	Definition
CLRG	ClearingSystem	Settlement is done through a payment clearing system.
COVE	CoverMethod	Settlement is done through a cover payment.
INDA	InstructedAgent	Settlement is done by the agent instructed to execute a payment instruction.
INGA	InstructingAgent	Settlement is done by the agent instructing and forwarding the payment to the next party in the payment chain.

3.38 SettlementAccount <SttlmAcct>

Presence: [0..1]
Definition: A specific purpose account used to post debit and credit entries as a result of the transaction.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.39 ClearingSystem <ClrSys>

Presence: [0..1]
Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

Type: *This message item is composed of one of the following* ***ClearingSystemIdentification1Choice*** *element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.40	{Or	ClearingSystemIdentification	<ClrSysId>	[1..1]	Code
3.41	Or}	Proprietary	<Prtry>	[1..1]	Text

3.40 ClearingSystemIdentification <ClrSysId>

Presence: [1..1]
This message item is part of choice ***3.39*** *ClearingSystem.*
Definition: Infrastructure through which the payment instruction is processed.
Data Type: Code
One of the following ***CashClearingSystem3Code*** *values must be used:*

Code	Name	Definition
ABE	EBAEuro1Step1	Scheme code for EBA Euro1/Step1.
AIP	Albania	Scheme code for AL (Albania) - Albania Interbank Payment System.
ART	Austrian	Scheme code for AT (Austria) - Austrian RTGS (ARTIS).
AVP	NewZealand	Scheme code for NZ (New Zealand) - New Zealand Assured Value Payments.
AZM	Azerbaijan	Scheme code for AZ (Azerbaijan) - Azerbaijan Interbank Payment System (AZIPS).
BAP	BosniaHerzegovina	Scheme code for BA (Bosnia and Herzegovina).
BCC	SwedenBGC	Scheme code for SE (Sweden) - Sweden BGC Clearing CUG.
BDS	Barbados	Scheme code for BB (Barbados) - Barbados RTGS (CBRTGS).
BEL	Belgium	Scheme code for BE (Belgium) - Belgium RTGS (ELLIPS).
BGN	Bulgaria	Scheme code for BG (Bulgaria) - Bulgaria RTGS.
BHS	Bahamas	Scheme code for BS (Bahamas) - Bahamas RTGS.
BIS	Botswana	Scheme code for BW (Botswana) - Botswana Interbank Settlement System.
BOF	Finland	Scheme code for FI (Finland) - RTGS (BOF).
BOJ	BankOfJapanNet	Scheme code for the Bank of Japan clearing system.
BRL	Italy	Scheme code for IT (Italy) - Italy RTGS (BIREL).
BSP	Philippines	Scheme code for PH (Philippines) - Philippines Payment System.
CAD	Canada	Scheme code for CA (Canada) - Canadian Large Value Transfer System (LVTS)
CAM	SpainCAM	Scheme code for ES (Spain).
CBJ	Ireland	Scheme code for IE (Ireland) - Irish RTGS (IRIS).

Code	Name	Definition
CHI	USChips	CHIPS is the Clearing House Interbank Payment System in the US.
CHP	UnitedKingdom	Scheme code for GB (UK) - British Euro RTGS (CHAPS).
COP	Columbia	Scheme code for Columbia (CO) - Colombian ACH CENIT Central Bank Payment System.
DDK	DenmarkDDK	Scheme code for DK (Denmark) - Danish Krone RTGS (KRONOS)
DKC	Denmark	Scheme code for DK (Denmark) - Danish Euro RTGS (KRONOS)
EBA	EBAEuro1	Scheme code for EBA Euro1.
ELS	GermanyELS	Scheme code for DE (Germany).
EPM	ECB	Scheme code for ECB (European Central Bank) - ECB Payment Mechanism.
EPN	USChipsACH	Scheme code for the US CHIPS-ACH.
ERP	EBAStep1	Scheme code for EBA step 1 (members).
FDA	USFedACH	Scheme code for the US FED-ACH.
FDW	Fedwire	Scheme code for the US national real time gross settlement system.
FEY	ForeignExchangeYenClearing	Scheme code for the Foreign Exchange Yen Clearing system (FEYCS). It is the Japanese electronic interbank system for sending guaranteed and unconditional yen payments of FX deals for same day settlement from one settlement bank, on behalf of itself or its customers, to another settlement bank.
GIS	Ghana	Scheme code for GH (Ghana) - Ghana Interbank Settlement System (GISS).
HRK	Croatia	Scheme code for HR (Croatia) - HSVP.
HRM	Greece	Scheme code for GR (Greece) - Greek RTGS (HERMES).
HUF	Hungary	Scheme code for HU (Hungary) - VIBER.
INC	NetherlandsIP	Scheme code for NL (Netherlands) - Netherlands Interpay CUG.
JOD	Jordan	Scheme code for JO (Jordan) - Jordan RTGS.
KPS	Kenya	Scheme code for KE (Kenya) - Kenyan Electronic Payment Settlement System.
LGS	Luxemburg	Scheme code for LU (Luxemburg) - Luxembourg RTGS (LIPS).
LKB	SriLanka	Scheme code for LK (Sri Lanka) - Sri Lanka (Lankasettle).
LVL	Latvia	Scheme code for LV (Latvia).
MEP	Singapore	Scheme code for SG (Singapore) - Singapore RTGS (MEPS +).

Code	Name	Definition
MOS	SouthAfrica	Scheme code for ZA (South Africa) - South-African Multiple Option Settlement.
MRS	Malta	Scheme code for MT (Malta) - Malta Realtime Interbank Settlement System.
MUP	Mauritius	Scheme code for MU (Mauritius).
NAM	Namibia	Scheme code for NA (Namibian) - Namibian Interbank Settlement System.
NOC	Norway	Scheme code for NO (Norway).
PCH	Switzerland	Scheme code for CH (Switzerland).
PDS	Australia	Scheme code for AU (Australia).
PEG	Egypt	Scheme code for EG (Egypt).
PNS	FrancePNS	Scheme code for FR (France).
PTR	Angola	Scheme code for AO (Angola) - Angola RTGS.
PVE	Venezuela	Scheme code for Ve (Venezuela).
ROL	RomaniaEPO	Scheme code for RO (Romania) - Romanian Electronic Payment Operations RT.
ROS	RomaniaGSRS	Scheme code for RO (Romania) - Romanian GSRS.
RTP	GermanyRTGSPlus	Scheme code for DE (Germany).
SCP	Chili	Scheme code for CL (Chile) - Chilean Interbank Payment System.
SEC	SwedenSEC	Scheme code for SE (Sweden) - Swedish Euro RTGS (SEC).
SIT	Slovania	Scheme code for SI (Slovenia).
SLB	SpainES	Scheme code for ES (Spain) - Spanish RTGS (SLBE).
SPG	Portugal	Scheme code for PT (Portugal) - Portuguese RTGS (SPGT).
SSK	SwedenSSK	Scheme code for SE (Sweden) - SEK RTGS (RIX).
STG	UnitedKingdomGBP	Scheme code for UK (United Kingdom) - CHAPS Sterling RTGS.
TBF	FranceFR	Scheme code for FR (France) - French RTGS (TBF).
TGT	Target	Scheme code for Target.
THB	Thailand	Scheme code for TH (Thailand) - Thailand Payment System (Bahtnet/2).
TIS	Tanzania	Scheme code for TZ (Tanzania) - Tanzania Interbank Settlement System (TISS).
TOP	Netherlands	Scheme code for NL (Netherlands) - Dutch RTGS (TOP)
TTD	TrinidadAndTobago	Scheme code for TT (Trinidad and Tobago) - Trinidad and Tobago SAFE-TT.
UIS	Uganda	Scheme code for UG (Uganda) - Uganda National Interbank Settlement System.
XCT	EBAStep2	Scheme code for EBA step 2.

Code	Name	Definition
ZEN	Zengin	Scheme code for the Zengin system. The electronic payment system for domestic third party transfers managed by the Tokyo Bankers Association.
ZET	Zimbabwe	Scheme code for ZW (Zimbabwe) - Zimbabwe Electronic Transfer & Settlement System.
ZIS	Zambia	Scheme code for ZM (Zambia) - Zambian Interbank Payment &Settlement System.

3.41 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **3.39** ClearingSystem.*

Definition: Proprietary clearing system service selected for a transaction.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.42 InstructingReimbursementAgent <InstgRmbrsmntAgt>

Presence: [0..1]

Definition: Specifies the agent through which the instructing agent will reimburse the instructed agent.

Usage: If the instructing and instructed agents have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.43 InstructingReimbursementAgentAccount <InstgRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructing reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.44 InstructedReimbursementAgent <InstdRmbrsmntAgt>

Presence: [0..1]

Definition: Agent at which the instructed agent will be reimbursed.

Usage: If InstructedReimbursementAgent contains a branch of the InstructedAgent, then the instructed agent will claim reimbursement from that branch/will be paid by that branch.

Usage: If InstructingAgent and InstructedAgent have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.45 InstructedReimbursementAgentAccount <InstdRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructed reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.46 ThirdReimbursementAgent <ThrdRmbrsmntAgt>

Presence: [0..1]

Definition: Specifies the branch of the instructed agent where the amount of money will be made available when different from the instructed reimbursement agent.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.47 ThirdReimbursementAgentAccount <ThrdRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the third reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.48 PaymentTypeInformation <PmtTpInf>

Presence: [0..1]

Definition: Set of elements that further specifies the type of transaction.

Type: *This message item is composed of the following **PaymentTypeInformation6** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.49		InstructionPriority	<InstrPrty>	[0..1]	Code
3.50	{Or	ServiceLevel	<SvcLvl>	[0..1]	
3.53	Or}	ClearingChannel	<ClrChanl>	[0..1]	Code
3.54		LocalInstrument	<LclInstrm>	[0..1]	
3.57		SequenceType	<SeqTp>	[0..1]	Code
3.58		CategoryPurpose	<CtgyPurp>	[0..1]	Code

3.49 InstructionPriority <InstrPrty>

Presence: [0..1]

Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the instruction.

Data Type: Code

*When this message item is present, one of the following **Priority2Code** values must be used:*

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.

3.50 ServiceLevel <SvcLvl>

Presence: [0..1]
*This message item is part of choice **3.48** PaymentTypeInformation.*
Definition: Agreement under which or rules under which the transaction should be processed.
Type: *This message item is composed of one of the following **ServiceLevel2Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.51	{Or	Code	<Cd>	[1..1]	Code
3.52	Or}	Proprietary	<Prtry>	[1..1]	Text

3.51 Code <Cd>

Presence: [1..1]
*This message item is part of choice **3.50** ServiceLevel.*
Definition: Identification of a pre-agreed level of service between the parties in a coded form.
Data Type: Code
*One of the following **ServiceLevel1Code** values must be used:*

Code	Name	Definition
PRPT	EBAPriorityService	Transaction must be processed according to the EBA Priority Service.
SDVA	SameDayValue	Payment must be executed with same day value to the creditor.
SEPA	SingleEuroPaymentsArea	Payment must be executed following the Single Euro Payments Area scheme.

3.52 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **3.50** ServiceLevel.*
Definition: Proprietary identification of a pre-agreed level of service between the parties.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.53 ClearingChannel <ClrChanl>

Presence: [0..1]
*This message item is part of choice **3.48** PaymentTypeInformation.*
Definition: Specifies the clearing channel to be used for the settlement of the instruction.
Data Type: Code
*When this message item is present, one of the following **ClearingChannel2Code** values must be used:*

Code	Name	Definition
BOOK	BookTransfer	Payment through internal book transfer.
MPNS	MassPaymentNetSystem	Clearing channel is a mass payment net settlement system.

Code	Name	Definition
RTGS	RealTimeGrossSettlementSystem	Clearing channel is a real-time gross settlement system.
RTNS	RealTimeNetSettlementSystem	Clearing channel is a real-time net settlement system.

3.54 LocalInstrument <LclInstrm>

Presence: [0..1]
Definition: User community specific instrument.

Usage : When available, codes provided by local authorities should be used.

Type: *This message item is composed of one of the following **LocalInstrument1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.55	{Or	Code	<Cd>	[1..1]	Code
3.56	Or}	Proprietary	<Prtry>	[1..1]	Text

3.55 Code <Cd>

Presence: [1..1]
*This message item is part of choice **3.54** LocalInstrument.*
Definition: Specifies the local instrument published in an external local instrument code list.
Data Type: ExternalLocalInstrumentCode
Format: maxLength: 35
minLength: 1

3.56 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **3.54** LocalInstrument.*
Definition: Specifies the local instrument as a proprietary code.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.57 SequenceType <SeqTp>

Presence: [0..1]
Definition: Identifies the direct debit sequence, eg, first, recurrent, final or one-off.
Data Type: Code
*When this message item is present, one of the following **SequenceType1Code** values must be used:*

Code	Name	Definition
FNAL	Final	Final collection of a series of direct debit instructions.
FRST	First	First collection of a series of direct debit instructions.

Code	Name	Definition
OOFF	OneOff	Direct debit instruction where the debtor's authorisation is used to initiate one single direct debit transaction.
RCUR	Recurring	Direct debit instruction where the debtor's authorisation is used for regular direct debit transactions initiated by the creditor.

3.58 CategoryPurpose <CtgyPurp>

Presence: [0..1]
Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.
Data Type: Code
*When this message item is present, one of the following **PaymentCategoryPurpose1Code** values must be used:*

Code	Name	Definition
CASH	CashManagementTransfer	Transaction is a general cash management instruction.
CORT	TradeSettlementPayment	Transaction is related to settlement of a trade, eg a foreign exchange deal or a securities transaction.
DIVI	Dividend	Transaction is the payment of dividends.
GOVT	GovernmentPayment	Transaction is a payment to or from a government department.
HEDG	Hedging	Transaction is related to the payment of a hedging operation.
INTC	IntraCompanyPayment	Transaction is an intra-company payment, ie, a payment between two companies belonging to the same group.
INTE	Interest	Transaction is the payment of interest.
LOAN	Loan	Transaction is related to the transfer of a loan to a borrower.
PENS	PensionPayment	Transaction is the payment of pension.
SALA	SalaryPayment	Transaction is the payment of salaries.
SECU	Securities	Transaction is the payment of securities.
SSBE	SocialSecurityBenefit	Transaction is a social security benefit, ie payment made by a government to support individuals.
SUPP	SupplierPayment	Transaction is related to a payment to a supplier.
TAXS	TaxPayment	Transaction is the payment of taxes.
TRAD	Trade	Transaction is related to the payment of a trade transaction.
TREA	TreasuryPayment	Transaction is related to treasury operations.
VATX	ValueAddedTaxPayment	Transaction is the payment of value added tax.
WHLD	WithHolding	Transaction is the payment of withholding tax.

3.59 PaymentMethod <PmtMtd>

Presence: [0..1]
Definition: Specifies the transfer method that will be used by the instructing agent to transfer the funds to the creditor.
Data Type: Code

*When this message item is present, one of the following **PaymentMethod4Code** values must be used:*

Code	Name	Definition
CHK	Cheque	Written order to a bank to pay a certain amount of money from one person to another person.
DD	DirectDebit	Collection of an amount of money from the debtor's bank account by the creditor. The amount of money and dates of collections may vary.
TRA	TransferAdvice	Transfer of an amount of money in the books of the account servicer. An advice should be sent back to the account owner.
TRF	CreditTransfer	Transfer of an amount of money in the books of the account servicer.

3.60 MandateRelatedInformation <MndtRltdInf>

Presence: [0..1]

Definition: Set of elements used to provide further details related to a direct debit mandate signed between the creditor and the debtor.

Usage: Mandate related information is to be used only when the direct debit relates to a mandate signed between the debtor and the creditor.

Type: *This message item is composed of the following **MandateRelatedInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.61		MandateIdentification	<MndtId>	[0..1]	Text
3.62		DateOfSignature	<DtOfSgntr>	[0..1]	DateTime
3.63		AmendmentIndicator	<AmdmntInd>	[0..1]	Indicator
3.64		AmendmentInformationDetails	<AmdmntInfDtls>	[0..1]	
3.75		ElectronicSignature	<ElctrncSgntr>	[0..1]	Text
3.76		FirstCollectionDate	<FrstColltnDt>	[0..1]	DateTime
3.77		FinalCollectionDate	<FnlColltnDt>	[0..1]	DateTime
3.78		Frequency	<Frqcy>	[0..1]	Code

Rule(s): AmendmentIndicatorRule
If AmendmentIndicator is true, then AmendementInformationDetails must be present, with amended mandate information.

If AmendmentIndicator is false, then AmendmentInformationDetails is not allowed.

3.61 MandateIdentification <MndtId>

Presence: [0..1]

Definition: Reference of the direct debit mandate that has been signed between by the debtor and the creditor.

Data Type: Max35Text

Format: maxLength: 35

minLength: 1

3.62 DateOfSignature <DtOfSgntr>

Presence: [0..1]
Definition: Date on which the direct debit mandate has been signed by the debtor.
Data Type: ISODate

3.63 AmendmentIndicator <AmdmntInd>

Presence: [0..1]
Definition: Indicator notifying whether the underlying mandate is amended or not.
Data Type: *One of the following **TrueFalseIndicator** values must be used:*
MeaningWhenTrue: True
MeaningWhenFalse: False

3.64 AmendmentInformationDetails <AmdmntInfDtls>

Presence: [0..1]
Definition: List of direct debit mandate elements that have been modified.
Type: *This message item is composed of the following **AmendmentInformationDetails1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.65		OriginalMandateIdentification	<OrgnlMndtId>	[0..1]	Text
3.66		OriginalCreditorSchemeIdentification	<OrgnlCdtrSchmeId>	[0..1]	+
3.67		OriginalCreditorAgent	<OrgnlCdtrAgt>	[0..1]	+
3.68		OriginalCreditorAgentAccount	<OrgnlCdtrAgtAcct>	[0..1]	+
3.69		OriginalDebtor	<OrgnlDbtr>	[0..1]	+
3.70		OriginalDebtorAccount	<OrgnlDbtrAcct>	[0..1]	+
3.71		OriginalDebtorAgent	<OrgnlDbtrAgt>	[0..1]	+
3.72		OriginalDebtorAgentAccount	<OrgnlDbtrAgtAcct>	[0..1]	+
3.73		OriginalFinalCollectionDate	<OrgnlFnlColltnDt>	[0..1]	DateTime
3.74		OriginalFrequency	<OrgnlFrqcy>	[0..1]	Code

3.65 OriginalMandateIdentification <OrgnlMndtId>

Presence: [0..1]
Definition: Original mandate identification that has been modified.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.66 OriginalCreditorSchemeIdentification <OrgnlCdtrSchmeId>

Presence: [0..1]
Definition: Original creditor scheme identification that has been modified.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.67 OriginalCreditorAgent <OrgnlCdtrAgt>

Presence: [0..1]
Definition: Original creditor agent that has been modified.
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.68 OriginalCreditorAgentAccount <OrgnlCdtrAgtAcct>

Presence: [0..1]
Definition: Original creditor agent acount that has been modified.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.69 OriginalDebtor <OrgnlDbtr>

Presence: [0..1]
Definition: Original debtor that has been modified.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.70 OriginalDebtorAccount <OrgnlDbtrAcct>

Presence: [0..1]
Definition: Original debtor account that has been modified.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.71 OriginalDebtorAgent <OrgnlDbtrAgt>

Presence: [0..1]
Definition: Original debtor's agent that has been modified.
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.72 OriginalDebtorAgentAccount <OrgnlDbtrAgtAcct>

Presence: [0..1]
Definition: Original debtor agent account that has been modified.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.73 OriginalFinalCollectionDate <OrgnlFnlColltnDt>

Presence: [0..1]
Definition: Original final collection date that has been modified.
Data Type: ISODate

3.74 OriginalFrequency <OrgnlFrqcy>

Presence: [0..1]
Definition: Original frequency that has been modified.
Data Type: Code
*When this message item is present, one of the following **Frequency1Code** values must be used:*

Code	Name	Definition
ADHO	Adhoc	Event takes place on request or as necessary.
DAIL	Daily	Event takes place every day.
INDA	IntraDay	Event takes place several times a day.
MIAN	SemiAnnual	Event takes place every six months or two times a year.
MNTH	Monthly	Event takes place every month or once a month.
QURT	Quarterly	Event takes place every three months or four times a year.
WEEK	Weekly	Event takes place once a week.
YEAR	Annual	Event takes place every year or once a year.

3.75 ElectronicSignature <ElctrncSgntr>

Presence: [0..1]
Definition: Additional security provisions, eg, digital signature as provided by the debtor.
Data Type: Max1025Text
Format: maxLength: 1025
minLength: 1

3.76 FirstCollectionDate <FrstColltnDt>

Presence: [0..1]
Definition: Date of the first collection of a direct debit as per the mandate.
Data Type: ISODate

3.77 FinalCollectionDate <FnlColltnDt>

Presence: [0..1]
Definition: Date of the final collection of a direct debit as per the mandate.

Data Type: ISODate

3.78 Frequency <Frqcy>

Presence: [0..1]

Definition: Regularity with which direct debit instructions are to be created and processed, eg, daily, weekly, monthly.

Data Type: Code

*When this message item is present, one of the following **Frequency1Code** values must be used:*

Code	Name	Definition
ADHO	Adhoc	Event takes place on request or as necessary.
DAIL	Daily	Event takes place every day.
INDA	IntraDay	Event takes place several times a day.
MIAN	SemiAnnual	Event takes place every six months or two times a year.
MNTH	Monthly	Event takes place every month or once a month.
QURT	Quarterly	Event takes place every three months or four times a year.
WEEK	Weekly	Event takes place once a week.
YEAR	Annual	Event takes place every year or once a year.

3.79 RemittanceInformation <RmtInf>

Presence: [0..1]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, eg, commercial invoices in an accounts' receivable system.

Type: *This message item is composed of the following **RemittanceInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.80		Unstructured	<Ustrd>	[0..n]	Text
3.81		Structured	<Strd>	[0..n]	

3.80 Unstructured <Ustrd>

Presence: [0..n]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, eg, commercial invoices in an accounts' receivable system in an unstructured form.

Data Type: Max140Text

Format: maxLength: 140
minLength: 1

3.81 Structured <Strd>

Presence: [0..n]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, eg, commercial invoices in an accounts' receivable system in a structured form.

Type: *This message item is composed of the following **StructuredRemittanceInformation6** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.82		ReferredDocumentInformation	<RfrdDocInf>	[0..1]	
3.88		ReferredDocumentRelatedDate	<RfrdDocRltdDt>	[0..1]	DateTime
3.89		ReferredDocumentAmount	<RfrdDocAmt>	[0..n]	
3.95		CreditorReferenceInformation	<CdtrRefInf>	[0..1]	
3.101		Invoicer	<Invcr>	[0..1]	+
3.102		Invoicee	<Invcee>	[0..1]	+
3.103		AdditionalRemittanceInformation	<AddtlRmtInf>	[0..1]	Text

3.82 ReferredDocumentInformation <RfrdDocInf>

Presence: [0..1]
Definition: Reference information to allow the identification of the underlying reference documents.
Type: *This message item is composed of the following **ReferredDocumentInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.83		ReferredDocumentType	<RfrdDocTp>	[0..1]	
3.87		ReferredDocumentNumber	<RfrdDocNb>	[0..1]	Text

3.83 ReferredDocumentType <RfrdDocTp>

Presence: [0..1]
Definition: Provides the type of the referred document.
Type: *This message item is composed of the following **ReferredDocumentType1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.84	{Or	Code	<Cd>	[1..1]	Code
3.85	Or}	Proprietary	<Prtry>	[1..1]	Text
3.86		Issuer	<Issr>	[0..1]	Text

3.84 Code <Cd>

Presence: [1..1]
*This message item is part of choice **3.83** ReferredDocumentType.*
Definition: Document type in a coded form.
Data Type: Code
*One of the following **DocumentType2Code** values must be used:*

Code	Name	Definition
CINV	CommercialInvoice	Document is an invoice.
CMCN	CommercialContract	Document is an agreement between the parties, stipulating the terms and conditions of the delivery of goods or services.

Code	Name	Definition
CNFA	CreditNoteRelatedToFinancialAdjustment	Document is a credit note for the final amount settled for a commercial transaction.
CREN	CreditNote	Document is a credit note.
DEBN	DebitNote	Document is a debit note.
DISP	DispatchAdvice	Document is a dispatch advice.
DNFA	DebitNoteRelatedToFinancialAdjustment	Document is a debit note for the final amount settled for a commercial transaction.
HIRI	HireInvoice	Document is an invoice for the hiring of human resources or renting goods or equipment.
MSIN	MeteredServiceInvoice	Document is an invoice claiming payment for the supply of metered services, eg, gas or electricity, supplied to a fixed meter.
SBIN	SelfBilledInvoice	Document is an invoice issued by the debtor.
SOAC	StatementOfAccount	Document is a statement of the transactions posted to the debtor's account at the supplier.

3.85 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **3.83** ReferredDocumentType.*

Definition: Proprietary identification of the type of the remittance document.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.86 Issuer <Issr>

Presence: [0..1]

Definition: Identification of the issuer of the reference document type.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.87 ReferredDocumentNumber <RfrdDocNb>

Presence: [0..1]

Definition: Unique and unambiguous identification number of the referred document.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.88 ReferredDocumentRelatedDate <RfrdDocRltdDt>

Presence: [0..1]

Definition: Date associated with the referred document, eg, date of issue.

Data Type: ISODate

3.89 ReferredDocumentAmount <RfrdDocAmt>

Presence: [0..n]

Definition: Amount of money and currency of a document referred to in the remittance section. The amount is typically either the original amount due and payable, or the amount actually remitted for the referred document.

Type: *This message item is composed of one of the following **ReferredDocumentAmount1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.90	{Or	DuePayableAmount	<DuePyblAmt>	[1..1]	Amount
3.91	Or	DiscountAppliedAmount	<DscntApldAmt>	[1..1]	Amount
3.92	Or	RemittedAmount	<RmtdAmt>	[1..1]	Amount
3.93	Or	CreditNoteAmount	<CdtNoteAmt>	[1..1]	Amount
3.94	Or}	TaxAmount	<TaxAmt>	[1..1]	Amount

3.90 DuePayableAmount <DuePyblAmt>

Presence: [1..1]

*This message item is part of choice **3.89** ReferredDocumentAmount.*

Definition: Amount specified is the exact amount due and payable to the creditor.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.91 DiscountAppliedAmount <DscntApldAmt>

Presence: [1..1]

*This message item is part of choice **3.89** ReferredDocumentAmount.*

Definition: Amount of money resulting from the application of an agreed discount to the amount due and payable to the creditor.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.92 RemittedAmount <RmtdAmt>

Presence: [1..1]

*This message item is part of choice **3.89** ReferredDocumentAmount.*

Definition: Amount of money remitted for the referred document.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.93 CreditNoteAmount <CdtNoteAmt>

Presence: [1..1]

*This message item is part of choice **3.89** ReferredDocumentAmount.*

Definition: Amount specified for the referred document is the amount of a credit note.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.94 TaxAmount <TaxAmt>

Presence: [1..1]

*This message item is part of choice **3.89** ReferredDocumentAmount.*

Definition: Quantity of cash resulting from the calculation of the tax.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.95 CreditorReferenceInformation <CdtrRefInf>

Presence: [0..1]
Definition: Reference information provided by the creditor to allow the identification of the underlying documents.
Type: *This message item is composed of the following* ***CreditorReferenceInformation1*** *element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.96		CreditorReferenceType	<CdtrRefTp>	[0..1]	
3.100		CreditorReference	<CdtrRef>	[0..1]	Text

3.96 CreditorReferenceType <CdtrRefTp>

Presence: [0..1]
Definition: Provides the type of the creditor reference.
Type: *This message item is composed of the following* ***CreditorReferenceType1*** *element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.97	{Or	Code	<Cd>	[1..1]	Code
3.98	Or}	Proprietary	<Prtry>	[1..1]	Text
3.99		Issuer	<Issr>	[0..1]	Text

3.97 Code <Cd>

Presence: [1..1]
This message item is part of choice ***3.96*** *CreditorReferenceType.*
Definition: Coded creditor reference type.
Data Type: Code
One of the following ***DocumentType3Code*** *values must be used:*

Code	Name	Definition
DISP	DispatchAdvice	Document is a dispatch advice.
FXDR	ForeignExchangeDealReference	Document is a pre-agreed or pre-arranged foreign exchange transaction to which the payment transaction refers.
PUOR	PurchaseOrder	Document is a purchase order.
RADM	RemittanceAdviceMessage	Document is a remittance advice sent separately from the current transaction.
RPIN	RelatedPaymentInstruction	Document is a linked payment instruction to which the current payment instruction is related, eg, in a cover scenario.
SCOR	StructuredCommunicationReference	Document is a structured communication reference provided by the creditor to identify the referred transaction.

3.98 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **3.96** CreditorReferenceType.*
Definition: Creditor reference type not avilable in a coded format.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.99 Issuer <Issr>

Presence: [0..1]
Definition: Identification of the issuer of the credit reference type.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.100 CreditorReference <CdtrRef>

Presence: [0..1]
Definition: Unique and unambiguous reference assigned by the creditor to refer to the payment transaction.

Usage: if available, the initiating party should provide this reference in the structured remittance information, to enable reconciliation by the creditor upon receipt of the cash.

If the business context requires the use of a creditor reference or a payment remit identification, and only one identifier can be passed through the end-to-end chain, the creditor's reference or payment remittance identification should be quoted in the end-to-end transaction identification.

Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.101 Invoicer <Invcr>

Presence: [0..1]
Definition: Identification of the organization issuing the invoice when different than the creditor or final party.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.102 Invoicee <Invcee>

Presence: [0..1]

Definition: Identification of the party to whom an invoice is issued, when different than the originator or debtor.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.103 AdditionalRemittanceInformation <AddtlRmtInf>

Presence: [0..1]
Definition: Additional information, in free text form, to complement the structured remittance information.
Data Type: Max140Text
Format: maxLength: 140
minLength: 1

3.104 UltimateDebtor <UltmtDbtr>

Presence: [0..1]
Definition: Ultimate party that owes an amount of money to the (ultimate) creditor.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.105 Debtor <Dbtr>

Presence: [0..1]
Definition: Party that owes an amount of money to the (ultimate) creditor.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.106 DebtorAccount <DbtrAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the debtor to which a debit entry will be made as a result of the transaction.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.107 DebtorAgent <DbtrAgt>

Presence: [0..1]

Definition: Financial institution servicing an account for the debtor.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.108 DebtorAgentAccount <DbtrAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the debtor agent at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.109 CreditorAgent <CdtrAgt>

Presence: [0..1]
Definition: Financial institution servicing an account for the creditor.
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.110 CreditorAgentAccount <CdtrAgtAcct>

Presence: [0..1]
Definition: Unambiguous identification of the account of the creditor agent at its servicing agent in the payment chain.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.111 Creditor <Cdtr>

Presence: [0..1]
Definition: Party to which an amount of money is due.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.112 CreditorAccount <CdtrAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the creditor to which a credit entry will be posted as a result of the payment transaction.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.113 UltimateCreditor <UltmtCdtr>

Presence: [0..1]

Definition: Ultimate party to which an amount of money is due.

Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

Business Example - Return of a FIToFICustomerCreditTransfer

Narrative-Step 1

On receipt of the PaymentCancellationRequest message from BBBB Bank, CCCC Bank checks with Seed Inc. whether it is willing to return the credited funds. Seed Inc. accepts to return the amount credited onto its account (EUR 74850.00) without requesting compensation. CCCC Bank sends a PaymentReturn message to BBBB Bank.
Note : the PaymentCancellationRequest from BBBB Bank to CCCC Bank is documented in the business example section of the PaymentCancellationRequest message.

Business Description

PaymentReturn from CCCC Bank to BBBB Bank :

Element	***<XMLTag>***	***Content***
Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	CCCC/061121-PR007
CreationDateTime	<CreDtTm>	2006-11-21T10:37:00
NumberOfTransactions	<NbOfTxs>	1

SettlementInformation	<SttlmInf>	
SettlementMethod	<SttlmMtd>	CLRG
ClearingSystem	<ClrSys>	
ClearingSystemIdentification	<ClrSysId>	CBJ
InstructingAgent	<InstgAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	CCCCIE2D
InstructedAgent	<InstdAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBIE2D
OriginalGroupInformation	<OrgnlGrpInf>	
OriginalMessageIdentification	<OrgnlMsgId>	BBBB/061109-CBJ056
OriginalMessageNameIdentification	<OrgnlMsgNmId>	pacs.008.001.01
OriginalCreationDateTime	<OrgnlCreDtTm>	2006-11-09T10:13:00
TransactionInformation	<TxInf>	
ReturnIdentification	<RtrId>	CCCC/061121-PR007/1
OriginalInstructionIdentification	<OrgnlInstrId>	BBBB/061109-CBJ056/1
OriginalEndToEndIdentification	<OrgnlEndToEndId>	CROPS/SX-25T/2006-10-13
OriginalTransactionIdentification	<OrgnlTxId>	AAAA/061109-CCT/EUR443/1
OriginalInterbankSettlementAmount	<OrgnlIntrBkSttlmAmt> Ccy=EUR	74900.00
ReturnedInterbankSettlementAmount	<RtrdIntrBkSttlmAmt>	74750.00
InterbankSettlementDate	<IntrBkSttlmDt>	2006-11-21
ReturnedInstructedAmount	<RtrdInstdAmt>	74850.00
ChargeBearer	<ChrgBr>	CRED
ChargesInformation	<ChrgsInf>	
ChargesAmount	<ChrgsAmt>	100.00
ChargesParty	<ChrgsPty>	
FinancialInstitutionIdentification	<FinInstId>	
BIC	<BIC>	CCCCIE2D
ReturnReasonInformation	<RtrRsnInf>	
ReturnOriginator	<RtrOrgtr>	
Name	<Nm>	Seed Inc.
ReturnReason	<RtrRsn>	
Code	<Cd>	NARR
AdditionalReturnReasonInformation	<AddtlRtrRsnInf>	RETURN AFTER ACCEPTED PAYMENT CANCELLATION REQUEST

XML Instance


```
<pacs.004.001.01>
    <GrpHdr>
      <MsgId>CCCC/061121-PR007</MsgId>
      <CreDtTm>2006-11-21T10:37:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <SttlmInf>
        <SttlmMtd>CLRG</SttlmMtd>
        <ClrSys>
          <ClrSysId>CBJ</ClrSysId>
        </ClrSys>
      </SttlmInf>
      <InstgAgt>
        <FinInstnId>
          <BIC>CCCCIE2D</BIC>
        </FinInstnId>
      </InstgAgt>
      <InstdAgt>
        <FinInstnId>
          <BIC>BBBBIE2D</BIC>
        </FinInstnId>
      </InstdAgt>
    </GrpHdr>
    <OrgnlGrpInf>
      <OrgnlMsgId>BBBB/061109-CBJ056</OrgnlMsgId>
      <OrgnlMsgNmId>pacs.008.001.01</OrgnlMsgNmId>
      <OrgnlCreDtTm>2006-11-09T10:13:00</OrgnlCreDtTm>
    </OrgnlGrpInf>
    <TxInf>
      <RtrId>CCCC/061121-PR007/1</RtrId>
      <OrgnlInstrId>BBBB/061109-CBJ056/1</OrgnlInstrId>
      <OrgnlEndToEndId>CROPS/SX-25T/2006-10-13</OrgnlEndToEndId>
      <OrgnlTxId>AAAA/061109-CCT/EUR443/1</OrgnlTxId>
      <OrgnlIntrBkSttlmAmt Ccy = "EUR">74900.00</OrgnlIntrBkSttlmAmt>
      <RtrdIntrBkSttlmAmt Ccy = "EUR">74750</RtrdIntrBkSttlmAmt>
      <IntrBkSttlmDt>2006-11-21</IntrBkSttlmDt>
      <RtrdInstdAmt Ccy = "EUR">74850</RtrdInstdAmt>
      <ChrgBr>CRED</ChrgBr>
      <ChrgsInf>
        <ChrgsAmt Ccy = "EUR">100</ChrgsAmt>
        <ChrgsPty>
          <FinInstnId>
            <BIC>CCCCIE2D</BIC>
          </FinInstnId>
        </ChrgsPty>
      </ChrgsInf>
      <RtrRsnInf>
        <RtrOrgtr>
          <Nm>Seed Inc.</Nm>
        </RtrOrgtr>
```

```
        <RtrRsn>
          <Cd>NARR</Cd>
        </RtrRsn>
        <AddtlRtrRsnInf>RETURN AFTER ACCEPTED PAYMENT CANCELLATION REQUEST</
        AddtlRtrRsnInf
      </RtrRsnInf>
    </TxInf>
  </pacs.004.001.01>
```

Narrative - Step 2

On receipt of the payment return message from CCCC Bank, BBBB Bank deducts processing charges for the return message, credits the account of AAAA Bank and forwards the payment return message to AAAA Bank.

Business description

PaymentReturn from BBBB Bank to AAAA Bank :

Element	***<XMLTag>***	***Content***
Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	BBBB/061121-PR05
CreationDateTime	<CreDtTm>	2006-11-21T11:15:00
NumberOfTransactions	<NbOfTxs>	1
SettlementInformation	<SttlmInf>	
SettlementMethod	<SttlmMtd>	INGA
InstructingAgent	<InstgAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBIE2D
InstructedAgent	<InstdAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAGB2L
OriginalGroupInformation	<OrgnlGrpInf>	
OriginalMessageIdentification	<OrgnlMsgId>	AAAA/061109-CCT/EUR443
OriginalMessageNameIdentification	<OrgnlMsgNmId>	pacs.008.001.01
OriginalCreationDateTime	<OrgnlCreDtTm>	2006-11-09T10:03:13
TransactionInformation	<TxInf>	
ReturnIdentification	<RtrId>	BBBB/061121-PR05/1
OriginalInstructionIdentification	<OrgnlInstrId>	AAAA/061109-CCT/EUR443/1
OriginalEndToEndIdentification	<OrgnlEndToEndId>	CROPS/SX-25T/2006-10-13
OriginalTransactionIdentification	<OrgnlTxId>	AAAA/061109-CCT/EUR443/1
OriginalInterbankSettlementAmount	<OrgnlIntrBkSttlmAmt> Ccy=EUR	75000.00
ReturnedInterbankSettlementAmount	<RtrdIntrBkSttlmAmt>	74650.00

InterbankSettlementDate	<IntrBkSttlmDt>	2006-11-21
ReturnedInstructedAmount	<RtrdInstdAmt>	74850.00
ChargeBearer	<ChrgBr>	CRED
ChargesInformation	<ChrgsInf>	
ChargesAmount	<ChrgsAmt>Ccy=EUR	100.00
ChargesParty	<ChrgsPty>	
FinancialInstitutionIdentification	<FinInstId>	
BIC	<BIC>	CCCCIE2D
ChargesInformation	<ChrgsInf>	
ChargesAmount	<ChrgsAmt>Ccy=EUR	100.00
ChargesParty	<ChrgsPty>	
FinancialInstitutionIdentification	<FinInstId>	
BIC	<BIC>	BBBBIE2D
ReturnReasonInformation	<RtrRsnInf>	
ReturnOriginator	<RtrOrgtr>	
Name	<Nm>	Seed Inc.
ReturnReason	<RtrRsn>	
Code	<Cd>	NARR
AdditionalReturnReasonInformation	<AddtlRtrRsnInf>	RETURN AFTER ACCEPTED PAYMENT CANCELLATION REQUEST

XML Instance

```
<pacs.004.001.01>
    <GrpHdr>
      <MsgId>BBBB/061121-PR05</MsgId>
      <CreDtTm>2006-11-21T11:15:00</CreDtTm>
      <NbOfTxs>1</NbOfTxs>
      <SttlmInf>
        <SttlmMtd>INGA</SttlmMtd>
      </SttlmInf>
      <InstgAgt>
        <FinInstnId>
          <BIC>BBBBIE2D</BIC>
        </FinInstnId>
      </InstgAgt>
      <InstdAgt>
        <FinInstnId>
          <BIC>AAAAGB2L</BIC>
        </FinInstnId>
      </InstdAgt>
    </GrpHdr>
    <OrgnlGrpInf>
```

```
      <OrgnlMsgId>AAAA/061109-CCT/EUR443</OrgnlMsgId>
      <OrgnlMsgNmId>pacs.008.001.01</OrgnlMsgNmId>
      <OrgnlCreDtTm>2006-11-09T10:03:13</OrgnlCreDtTm>
    </OrgnlGrpInf>
    <TxInf>
      <RtrId>BBBB/061121-PR05/1</RtrId>
      <OrgnlInstrId>AAAA/061109-CCT/EUR443/1</OrgnlInstrId>
      <OrgnlEndToEndId>CROPS/SX-25T/2006-10-13</OrgnlEndToEndId>
      <OrgnlTxId>AAAA/061109-CCT/EUR443/1</OrgnlTxId>
      <OrgnlIntrBkSttlmAmt Ccy = "EUR">75000</OrgnlIntrBkSttlmAmt>
      <RtrdIntrBkSttlmAmt Ccy = "EUR">74650</RtrdIntrBkSttlmAmt>
      <IntrBkSttlmDt>2006-11-21</IntrBkSttlmDt>
      <RtrdInstdAmt Ccy = "EUR">74850</RtrdInstdAmt>
      <ChrgBr>CRED</ChrgBr>
      <ChrgsInf>
        <ChrgsAmt Ccy = "EUR">100</ChrgsAmt>
        <ChrgsPty>
          <FinInstnId>
            <BIC>CCCCIE2D</BIC>
          </FinInstnId>
        </ChrgsPty>
      </ChrgsInf>
      <ChrgsInf>
        <ChrgsAmt Ccy = "EUR">100</ChrgsAmt>
        <ChrgsPty>
          <FinInstnId>
            <BIC>BBBBIE2D</BIC>
          </FinInstnId>
        </ChrgsPty>
      </ChrgsInf>
      <RtrRsnInf>
        <RtrOrgtr>
          <Nm>Seed Inc.</Nm>
        </RtrOrgtr>
        <RtrRsn>
          <Cd>NARR</Cd>
        </RtrRsn>
        <AddtlRtrRsnInf>RETURN AFTER ACCEPTED PAYMENT CANCELLATION REQUEST</
        AddtlRtrRsnInf
      </RtrRsnInf>
    </TxInf>
  </pacs.004.001.01>
```


Business Example - Return of a FIToFICustomerDirectDebit

Narrative - Step 1

On 3 July 2006, upon receipt of a Direct Debit instruction received from ABABUS23 for the collection of USD 1025, and after having checked the instruction, BBBBUS39 realises that the account specified for Debtor Jones does not allow Direct Debits. BBBBUS39 therefore decides to send a PaymentReturn message to ABABUS23, specifying the reason, and taking charges for USD 50.

Business Description

PaymentReturn from BBBBUS39 to ABABUS23 :

Element	***<XMLTag>***	***Content***
Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	BBBBUS39-RETURN-0213
CreationDateTime	<CreDtTm>	2006-07-03T=11:15:00
NumberOfTransactions	<NbOfTxs>	1
SettlementInformation	<SttlmInf>	
Settlement Method	<SttlmMtd>	INGA
InstructingAgent	<InstgAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBUS39
InstructedAgent	<InstdAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	ABABUS23
OriginalGroupInformation	<OrgnlGrpInf>	
OriginalMessageIdentification	<OrgnlMsgId>	ABABUS23-589cd
OriginalMessageName Identification	<OrgnlMsgNmId>	Pacs.003.001.01
OriginalCreationDateAndTime	<OrgnlCreDtTm>	2006-06-28T15:02:00
TransactionInformation	<TxInf>	
ReturnIdentification	<RtnId>	AB/RETURN765
OriginalEndToEndIdentification	<OrgnlEndToEnd>	VA060327/0123
ReturnedInterbankSettlementAmount	<RtrdIntrBkSttlmAmtCcy=USD>	1075.00
InterbankSettlementDate	<IntrBkSttlmDt>	2006-07-03
ChargeBearer	<ChrgBr>	CRED
ChargesInformation	<ChrgsInf>	
ChargesAmount	<ChrgsAmtCCY=USD>	50.00
ChargesParty	<ChrgsPty>	
FinancialInstitutionidentification	<FinInstnId>	
BIC	<BIC>	BBBBUS39
ReturnReasonInformation	<RtrRsnInf>	
ReturnOriginator	<RtrOrgtr>	
Identification	<Id>	
OrganisationIdentification	<OrgId>	
BIC	<BIC>	BBBBUS39
ReturnReason	<RtrRsn>	AG01
OriginalTransactionReference	<OrgnlTxRef>	

InterbankSettlementAmount	<IntrBkSttlmAmtCcy=USD>	1025.00
InterbankSettlementDate	<IntrBkSttlmDt>	2006-06-28
RequestedCollectionDate	<ReqdColltnDt>	2006-07-03
MandateRelatedInformation	<MndtRltdInf>	
MandateIdentification	<MndtId>	VIRGAY123
Debtor	<Dbtr>	
Name	<Nm>	Jones
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Hudston Street
BuildingNumber	<BldgNb>	19
PostCode	<PstCd>	NJ 07302
TownName	<TwnNm>	Jersey City
Country	<Ctry>	US
Creditor	<Cdtr>	Virgay
Name	<Nm>	
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Virginia Lane
BuildingNumber	<BldgNb>	36
PostCode	<PstCd>	NJ 07311
TownName	<TwnNm>	Jersey City
Country	<Ctry>	US

XML Instance

```
<pacs.004.001.01>
  <GrpHdr>
    <MsgId>BBBBUS39-RETURN-0219</MsgId>
    <CreDtTm>2006-07-03T11:15:00</CreDtTm>
    <NbOfTxs>1</NbOfTxs>
    <SttlmInf> <SttlmMtd>INGA</SttlmMtd></SttlmInf><InstgAgt>
      <FinInstnId>
        <BIC>BBBBUS39</BIC>
      </FinInstnId>
    </InstgAgt>
    <InstdAgt>
      <FinInstnId>
        <BIC>ABABUS23</BIC>
      </FinInstnId>
    </InstdAgt>
  </GrpHdr>
  <OrgnlGrpInf>
    <OrgnlMsgId>ABABUS23-589cd</OrgnlMsgId>
    <OrgnlMsgNmId>Pacs.003.001.01</OrgnlMsgNmId>
```

```
    <OrgnlCreDtTm>2006-06-28T15:02:00</OrgnlCreDtTm>
  </OrgnlGrpInf>
  <TxInf>
    <RtrId>AB/RETURN765</RtrId>
    <OrgnlEndToEndId>VA060327/0123</OrgnlEndToEndId>
    <RtrdIntrBkSttlmAmt Ccy = "USD">1075.00</RtrdIntrBkSttlmAmt>
    <IntrBkSttlmDt>2006-07-03</IntrBkSttlmDt>
    <ChrgBr>CRED</ChrgBr>
    <ChrgsInf>
      <ChrgsAmt Ccy = "USD">50.00</ChrgsAmt>
      <ChrgsPty>
        <FinInstnId>
          <BIC>BBBBUS39</BIC>
        </FinInstnId>
      </ChrgsPty>
    </ChrgsInf>
    <RtrRsnInf>
      <RtrOrgtr>
        <Id>
          <OrgId>
            <BIC>BBBBUS39</BIC>
          </OrgId>
        </Id>
      </RtrOrgtr>
      <RtrRsn>
        <Cd>AG01</Cd>
      </RtrRsn>
    </RtrRsnInf>
    <OrgnlTxRef>
      <IntrBkSttlmAmt Ccy = "USD">1025</IntrBkSttlmAmt>
      <IntrBkSttlmDt>2006-06-28</IntrBkSttlmDt>
      <ReqdColltnDt>2006-07-03</ReqdColltnDt>
      <MndtRltdInf>
        <MndtId>VIRGAY123</MndtId>
      </MndtRltdInf>
      <Dbtr>
        <Nm>Jones</Nm>
        <PstlAdr>
          <StrtNm>Hudston Street</StrtNm>
          <BldgNb>19</BldgNb>
          <PstCd>NJ 07302</PstCd>
          <TwnNm>Jersey City</TwnNm>
          <Ctry>US</Ctry>
        </PstlAdr>
      </Dbtr>
      <Cdtr>
        <Nm>Virgay</Nm>
        <PstlAdr>
          <StrtNm>Virginia Lane</StrtNm>
          <BldgNb>36</BldgNb>
          <PstCd>NJ 07311</PstCd>
          <TwnNm>Jersey City</TwnNm>
```

```
                <Ctry>US</Ctry>
              </PstlAdr>
            </Cdtr>
          </OrgnlTxRef>
        </TxInf>
    </pacs.004.001.01>
```

Narrative - Step 2

On 3 July 2006, upon receipt of a PaymentReturn message from BBBBUS39, ABABUS23 forwards the PaymentReturn instruction to AAAAUS29, the account servicer for creditor Virgay. It forwards the reason for the return and takes USD 35 for charges. Virgay will be informed about the debit on its account through its statement.
Note : the original FIToFICustomerDirectDebit instruction is included in the business example section of the FIToFICustomerDirectDebit message.

Business Description

PaymentReturn from ABABUS23 to AAAAUS29 :

Element	***<XMLTag>***	***Content***
Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	ABABUS23RETURN-546
CreationDateTime	<CreDtTm>	2006-07-03T=13:28:00
NumberOfTransactions	<NbOfTxs>	1
SettlementInformation	<SttlmInf>	
Settlement Method	<SttlmMtd>	INGA
InstructingAgent	<InstgAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	ABABUS23
InstructedAgent	<InstdAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAUS29
OriginalGroupInformation	<OrgnlGrpInf>	
OriginalMessageIdentification	<OrgnlMsgId>	AAAA060327-123v
OriginalMessageName Identification	<OrgnlMsgNmId>	Pacs.003.001.01
OriginalCreationDateAndTime	<OrgnlCreDtTm>	2006-06-28T10:05:00
TransactionInformation	<TxInf>	
ReturnID	<RtnId>	ABABUS23/RETURN765
OriginalEndToEndIdentification	<OrgnlEndToEnd>	VA060327/0123
ReturnedInterbankSettlementAmount	<RtrdIntrBkSttlmAmtCcy=USD>	1110.00
InterbankSettlementDate	<IntrBkSttlmDt>	2006-07-03
ChargeBearer	<ChrgBr>	CRED
ChargesInformation	<ChrgsInf>	

ChargesAmount	<ChrgsAmtCCY=USD>	50.00
ChargesParty	<ChrgsPty>	
FinancialInstitutionidentification	<FinInstnId>	
BIC	<BIC>	BBBBUS39
ChargesInformation	<ChrgsInf>	
ChargesAmount	<ChrgsAmtCCY=USD>	35.00
ChargesParty	<ChrgsPty>	
FinancialInstitutionidentification	<FinInstnId>	
BIC	<BIC>	ABABUS23
ReturnReasonInformation	<RtrRsnInf>	
ReturnOriginator	<RtrOrgtr>	
Identification	<Id>	
OrganisationIdentification	<OrgId>	
BIC	<BIC>	BBBBUS39
ReturnReason	<RtrRsn>	AG01
OriginalTransactionInformation	<OrgnlTxRef>	
InterbankSettlementAmount	<IntrBkSttlmAmt>	1025.00
InterbankSettlementDate	<IntrBkSttlmDt>	2006-06-28
RequestedCollectionDate	<ReqdColltnDt>	2006-07-03
MandateRelatedInformation	<MndtRltdInf>	
MandateIdentification	<MndtId>	VIRGAY123
Debtor	<Dbtr>	
Name	<Nm>	Jones
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Hudston Street
BuildingNumber	<BldgNb>	19
PostCode	<PstCd>	NJ 07302
TownName	<TwnNm>	Jersey City
Country	<Ctry>	US
Creditor	<Cdtr>	
Name	<Name>	Virgay
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Virginia Lane
BuildingNumber	<BldgNb>	36
PostCode	<PstCd>	NJ 07311
TownName	<TwnNm>	Jersey City
Country	<Ctry>	US

XML Instance


```
<pacs.004.001.01>
  <GrpHdr>
    <MsgId>ABABUS23RETURN-546</MsgId>
    <CreDtTm>2006-07-03T13:28:00</CreDtTm>
    <NbOfTxs>1</NbOfTxs>
    <SttlmInf> <SttlmMtd>INGA</SttlmMtd></SttlmInf><InstgAgt>
      <FinInstnId>
        <BIC>ABABUS23</BIC>
      </FinInstnId>
    </InstgAgt>
    <InstdAgt>
      <FinInstnId>
        <BIC>AAAAUS29</BIC>
      </FinInstnId>
    </InstdAgt>
  </GrpHdr>
  <OrgnlGrpInf>
    <OrgnlMsgId>AAAA060327-123v</OrgnlMsgId>
    <OrgnlMsgNmId>Pacs.003.001.01</OrgnlMsgNmId>
    <OrgnlCreDtTm>2006-06-28T10:05:00</OrgnlCreDtTm>
  </OrgnlGrpInf>
  <TxInf>
    <RtrId>ABABUS23/RETURN765</RtrId>
    <OrgnlEndToEndId>VA060327/0123</OrgnlEndToEndId>
    <RtrdIntrBkSttlmAmt Ccy = "USD">1110.00</RtrdIntrBkSttlmAmt>
    <IntrBkSttlmDt>2006-07-03</IntrBkSttlmDt>
    <ChrgBr>CRED</ChrgBr>
    <ChrgsInf>
      <ChrgsAmt Ccy = "USD">50.00</ChrgsAmt>
      <ChrgsPty>
        <FinInstnId>
          <BIC>BBBBUS39</BIC>
        </FinInstnId>
      </ChrgsPty>
    </ChrgsInf>
    <ChrgsInf>
      <ChrgsAmt Ccy = "USD">35.00</ChrgsAmt>
      <ChrgsPty>
        <FinInstnId>
          <BIC>ABABUS23</BIC>
        </FinInstnId>
      </ChrgsPty>
    </ChrgsInf>
    <RtrRsnInf>
      <RtrOrgtr>
        <Id>
          <OrgId>
            <BIC>BBBBUS39</BIC>
          </OrgId>
```

```
            </Id>
          </RtrOrgtr>
          <RtrRsn>
            <Cd>AG01</Cd>
          </RtrRsn>
        </RtrRsnInf>
        <OrgnlTxRef>
          <IntrBkSttlmAmt Ccy = "USD">1025</IntrBkSttlmAmt>
          <IntrBkSttlmDt>2006-06-28</IntrBkSttlmDt>
          <ReqdColltnDt>2006-07-03</ReqdColltnDt>
          <MndtRltdInf>
            <MndtId>VIRGAY123</MndtId>
          </MndtRltdInf>
          <Dbtr>
            <Nm>Jones</Nm>
            <PstlAdr>
              <StrtNm>Hudston Street</StrtNm>
              <BldgNb>19</BldgNb>
              <PstCd>NJ 07302</PstCd>
              <TwnNm>Jersey City</TwnNm>
              <Ctry>US</Ctry>
            </PstlAdr>
          </Dbtr>
          <Cdtr>
            <Nm>Virgay</Nm>
            <PstlAdr>
              <StrtNm>Virginia Lane</StrtNm>
              <BldgNb>36</BldgNb>
              <PstCd>NJ 07311</PstCd>
              <TwnNm>Jersey City</TwnNm>
              <Ctry>US</Ctry>
            </PstlAdr>
          </Cdtr>
        </OrgnlTxRef>
      </TxInf>
    </pacs.004.001.01>
```

Message: PaymentStatusReportV02 <pacs.002.001.02>

Message Scope and Usage

Scope

The PaymentStatusReport message is sent by an instructed agent to the previous party in the payment chain. It is used to inform this party about the positive or negative status of an instruction (either single or file). It is also used to report on a pending instruction.

Usage

The PaymentStatusReport message is exchanged between agents to provide status information about instructions previously sent. Its usage will always be governed by a bilateral agreement between the agents.

The PaymentStatusReport message can be used to provide information about the status (e.g. rejection, acceptance) of a credit transfer instruction, a direct debit instruction, as well as other intra-agent instructions (e.g. PaymentCancellationRequest).

The PaymentStatusReport message refers to the original instruction(s) by means of references only or by means of references and a set of elements from the original instruction.

The PaymentStatusReport message can be used in domestic and cross-border scenarios.

The PaymentStatusReport message exchanged between agents is identified in the schema as follows:
urn:iso:std:iso:20022:tech:xsd: pacs. 002.001.02

Outline

The PaymentStatusReport message is composed of 3 building blocks:

A. Group Header

This building block is mandatory and present once. It contains elements such as MessageIdentification, CreationDateAndTime.

B. Original Group Information and Status

This building block is mandatory and present once. It contains elements such as OriginalMessageIdentification, OriginalMessageNameIdentification, GroupStatus.

C. Transaction Information and Status

This building block is optional and repetitive. It contains elements referencing the original instruction (e.g. OriginalEndToEndIdentification), elements relating to the PaymentStatusReport (e.g. StatusReasonInformation). The TransactionInformationAndStatus block may also transport a set of elements from the original instruction.

Rules

GroupAndTransactionStatus1Rule
If OriginalGroupInformationAndStatus/GroupStatus is present and is equal to ACTC, ACCP, ACSP, ACSC, ACCR or ACWC, then TransactionInformationAndStatus/TransactionStatus must be different from RJCT.

GroupAndTransactionStatus2Rule
If OriginalGroupInformationAndStatus/GroupStatus is present and is equal to PDNG, then TransactionInformationAndStatus/TransactionStatus must be different from RJCT.

GroupAndTransactionStatus3Rule
If OriginalGroupInformationAndStatus/GroupStatus is present and is equal to RJCT, then TransactionInformationAndStatus/TransactionStatus must be different from ACTC, ACCP, ACSP, ACSC, ACCR, ACWC or PDNG.

GroupAndTransactionStatus4Rule
If OriginalGroupInformationAndStatus/GroupStatus is present and is equal to RCVD, then TransactionInformationAndStatus/TransactionStatus is not allowed.

InstructedAgentRule
If GroupHeader/InstructedAgent is present, then TransactionInformationAndStatus/InstructedAgent is not allowed.

InstructingAgentRule
If GroupHeader/InstructingAgent is present, then TransactionInformationAndStatus/InstructingAgent is not allowed.

InitiatingPartyRule
GroupHeader/InitiatingParty is not allowed.

ForwardingAgentRule
GroupHeader/ForwardingAgent is not allowed.

CreditorAgentRule
GroupHeader/CreditorAgent is not allowed.

DebtorAgentRule
GroupHeader/DebtorAgent is not allowed.

Note : Rules applying to specific message components or message elements are included in the description of the relevant message component or message element.

Message Structure

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
1.0		GroupHeader	<GrpHdr>	[1..1]		
1.1		MessageIdentification	<MsgId>	[1..1]	Text	
1.2		CreationDateTime	<CreDtTm>	[1..1]	DateTime	
1.3		InitiatingParty	<InitgPty>	[0..1]	+	
1.4		ForwardingAgent	<FwdgAgt>	[0..1]	+	
1.5		DebtorAgent	<DbtrAgt>	[0..1]	+	
1.6		CreditorAgent	<CdtrAgt>	[0..1]	+	
1.7		InstructingAgent	<InstgAgt>	[0..1]	+	
1.8		InstructedAgent	<InstdAgt>	[0..1]	+	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
2.0		OriginalGroupInformationAndStatus	<OrgnlGrpInfAndSts>	[1..1]		
2.1	{Or	OriginalMessageIdentification	<OrgnlMsgId>	[1..1]	Text	
2.2	Or}	NetworkFileName	<NtwkFileNm>	[1..1]	Text	
2.3		OriginalMessageNameIdentification	<OrgnlMsgNmId>	[1..1]	Text	
2.4		OriginalCreationDateTime	<OrgnlCreDtTm>	[0..1]	DateTime	
2.5		FileOriginator	<FileOrgtr>	[0..1]	Text	
2.6		OriginalNumberOfTransactions	<OrgnlNbOfTxs>	[0..1]	Text	
2.7		OriginalControlSum	<OrgnlCtrlSum>	[0..1]	Quantity	
2.8		GroupStatus	<GrpSts>	[0..1]	Code	
2.9		StatusReasonInformation	<StsRsnInf>	[0..n]		
2.10		StatusOriginator	<StsOrgtr>	[0..1]	+	
2.11		StatusReason	<StsRsn>	[0..1]		
2.12	{Or	Code	<Cd>	[1..1]	Code	
2.13	Or}	Proprietary	<Prtry>	[1..1]	Text	
2.14		AdditionalStatusReasonInformation	<AddtlStsRsnInf>	[0..n]	Text	
2.15		NumberOfTransactionsPerStatus	<NbOfTxsPerSts>	[0..n]		
2.16		DetailedNumberOfTransactions	<DtldNbOfTxs>	[1..1]	Text	
2.17		DetailedStatus	<DtldSts>	[1..1]	Code	
2.18		DetailedControlSum	<DtldCtrlSum>	[0..1]	Quantity	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
3.0		TransactionInformationAndStatus	<TxInfAndSts>	[0..n]		
3.1		StatusIdentification	<StsId>	[0..1]	Text	
3.2		OriginalPaymentInformationIdentification	<OrgnlPmtInfId>	[0..1]	Text	
3.3		OriginalInstructionIdentification	<OrgnlInstrId>	[0..1]	Text	
3.4		OriginalEndToEndIdentification	<OrgnlEndToEndId>	[0..1]	Text	
3.5		OriginalTransactionIdentification	<OrgnlTxId>	[0..1]	Text	
3.6		TransactionStatus	<TxSts>	[0..1]	Code	
3.7		StatusReasonInformation	<StsRsnInf>	[0..n]		
3.8		StatusOriginator	<StsOrgtr>	[0..1]	+	
3.9		StatusReason	<StsRsn>	[0..1]		
3.10	{Or	Code	<Cd>	[1..1]	Code	
3.11	Or}	Proprietary	<Prtry>	[1..1]	Text	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
3.12		AdditionalStatusReasonInformation	<AddtlStsRsnInf>	[0..n]	Text	
3.13		ChargesInformation	<ChrgsInf>	[0..n]	+	
3.14		AcceptanceDateTime	<AccptncDtTm>	[0..1]	DateTime	
3.15		InstructingAgent	<InstgAgt>	[0..1]	+	
3.16		InstructedAgent	<InstdAgt>	[0..1]	+	
3.17		OriginalTransactionReference	<OrgnlTxRef>	[0..1]		
3.18		InterbankSettlementAmount	<IntrBkSttlmAmt>	[0..1]	Amount	
3.19		Amount	<Amt>	[0..1]		
3.20	{Or	InstructedAmount	<InstdAmt>	[1..1]	Amount	
3.21	Or}	EquivalentAmount	<EqvtAmt>	[1..1]		
3.22		Amount	<Amt>	[1..1]	Amount	
3.23		CurrencyOfTransfer	<CcyOfTrf>	[1..1]	Code	
3.24		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime	
3.25	{Or	RequestedExecutionDate	<ReqdExctnDt>	[0..1]	DateTime	
3.26	Or}	RequestedCollectionDate	<ReqdColltnDt>	[0..1]	DateTime	
3.27		CreditorSchemeIdentification	<CdtrSchmeId>	[0..1]	+	
3.28		SettlementInformation	<SttlmInf>	[0..1]		
3.29		SettlementMethod	<SttlmMtd>	[1..1]	Code	
3.30		SettlementAccount	<SttlmAcct>	[0..1]	+	
3.31		ClearingSystem	<ClrSys>	[0..1]		
3.32	{Or	ClearingSystemIdentification	<ClrSysId>	[1..1]	Code	
3.33	Or}	Proprietary	<Prtry>	[1..1]	Text	
3.34		InstructingReimbursementAgent	<InstgRmbrsmntAgt>	[0..1]	+	
3.35		InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>	[0..1]	+	
3.36		InstructedReimbursementAgent	<InstdRmbrsmntAgt>	[0..1]	+	
3.37		InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>	[0..1]	+	
3.38		ThirdReimbursementAgent	<ThrdRmbrsmntAgt>	[0..1]	+	
3.39		ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>	[0..1]	+	
3.40		PaymentTypeInformation	<PmtTpInf>	[0..1]		
3.41		InstructionPriority	<InstrPrty>	[0..1]	Code	
3.42	{Or	ServiceLevel	<SvcLvl>	[0..1]		
3.43	{{Or	Code	<Cd>	[1..1]	Code	
3.44	Or}}	Proprietary	<Prtry>	[1..1]	Text	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
3.45	Or}	ClearingChannel	<ClrChanl>	[0..1]	Code	
3.46		LocalInstrument	<LclInstrm>	[0..1]		
3.47	{Or	Code	<Cd>	[1..1]	Code	
3.48	Or}	Proprietary	<Prtry>	[1..1]	Text	
3.49		SequenceType	<SeqTp>	[0..1]	Code	
3.50		CategoryPurpose	<CtgyPurp>	[0..1]	Code	
3.51		PaymentMethod	<PmtMtd>	[0..1]	Code	
3.52		MandateRelatedInformation	<MndtRltdInf>	[0..1]		
3.53		MandateIdentification	<MndtId>	[0..1]	Text	
3.54		DateOfSignature	<DtOfSgntr>	[0..1]	DateTime	
3.55		AmendmentIndicator	<AmdmntInd>	[0..1]	Indicator	
3.56		AmendmentInformationDetails	<AmdmntInfDtls>	[0..1]		
3.57		OriginalMandateIdentification	<OrgnlMndtId>	[0..1]	Text	
3.58		OriginalCreditorSchemeIdentification	<OrgnlCdtrSchmeId>	[0..1]	+	
3.59		OriginalCreditorAgent	<OrgnlCdtrAgt>	[0..1]	+	
3.60		OriginalCreditorAgentAccount	<OrgnlCdtrAgtAcct>	[0..1]	+	
3.61		OriginalDebtor	<OrgnlDbtr>	[0..1]	+	
3.62		OriginalDebtorAccount	<OrgnlDbtrAcct>	[0..1]	+	
3.63		OriginalDebtorAgent	<OrgnlDbtrAgt>	[0..1]	+	
3.64		OriginalDebtorAgentAccount	<OrgnlDbtrAgtAcct>	[0..1]	+	
3.65		OriginalFinalCollectionDate	<OrgnlFnlColltnDt>	[0..1]	DateTime	
3.66		OriginalFrequency	<OrgnlFrqcy>	[0..1]	Code	
3.67		ElectronicSignature	<ElctrncSgntr>	[0..1]	Text	
3.68		FirstCollectionDate	<FrstColltnDt>	[0..1]	DateTime	
3.69		FinalCollectionDate	<FnlColltnDt>	[0..1]	DateTime	
3.70		Frequency	<Frqcy>	[0..1]	Code	
3.71		RemittanceInformation	<RmtInf>	[0..1]		
3.72		Unstructured	<Ustrd>	[0..n]	Text	
3.73		Structured	<Strd>	[0..n]		
3.74		ReferredDocumentInformation	<RfrdDocInf>	[0..1]		
3.75		ReferredDocumentType	<RfrdDocTp>	[0..1]		
3.76	{Or	Code	<Cd>	[1..1]	Code	
3.77	Or}	Proprietary	<Prtry>	[1..1]	Text	
3.78		Issuer	<Issr>	[0..1]	Text	

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type	Rule/ Guid. No.
3.79		ReferredDocumentNumber	<RfrdDocNb>	[0..1]	Text	
3.80		ReferredDocumentRelatedDate	<RfrdDocRltdDt>	[0..1]	DateTime	
3.81		ReferredDocumentAmount	<RfrdDocAmt>	[0..n]		
3.82	{Or	DuePayableAmount	<DuePyblAmt>	[1..1]	Amount	
3.83	Or	DiscountAppliedAmount	<DscntApldAmt>	[1..1]	Amount	
3.84	Or	RemittedAmount	<RmtdAmt>	[1..1]	Amount	
3.85	Or	CreditNoteAmount	<CdtNoteAmt>	[1..1]	Amount	
3.86	Or}	TaxAmount	<TaxAmt>	[1..1]	Amount	
3.87		CreditorReferenceInformation	<CdtrRefInf>	[0..1]		
3.88		CreditorReferenceType	<CdtrRefTp>	[0..1]		
3.89	{Or	Code	<Cd>	[1..1]	Code	
3.90	Or}	Proprietary	<Prtry>	[1..1]	Text	
3.91		Issuer	<Issr>	[0..1]	Text	
3.92		CreditorReference	<CdtrRef>	[0..1]	Text	
3.93		Invoicer	<Invcr>	[0..1]	+	
3.94		Invoicee	<Invcee>	[0..1]	+	
3.95		AdditionalRemittanceInformation	<AddtlRmtInf>	[0..1]	Text	
3.96		UltimateDebtor	<UltmtDbtr>	[0..1]	+	
3.97		Debtor	<Dbtr>	[0..1]	+	
3.98		DebtorAccount	<DbtrAcct>	[0..1]	+	
3.99		DebtorAgent	<DbtrAgt>	[0..1]	+	
3.100		DebtorAgentAccount	<DbtrAgtAcct>	[0..1]	+	
3.101		CreditorAgent	<CdtrAgt>	[0..1]	+	
3.102		CreditorAgentAccount	<CdtrAgtAcct>	[0..1]	+	
3.103		Creditor	<Cdtr>	[0..1]	+	
3.104		CreditorAccount	<CdtrAcct>	[0..1]	+	
3.105		UltimateCreditor	<UltmtCdtr>	[0..1]	+	

Message Items Description

*The following section identifies the elements of the **PaymentStatusReportV02** message.*

1.0 GroupHeader <GrpHdr>

Presence: [1..1]

Definition: Set of characteristics shared by all individual transactions included in the message.

Type: *The **GroupHeader** block is composed of the following **GroupHeader5** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.1		MessageIdentification	<MsgId>	[1..1]	Text
1.2		CreationDateTime	<CreDtTm>	[1..1]	DateTime
1.3		InitiatingParty	<InitgPty>	[0..1]	+
1.4		ForwardingAgent	<FwdgAgt>	[0..1]	+
1.5		DebtorAgent	<DbtrAgt>	[0..1]	+
1.6		CreditorAgent	<CdtrAgt>	[0..1]	+
1.7		InstructingAgent	<InstgAgt>	[0..1]	+
1.8		InstructedAgent	<InstdAgt>	[0..1]	+

1.1 MessageIdentification <MsgId>

Presence: [1..1]

Definition: Point to point reference assigned by the instructing party and sent to the next party in the chain to unambiguously identify the message.

Usage: The instructing party has to make sure that 'MessageIdentification' is unique per instructed party for a pre-agreed period.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

1.2 CreationDateTime <CreDtTm>

Presence: [1..1]

Definition: Date and time at which the status report was created by the instructing party.

Data Type: ISODateTime

1.3 InitiatingParty <InitgPty>

Presence: [0..1]

Definition: Party initiating the payment. In the payment context, this can either be the debtor (in a credit transfer), the creditor (in a direct debit), or the party that initiates the payment on behalf of the debtor or creditor.

Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

1.4 ForwardingAgent <FwdgAgt>

Presence: [0..1]

Definition: Financial institution that receives the instruction from the initiating party and forwards it to the next agent in the payment chain.

Type: *This message item is composed of the following* ***BranchAndFinancialInstitutionIdentification3*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.5 DebtorAgent <DbtrAgt>

Presence: [0..1]

Definition: Financial institution servicing an account for the debtor.

Type: *This message item is composed of the following* ***BranchAndFinancialInstitutionIdentification3*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.6 CreditorAgent <CdtrAgt>

Presence: [0..1]

Definition: Financial institution servicing an account for the creditor.

Type: *This message item is composed of the following* ***BranchAndFinancialInstitutionIdentification3*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.7 InstructingAgent <InstgAgt>

Presence: [0..1]

Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).

Type: *This message item is composed of the following* ***BranchAndFinancialInstitutionIdentification3*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

1.8 InstructedAgent <InstdAgt>

Presence: [0..1]

Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

2.0 OriginalGroupInformationAndStatus <OrgnlGrpInfAndSts>

Presence: [1..1]

Definition: Original group information concerning the group of transactions, to which the message refers to.

Type: *The **OriginalGroupInformationAndStatus** block is composed of the following **OriginalGroupInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1	{Or	OriginalMessageIdentification	<OrgnlMsgId>	[1..1]	Text
2.2	Or}	NetworkFileName	<NtwkFileNm>	[1..1]	Text
2.3		OriginalMessageNameIdentification	<OrgnlMsgNmId>	[1..1]	Text
2.4		OriginalCreationDateTime	<OrgnlCreDtTm>	[0..1]	DateTime
2.5		FileOriginator	<FileOrgtr>	[0..1]	Text
2.6		OriginalNumberOfTransactions	<OrgnlNbOfTxs>	[0..1]	Text
2.7		OriginalControlSum	<OrgnlCtrlSum>	[0..1]	Quantity
2.8		GroupStatus	<GrpSts>	[0..1]	Code
2.9		StatusReasonInformation	<StsRsnInf>	[0..n]	
2.15		NumberOfTransactionsPerStatus	<NbOfTxsPerSts>	[0..n]	

Rule(s): StatusReasonInformationRule
StatusReasonInformation/AdditionalStatusReasonInformation may only be present when GroupStatus is present and is equal to RJCTor PDNG.

Guideline(s): NumberOfTransactionPerStatusGuideline

OriginalGroupInformationAndStatus/NumberOfTransactionsPerStatus should only be present if GroupStatus equals 'PART'.

2.1 OriginalMessageIdentification <OrgnlMsgId>

Presence: [1..1]

*This message item is part of choice **2.0** OriginalGroupInformationAndStatus.*

Definition: Point to point reference assigned by the original instructing party to unambiguously identify the original group of individual transactions.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.2 NetworkFileName <NtwkFileNm>

Presence: [1..1]

*This message item is part of choice **2.0** OriginalGroupInformationAndStatus.*

Definition: Name assigned by the sending party to unambiguously identify the file transmitted on the network.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.3 OriginalMessageNameIdentification <OrgnlMsgNmId>

Presence: [1..1]

Definition: Specifies the original message name identifier to which the message refers, eg, pacs.003.001.01 or MT103.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.4 OriginalCreationDateTime <OrgnlCreDtTm>

Presence: [0..1]

Definition: Date and time at which the original message was created.

Data Type: ISODateTime

2.5 FileOriginator <FileOrgtr>

Presence: [0..1]

Definition: Party that sent the file for which the status has been generated.

Usage: this field will only be used when the content of the message could not be decoded at the receiving side.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.6 OriginalNumberOfTransactions <OrgnlNbOfTxs>

Presence: [0..1]

Definition: Number of individual transactions contained in the original message.

Data Type: Max15NumericText

Format: [0-9]{1,15}

2.7 OriginalControlSum <OrgnlCtrlSum>

Presence: [0..1]
Definition: Total of all individual amounts included in the original message, irrespective of currencies.
Data Type: DecimalNumber
Format: fractionDigits: 17
totalDigits: 18

2.8 GroupStatus <GrpSts>

Presence: [0..1]
Definition: Specifies the status of a group of transactions.
Data Type: Code
*When this message item is present, one of the following **TransactionGroupStatus1Code** values must be used:*

Code	Name	Definition
ACCP	AcceptedCustomerProfile	Preceding check of technical validation was successful. Customer profile check was also successful. This includes the assessment of the static risks.
ACCR	AcceptedCancellationRequest	Cancellation is accepted.
ACSC	AcceptedSettlementCompleted	Settlement on the debtor's account has been completed. Usage : this can be used by the first agent to report to the debtor that the transaction has been completed. Warning : this status is provided for transaction status reasons, not for financial information. It can only be used after bilateral agreement
ACSP	AcceptedSettlementInProcess	All preceding checks such as technical validation and customer profile were successful. Dynamic risk assessment is now also successful and therefore the payment initiation has been accepted for execution.
ACTC	AcceptedTechnicalValidation	Authentication and syntactical and semantical validation are successful.
ACWC	AcceptedWithChange	Instruction is accepted but a change will be made, i.e., date, remittance not sent.
PART	PartiallyAccepted	A number of transactions have been accepted, whereas another number of transactions have not yet achieved 'accepted' status.
PDNG	Pending	Payment initiation or individual transaction included in the payment initiation is pending. Further checks and status update will be performed.
RCVD	Received	Payment initiation has been received by the receiving agent.
RJCT	Rejected	Payment initiation or individual transaction included in the payment initiation has been rejected.

2.9 StatusReasonInformation <StsRsnInf>

Presence: [0..n]
Definition: Detailed information on the status reason.
Type: *This message item is composed of the following **StatusReasonInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.10		StatusOriginator	<StsOrgtr>	[0..1]	+
2.11		StatusReason	<StsRsn>	[0..1]	
2.14		AdditionalStatusReasonInformation	<AddtlStsRsnInf>	[0..n]	Text

Rule(s): StatusReasonRule
If StatusReason/Code is equal to 'NARR', then at least one occurrence of AdditionalStatusReasonInformation must be present.

2.10 StatusOriginator <StsOrgtr>

Presence: [0..1]
Definition: Party issuing the status.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

2.11 StatusReason <StsRsn>

Presence: [0..1]
Definition: Specifies the reason for the status report.
Type: *This message item is composed of one of the following **StatusReason1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.12	{Or	Code	<Cd>	[1..1]	Code
2.13	Or}	Proprietary	<Prtry>	[1..1]	Text

2.12 Code <Cd>

Presence: [1..1]
*This message item is part of choice **2.11** StatusReason.*
Definition: Reason for the status in a coded form.
Data Type: Code

*One of the following **TransactionRejectReason2Code** values must be used:*

Code	Name	Definition
AC01	IncorrectAccountNumber	Format of the account number specified is not correct.
AC04	ClosedAccountNumber	Account number specified has been closed on the Receiver's books.
AC06	BlockedAccount	Account specified is blocked, prohibiting posting of transactions against it.
AG01	TransactionForbidden	Transaction forbidden on this type of account (formerly NoAgreement).
AG02	InvalidBankOperationCode	Bank Operation code specified in the message is not valid for receiver.
AM01	ZeroAmount	Specified message amount is equal to zero.
AM02	NotAllowedAmount	Specified transaction/message amount is greater than allowed maximum.
AM03	NotAllowedCurrency	Specified message amount is in an non processable currency outside of existing agreement.
AM04	InsufficientFunds	Amount of funds available to cover specified message amount is insufficient.
AM05	Duplication	This message appears to have been duplicated.
AM06	TooLowAmount	Specified transaction amount is less than agreed minimum.
AM07	BlockedAmount	Amount specified in message has been blocked by regulatory authorities.
AM09	WrongAmount	Amount received is not the amount agreed or expected.
AM10	InvalidControlSum	Sum of instructed amounts does not equal the control sum.
BE01	InconsistentWithEndCustomer	Identification of end customer is not consistent with associated account number. (formerly CreditorConsistency)
BE04	MissingCreditorAddress	Specification of creditor's address, which is required for payment, is missing/not correct (formerly IncorrectCreditorAddress).
BE05	UnrecognisedInitiatingParty	Party who initiated the message is not recognised by the end customer.
BE06	UnknownEndCustomer	End customer specified is not known at associated Sort/ National Bank Code or does no longer exist in the books.
BE07	MissingDebtorAddress	Specification of debtor's address, which is required for payment, is missing/not correct.
DT01	InvalidDate	Invalid date (eg, wrong settlement date).
ED01	CorrespondentBankNotPossible	Correspondent bank not possible.
ED03	BalanceInfoRequested	Balance of payments complementary info is requested.
ED05	SettlementFailed	Settlement of the transaction has failed.
MD01	NoMandate	Mandate is cancelled or invalid.

Code	Name	Definition
MD02	MissingMandatoryInformationInMandate	Mandate related information data required by the scheme is missing.
MD03	InvalidFileFormatForOtherReasonThanGroupingIndicator	File format incomplete or invalid.
MD04	InvalidFileFormatForGroupingIndicator	File format incorrect in terms of grouping indicator.
MD06	RefundRequestByEndCustomer	Return of funds requested by end customer.
MD07	EndCustomerDeceased	End customer is deceased.
MS02	NotSpecifiedReasonCustomerGenerated	Reason has not been specified by end customer.
MS03	NotSpecifiedReasonAgentGenerated	Reason has not been specified by agent.
NARR	Narrative	Reason is provided as narrative information in the additional reason information.
RC01	BankIdentifierIncorrect	Bank identifier code specified in the message has an incorrect format (formerly IncorrectFormatForRoutingCode).
RF01	NotUniqueTransactionReference	Transaction reference is not unique within the message.
TM01	CutOffTime	Associated message was received after agreed processing cut-off time.

2.13 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **2.11** StatusReason.*

Definition: Reason for the status not catered for by the available codes.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.14 AdditionalStatusReasonInformation <AddtlStsRsnInf>

Presence: [0..n]

Definition: Further details on the status reason.

Usage: Additional information can be used for several purposes, e.g. to report repaired information, or to further detail the status reason.

Data Type: Max105Text

Format: maxLength: 105
minLength: 1

2.15 NumberOfTransactionsPerStatus <NbOfTxsPerSts>

Presence: [0..n]
Definition: Detailed information on the number of transactions for each identical individual transaction status.
Type: *This message item is composed of the following **NumberOfTransactionsPerStatus1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.16		DetailedNumberOfTransactions	<DtldNbOfTxs>	[1..1]	Text
2.17		DetailedStatus	<DtldSts>	[1..1]	Code
2.18		DetailedControlSum	<DtldCtrlSum>	[0..1]	Quantity

2.16 DetailedNumberOfTransactions <DtldNbOfTxs>

Presence: [1..1]
Definition: Number of individual transactions contained in the message, detailed per status.
Data Type: Max15NumericText
Format: [0-9]{1,15}

2.17 DetailedStatus <DtldSts>

Presence: [1..1]
Definition: Common transaction status for all individual transactions reported with the same status.
Data Type: Code
*One of the following **TransactionIndividualStatus1Code** values must be used:*

Code	Name	Definition
ACCP	AcceptedCustomerProfile	Preceding check of technical validation was successful. Customer profile check was also successful. This includes the assessment of the static risks.
ACCR	AcceptedCancellationRequest	Cancellation is accepted.
ACSC	AcceptedSettlementCompleted	Settlement on the debtor's account has been completed. Usage : this can be used by the first agent to report to the debtor that the transaction has been completed. Warning : this status is provided for transaction status reasons, not for financial information. It can only be used after bilateral agreement
ACSP	AcceptedSettlementInProcess	All preceding checks such as technical validation and customer profile were successful. Dynamic risk assessment is now also successful and therefore the payment initiation has been accepted for execution.
ACTC	AcceptedTechnicalValidation	Authentication and syntactical and semantical validation are successful.
ACWC	AcceptedWithChange	Instruction is accepted but a change will be made, i.e., date, remittance not sent.

Code	Name	Definition
PDNG	Pending	Payment initiation or individual transaction included in the payment initiation is pending. Further checks and status update will be performed.
RJCT	Rejected	Payment initiation or individual transaction included in the payment initiation has been rejected.

2.18 DetailedControlSum <DtldCtrlSum>

Presence: [0..1]

Definition: Total of all individual amounts included in the message, irrespective of currencies, detailed per status.

Data Type: DecimalNumber

Format: fractionDigits: 17
totalDigits: 18

3.0 TransactionInformationAndStatus <TxInfAndSts>

Presence: [0..n]

Definition: Information concerning the original transactions, to which the status report message refers.

Type: *The **TransactionInformationAndStatus** block is composed of the following **PaymentTransactionInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.1		StatusIdentification	<StsId>	[0..1]	Text
3.2		OriginalPaymentInformationIdentification	<OrgnlPmtInfId>	[0..1]	Text
3.3		OriginalInstructionIdentification	<OrgnlInstrId>	[0..1]	Text
3.4		OriginalEndToEndIdentification	<OrgnlEndToEndId>	[0..1]	Text
3.5		OriginalTransactionIdentification	<OrgnlTxId>	[0..1]	Text
3.6		TransactionStatus	<TxSts>	[0..1]	Code
3.7		StatusReasonInformation	<StsRsnInf>	[0..n]	
3.13		ChargesInformation	<ChrgsInf>	[0..n]	+
3.14		AcceptanceDateTime	<AccptncDtTm>	[0..1]	DateTime
3.15		InstructingAgent	<InstgAgt>	[0..1]	+
3.16		InstructedAgent	<InstdAgt>	[0..1]	+
3.17		OriginalTransactionReference	<OrgnlTxRef>	[0..1]	

3.1 StatusIdentification <StsId>

Presence: [0..1]

Definition: Unique identification as assigned by an instructing party for an instructed party to unambiguously identify the reported status.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.2 OriginalPaymentInformationIdentification <OrgnlPmtInfId>

Presence: [0..1]

Definition: Unique and unambiguous identifier of the original payment information block as assigned by the original sending party.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.3 OriginalInstructionIdentification <OrgnlInstrId>

Presence: [0..1]

Definition: Original unique instruction identification as assigned by an instructing party for an instructed party to unambiguously identify the original instruction.

Usage: the original instruction identification is the original point to point reference used between the instructing party and the instructed party to refer to the original instruction.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.4 OriginalEndToEndIdentification <OrgnlEndToEndId>

Presence: [0..1]

Definition: Original unique identification assigned by the initiating party to unambiguously identify the original transaction. This identification is passed on, unchanged, throughout the entire end-to-end chain.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.5 OriginalTransactionIdentification <OrgnlTxId>

Presence: [0..1]

Definition: Original identification of a transaction, as assigned by the first instructing agent and passed on, unchanged, throughout the entire interbank chain.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.6 TransactionStatus <TxSts>

Presence: [0..1]

Definition: Specifies the status of a transaction, in a coded form.

Data Type: Code

*When this message item is present, one of the following **TransactionIndividualStatus1Code** values must be used:*

Code	Name	Definition
ACCP	AcceptedCustomerProfile	Preceding check of technical validation was successful. Customer profile check was also successful. This includes the assessment of the static risks.

Code	Name	Definition
ACCR	AcceptedCancellationRequest	Cancellation is accepted.
ACSC	AcceptedSettlementCompleted	Settlement on the debtor's account has been completed. Usage : this can be used by the first agent to report to the debtor that the transaction has been completed. Warning : this status is provided for transaction status reasons, not for financial information. It can only be used after bilateral agreement
ACSP	AcceptedSettlementInProcess	All preceding checks such as technical validation and customer profile were successful. Dynamic risk assessment is now also successful and therefore the payment initiation has been accepted for execution.
ACTC	AcceptedTechnicalValidation	Authentication and syntactical and semantical validation are successful.
ACWC	AcceptedWithChange	Instruction is accepted but a change will be made, i.e., date, remittance not sent.
PDNG	Pending	Payment initiation or individual transaction included in the payment initiation is pending. Further checks and status update will be performed.
RJCT	Rejected	Payment initiation or individual transaction included in the payment initiation has been rejected.

3.7 StatusReasonInformation <StsRsnInf>

Presence: [0..n]
Definition: Detailed information on the status reason.
Type: *This message item is composed of the following **StatusReasonInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.8		StatusOriginator	<StsOrgtr>	[0..1]	+
3.9		StatusReason	<StsRsn>	[0..1]	
3.12		AdditionalStatusReasonInformation	<AddtlStsRsnInf>	[0..n]	Text

Rule(s): StatusReasonRule
If StatusReason/Code is equal to 'NARR', then at least one occurrence of AdditionalStatusReasonInformation must be present.

3.8 StatusOriginator <StsOrgtr>

Presence: [0..1]
Definition: Party issuing the status.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.9 StatusReason <StsRsn>

Presence: [0..1]
Definition: Specifies the reason for the status report.
Type: *This message item is composed of one of the following **StatusReason1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.10	{Or	Code	<Cd>	[1..1]	Code
3.11	Or}	Proprietary	<Prtry>	[1..1]	Text

3.10 Code <Cd>

Presence: [1..1]
*This message item is part of choice **3.9** StatusReason.*
Definition: Reason for the status in a coded form.
Data Type: Code
*One of the following **TransactionRejectReason2Code** values must be used:*

Code	Name	Definition
AC01	IncorrectAccountNumber	Format of the account number specified is not correct.
AC04	ClosedAccountNumber	Account number specified has been closed on the Receiver's books.
AC06	BlockedAccount	Account specified is blocked, prohibiting posting of transactions against it.
AG01	TransactionForbidden	Transaction forbidden on this type of account (formerly NoAgreement).
AG02	InvalidBankOperationCode	Bank Operation code specified in the message is not valid for receiver.
AM01	ZeroAmount	Specified message amount is equal to zero.
AM02	NotAllowedAmount	Specified transaction/message amount is greater than allowed maximum.
AM03	NotAllowedCurrency	Specified message amount is in an non processable currency outside of existing agreement.
AM04	InsufficientFunds	Amount of funds available to cover specified message amount is insufficient.

Code	Name	Definition
AM05	Duplication	This message appears to have been duplicated.
AM06	TooLowAmount	Specified transaction amount is less than agreed minimum.
AM07	BlockedAmount	Amount specified in message has been blocked by regulatory authorities.
AM09	WrongAmount	Amount received is not the amount agreed or expected.
AM10	InvalidControlSum	Sum of instructed amounts does not equal the control sum.
BE01	InconsistentWithEndCustomer	Identification of end customer is not consistent with associated account number. (formerly CreditorConsistency)
BE04	MissingCreditorAddress	Specification of creditor's address, which is required for payment, is missing/not correct (formerly IncorrectCreditorAddress).
BE05	UnrecognisedInitiatingParty	Party who initiated the message is not recognised by the end customer.
BE06	UnknownEndCustomer	End customer specified is not known at associated Sort/ National Bank Code or does no longer exist in the books.
BE07	MissingDebtorAddress	Specification of debtor's address, which is required for payment, is missing/not correct.
DT01	InvalidDate	Invalid date (eg, wrong settlement date).
ED01	CorrespondentBankNotPossible	Correspondent bank not possible.
ED03	BalanceInfoRequested	Balance of payments complementary info is requested.
ED05	SettlementFailed	Settlement of the transaction has failed.
MD01	NoMandate	Mandate is cancelled or invalid.
MD02	MissingMandatoryInformationInMandate	Mandate related information data required by the scheme is missing.
MD03	InvalidFileFormatForOtherReasonThanGroupingIndicator	File format incomplete or invalid.
MD04	InvalidFileFormatForGroupingIndicator	File format incorrect in terms of grouping indicator.
MD06	RefundRequestByEndCustomer	Return of funds requested by end customer.
MD07	EndCustomerDeceased	End customer is deceased.
MS02	NotSpecifiedReasonCustomerGenerated	Reason has not been specified by end customer.
MS03	NotSpecifiedReasonAgentGenerated	Reason has not been specified by agent.
NARR	Narrative	Reason is provided as narrative information in the additional reason information.

Code	Name	Definition
RC01	BankIdentifierIncorrect	Bank identifier code specified in the message has an incorrect format (formerly IncorrectFormatForRoutingCode).
RF01	NotUniqueTransactionReference	Transaction reference is not unique within the message.
TM01	CutOffTime	Associated message was received after agreed processing cut-off time.

3.11 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **3.9** StatusReason.*

Definition: Reason for the status not catered for by the available codes.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.12 AdditionalStatusReasonInformation <AddtlStsRsnInf>

Presence: [0..n]

Definition: Further details on the status reason.

Usage: Additional information can be used for several purposes, e.g. to report repaired information, or to further detail the status reason.

Data Type: Max105Text

Format: maxLength: 105
minLength: 1

3.13 ChargesInformation <ChrgsInf>

Presence: [0..n]

Definition: Information on charges related to the processing of the rejection of the instruction.

Usage: ChargesInformation is past on for information purposes only. Settlement of the charges will be done separately.

Type: *This message item is composed of the following **ChargesInformation1** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	ChargesAmount	<ChrgsAmt>	[1..1]	Amount
	ChargesParty	<ChrgsPty>	[1..1]	

For additional Type information, please refer to ChargesInformation1 p.461 in 'Message Item Types' section

3.14 AcceptanceDateTime <AccptncDtTm>

Presence: [0..1]

Definition: Point in time when the payment order from the initiating party meets the processing conditions of the account servicing agent (debtor's agent in case of a credit transfer, creditor's agent in case of a direct debit). This means - amongst others - that the account servicing agent has received the payment order and has applied checks as eg, authorisation, availability of funds.

Data Type: ISODateTime

3.15 InstructingAgent <InstgAgt>

Presence: [0..1]

Definition: Agent that instructs the next party in the chain to carry out the (set of) instruction(s).

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.16 InstructedAgent <InstdAgt>

Presence: [0..1]

Definition: Agent that is instructed by the previous party in the chain to carry out the (set of) instruction(s).

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.17 OriginalTransactionReference <OrgnlTxRef>

Presence: [0..1]

Definition: Set of key elements of the original transaction being referred to.

Type: *This message item is composed of the following **OriginalTransactionReference1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.18		InterbankSettlementAmount	<IntrBkSttlmAmt>	[0..1]	Amount
3.19		Amount	<Amt>	[0..1]	
3.24		InterbankSettlementDate	<IntrBkSttlmDt>	[0..1]	DateTime
3.25	{Or	RequestedExecutionDate	<ReqdExctnDt>	[0..1]	DateTime
3.26	Or}	RequestedCollectionDate	<ReqdColltnDt>	[0..1]	DateTime
3.27		CreditorSchemeIdentification	<CdtrSchmeId>	[0..1]	+

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.28		SettlementInformation	<SttlmInf>	[0..1]	
3.40		PaymentTypeInformation	<PmtTpInf>	[0..1]	
3.51		PaymentMethod	<PmtMtd>	[0..1]	Code
3.52		MandateRelatedInformation	<MndtRltdInf>	[0..1]	
3.71		RemittanceInformation	<RmtInf>	[0..1]	
3.96		UltimateDebtor	<UltmtDbtr>	[0..1]	+
3.97		Debtor	<Dbtr>	[0..1]	+
3.98		DebtorAccount	<DbtrAcct>	[0..1]	+
3.99		DebtorAgent	<DbtrAgt>	[0..1]	+
3.100		DebtorAgentAccount	<DbtrAgtAcct>	[0..1]	+
3.101		CreditorAgent	<CdtrAgt>	[0..1]	+
3.102		CreditorAgentAccount	<CdtrAgtAcct>	[0..1]	+
3.103		Creditor	<Cdtr>	[0..1]	+
3.104		CreditorAccount	<CdtrAcct>	[0..1]	+
3.105		UltimateCreditor	<UltmtCdtr>	[0..1]	+

3.18 InterbankSettlementAmount <IntrBkSttlmAmt>

Presence: [0..1]

Definition: Amount of money moved between the instructing agent and the instructed agent.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.19 Amount <Amt>

Presence: [0..1]

Definition: Amount of money to be moved between the debtor and creditor, before deduction of charges, expressed in the currency as ordered by the initiating party.

Type: *This message item is composed of one of the following* ***AmountType2Choice*** *element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.20	{Or	InstructedAmount	<InstdAmt>	[1..1]	Amount
3.21	Or}	EquivalentAmount	<EqvtAmt>	[1..1]	

3.20 InstructedAmount <InstdAmt>

Presence: [1..1]

*This message item is part of choice **3.19** Amount.*

Definition: Amount of money to be moved between the debtor and creditor, before deduction of charges, expressed in the currency as ordered by the initiating party.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

3.21 EquivalentAmount <EqvtAmt>

Presence: [1..1]

*This message item is part of choice **3.19** Amount.*

Definition: Amount of money to be transferred between the debtor and creditor, before deduction of charges, expressed in the currency of the debtor's account, and to be transferred into a different currency.

Usage : Currency of the amount is expressed in the currency of the debtor's account, but the amount to be transferred is in another currency. The debtor agent will convert the amount and currency to the to be transferred amount and currency, eg, 'pay equivalent of 100000 EUR in JPY'(and account is in EUR).

Type: *This message item is composed of the following **EquivalentAmount** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.22		Amount	<Amt>	[1..1]	Amount
3.23		CurrencyOfTransfer	<CcyOfTrf>	[1..1]	Code

3.22 Amount <Amt>

Presence: [1..1]

Definition: Amount of money to be transferred between debtor and creditor, before deduction of charges, expressed in the currency of the debtor's account, and to be transferred in a different currency.

Usage : Currency of the amount is expressed in the currency of the debtor's account, but the amount to be transferred is in another currency. The first agent will convert the amount and currency to the to be transferred amount and currency, eg, 'pay equivalent of 100000 EUR in JPY'(and account is in EUR).

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode

[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

3.23 CurrencyOfTransfer <CcyOfTrf>

Presence: [1..1]

Definition: Specifies the currency of the to be transferred amount, which is different from the currency of the debtor's account.

Data Type: CurrencyCode

Format: [A-Z]{3,3}

Rule(s): ValidationByTable

3.24 InterbankSettlementDate <IntrBkSttlmDt>

Presence: [0..1]

Definition: Date on which the amount of money ceases to be available to the agent that owes it and when the amount of money becomes available to the agent to which it is due.

Data Type: ISODate

3.25 RequestedExecutionDate <ReqdExctnDt>

Presence: [0..1]

*This message item is part of choice **3.17** OriginalTransactionReference.*

Definition: Date at which the initiating party requests that the clearing agent to process the payment. If payment by cheque, the date when the cheque must be generated by the bank.

Usage: This is the date on which the debtor's account(s) is (are) to be debited.

Data Type: ISODate

3.26 RequestedCollectionDate <ReqdColltnDt>

Presence: [0..1]

*This message item is part of choice **3.17** OriginalTransactionReference.*

Definition: Date at which the creditor requests the amount of money to be collected from the debtor.

Data Type: ISODate

3.27 CreditorSchemeIdentification <CdtrSchmeId>

Presence: [0..1]

Definition: Credit party that signs the direct debit mandate.

Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.28 SettlementInformation <SttlmInf>

Presence: [0..1]

Definition: Specifies the details on how the settlement of the original transaction(s) between the instructing agent and the instructed agent was completed.

Type: *This message item is composed of the following **SettlementInformation3** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.29		SettlementMethod	<SttlmMtd>	[1..1]	Code
3.30		SettlementAccount	<SttlmAcct>	[0..1]	+
3.31		ClearingSystem	<ClrSys>	[0..1]	
3.34		InstructingReimbursementAgent	<InstgRmbrsmntAgt>	[0..1]	+
3.35		InstructingReimbursementAgentAccount	<InstgRmbrsmntAgtAcct>	[0..1]	+
3.36		InstructedReimbursementAgent	<InstdRmbrsmntAgt>	[0..1]	+
3.37		InstructedReimbursementAgentAccount	<InstdRmbrsmntAgtAcct>	[0..1]	+
3.38		ThirdReimbursementAgent	<ThrdRmbrsmntAgt>	[0..1]	+
3.39		ThirdReimbursementAgentAccount	<ThrdRmbrsmntAgtAcct>	[0..1]	+

3.29 SettlementMethod <SttlmMtd>

Presence: [1..1]

Definition: Method used to settle the (batch of) payment instructions.

Data Type: Code

*One of the following **SettlementMethod1Code** values must be used:*

Code	Name	Definition
CLRG	ClearingSystem	Settlement is done through a payment clearing system.
COVE	CoverMethod	Settlement is done through a cover payment.
INDA	InstructedAgent	Settlement is done by the agent instructed to execute a payment instruction.
INGA	InstructingAgent	Settlement is done by the agent instructing and forwarding the payment to the next party in the payment chain.

3.30 SettlementAccount <SttlmAcct>

Presence: [0..1]

Definition: A specific purpose account used to post debit and credit entries as a result of the transaction.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.31 ClearingSystem <ClrSys>

Presence: [0..1]

Definition: Specification of a pre-agreed offering between clearing agents or the channel through which the payment instruction is processed.

Type: *This message item is composed of one of the following **ClearingSystemIdentification1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.32	{Or	ClearingSystemIdentification	<ClrSysId>	[1..1]	Code
3.33	Or}	Proprietary	<Prtry>	[1..1]	Text

3.32 ClearingSystemIdentification <ClrSysId>

Presence: [1..1]

*This message item is part of choice **3.31** ClearingSystem.*

Definition: Infrastructure through which the payment instruction is processed.

Data Type: Code

*One of the following **CashClearingSystem3Code** values must be used:*

Code	Name	Definition
ABE	EBAEuro1Step1	Scheme code for EBA Euro1/Step1.
AIP	Albania	Scheme code for AL (Albania) - Albania Interbank Payment System.
ART	Austrian	Scheme code for AT (Austria) - Austrian RTGS (ARTIS).
AVP	NewZealand	Scheme code for NZ (New Zealand) - New Zealand Assured Value Payments.
AZM	Azerbaijan	Scheme code for AZ (Azerbaijan) - Azerbaijan Interbank Payment System (AZIPS).
BAP	BosniaHerzegovina	Scheme code for BA (Bosnia and Herzegovina).
BCC	SwedenBGC	Scheme code for SE (Sweden) - Sweden BGC Clearing CUG.
BDS	Barbados	Scheme code for BB (Barbados) - Barbados RTGS (CBRTGS).
BEL	Belgium	Scheme code for BE (Belgium) - Belgium RTGS (ELLIPS).
BGN	Bulgaria	Scheme code for BG (Bulgaria) - Bulgaria RTGS.
BHS	Bahamas	Scheme code for BS (Bahamas) - Bahamas RTGS.

Code	Name	Definition
BIS	Botswana	Scheme code for BW (Botswana) - Botswana Interbank Settlement System.
BOF	Finland	Scheme code for FI (Finland) - RTGS (BOF).
BOJ	BankOfJapanNet	Scheme code for the Bank of Japan clearing system.
BRL	Italy	Scheme code for IT (Italy) - Italy RTGS (BIREL).
BSP	Philippines	Scheme code for PH (Philippines) - Philippines Payment System.
CAD	Canada	Scheme code for CA (Canada) - Canadian Large Value Transfer System (LVTS)
CAM	SpainCAM	Scheme code for ES (Spain).
CBJ	Ireland	Scheme code for IE (Ireland) - Irish RTGS (IRIS).
CHI	USChips	CHIPS is the Clearing House Interbank Payment System in the US.
CHP	UnitedKingdom	Scheme code for GB (UK) - British Euro RTGS (CHAPS).
COP	Columbia	Scheme code for Columbia (CO) - Colombian ACH CENIT Central Bank Payment System.
DDK	DenmarkDDK	Scheme code for DK (Denmark) - Danish Krone RTGS (KRONOS)
DKC	Denmark	Scheme code for DK (Denmark) - Danish Euro RTGS (KRONOS)
EBA	EBAEuro1	Scheme code for EBA Euro1.
ELS	GermanyELS	Scheme code for DE (Germany).
EPM	ECB	Scheme code for ECB (European Central Bank) - ECB Payment Mechanism.
EPN	USChipsACH	Scheme code for the US CHIPS-ACH.
ERP	EBAStep1	Scheme code for EBA step 1 (members).
FDA	USFedACH	Scheme code for the US FED-ACH.
FDW	Fedwire	Scheme code for the US national real time gross settlement system.
FEY	ForeignExchangeYenClearing	Scheme code for the Foreign Exchange Yen Clearing system (FEYCS). It is the Japanese electronic interbank system for sending guaranteed and unconditional yen payments of FX deals for same day settlement from one settlement bank, on behalf of itself or its customers, to another settlement bank.
GIS	Ghana	Scheme code for GH (Ghana) - Ghana Interbank Settlement System (GISS).
HRK	Croatia	Scheme code for HR (Croatia) - HSVP.
HRM	Greece	Scheme code for GR (Greece) - Greek RTGS (HERMES).
HUF	Hungary	Scheme code for HU (Hungary) - VIBER.

Code	Name	Definition
INC	NetherlandsIP	Scheme code for NL (Netherlands) - Netherlands Interpay CUG.
JOD	Jordan	Scheme code for JO (Jordan) - Jordan RTGS.
KPS	Kenya	Scheme code for KE (Kenya) - Kenyan Electronic Payment Settlement System.
LGS	Luxemburg	Scheme code for LU (Luxemburg) - Luxembourg RTGS (LIPS).
LKB	SriLanka	Scheme code for LK (Sri Lanka) - Sri Lanka (Lankasettle).
LVL	Latvia	Scheme code for LV (Latvia).
MEP	Singapore	Scheme code for SG (Singapore) - Singapore RTGS (MEPS +).
MOS	SouthAfrica	Scheme code for ZA (South Africa) - South-African Multiple Option Settlement.
MRS	Malta	Scheme code for MT (Malta) - Malta Realtime Interbank Settlement System.
MUP	Mauritius	Scheme code for MU (Mauritius).
NAM	Namibia	Scheme code for NA (Namibian) - Namibian Interbank Settlement System.
NOC	Norway	Scheme code for NO (Norway).
PCH	Switzerland	Scheme code for CH (Switzerland).
PDS	Australia	Scheme code for AU (Australia).
PEG	Egypt	Scheme code for EG (Egypt).
PNS	FrancePNS	Scheme code for FR (France).
PTR	Angola	Scheme code for AO (Angola) - Angola RTGS.
PVE	Venezuela	Scheme code for Ve (Venezuela).
ROL	RomaniaEPO	Scheme code for RO (Romania) - Romanian Electronic Payment Operations RT.
ROS	RomaniaGSRS	Scheme code for RO (Romania) - Romanian GSRS.
RTP	GermanyRTGSPlus	Scheme code for DE (Germany).
SCP	Chili	Scheme code for CL (Chile) - Chilean Interbank Payment System.
SEC	SwedenSEC	Scheme code for SE (Sweden) - Swedish Euro RTGS (SEC).
SIT	Slovania	Scheme code for SI (Slovenia).
SLB	SpainES	Scheme code for ES (Spain) - Spanish RTGS (SLBE).
SPG	Portugal	Scheme code for PT (Portugal) - Portuguese RTGS (SPGT).
SSK	SwedenSSK	Scheme code for SE (Sweden) - SEK RTGS (RIX).
STG	UnitedKingdomGBP	Scheme code for UK (United Kingdom) - CHAPS Sterling RTGS.
TBF	FranceFR	Scheme code for FR (France) - French RTGS (TBF).

Code	Name	Definition
TGT	Target	Scheme code for Target.
THB	Thailand	Scheme code for TH (Thailand) - Thailand Payment System (Bahtnet/2).
TIS	Tanzania	Scheme code for TZ (Tanzania) - Tanzania Interbank Settlement System (TISS).
TOP	Netherlands	Scheme code for NL (Netherlands) - Dutch RTGS (TOP)
TTD	TrinidadAndTobago	Scheme code for TT (Trinidad and Tobago) - Trinidad and Tobago SAFE-TT.
UIS	Uganda	Scheme code for UG (Uganda) - Uganda National Interbank Settlement System.
XCT	EBAStep2	Scheme code for EBA step 2.
ZEN	Zengin	Scheme code for the Zengin system. The electronic payment system for domestic third party transfers managed by the Tokyo Bankers Association.
ZET	Zimbabwe	Scheme code for ZW (Zimbabwe) - Zimbabwe Electronic Transfer & Settlement System.
ZIS	Zambia	Scheme code for ZM (Zambia) - Zambian Interbank Payment &Settlement System.

3.33 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **3.31** ClearingSystem.*

Definition: Proprietary clearing system service selected for a transaction.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.34 InstructingReimbursementAgent <InstgRmbrsmntAgt>

Presence: [0..1]

Definition: Specifies the agent through which the instructing agent will reimburse the instructed agent.

Usage: If the instructing and instructed agents have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.35 InstructingReimbursementAgentAccount <InstgRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructing reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.36 InstructedReimbursementAgent <InstdRmbrsmntAgt>

Presence: [0..1]

Definition: Agent at which the instructed agent will be reimbursed.

Usage: If InstructedReimbursementAgent contains a branch of the InstructedAgent, then the instructed agent will claim reimbursement from that branch/will be paid by that branch.

Usage: If InstructingAgent and InstructedAgent have the same reimbursement agent, then only InstructingReimbursementAgent must be used.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.37 InstructedReimbursementAgentAccount <InstdRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the instructed reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.38 ThirdReimbursementAgent <ThrdRmbrsmntAgt>

Presence: [0..1]

Definition: Specifies the branch of the instructed agent where the amount of money will be made available when different from the instructed reimbursement agent.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.39 ThirdReimbursementAgentAccount <ThrdRmbrsmntAgtAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the third reimbursement agent account at its servicing agent in the payment chain.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.40 PaymentTypeInformation <PmtTpInf>

Presence: [0..1]

Definition: Set of elements that further specifies the type of transaction.

Type: *This message item is composed of the following **PaymentTypeInformation6** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.41		InstructionPriority	<InstrPrty>	[0..1]	Code
3.42	{Or	ServiceLevel	<SvcLvl>	[0..1]	
3.45	Or}	ClearingChannel	<ClrChanl>	[0..1]	Code

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.46		LocalInstrument	<LclInstrm>	[0..1]	
3.49		SequenceType	<SeqTp>	[0..1]	Code
3.50		CategoryPurpose	<CtgyPurp>	[0..1]	Code

3.41 InstructionPriority <InstrPrty>

Presence: [0..1]

Definition: Indicator of the urgency or order of importance that the instructing party would like the instructed party to apply to the processing of the instruction.

Data Type: Code

*When this message item is present, one of the following **Priority2Code** values must be used:*

Code	Name	Definition
HIGH	High	Priority level is high.
NORM	Normal	Priority level is normal.

3.42 ServiceLevel <SvcLvl>

Presence: [0..1]

*This message item is part of choice **3.40** PaymentTypeInformation.*

Definition: Agreement under which or rules under which the transaction should be processed.

Type: *This message item is composed of one of the following **ServiceLevel2Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.43	{Or	Code	<Cd>	[1..1]	Code
3.44	Or}	Proprietary	<Prtry>	[1..1]	Text

3.43 Code <Cd>

Presence: [1..1]

*This message item is part of choice **3.42** ServiceLevel.*

Definition: Identification of a pre-agreed level of service between the parties in a coded form.

Data Type: Code

*One of the following **ServiceLevel1Code** values must be used:*

Code	Name	Definition
PRPT	EBAPriorityService	Transaction must be processed according to the EBA Priority Service.
SDVA	SameDayValue	Payment must be executed with same day value to the creditor.
SEPA	SingleEuroPaymentsArea	Payment must be executed following the Single Euro Payments Area scheme.

3.44 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **3.42** ServiceLevel.*
Definition: Proprietary identification of a pre-agreed level of service between the parties.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.45 ClearingChannel <ClrChanl>

Presence: [0..1]
*This message item is part of choice **3.40** PaymentTypeInformation.*
Definition: Specifies the clearing channel to be used for the settlement of the instruction.
Data Type: Code
*When this message item is present, one of the following **ClearingChannel2Code** values must be used:*

Code	Name	Definition
BOOK	BookTransfer	Payment through internal book transfer.
MPNS	MassPaymentNetSystem	Clearing channel is a mass payment net settlement system.
RTGS	RealTimeGrossSettlementSystem	Clearing channel is a real-time gross settlement system.
RTNS	RealTimeNetSettlementSystem	Clearing channel is a real-time net settlement system.

3.46 LocalInstrument <LclInstrm>

Presence: [0..1]
Definition: User community specific instrument.

Usage : When available, codes provided by local authorities should be used.
Type: *This message item is composed of one of the following **LocalInstrument1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.47	{Or	Code	<Cd>	[1..1]	Code
3.48	Or}	Proprietary	<Prtry>	[1..1]	Text

3.47 Code <Cd>

Presence: [1..1]
*This message item is part of choice **3.46** LocalInstrument.*
Definition: Specifies the local instrument published in an external local instrument code list.
Data Type: ExternalLocalInstrumentCode
Format: maxLength: 35
minLength: 1

3.48 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **3.46** LocalInstrument.*
Definition: Specifies the local instrument as a proprietary code.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.49 SequenceType <SeqTp>

Presence: [0..1]
Definition: Identifies the direct debit sequence, eg, first, recurrent, final or one-off.
Data Type: Code
*When this message item is present, one of the following **SequenceType1Code** values must be used:*

Code	Name	Definition
FNAL	Final	Final collection of a series of direct debit instructions.
FRST	First	First collection of a series of direct debit instructions.
OOFF	OneOff	Direct debit instruction where the debtor's authorisation is used to initiate one single direct debit transaction.
RCUR	Recurring	Direct debit instruction where the debtor's authorisation is used for regular direct debit transactions initiated by the creditor.

3.50 CategoryPurpose <CtgyPurp>

Presence: [0..1]
Definition: Specifies the high level purpose of the instruction based on a set of pre-defined categories.
Data Type: Code
*When this message item is present, one of the following **PaymentCategoryPurpose1Code** values must be used:*

Code	Name	Definition
CASH	CashManagementTransfer	Transaction is a general cash management instruction.
CORT	TradeSettlementPayment	Transaction is related to settlement of a trade, eg a foreign exchange deal or a securities transaction.
DIVI	Dividend	Transaction is the payment of dividends.
GOVT	GovernmentPayment	Transaction is a payment to or from a government department.
HEDG	Hedging	Transaction is related to the payment of a hedging operation.
INTC	IntraCompanyPayment	Transaction is an intra-company payment, ie, a payment between two companies belonging to the same group.
INTE	Interest	Transaction is the payment of interest.
LOAN	Loan	Transaction is related to the transfer of a loan to a borrower.
PENS	PensionPayment	Transaction is the payment of pension.
SALA	SalaryPayment	Transaction is the payment of salaries.

Code	Name	Definition
SECU	Securities	Transaction is the payment of securities.
SSBE	SocialSecurityBenefit	Transaction is a social security benefit, ie payment made by a government to support individuals.
SUPP	SupplierPayment	Transaction is related to a payment to a supplier.
TAXS	TaxPayment	Transaction is the payment of taxes.
TRAD	Trade	Transaction is related to the payment of a trade transaction.
TREA	TreasuryPayment	Transaction is related to treasury operations.
VATX	ValueAddedTaxPayment	Transaction is the payment of value added tax.
WHLD	WithHolding	Transaction is the payment of withholding tax.

3.51 PaymentMethod <PmtMtd>

Presence: [0..1]
Definition: Specifies the transfer method that will be used by the instructing agent to transfer the funds to the creditor.
Data Type: Code
*When this message item is present, one of the following **PaymentMethod4Code** values must be used:*

Code	Name	Definition
CHK	Cheque	Written order to a bank to pay a certain amount of money from one person to another person.
DD	DirectDebit	Collection of an amount of money from the debtor's bank account by the creditor. The amount of money and dates of collections may vary.
TRA	TransferAdvice	Transfer of an amount of money in the books of the account servicer. An advice should be sent back to the account owner.
TRF	CreditTransfer	Transfer of an amount of money in the books of the account servicer.

3.52 MandateRelatedInformation <MndtRltdInf>

Presence: [0..1]
Definition: Set of elements used to provide further details related to a direct debit mandate signed between the creditor and the debtor.

Usage: Mandate related information is to be used only when the direct debit relates to a mandate signed between the debtor and the creditor.

Type: *This message item is composed of the following **MandateRelatedInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.53		MandateIdentification	<MndtId>	[0..1]	Text
3.54		DateOfSignature	<DtOfSgntr>	[0..1]	DateTime
3.55		AmendmentIndicator	<AmdmntInd>	[0..1]	Indicator

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.56		AmendmentInformationDetails	<AmdmntInfDtls>	[0..1]	
3.67		ElectronicSignature	<ElctrncSgntr>	[0..1]	Text
3.68		FirstCollectionDate	<FrstColltnDt>	[0..1]	DateTime
3.69		FinalCollectionDate	<FnlColltnDt>	[0..1]	DateTime
3.70		Frequency	<Frqcy>	[0..1]	Code

Rule(s): AmendmentIndicatorRule
If AmendmentIndicator is true, then AmendementInformationDetails must be present, with amended mandate information.

If AmendmentIndicator is false, then AmendmentInformationDetails is not allowed.

3.53 MandateIdentification <MndtId>

Presence: [0..1]
Definition: Reference of the direct debit mandate that has been signed between by the debtor and the creditor.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.54 DateOfSignature <DtOfSgntr>

Presence: [0..1]
Definition: Date on which the direct debit mandate has been signed by the debtor.
Data Type: ISODate

3.55 AmendmentIndicator <AmdmntInd>

Presence: [0..1]
Definition: Indicator notifying whether the underlying mandate is amended or not.
Data Type: *One of the following **TrueFalseIndicator** values must be used:*
MeaningWhenTrue: True
MeaningWhenFalse: False

3.56 AmendmentInformationDetails <AmdmntInfDtls>

Presence: [0..1]
Definition: List of direct debit mandate elements that have been modified.
Type: *This message item is composed of the following **AmendmentInformationDetails1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.57		OriginalMandateIdentification	<OrgnlMndtId>	[0..1]	Text
3.58		OriginalCreditorSchemeIdentification	<OrgnlCdtrSchmeId>	[0..1]	+
3.59		OriginalCreditorAgent	<OrgnlCdtrAgt>	[0..1]	+
3.60		OriginalCreditorAgentAccount	<OrgnlCdtrAgtAcct>	[0..1]	+

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.61		OriginalDebtor	<OrgnlDbtr>	[0..1]	+
3.62		OriginalDebtorAccount	<OrgnlDbtrAcct>	[0..1]	+
3.63		OriginalDebtorAgent	<OrgnlDbtrAgt>	[0..1]	+
3.64		OriginalDebtorAgentAccount	<OrgnlDbtrAgtAcct>	[0..1]	+
3.65		OriginalFinalCollectionDate	<OrgnlFnlColltnDt>	[0..1]	DateTime
3.66		OriginalFrequency	<OrgnlFrqcy>	[0..1]	Code

3.57 OriginalMandateIdentification <OrgnlMndtId>

Presence: [0..1]
Definition: Original mandate identification that has been modified.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.58 OriginalCreditorSchemeIdentification <OrgnlCdtrSchmeId>

Presence: [0..1]
Definition: Original creditor scheme identification that has been modified.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.59 OriginalCreditorAgent <OrgnlCdtrAgt>

Presence: [0..1]
Definition: Original creditor agent that has been modified.
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.60 OriginalCreditorAgentAccount <OrgnlCdtrAgtAcct>

Presence: [0..1]
Definition: Original creditor agent acount that has been modified.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.61 OriginalDebtor <OrgnlDbtr>

Presence: [0..1]
Definition: Original debtor that has been modified.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.62 OriginalDebtorAccount <OrgnlDbtrAcct>

Presence: [0..1]
Definition: Original debtor account that has been modified.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.63 OriginalDebtorAgent <OrgnlDbtrAgt>

Presence: [0..1]

Definition: Original debtor's agent that has been modified.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.64 OriginalDebtorAgentAccount <OrgnlDbtrAgtAcct>

Presence: [0..1]

Definition: Original debtor agent account that has been modified.

Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.65 OriginalFinalCollectionDate <OrgnlFnlColltnDt>

Presence: [0..1]

Definition: Original final collection date that has been modified.

Data Type: ISODate

3.66 OriginalFrequency <OrgnlFrqcy>

Presence: [0..1]

Definition: Original frequency that has been modified.

Data Type: Code

*When this message item is present, one of the following **Frequency1Code** values must be used:*

Code	Name	Definition
ADHO	Adhoc	Event takes place on request or as necessary.
DAIL	Daily	Event takes place every day.
INDA	IntraDay	Event takes place several times a day.
MIAN	SemiAnnual	Event takes place every six months or two times a year.
MNTH	Monthly	Event takes place every month or once a month.
QURT	Quarterly	Event takes place every three months or four times a year.
WEEK	Weekly	Event takes place once a week.

Code	Name	Definition
YEAR	Annual	Event takes place every year or once a year.

3.67 ElectronicSignature <ElctrncSgntr>

Presence: [0..1]
Definition: Additional security provisions, eg, digital signature as provided by the debtor.
Data Type: Max1025Text
Format: maxLength: 1025
minLength: 1

3.68 FirstCollectionDate <FrstColltnDt>

Presence: [0..1]
Definition: Date of the first collection of a direct debit as per the mandate.
Data Type: ISODate

3.69 FinalCollectionDate <FnlColltnDt>

Presence: [0..1]
Definition: Date of the final collection of a direct debit as per the mandate.
Data Type: ISODate

3.70 Frequency <Frqcy>

Presence: [0..1]
Definition: Regularity with which direct debit instructions are to be created and processed, eg, daily, weekly, monthly.
Data Type: Code
*When this message item is present, one of the following **Frequency1Code** values must be used:*

Code	Name	Definition
ADHO	Adhoc	Event takes place on request or as necessary.
DAIL	Daily	Event takes place every day.
INDA	IntraDay	Event takes place several times a day.
MIAN	SemiAnnual	Event takes place every six months or two times a year.
MNTH	Monthly	Event takes place every month or once a month.
QURT	Quarterly	Event takes place every three months or four times a year.
WEEK	Weekly	Event takes place once a week.
YEAR	Annual	Event takes place every year or once a year.

3.71 RemittanceInformation <RmtInf>

Presence: [0..1]
Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, eg, commercial invoices in an accounts' receivable system.
Type: *This message item is composed of the following **RemittanceInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.72		Unstructured	<Ustrd>	[0..n]	Text
3.73		Structured	<Strd>	[0..n]	

3.72 Unstructured <Ustrd>

Presence: [0..n]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, eg, commercial invoices in an accounts' receivable system in an unstructured form.

Data Type: Max140Text

Format: maxLength: 140
minLength: 1

3.73 Structured <Strd>

Presence: [0..n]

Definition: Information supplied to enable the matching of an entry with the items that the transfer is intended to settle, eg, commercial invoices in an accounts' receivable system in a structured form.

Type: *This message item is composed of the following **StructuredRemittanceInformation6** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.74		ReferredDocumentInformation	<RfrdDocInf>	[0..1]	
3.80		ReferredDocumentRelatedDate	<RfrdDocRltdDt>	[0..1]	DateTime
3.81		ReferredDocumentAmount	<RfrdDocAmt>	[0..n]	
3.87		CreditorReferenceInformation	<CdtrRefInf>	[0..1]	
3.93		Invoicer	<Invcr>	[0..1]	+
3.94		Invoicee	<Invcee>	[0..1]	+
3.95		AdditionalRemittanceInformation	<AddtlRmtInf>	[0..1]	Text

3.74 ReferredDocumentInformation <RfrdDocInf>

Presence: [0..1]

Definition: Reference information to allow the identification of the underlying reference documents.

Type: *This message item is composed of the following **ReferredDocumentInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.75		ReferredDocumentType	<RfrdDocTp>	[0..1]	
3.79		ReferredDocumentNumber	<RfrdDocNb>	[0..1]	Text

3.75 ReferredDocumentType <RfrdDocTp>

Presence: [0..1]

Definition: Provides the type of the referred document.

Type: *This message item is composed of the following **ReferredDocumentType1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.76	{Or	Code	<Cd>	[1..1]	Code
3.77	Or}	Proprietary	<Prtry>	[1..1]	Text
3.78		Issuer	<Issr>	[0..1]	Text

3.76 Code <Cd>

Presence: [1..1]
*This message item is part of choice **3.75** ReferredDocumentType.*
Definition: Document type in a coded form.
Data Type: Code
*One of the following **DocumentType2Code** values must be used:*

Code	Name	Definition
CINV	CommercialInvoice	Document is an invoice.
CMCN	CommercialContract	Document is an agreement between the parties, stipulating the terms and conditions of the delivery of goods or services.
CNFA	CreditNoteRelatedToFinancialAdjustment	Document is a credit note for the final amount settled for a commercial transaction.
CREN	CreditNote	Document is a credit note.
DEBN	DebitNote	Document is a debit note.
DISP	DispatchAdvice	Document is a dispatch advice.
DNFA	DebitNoteRelatedToFinancialAdjustment	Document is a debit note for the final amount settled for a commercial transaction.
HIRI	HireInvoice	Document is an invoice for the hiring of human resources or renting goods or equipment.
MSIN	MeteredServiceInvoice	Document is an invoice claiming payment for the supply of metered services, eg, gas or electricity, supplied to a fixed meter.
SBIN	SelfBilledInvoice	Document is an invoice issued by the debtor.
SOAC	StatementOfAccount	Document is a statement of the transactions posted to the debtor's account at the supplier.

3.77 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **3.75** ReferredDocumentType.*
Definition: Proprietary identification of the type of the remittance document.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.78 Issuer <Issr>

Presence: [0..1]
Definition: Identification of the issuer of the reference document type.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.79 ReferredDocumentNumber <RfrdDocNb>

Presence: [0..1]
Definition: Unique and unambiguous identification number of the referred document.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.80 ReferredDocumentRelatedDate <RfrdDocRltdDt>

Presence: [0..1]
Definition: Date associated with the referred document, eg, date of issue.
Data Type: ISODate

3.81 ReferredDocumentAmount <RfrdDocAmt>

Presence: [0..n]
Definition: Amount of money and currency of a document referred to in the remittance section. The amount is typically either the original amount due and payable, or the amount actually remitted for the referred document.
Type: *This message item is composed of one of the following **ReferredDocumentAmount1Choice** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.82	{Or	DuePayableAmount	<DuePyblAmt>	[1..1]	Amount
3.83	Or	DiscountAppliedAmount	<DscntApldAmt>	[1..1]	Amount
3.84	Or	RemittedAmount	<RmtdAmt>	[1..1]	Amount
3.85	Or	CreditNoteAmount	<CdtNoteAmt>	[1..1]	Amount
3.86	Or}	TaxAmount	<TaxAmt>	[1..1]	Amount

3.82 DuePayableAmount <DuePyblAmt>

Presence: [1..1]
*This message item is part of choice **3.81** ReferredDocumentAmount.*
Definition: Amount specified is the exact amount due and payable to the creditor.
Data Type: CurrencyAndAmount
*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*
Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode

[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

3.83 DiscountAppliedAmount <DscntApldAmt>

Presence: [1..1]

*This message item is part of choice **3.81** ReferredDocumentAmount.*

Definition: Amount of money resulting from the application of an agreed discount to the amount due and payable to the creditor.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: CurrencyAndAmount
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

3.84 RemittedAmount <RmtdAmt>

Presence: [1..1]

*This message item is part of choice **3.81** ReferredDocumentAmount.*

Definition: Amount of money remitted for the referred document.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: CurrencyAndAmount
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

3.85 CreditNoteAmount <CdtNoteAmt>

Presence: [1..1]

*This message item is part of choice **3.81** ReferredDocumentAmount.*

Definition: Amount specified for the referred document is the amount of a credit note.

Data Type: CurrencyAndAmount

*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*

Format: CurrencyAndAmount
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): CurrencyCode
ValidationByTable

3.86 TaxAmount <TaxAmt>

Presence: [1..1]
*This message item is part of choice **3.81** ReferredDocumentAmount.*
Definition: Quantity of cash resulting from the calculation of the tax.
Data Type: CurrencyAndAmount
*This data type must be used with the following XML Attribute: **Currency (Ccy)** which is typed by **CurrencyCode**.*
Format: CurrencyAndAmount
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}
Rule(s): CurrencyCode
ValidationByTable

3.87 CreditorReferenceInformation <CdtrRefInf>

Presence: [0..1]
Definition: Reference information provided by the creditor to allow the identification of the underlying documents.
Type: *This message item is composed of the following **CreditorReferenceInformation1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.88		CreditorReferenceType	<CdtrRefTp>	[0..1]	
3.92		CreditorReference	<CdtrRef>	[0..1]	Text

3.88 CreditorReferenceType <CdtrRefTp>

Presence: [0..1]
Definition: Provides the type of the creditor reference.
Type: *This message item is composed of the following **CreditorReferenceType1** element(s):*

Index	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.89	{Or	Code	<Cd>	[1..1]	Code
3.90	Or}	Proprietary	<Prtry>	[1..1]	Text
3.91		Issuer	<Issr>	[0..1]	Text

3.89 Code <Cd>

Presence: [1..1]
*This message item is part of choice **3.88** CreditorReferenceType.*
Definition: Coded creditor reference type.
Data Type: Code
*One of the following **DocumentType3Code** values must be used:*

Code	Name	Definition
DISP	DispatchAdvice	Document is a dispatch advice.
FXDR	ForeignExchangeDealReference	Document is a pre-agreed or pre-arranged foreign exchange transaction to which the payment transaction refers.
PUOR	PurchaseOrder	Document is a purchase order.
RADM	RemittanceAdviceMessage	Document is a remittance advice sent separately from the current transaction.
RPIN	RelatedPaymentInstruction	Document is a linked payment instruction to which the current payment instruction is related, eg, in a cover scenario.
SCOR	StructuredCommunicationReference	Document is a structured communication reference provided by the creditor to identify the referred transaction.

3.90 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **3.88** CreditorReferenceType.*

Definition: Creditor reference type not avilable in a coded format.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.91 Issuer <Issr>

Presence: [0..1]

Definition: Identification of the issuer of the credit reference type.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.92 CreditorReference <CdtrRef>

Presence: [0..1]

Definition: Unique and unambiguous reference assigned by the creditor to refer to the payment transaction.

Usage: if available, the initiating party should provide this reference in the structured remittance information, to enable reconciliation by the creditor upon receipt of the cash.

If the business context requires the use of a creditor reference or a payment remit identification, and only one identifier can be passed through the end-to-end chain, the creditor's reference or payment remittance identification should be quoted in the end-to-end transaction identification.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.93 Invoicer <Invcr>

Presence: [0..1]

Definition: Identification of the organization issuing the invoice when different than the creditor or final party.

Type: *This message item is composed of the following* ***PartyIdentification8*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.94 Invoicee <Invcee>

Presence: [0..1]
Definition: Identification of the party to whom an invoice is issued, when different than the originator or debtor.
Type: *This message item is composed of the following* ***PartyIdentification8*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.95 AdditionalRemittanceInformation <AddtlRmtInf>

Presence: [0..1]
Definition: Additional information, in free text form, to complement the structured remittance information.
Data Type: Max140Text
Format: maxLength: 140
minLength: 1

3.96 UltimateDebtor <UltmtDbtr>

Presence: [0..1]
Definition: Ultimate party that owes an amount of money to the (ultimate) creditor.
Type: *This message item is composed of the following* ***PartyIdentification8*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.97 Debtor <Dbtr>

Presence: [0..1]
Definition: Party that owes an amount of money to the (ultimate) creditor.
Type: *This message item is composed of the following **PartyIdentification8** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.98 DebtorAccount <DbtrAcct>

Presence: [0..1]
Definition: Unambiguous identification of the account of the debtor to which a debit entry will be made as a result of the transaction.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.99 DebtorAgent <DbtrAgt>

Presence: [0..1]
Definition: Financial institution servicing an account for the debtor.
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.100 DebtorAgentAccount <DbtrAgtAcct>

Presence: [0..1]
Definition: Unambiguous identification of the account of the debtor agent at its servicing agent in the payment chain.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.101 CreditorAgent <CdtrAgt>

Presence: [0..1]
Definition: Financial institution servicing an account for the creditor.
Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
	BranchIdentification	<BrnchId>	[0..1]	

For additional Type information, please refer to BranchAndFinancialInstitutionIdentification3 p.474 in 'Message Item Types' section

3.102 CreditorAgentAccount <CdtrAgtAcct>

Presence: [0..1]
Definition: Unambiguous identification of the account of the creditor agent at its servicing agent in the payment chain.
Type: *This message item is composed of the following **CashAccount7** element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.103 Creditor <Cdtr>

Presence: [0..1]
Definition: Party to which an amount of money is due.

Type: *This message item is composed of the following* ***PartyIdentification8*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

3.104 CreditorAccount <CdtrAcct>

Presence: [0..1]

Definition: Unambiguous identification of the account of the creditor to which a credit entry will be posted as a result of the payment transaction.

Type: *This message item is composed of the following* ***CashAccount7*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Identification	<Id>	[1..1]	
	Type	<Tp>	[0..1]	
	Currency	<Ccy>	[0..1]	Code
	Name	<Nm>	[0..1]	Text

For additional Type information, please refer to CashAccount7 p.457 in 'Message Item Types' section

3.105 UltimateCreditor <UltmtCdtr>

Presence: [0..1]

Definition: Ultimate party to which an amount of money is due.

Type: *This message item is composed of the following* ***PartyIdentification8*** *element(s):*

Or	Message Item	<XML Tag>	Mult.	Represent./ Type
	Name	<Nm>	[0..1]	Text
	PostalAddress	<PstlAdr>	[0..1]	
	Identification	<Id>	[0..1]	
	CountryOfResidence	<CtryOfRes>	[0..1]	Code

For additional Type information, please refer to PartyIdentification8 p.487 in 'Message Item Types' section

Business Example - Status of a PaymentCancellationRequest

Narrative

When BBBB Bank in its turn has issued a PaymentCancellationRequest message to CCCC Bank, BBBB Bank informs AAAA Bank on the status of its cancellation request. BBBB Bank uses the PaymentStatusReport message to inform AAAA Bank that its cancellation request is pending.
Note : the PaymentCancellationRequest from AAAA Bank to BBBB Bank is documented in the business example section of the PaymentCancellationRequest message.

Business Description

PaymentStatusReport from BBBB Bank to AAAA Bank :

Element	***<XMLTag>***	***Content***
Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	BBBB/061117-PSR013
CreationDateTime	<CreDtTm>	2006-11-17T14:01:00
InstructingAgent	<InstgAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	BBBBIE2D
InstructedAgent	<InstdAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAGB2L
OriginalGroupInformationAndStatus	<OrgnlGrpInfAndSts>	
OriginalMessageIdentification	<OrgnlMsgId>	AAAA/061117-PCR/011
OriginalMessageNameIdentification	<OrgnlMsgNmId>	pacs.006.001.01
OriginalCreationDateTime	<OrgnlCreDtTm>	2006-11-17T13:07:00
OriginalNumberOfTransactions	<OrgnlNbOfTxs>	1
TransactionInformationAndStatus	<TxInfAndSts>	
StatusIdentification	<StsId>	BBBB/061117-PSR013/1
TransactionStatus	<TxSts>	PNDG

XML Instance

```
<pacs.002.001.02>
    <GrpHdr>
      <MsgId>BBBB/061117-PSR013</MsgId>
      <CreDtTm>2006-11-17T14:01:00</CreDtTm>
      <InstgAgt>
        <FinInstnId>
          <BIC>BBBBIE2D</BIC>
        </FinInstnId>
      </InstgAgt>
      <InstdAgt>
        <FinInstnId>
          <BIC>AAAAGB2L</BIC>
        </FinInstnId>
```

```
      </InstdAgt>
    </GrpHdr>
    <OrgnlGrpInfAndSts>
      <OrgnlMsgId>AAAA/061117-PCR/011</OrgnlMsgId>
      <OrgnlMsgNmId>pacs.006.001.01</OrgnlMsgNmId>
      <OrgnlCreDtTm>2006-11-17T13:07:00</OrgnlCreDtTm>
      <OrgnlNbOfTxs>1</OrgnlNbOfTxs>
    </OrgnlGrpInfAndSts>
    <TxInfAndSts>
      <StsId>BBBB/061117-PSR013/1</StsId>
      <TxSts>PDNG</TxSts>
    </TxInfAndSts>
  </pacs.002.001.02>
```

Business Example - Status of a FIToFICustomerDirectDebit

Narrative

On 28 June 2006, ABABUS23 received an FIToFICustomerDirectDebit message from AAAAUS29. On 29 June 2006, ABABUS23 rejects the FI2FICustomerDirectDebit message by sending a PaymentStatusReport message to AAAAUS29, referring to the original instruction and indicating the reason for the rejection.
Notes :
1. the FIToFICustomerDirectDebit instruction from AAAAUS29 to ABABUS23 is included in the business example section of the FITiFICustomerDirectDebit message.
2. as AAAUS29 has not yet credited the account of its customer, Virgay, in its turn, AAAAUS29 will send a PaymentStatus Report to inform Virgay of the rejection. This example is included in the business example section of the PaymentStatusReport message in the Payments Initiation Message Reference Guide.

Business Description

PaymentStatusReport from ABABUS23 to AAAAUS29 :

Element	***<XMLTag>***	***Content***
Group Header	<GrpHdr>	
MessageIdentification	<MsgId>	ABABUS23-STATUS-456/04
CreationDateTime	<CreDtTm>	2006-06-29T=09:56:00
InstructingAgent	<InstgAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	ABABUS23
InstructedAgent	<InstdAgt>	
FinancialInstitutionIdentification	<FinInstnId>	
BIC	<BIC>	AAAAUS29
OriginalGroupInformation AndStatus	<OrgnlGrpInfAndSts>	
OriginalMessageIdentification	<OrgnlMsgId>	AAAA060327-123v
OriginalMessageName Identification	<OrgnlMsgNmId>	Pacs.003.001.01

OriginalCreationDateAndTime	<OrgnlCreDtTm>	2006-06-28T10:05:00
TransactionInformationAndStatus	<TxInfAndSts>	
StatusID	<StsId>	AB/8568
OriginalEndToEndIdentification	<OrgnlEndToEndId>	VA060327/0123
OriginalTransactionIdentification	<OrgnlTxId>	AAAAUS29/20060628/ad458
TransactionStatus	<TxSts>	RJCT
StatusReasonInformation	<StsRsnInf>	
StatusOriginator	<StsOrgtr>	
OrganisationIdentification	<OrgId>	
BIC	<BIC>	ABABUS23
Status Reason	<StsRsn>	
Code	<Cd>	AM05
OriginalTransactionReference	<OrgnlTxRef>	
InterbankSettlementAmount	<RtrdIntrBkSttlmAmtCcy=USD>	1025.00
InterbankSettlementDate	<IntrBkSttlmDt>	2006-06-28
RequestedCollectionDate	<ReqdColltnDt>	2006-07-03
MandateRelatedInformation	<MndtRltdInf>	
MandateIdentification	<MndtId>	VIRGAY123
Debtor	<Dbtr>	
Name	<Nm>	Jones
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Hudston Street
BuildingNumber	<BldgNb>	19
PostCode	<PstCd>	NJ 07302
TownName	<TwnNm>	Jersey City
Country	<Ctry>	US
Creditor	<Cdtr>	Virgay
Name	<Name>	
PostalAddress	<PstlAdr>	
StreetName	<StrtNm>	Virginia Lane
BuildingNumber	<BldgNb>	36
PostCode	<PstCd>	NJ 07311
TownName	<TwnNm>	Jersey City
Country	<Ctry>	US

XML Instance

<pacs.002.001.02>

```
<GrpHdr>
   <MsgId>ABABUS23-STATUS-456/04</MsgId>
   <CreDtTm>2006-06-29T09:56:00</CreDtTm>
   <InstgAgt>
      <FinInstnId>
         <BIC>ABABUS23</BIC>
      </FinInstnId>
   </InstgAgt>
   <InstdAgt>
      <FinInstnId>
         <BIC>AAAAUS29</BIC>
      </FinInstnId>
   </InstdAgt>
</GrpHdr>
<OrgnlGrpInfAndSts>
   <OrgnlMsgId>AAAA060327-123v</OrgnlMsgId>
   <OrgnlMsgNmId>Pacs.003.001.01</OrgnlMsgNmId>
   <OrgnlCreDtTm>2006-06-28T10:05:00</OrgnlCreDtTm>
</OrgnlGrpInfAndSts>
<TxInfAndSts>
   <StsId>AB/8568</StsId>
   <OrgnlEndToEndId>VA060327/0123</OrgnlEndToEndId>
   <OrgnlTxId>AAAAUS29/20060628/ad458</OrgnlTxId>
   <TxSts>RJCT</TxSts>
   <StsRsnInf>
      <StsOrgtr>
         <Id>
            <OrgId>
               <BIC>ABABUS23</BIC>
            </OrgId>
         </Id>
      </StsOrgtr>
      <StsRsn>
         <Cd>AM05</Cd>
      </StsRsn>
   </StsRsnInf>
   <OrgnlTxRef>
      <IntrBkSttlmAmt Ccy = "USD">1025.00</IntrBkSttlmAmt>
      <IntrBkSttlmDt>2006-06-28</IntrBkSttlmDt>
      <ReqdColltnDt>2006-07-03</ReqdColltnDt>
      <MndtRltdInf>
         <MndtId>VIRGAY123</MndtId>
      </MndtRltdInf>
      <Dbtr>
         <Nm>Jones</Nm>
         <PstlAdr>
            <StrtNm>Hudston Street</StrtNm>
            <BldgNb>19</BldgNb>
            <PstCd>NJ 07302</PstCd>
            <TwnNm>Jersey City</TwnNm>
            <Ctry>US</Ctry>
         </PstlAdr>
```

```
        </Dbtr>
        <Cdtr>
          <Nm>Virgay</Nm>
          <PstlAdr>
            <StrtNm>Virginia Lane</StrtNm>
            <BldgNb>36</BldgNb>
            <PstCd>NJ 07311</PstCd>
            <TwnNm>New Jersey</TwnNm>
            <Ctry>US</Ctry>
          </PstlAdr>
        </Cdtr>
      </OrgnlTxRef>
    </TxInfAndSts>
  </pacs.002.001.02>
```

Message Item Types

Data Types

Data Types Index

1 Amount

1.1 CurrencyAndAmount
1.2 ImpliedCurrencyAndAmount

2 Date Time

2.1 ISODate
2.2 ISODateTime
2.3 ISOTime

3 Identifier

3.1 AustrianBankleitzahlIdentifier
3.2 BBANIdentifier
3.3 BEIIdentifier
3.4 BICIdentifier
3.5 CHIPSParticipantIdentifier
3.6 CHIPSUniversalIdentifier
3.7 CanadianPaymentsARNIdentifier
3.8 CountryCode
3.9 CurrencyCode
3.10 DunsIdentifier
3.11 EANGLNIdentifier
3.12 ExtensiveBranchNetworkIdentifier
3.13 ExternalClearingSystemMemberCode
3.14 ExternalCode
3.15 ExternalLocalInstrumentCode
3.16 ExternalPurposeCode
3.17 FedwireRoutingNumberIdentifier
3.18 GermanBankleitzahlIdentifier
3.19 HellenicBankIdentificationCodeIdentifier
3.20 HongKongBankIdentifier
3.21 IBANIdentifier
3.22 IBEIIdentifier
3.23 IndianFinancialSystemCodeIdentifier
3.24 IrishNSCIdentifier
3.25 ItalianDomesticIdentifier
3.26 LanguageCode
3.27 MICIdentifier
3.28 NationalityCode
3.29 NewZealandNCCIdentifier
3.30 PolishNationalClearingCodeIdentifier
3.31 PortugueseNCCIdentifier
3.32 RussianCentralBankIdentificationCodeIdentifier
3.33 SmallNetworkIdentifier
3.34 SouthAfricanNCCIdentifier

3.35 SpanishDomesticInterbankingIdentifier
3.36 SwissBCIdentifier
3.37 SwissSICIdentifier
3.38 UKDomesticSortCodeIdentifier
3.39 UPICIdentifier

4 Quantity: Number and Decimal Number

4.1 DecimalNumber

5 Rate

5.1 BaseOneRate
5.2 PercentageRate

6 Text

6.1 Max1025Text
6.2 Max105Text
6.3 Max128Text
6.4 Max140Text
6.5 Max15NumericText
6.6 Max16Text
6.7 Max256Text
6.8 Max34Text
6.9 Max350Text
6.10 Max35Text
6.11 Max3Text
6.12 Max70Text

Data Types Description

1 Amount

1.1 CurrencyAndAmount

Definition:	Number of monetary units specified in a currency, where the unit of currency is explicit and compliant with ISO 4217. The decimal separator is a dot. Note: A zero amount is considered a positive amount.
XML Attribute:	Currency (Ccy). *This XML Attribute is typed by* ***CurrencyCode****.*
Format:	**CurrencyAndAmount** fractionDigits: 5 minInclusive: 0 totalDigits: 18 **CurrencyCode** [A-Z]{3,3}
Rule(s):	**CurrencyCode** ValidationByTable
Example:	100000 (Ccy='EUR')

1.2 ImpliedCurrencyAndAmount

Definition:	Number of monetary units specified in a currency where the unit of currency is implied by the context and compliant with ISO 4217. The decimal separator is a dot. Note: a zero amount is considered a positive amount.
Format:	fractionDigits: 5 minInclusive: 0 totalDigits: 18
Example:	500000

2 Date Time

2.1 ISODate

Definition:	Date within a particular calendar year represented by YYYY-MM-DD (ISO 8601).
Example:	2002-02-25

2.2 ISODateTime

Definition:	Date and time within a particular calendar year represented by YYYY-MM-DDThh :mm :ss (ISO 8601).
Example:	2002-07-21T08:35:30

2.3 ISOTime

Definition:	Time represented by hh :mm :ss (ISO 8601).
Example:	16:34:44

3 Identifier

3.1 AustrianBankleitzahlIdentifier

Definition:	Austrian Bankleitzahl. Identifies Austrian financial institutions on the Austrian national clearing system.
Format:	AT[0-9]{5,5}
Example:	AT12345

3.2 BBANIdentifier

Definition:	Basic Bank Account Number (BBAN). Identifier used nationally by financial institutions, ie, in individual countries, generally as part of a National Account Numbering Scheme(s), which uniquely identifies the account of a customer.
Format:	[a-zA-Z0-9]{1,30}
Example:	BARC12345612345678

3.3 BEIIdentifier

Definition:	Business Entity Identifier. Code allocated to non-financial institutions by the ISO 9362 Registration Authority. The Business Entity Identifier (BEI) has the same format as the BIC

	code (8 up to 11 characters) as stipulated in the standard ISO 9362 Banking (Banking Telecommunication Messages, Bank Identifier Codes, BIC).
Format:	[A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}
Rule(s):	BEI Only Business Entity Identifiers registered with the ISO 9362 Registration Authority and consisting of 8 or 11 contiguous characters comprising the first three or all four of the following components: BANK CODE, COUNTRY CODE, LOCATION CODE, BRANCH CODE, are valid BEIs.
Example:	USINFRPP

3.4 BICIdentifier

Definition:	Bank Identifier Code. code allocated to a financial institution by a Registration Authority under an international identification scheme, as described in the latest edition of the international standard ISO 9362 "Banking - Banking telecommunication messages - Bank identifier codes".
Format:	[A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}
Rule(s):	BIC Valid BICs are registered with the ISO 9362 Registration Authority, and consist of eight (8) or eleven (11) contiguous characters comprising the first three or all four of the following components: BANK CODE, COUNTRY CODE, LOCATION CODE, BRANCH CODE. The bank code, country code and location code are mandatory, while the branch code is optional.
Example:	CHASUS33

3.5 CHIPSParticipantIdentifier

Definition:	(United States) Clearing House Interbank Payment System (CHIPS) Participant Identifier (ID). Identifies financial institutions participating on CHIPS. The CHIPS Participant ID is assigned by the New York Clearing House.
Format:	CP[0-9]{4,4}
Example:	CP1234

3.6 CHIPSUniversalIdentifier

Definition:	(United States) Clearing House Interbank Payments System (CHIPS) Universal Identification (UID). Identifies entities that own accounts at CHIPS participating financial institutions, through which CHIPS payments are effected. The CHIPS UID is assigned by the New York Clearing House.
Format:	CH[0-9]{6,6}
Example:	CH123456

3.7 CanadianPaymentsARNIdentifier

Definition:	Canadian Payments Association Routing Number. Identifies Canadian financial institutions on the Canadian national clearing system.

Format:	CA[0-9]{9,9}
Example:	CA123456789

3.8 CountryCode

Definition:	Code to identify a country, a dependency, or another area of particular geopolitical interest, on the basis of country names obtained from the United Nations (ISO 3166, Alpha-2 code).
Format:	[A-Z]{2,2}
Rule(s):	Country The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).
Example:	BE

3.9 CurrencyCode

Definition:	Code allocated to a currency, by a maintenance agency, under an international identification scheme as described in the latest edition of the international standard ISO 4217 "Codes for the representation of currencies and funds". Valid currency codes are registered with the ISO 4217 Maintenance Agency, and consist of three contiguous letters.
Format:	[A-Z]{3,3}
Rule(s):	ValidationByTable
Example:	AWG

3.10 DunsIdentifier

Definition:	Data Universal Numbering System. A unique identification number provided by Dun & Bradstreet to identify an organization.
Format:	[0-9]{9,9}
Example:	578942538

3.11 EANGLNIdentifier

Definition:	Global Location Number. A non-significant reference number used to identify legal entities, functional entities or physical entities according to the European Association for Numbering (EAN) numbering scheme rules. The number is used to retrieve the detailed information linked to it.
Format:	[0-9]{13,13}
Example:	7265658971233

3.12 ExtensiveBranchNetworkIdentifier

Definition:	The extensive branch network list of the Australian Bank State Branch (BSB) Code. The codes are used for identifying Australian financial institutions, as assigned by the Australian Payments Clearing Association (APCA).
Format:	AU[0-9]{6,6}
Example:	AU123456

3.13 ExternalClearingSystemMemberCode

Definition:	Specifies the external clearing system member code in the format of character string with a maximum length of 35 characters. The list of valid codes is an external code list published separately.
Format:	maxLength: 35 minLength: 1
Example:	External Member Code 1

3.14 ExternalCode

Definition:	Specifies an external code in the format of character string with a maximum length of 35 characters. The list of valid codes is an external code list published separately.
Format:	maxLength: 35 minLength: 1
Example:	External Code 1

3.15 ExternalLocalInstrumentCode

Definition:	Specifies the external local instrument code in the format of character string with a maximum length of 35 characters. The list of valid codes is an external code list published separately.
Format:	maxLength: 35 minLength: 1
Example:	External Code 1

3.16 ExternalPurposeCode

Definition:	Specifies the external purpose code in the format of character string with a maximum length of 35 characters. The list of valid codes is an external code list published separately.
Format:	maxLength: 35 minLength: 1
Example:	External Purpose Code 1

3.17 FedwireRoutingNumberIdentifier

Definition:	Fedwire Routing Number. Identifies financial institutions, in the US, on the FedWire system. The routing number is assigned by the American Bankers Association (ABA).
Format:	FW[0-9]{9,9}
Example:	FW123456789

3.18 GermanBankleitzahlIdentifier

Definition:	German Bankleitzahl. Identifies German financial institutions on the German national clearing systems.
Format:	BL[0-9]{8,8}
Example:	BL12345678

3.19 HellenicBankIdentificationCodeIdentifier

Definition:	Hellenic Bank Identification Code Identifier. Identifies Greek financial institutions on the greek national clearing system.
Format:	GR[0-9]{7,7}
Example:	GR1234567

3.20 HongKongBankIdentifier

Definition:	Hong Kong Bank Code. Identifies Hong Kong financial institutions on the Hong Kong local clearing system.
Format:	HK[0-9]{3,3}
Example:	HK123

3.21 IBANIdentifier

Definition:	An identifier used internationally by financial institutions to uniquely identify the account of a customer at a financial institution, as described in the latest edition of the international standard ISO 13616. "Banking and related financial services - International Bank Account Number (IBAN)".
Format:	[a-zA-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}
Rule(s):	IBAN A valid IBAN consists of all three of the following components: Country Code, check digits and BBAN.
Example:	AT611904300234573201

3.22 IBEIdentifier

Definition:	International Business Entity Identifier to uniquely identify business entities playing a role in the lifecycle of and events related to a financial instrument. (tentative - to be confirmed).
Format:	[A-Z]{2,2}[B-DF-HJ-NP-TV-XZ0-9]{7,7}[0-9]{1,1}
Example:	DEXBC823N0

3.23 IndianFinancialSystemCodeIdentifier

Definition:	Indian Financial System Code Identifier. Identifies Indian financial institutions on the Indian national clearing system.
Format:	IN[a-zA-Z0-9]{11,11}
Example:	IN12azBX12345

3.24 IrishNSCIdentifier

Definition:	Irish National Sorting Code. Identifies Irish financial institutions on the Irish national clearing system.
Format:	IE[0-9]{6,6}
Example:	IE123456

3.25 ItalianDomesticIdentifier

Definition:	Italian Domestic Identification Code. Identifies Italian financial institutions on the Italian national clearing system. The code is assigned by the Associazione Bancaria Italiana (ABI).
Format:	IT[0-9]{10,10}
Example:	IT1234567890

3.26 LanguageCode

Definition:	Specifies a language.
Rule(s):	ValidationByTable
Example:	ENG

3.27 MICIdentifier

Definition:	Market Identifier Code. The identification of a financial market, as stipulated in the norm ISO 10383 'Codes for exchanges and market identifications'.
Format:	[A-Z0-9]{4,4}
Example:	XTKS

3.28 NationalityCode

Definition:	Specifies the country where a person was born or is naturalised.
Rule(s):	ValidationByTable
Example:	US

3.29 NewZealandNCCIdentifier

Definition:	New Zealand Bank/Branch Code. Identifies New Zealand institutions on the New Zealand national clearing system. The code is assigned by the New Zealand Bankers' Association (NZBA).
Format:	NZ[0-9]{6,6}
Example:	NZ123456

3.30 PolishNationalClearingCodeIdentifier

Definition:	Polish National Clearing Code Identifier. Identifies Polish financial institutions on the Polish national clearing system.
Format:	PL[0-9]{8,8}
Example:	PL12345678

3.31 PortugueseNCCIdentifier

Definition:	Portuguese National Clearing Code. Identifies Portuguese financial institutions on the Portuguese national clearing system.
Format:	PT[0-9]{8,8}
Example:	PT12345678

3.32 RussianCentralBankIdentificationCodeIdentifier

Definition:	Russian Central Bank Identification Code. Identifies Russian financial institutions on the Russian national clearing system.
Format:	RU[0-9]{9,9}
Example:	RU123456789

3.33 SmallNetworkIdentifier

Definition:	The small network list of the Australian Bank State Branch (BSB) Code. The codes are used for identifying Australian financial institutions, as assigned by the Australian Payments Clearing Association (APCA).
Format:	AU[0-9]{6,6}
Example:	AU123456

3.34 SouthAfricanNCCIdentifier

Definition:	South African National Clearing Code (NCC). Identifies South African financial institutions on the South African national clearing system. The code is assigned by the South African Bankers Services Company Ltd. (BankServ).
Format:	ZA[0-9]{6,6}
Example:	ZA123456

3.35 SpanishDomesticInterbankingIdentifier

Definition:	Spanish Domestic Interbanking Code. Identifies Spanish financial institutions on the Spanish national clearing system. The code is assigned by the Centro de Cooperacion Interbancaria (CCI).
Format:	ES[0-9]{8,9}
Example:	ES12345678

3.36 SwissBCIdentifier

Definition:	Swiss Bank Code. Identifies Swiss institutions on the Swiss national clearing system.
Format:	SW[0-9]{3,5}
Example:	SW123

3.37 SwissSICIdentifier

Definition:	Swiss Interbank Clearing (SIC) Code. Identifies Swiss financial institutions domestically, on the Swiss national clearing system.
Format:	SW[0-9]{6,6}
Example:	SW123456

3.38 UKDomesticSortCodeIdentifier

Definition:	United Kingdom (UK) Sort Code. Identifies British financial institutions on the British national clearing systems. The sort code is assigned by the Association for Payments and Clearing Services (APACS).

Format:	SC[0-9]{6,6}
Example:	SC123456

3.39 UPICIdentifier

Definition:	Universal Payment Identification Code (UPIC). Identifier used by the New York Clearing House to mask confidential data, such as bank accounts and bank routing numbers. UPIC numbers remain with business customers, regardless of banking relationship changes.
Format:	[0-9]{8,17}
Example:	12345678

4 Quantity: Number and Decimal Number

4.1 DecimalNumber

Definition:	Number of objects represented as a decimal number, eg, 0.75 or 45.6.
Format:	fractionDigits: 17 totalDigits: 18
Example:	123456789.123456789

5 Rate

5.1 BaseOneRate

Definition:	Rate expressed as a decimal, eg, 0.7 is 7/10 and 70%.
Format:	fractionDigits: 10 totalDigits: 11
Example:	0.60

5.2 PercentageRate

Definition:	Rate expressed as a percentage, ie, in hundredths, eg, 0.7 is 7/10 of a percent, and 7.0 is 7%.
Format:	fractionDigits: 10 totalDigits: 11
Example:	35

6 Text

6.1 Max1025Text

Definition:	Specifies a character string with a maximum length of 1025 characters.
Format:	maxLength: 1025 minLength: 1
Example:	ABCDEFGHIJKLMNOPQRSTUVWXYZ0123456789

6.2 Max105Text

Definition:	Specifies a character string with a maximum length of 105 characters.
Format:	maxLength: 105

	minLength: 1
Example:	azefgvgldfpgtvcvlmgovl;v ; :B;lgkdfwxcvljfqsifj

6.3 Max128Text

Definition:	Specifies a character string with a maximum length of 128 characters.
Format:	maxLength: 128 minLength: 1
Example:	A string value of maximum 128 characters.

6.4 Max140Text

Definition:	Specifies a character string with a maximum length of 140 characters.
Format:	maxLength: 140 minLength: 1
Example:	ABCDEFGHIJKLMNOPQRST12345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890

6.5 Max15NumericText

Definition:	Specifies a numeric string with a maximum length of 15 digits.
Format:	[0-9]{1,15}
Example:	458793625148975

6.6 Max16Text

Definition:	Specifies a character string with a maximum length of 16 characters.
Format:	maxLength: 16 minLength: 1
Example:	ABCdEFghIJKLMNO?

6.7 Max256Text

Definition:	Specifies a character string with a maximum length of 256 characters.
Format:	maxLength: 256 minLength: 1
Example:	ABCDEFGHIJKLMNOPQRST12345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890123456789012345678901234567890

6.8 Max34Text

Definition:	Specifies a character string with a maximum length of 34 characters.
Format:	maxLength: 34 minLength: 1
Example:	ABCDEFGHIJKLMNOPQRST12345678901234

6.9 Max350Text

Definition:	Specifies a character string with a maximum length of 350 characters.
Format:	maxLength: 350 minLength: 1
Example:	1234567890

6.10 Max35Text

Definition:	Specifies a character string with a maximum length of 35 characters.
Format:	maxLength: 35 minLength: 1
Example:	ABCDEFGHIJKLMNOPQRST123456789012345

6.11 Max3Text

Definition:	Specifies a character string with a maximum length of 3 characters.
Format:	maxLength: 3 minLength: 1
Example:	Nad

6.12 Max70Text

Definition:	Specifies a character string with a maximum length of 70characters.
Format:	maxLength: 70 minLength: 1
Example:	A string value of maximum 70 characters.

End Points

End Points Index

1 Account identification

1.1 CashAccount7

2 Charge

2.1 ChargesInformation1

3 Financial institution identification

3.1 BranchAndFinancialInstitutionIdentification3

4 Identification information

4.1 PaymentIdentification2

5 Party identification

5.1 PartyIdentification8

6 Postal address

6.1 PostalAddress1

End Points Description

1 Account identification

1.1 CashAccount7

CashAccount7 *is used in message* ***FIToFICustomerCreditTransferV01*** *p.43, p.43, p.44, p.44, p.45, p.45, p.45, p.45, p. 45, p.45, p.45, p.45, message* ***FIToFICustomerDirectDebitV01*** *p.114, p.116, p.116, p.116, p.116, p.116, p.116, p.116, p.116, p.116, p.116, message* ***FIToFIPaymentReversalV01*** *p.166, p.167, p.167, p.167, p.168, p.169, p.169, p.169, p. 169, p.169, p.170, p.171, p.171, p.171, p.171, message* ***FinancialInstitutionCreditTransferV01*** *p.224, p.224, p.224, p. 224, p.225, p.226, p.226, p.226, p.226, p.226, p.226, p.226, message* ***PaymentCancellationRequestV01*** *p.267, p.267, p. 267, p.267, p.268, p.268, p.268, p.269, p.269, p.269, p.269, message* ***PaymentReturnV01*** *p.321, p.321, p.321, p.321, p. 323, p.323, p.323, p.323, p.324, p.324, p.324, p.325, p.325, p.325, p.325, message* ***PaymentStatusReportV02*** *p.392, p. 392, p.392, p.392, p.393, p.393, p.393, p.394, p.394, p.394, p.394.*

Definition: Information used for identifying an account.
Type: *The following* ***CashAccount7*** *element(s) must be used:*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.1.0		Identification	<Id>	[1..1]	
1.1.1	{Or	IBAN	<IBAN>	[1..1]	Identifier
1.1.2	Or	BBAN	<BBAN>	[1..1]	Identifier
1.1.3	Or	UPIC	<UPIC>	[1..1]	Identifier
1.1.4	Or}	ProprietaryAccount	<PrtryAcct>	[1..1]	
1.1.5		Identification	<Id>	[1..1]	Text
1.1.6		Type	<Tp>	[0..1]	
1.1.7	{Or	Code	<Cd>	[1..1]	Code
1.1.8	Or}	Proprietary	<Prtry>	[1..1]	Text
1.1.9		Currency	<Ccy>	[0..1]	Code
1.1.10		Name	<Nm>	[0..1]	Text

1.1.0 Identification <Id>

Presence: [1..1]
Definition: Unique and unambiguous identification of the account between the account owner and the account servicer.
Type: *This message item is composed of one of the following* ***AccountIdentification3Choice*** *element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.1.1	{Or	IBAN	<IBAN>	[1..1]	Identifier
1.1.2	Or	BBAN	<BBAN>	[1..1]	Identifier
1.1.3	Or	UPIC	<UPIC>	[1..1]	Identifier
1.1.4	Or}	ProprietaryAccount	<PrtryAcct>	[1..1]	

1.1.1 IBAN <IBAN>

Presence: [1..1]

*This message item is part of choice **1.1.0** Identification.*

Definition: International Bank Account Number (IBAN) - identifier used internationally by financial institutions to uniquely identify the account of a customer. Further specifications of the format and content of the IBAN can be found in the standard ISO 13616 "Banking and related financial services - International Bank Account Number (IBAN)" version 1997-10-01, or later revisions.

Data Type: IBANIdentifier

Format: [a-zA-Z]{2,2}[0-9]{2,2}[a-zA-Z0-9]{1,30}

Rule(s): IBAN
A valid IBAN consists of all three of the following components: Country Code, check digits and BBAN.

1.1.2 BBAN <BBAN>

Presence: [1..1]

*This message item is part of choice **1.1.0** Identification.*

Definition: Basic Bank Account Number (BBAN) - identifier used nationally by financial institutions, ie, in individual countries, generally as part of a National Account Numbering Scheme(s), to uniquely identify the account of a customer.

Data Type: BBANIdentifier

Format: [a-zA-Z0-9]{1,30}

1.1.3 UPIC <UPIC>

Presence: [1..1]

*This message item is part of choice **1.1.0** Identification.*

Definition: Universal Payment Identification Code (UPIC) - identifier used by the New York Clearing House to mask confidential data, such as bank accounts and bank routing numbers. UPIC numbers remain with business customers, regardless of banking relationship changes.

Data Type: UPICIdentifier

Format: [0-9]{8,17}

1.1.4 ProprietaryAccount <PrtryAcct>

Presence: [1..1]

*This message item is part of choice **1.1.0** Identification.*

Definition: Account number used by financial institutions in individual countries to identify an account of a customer, but not necessarily the bank and branch of the financial institution in which the account is held.

Type: *This message item is composed of the following **SimpleIdentificationInformation2** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.1.5		Identification	<Id>	[1..1]	Text

1.1.5 Identification <Id>

Presence: [1..1]
Definition: Name or number assigned by an entity to enable recognition of that entity, eg, account identifier.
Data Type: Max34Text
Format: maxLength: 34
minLength: 1

1.1.6 Type <Tp>

Presence: [0..1]
Definition: Nature, or use, of the account.
Type: *This message item is composed of one of the following **CashAccountType2** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
1.1.7	{Or	Code	<Cd>	[1..1]	Code
1.1.8	Or}	Proprietary	<Prtry>	[1..1]	Text

1.1.7 Code <Cd>

Presence: [1..1]
*This message item is part of choice **1.1.6** Type.*
Definition: Nature or use of the account in a coded form.
Data Type: Code
*One of the following **CashAccountType4Code** values must be used:*

Code	Name	Definition
CACC	Current	Account used to post debits and credits when no specific account has been nominated.
CASH	CashPayment	Account used for the payment of cash.
CHAR	Charges	Account used for charges if different from the account for payment.
CISH	CashIncome	Account used for payment of income if different from the current cash account.
COMM	Commission	Account used for commission if different from the account for payment.
LOAN	Loan	Account used for loans.
MGLD	MarginalLending	Account used for a marginal lending facility.
MOMA	MoneyMarket	Account used for money markets if different from the cash account.
NREX	NonResidentExternal	Account used for non-resident external.

Code	Name	Definition
ODFT	Overdraft	Account is used for overdrafts.
ONDP	OverNightDeposit	Account used for overnight deposits.
SACC	Settlement	Account used to post debit and credit entries, as a result of transactions cleared and settled through a specific clearing and settlement system.
SLRY	Salary	Accounts used for salary payments.
SVGS	Savings	Account used for savings.
TAXE	Tax	Account used for taxes if different from the account for payment.
TRAS	CashTrading	Account used for trading if different from the current cash account.

1.1.8 Proprietary <Prtry>

Presence: [1..1]
*This message item is part of choice **1.1.6** Type.*
Definition: Proprietary nature or use of the account.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

1.1.9 Currency <Ccy>

Presence: [0..1]
Definition: Identification of the currency in which the account is held.

Usage: Currency should only be used in case one and the same account number covers several currencies and the initiating party needs to identify which currency needs to be used for settlement on the account.
Data Type: CurrencyCode
Format: [A-Z]{3,3}
Rule(s): ValidationByTable

1.1.10 Name <Nm>

Presence: [0..1]
Definition: Name of the account, assigned by the account servicing institution in agreement with the account owner in order to provide an additional means of identification of the account.

Usage : the account name is different from the account owner name. The account name is used in certain user communities to provide a means of identifying the account, in addition to the account owner's identity and the account number.
Data Type: Max70Text
Format: maxLength: 70
minLength: 1

2 Charge

2.1 ChargesInformation1

ChargesInformation1 *is used in message* ***FIToFICustomerCreditTransferV01*** *p.45, message* ***FIToFICustomerDirectDebitV01*** *p.115, message* ***FIToFIPaymentReversalV01*** *p.168, message* ***PaymentReturnV01*** *p. 322, message* ***PaymentStatusReportV02*** *p.392.*

Definition: Information on the charges related to the payment transaction.

Type: *The following* ***ChargesInformation1*** *element(s) must be used:*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1.0		ChargesAmount	<ChrgsAmt>	[1..1]	Amount
2.1.1		ChargesParty	<ChrgsPty>	[1..1]	
2.1.2		FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
2.1.3	{Or	BIC	<BIC>	[1..1]	Identifier
2.1.4	Or	ClearingSystemMemberIdentification	<ClrSysMmbId>	[1..1]	
2.1.5	{{Or	Identification	<Id>	[1..1]	Code
2.1.6	Or}}	Proprietary	<Prtry>	[1..1]	Text
2.1.7	Or	NameAndAddress	<NmAndAdr>	[1..1]	
2.1.8		Name	<Nm>	[1..1]	Text
2.1.9		PostalAddress	<PstlAdr>	[1..1]	
2.1.10		AddressType	<AdrTp>	[0..1]	Code
2.1.11		AddressLine	<AdrLine>	[0..5]	Text
2.1.12		StreetName	<StrtNm>	[0..1]	Text
2.1.13		BuildingNumber	<BldgNb>	[0..1]	Text
2.1.14		PostCode	<PstCd>	[0..1]	Text
2.1.15		TownName	<TwnNm>	[0..1]	Text
2.1.16		CountrySubDivision	<CtrySubDvsn>	[0..1]	Text
2.1.17		Country	<Ctry>	[1..1]	Code
2.1.18	Or	ProprietaryIdentification	<PrtryId>	[1..1]	
2.1.19		Identification	<Id>	[1..1]	Text
2.1.20		Issuer	<Issr>	[0..1]	Text
2.1.21	Or}	CombinedIdentification	<CmbndId>	[1..1]	
2.1.22		BIC	<BIC>	[0..1]	Identifier
2.1.23		ClearingSystemMemberIdentification	<ClrSysMmbId>	[0..1]	
2.1.24	{{Or	Identification	<Id>	[1..1]	Code
2.1.25	Or}}	Proprietary	<Prtry>	[1..1]	Text
2.1.26		Name	<Nm>	[0..1]	Text
2.1.27		PostalAddress	<PstlAdr>	[0..1]	

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1.28		AddressType	<AdrTp>	[0..1]	Code
2.1.29		AddressLine	<AdrLine>	[0..5]	Text
2.1.30		StreetName	<StrtNm>	[0..1]	Text
2.1.31		BuildingNumber	<BldgNb>	[0..1]	Text
2.1.32		PostCode	<PstCd>	[0..1]	Text
2.1.33		TownName	<TwnNm>	[0..1]	Text
2.1.34		CountrySubDivision	<CtrySubDvsn>	[0..1]	Text
2.1.35		Country	<Ctry>	[1..1]	Code
2.1.36		ProprietaryIdentification	<PrtryId>	[0..1]	
2.1.37		Identification	<Id>	[1..1]	Text
2.1.38		Issuer	<Issr>	[0..1]	Text
2.1.39		BranchIdentification	<BrnchId>	[0..1]	
2.1.40		Identification	<Id>	[0..1]	Text
2.1.41		Name	<Nm>	[0..1]	Text
2.1.42		PostalAddress	<PstlAdr>	[0..1]	
2.1.43		AddressType	<AdrTp>	[0..1]	Code
2.1.44		AddressLine	<AdrLine>	[0..5]	Text
2.1.45		StreetName	<StrtNm>	[0..1]	Text
2.1.46		BuildingNumber	<BldgNb>	[0..1]	Text
2.1.47		PostCode	<PstCd>	[0..1]	Text
2.1.48		TownName	<TwnNm>	[0..1]	Text
2.1.49		CountrySubDivision	<CtrySubDvsn>	[0..1]	Text
2.1.50		Country	<Ctry>	[1..1]	Code

2.1.0 ChargesAmount <ChrgsAmt>

Presence: [1..1]

Definition: Transaction charges to be paid by the charge bearer.

Data Type: CurrencyAndAmount

This data type must be used with the following XML Attribute: ***Currency (Ccy)*** *which is typed by* ***CurrencyCode****.*

Format: **CurrencyAndAmount**
fractionDigits: 5
minInclusive: 0
totalDigits: 18
CurrencyCode
[A-Z]{3,3}

Rule(s): **CurrencyCode**
ValidationByTable

2.1.1 ChargesParty <ChrgsPty>

Presence: [1..1]

Definition: Party that takes the transaction charges or to which the transaction charges are due.

Type: *This message item is composed of the following **BranchAndFinancialInstitutionIdentification3** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1.2		FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
2.1.39		BranchIdentification	<BrnchId>	[0..1]	

2.1.2 FinancialInstitutionIdentification <FinInstnId>

Presence: [1..1]

Definition: Unique and unambiguous identifier of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

Type: *This message item is composed of one of the following **FinancialInstitutionIdentification5Choice** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1.3	{Or	BIC	<BIC>	[1..1]	Identifier
2.1.4	Or	ClearingSystemMemberIdentification	<ClrSysMmbId>	[1..1]	
2.1.7	Or	NameAndAddress	<NmAndAdr>	[1..1]	
2.1.18	Or	ProprietaryIdentification	<PrtryId>	[1..1]	
2.1.21	Or}	CombinedIdentification	<CmbndId>	[1..1]	

2.1.3 BIC <BIC>

Presence: [1..1]

*This message item is part of choice **2.1.2** FinancialInstitutionIdentification.*

Definition: Bank Identifier Code. Code allocated to financial institutions by the Registration Authority, under an international identification scheme, as described in the latest version of the standard ISO 9362 Banking (Banking telecommunication messages, Bank Identifier Codes).

Data Type: BICIdentifier

Format: [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}

Rule(s): BIC
Valid BICs are registered with the ISO 9362 Registration Authority, and consist of eight (8) or eleven (11) contiguous characters comprising the first three or all four of the following components: BANK CODE, COUNTRY CODE, LOCATION CODE, BRANCH CODE. The bank code, country code and location code are mandatory, while the branch code is optional.

2.1.4 ClearingSystemMemberIdentification <ClrSysMmbId>

Presence: [1..1]

*This message item is part of choice **2.1.2** FinancialInstitutionIdentification.*

Definition: Unique and unambiguous identifier of a clearing system member, as assigned by the system or system administrator.

Type: *This message item is composed of one of the following* ***ClearingSystemMemberIdentification3Choice*** *element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1.5	{Or	Identification	<Id>	[1..1]	Code
2.1.6	Or}	Proprietary	<Prtry>	[1..1]	Text

2.1.5 Identification <Id>

Presence: [1..1]

This message item is part of choice ***2.1.4*** *ClearingSystemMemberIdentification.*

Definition: Identification for a clearing system member, identified in the list of clearing system member identifications published externally.

Data Type: ExternalClearingSystemMemberCode

Format: maxLength: 35
minLength: 1

2.1.6 Proprietary <Prtry>

Presence: [1..1]

This message item is part of choice ***2.1.4*** *ClearingSystemMemberIdentification.*

Definition: Identification Code for a clearing system, that has not yet been identified in the list of clearing systems.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.1.7 NameAndAddress <NmAndAdr>

Presence: [1..1]

This message item is part of choice ***2.1.2*** *FinancialInstitutionIdentification.*

Definition: Identifies the name and address of a financial institution.

Type: *This message item is composed of the following* ***NameAndAddress7*** *element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1.8		Name	<Nm>	[1..1]	Text
2.1.9		PostalAddress	<PstlAdr>	[1..1]	

2.1.8 Name <Nm>

Presence: [1..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Data Type: Max70Text

Format: maxLength: 70
minLength: 1

2.1.9 PostalAddress <PstlAdr>

Presence: [1..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

Type: *This message item is composed of the following **PostalAddress1** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1.10		AddressType	<AdrTp>	[0..1]	Code
2.1.11		AddressLine	<AdrLine>	[0..5]	Text
2.1.12		StreetName	<StrtNm>	[0..1]	Text
2.1.13		BuildingNumber	<BldgNb>	[0..1]	Text
2.1.14		PostCode	<PstCd>	[0..1]	Text
2.1.15		TownName	<TwnNm>	[0..1]	Text
2.1.16		CountrySubDivision	<CtrySubDvsn>	[0..1]	Text
2.1.17		Country	<Ctry>	[1..1]	Code

2.1.10 AddressType <AdrTp>

Presence: [0..1]

Definition: Identifies the nature of the postal address.

Data Type: Code

*When this message item is present, one of the following **AddressType2Code** values must be used:*

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

2.1.11 AddressLine <AdrLine>

Presence: [0..5]

Definition: Information that locates and identifies a specific address, as defined by postal services, that is presented in free format text.

Data Type: Max70Text

Format: maxLength: 70
minLength: 1

2.1.12 StreetName <StrtNm>

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Data Type: Max70Text

Format: maxLength: 70
minLength: 1

2.1.13 BuildingNumber <BldgNb>

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Data Type: Max16Text

Format: maxLength: 16
minLength: 1

2.1.14 PostCode <PstCd>

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Data Type: Max16Text

Format: maxLength: 16
minLength: 1

2.1.15 TownName <TwnNm>

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.1.16 CountrySubDivision <CtrySubDvsn>

Presence: [0..1]

Definition: Identifies a subdivision of a country eg, state, region, county.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.1.17 Country <Ctry>

Presence: [1..1]

Definition: Nation with its own government.

Data Type: CountryCode

Format: [A-Z]{2,2}

Rule(s): Country
The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

2.1.18 ProprietaryIdentification <PrtryId>

Presence: [1..1]

*This message item is part of choice **2.1.2** FinancialInstitutionIdentification.*

Definition: Unique and unambiguous identifier, as assigned to a financial institution using a proprietary identification scheme.

Type: *This message item is composed of the following **GenericIdentification3** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1.19		Identification	<Id>	[1..1]	Text
2.1.20		Issuer	<Issr>	[0..1]	Text

2.1.19 Identification <Id>

Presence: [1..1]

Definition: Name or number assigned by an entity to enable recognition of that entity, eg, account identifier.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.1.20 Issuer <Issr>

Presence: [0..1]

Definition: Entity that assigns the identification.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.1.21 CombinedIdentification <CmbndId>

Presence: [1..1]

*This message item is part of choice **2.1.2** FinancialInstitutionIdentification.*

Definition: Unique and unambiguous identification of a financial institution, through a combimation of globally recognised or proprietary identification scheme.

Type: *This message item is composed of the following **FinancialInstitutionIdentification3** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1.22		BIC	<BIC>	[0..1]	Identifier
2.1.23		ClearingSystemMemberIdentification	<ClrSysMmbId>	[0..1]	
2.1.26		Name	<Nm>	[0..1]	Text
2.1.27		PostalAddress	<PstlAdr>	[0..1]	
2.1.36		ProprietaryIdentification	<PrtryId>	[0..1]	

2.1.22 BIC <BIC>

Presence: [0..1]

Definition: Bank Identifier Code. Code allocated to financial institutions by the Registration Authority, under an international identification scheme, as described in the latest version of the standard ISO 9362 Banking (Banking telecommunication messages, Bank Identifier Codes).

Data Type: BICIdentifier

Format: [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}

Rule(s): BIC
Valid BICs are registered with the ISO 9362 Registration Authority, and consist of eight (8) or eleven (11) contiguous characters comprising the first three or all four of the following components: BANK CODE,

COUNTRY CODE, LOCATION CODE, BRANCH CODE. The bank code, country code and location code are mandatory, while the branch code is optional.

2.1.23 ClearingSystemMemberIdentification <ClrSysMmbId>

Presence: [0..1]

Definition: Unique and unambiguous identifier of a clearing system member, as assigned by the system or system administrator.

Type: *This message item is composed of one of the following **ClearingSystemMemberIdentification3Choice** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1.24	{Or	Identification	<Id>	[1..1]	Code
2.1.25	Or}	Proprietary	<Prtry>	[1..1]	Text

2.1.24 Identification <Id>

Presence: [1..1]

*This message item is part of choice **2.1.23** ClearingSystemMemberIdentification.*

Definition: Identification for a clearing system member, identified in the list of clearing system member identifications published externally.

Data Type: ExternalClearingSystemMemberCode

Format: maxLength: 35
minLength: 1

2.1.25 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **2.1.23** ClearingSystemMemberIdentification.*

Definition: Identification Code for a clearing system, that has not yet been identified in the list of clearing systems.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.1.26 Name <Nm>

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Data Type: Max70Text

Format: maxLength: 70
minLength: 1

2.1.27 PostalAddress <PstlAdr>

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

Type: *This message item is composed of the following **PostalAddress1** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1.28		AddressType	<AdrTp>	[0..1]	Code
2.1.29		AddressLine	<AdrLine>	[0..5]	Text
2.1.30		StreetName	<StrtNm>	[0..1]	Text
2.1.31		BuildingNumber	<BldgNb>	[0..1]	Text
2.1.32		PostCode	<PstCd>	[0..1]	Text
2.1.33		TownName	<TwnNm>	[0..1]	Text
2.1.34		CountrySubDivision	<CtrySubDvsn>	[0..1]	Text
2.1.35		Country	<Ctry>	[1..1]	Code

2.1.28 AddressType <AdrTp>

Presence: [0..1]
Definition: Identifies the nature of the postal address.
Data Type: Code
*When this message item is present, one of the following **AddressType2Code** values must be used:*

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

2.1.29 AddressLine <AdrLine>

Presence: [0..5]
Definition: Information that locates and identifies a specific address, as defined by postal services, that is presented in free format text.
Data Type: Max70Text
Format: maxLength: 70
minLength: 1

2.1.30 StreetName <StrtNm>

Presence: [0..1]
Definition: Name of a street or thoroughfare.
Data Type: Max70Text
Format: maxLength: 70
minLength: 1

2.1.31 BuildingNumber <BldgNb>

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Data Type: Max16Text

Format: maxLength: 16
minLength: 1

2.1.32 PostCode <PstCd>

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Data Type: Max16Text

Format: maxLength: 16
minLength: 1

2.1.33 TownName <TwnNm>

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.1.34 CountrySubDivision <CtrySubDvsn>

Presence: [0..1]

Definition: Identifies a subdivision of a country eg, state, region, county.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.1.35 Country <Ctry>

Presence: [1..1]

Definition: Nation with its own government.

Data Type: CountryCode

Format: [A-Z]{2,2}

Rule(s): Country
The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

2.1.36 ProprietaryIdentification <PrtryId>

Presence: [0..1]

Definition: Unique and unambiguous identifier, as assigned to a financial institution using a proprietary identification scheme.

Type: *This message item is composed of the following **GenericIdentification3** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1.37		Identification	<Id>	[1..1]	Text
2.1.38		Issuer	<Issr>	[0..1]	Text

2.1.37 Identification <Id>

Presence: [1..1]
Definition: Name or number assigned by an entity to enable recognition of that entity, eg, account identifier.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.1.38 Issuer <Issr>

Presence: [0..1]
Definition: Entity that assigns the identification.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.1.39 BranchIdentification <BrnchId>

Presence: [0..1]
Definition: Information identifying a specific branch of a financial institution.

Usage : this component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

Type: *This message item is composed of the following **BranchData** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1.40		Identification	<Id>	[0..1]	Text
2.1.41		Name	<Nm>	[0..1]	Text
2.1.42		PostalAddress	<PstlAdr>	[0..1]	

2.1.40 Identification <Id>

Presence: [0..1]
Definition: Unique and unambiguous identification of a branch of a financial institution.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.1.41 Name <Nm>

Presence: [0..1]
Definition: Name by which a party is known and which is usually used to identify that party.
Data Type: Max35Text

Format: maxLength: 35
minLength: 1

2.1.42 PostalAddress <PstlAdr>

Presence: [0..1]
Definition: Information that locates and identifies a specific address, as defined by postal services.
Type: *This message item is composed of the following **PostalAddress1** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
2.1.43		AddressType	<AdrTp>	[0..1]	Code
2.1.44		AddressLine	<AdrLine>	[0..5]	Text
2.1.45		StreetName	<StrtNm>	[0..1]	Text
2.1.46		BuildingNumber	<BldgNb>	[0..1]	Text
2.1.47		PostCode	<PstCd>	[0..1]	Text
2.1.48		TownName	<TwnNm>	[0..1]	Text
2.1.49		CountrySubDivision	<CtrySubDvsn>	[0..1]	Text
2.1.50		Country	<Ctry>	[1..1]	Code

2.1.43 AddressType <AdrTp>

Presence: [0..1]
Definition: Identifies the nature of the postal address.
Data Type: Code
*When this message item is present, one of the following **AddressType2Code** values must be used:*

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

2.1.44 AddressLine <AdrLine>

Presence: [0..5]
Definition: Information that locates and identifies a specific address, as defined by postal services, that is presented in free format text.
Data Type: Max70Text
Format: maxLength: 70
minLength: 1

2.1.45 StreetName <StrtNm>

Presence: [0..1]
Definition: Name of a street or thoroughfare.
Data Type: Max70Text
Format: maxLength: 70
minLength: 1

2.1.46 BuildingNumber <BldgNb>

Presence: [0..1]
Definition: Number that identifies the position of a building on a street.
Data Type: Max16Text
Format: maxLength: 16
minLength: 1

2.1.47 PostCode <PstCd>

Presence: [0..1]
Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.
Data Type: Max16Text
Format: maxLength: 16
minLength: 1

2.1.48 TownName <TwnNm>

Presence: [0..1]
Definition: Name of a built-up area, with defined boundaries, and a local government.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.1.49 CountrySubDivision <CtrySubDvsn>

Presence: [0..1]
Definition: Identifies a subdivision of a country eg, state, region, county.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

2.1.50 Country <Ctry>

Presence: [1..1]
Definition: Nation with its own government.
Data Type: CountryCode
Format: [A-Z]{2,2}
Rule(s): Country
The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

3 Financial institution identification

3.1 BranchAndFinancialInstitutionIdentification3

BranchAndFinancialInstitutionIdentification3 *is used in message* ***FIToFICustomerCreditTransferV01*** *p.43, p.44, p. 44, p.44, p.44, p.45, p.45, p.45, p.45, p.45, p.45, p.45, p.45, message* ***FIToFICustomerDirectDebitV01*** *p.115, p.115, p. 116, p.116, p.116, p.116, p.116, p.116, p.116, p.116, p.116, message* ***FIToFIPaymentReversalV01*** *p.167, p.167, p.167, p.167, p.167, p.168, p.168, p.169, p.169, p.169, p.169, p.170, p.171, p.171, message* ***FinancialInstitutionCreditTransferV01*** *p.224, p.224, p.224, p.225, p.225, p.225, p.225, p.225, p.225, p.226, p.226, p. 226, p.226, p.226, p.226, p.226, p.226, message* ***PaymentCancellationRequestV01*** *p.265, p.265, p.265, p.265, p.266, p. 266, p.266, p.267, p.267, p.267, p.268, p.268, p.269, p.269, message* ***PaymentReturnV01*** *p.321, p.321, p.321, p.321, p. 321, p.322, p.322, p.323, p.323, p.323, p.324, p.324, p.325, p.325, message* ***PaymentStatusReportV02*** *p.390, p.390, p. 390, p.390, p.390, p.392, p.392, p.392, p.392, p.392, p.393, p.393, p.394, p.394.*

Definition: Unique and unambiguous identifier of a financial institution or a branch of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

Type: *The following* ***BranchAndFinancialInstitutionIdentification3*** *element(s) must be used:*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.1.0		FinancialInstitutionIdentification	<FinInstnId>	[1..1]	
3.1.1	{Or	BIC	<BIC>	[1..1]	Identifier
3.1.2	Or	ClearingSystemMemberIdentification	<ClrSysMmbId>	[1..1]	
3.1.3	{{Or	Identification	<Id>	[1..1]	Code
3.1.4	Or}}	Proprietary	<Prtry>	[1..1]	Text
3.1.5	Or	NameAndAddress	<NmAndAdr>	[1..1]	
3.1.6		Name	<Nm>	[1..1]	Text
3.1.7		PostalAddress	<PstlAdr>	[1..1]	
3.1.8		AddressType	<AdrTp>	[0..1]	Code
3.1.9		AddressLine	<AdrLine>	[0..5]	Text
3.1.10		StreetName	<StrtNm>	[0..1]	Text
3.1.11		BuildingNumber	<BldgNb>	[0..1]	Text
3.1.12		PostCode	<PstCd>	[0..1]	Text
3.1.13		TownName	<TwnNm>	[0..1]	Text
3.1.14		CountrySubDivision	<CtrySubDvsn>	[0..1]	Text
3.1.15		Country	<Ctry>	[1..1]	Code
3.1.16	Or	ProprietaryIdentification	<PrtryId>	[1..1]	
3.1.17		Identification	<Id>	[1..1]	Text
3.1.18		Issuer	<Issr>	[0..1]	Text
3.1.19	Or}	CombinedIdentification	<CmbndId>	[1..1]	
3.1.20		BIC	<BIC>	[0..1]	Identifier
3.1.21		ClearingSystemMemberIdentification	<ClrSysMmbId>	[0..1]	
3.1.22	{{Or	Identification	<Id>	[1..1]	Code

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.1.23	Or}}	Proprietary	<Prtry>	[1..1]	Text
3.1.24		Name	<Nm>	[0..1]	Text
3.1.25		PostalAddress	<PstlAdr>	[0..1]	
3.1.26		AddressType	<AdrTp>	[0..1]	Code
3.1.27		AddressLine	<AdrLine>	[0..5]	Text
3.1.28		StreetName	<StrtNm>	[0..1]	Text
3.1.29		BuildingNumber	<BldgNb>	[0..1]	Text
3.1.30		PostCode	<PstCd>	[0..1]	Text
3.1.31		TownName	<TwnNm>	[0..1]	Text
3.1.32		CountrySubDivision	<CtrySubDvsn>	[0..1]	Text
3.1.33		Country	<Ctry>	[1..1]	Code
3.1.34		ProprietaryIdentification	<PrtryId>	[0..1]	
3.1.35		Identification	<Id>	[1..1]	Text
3.1.36		Issuer	<Issr>	[0..1]	Text
3.1.37		BranchIdentification	<BrnchId>	[0..1]	
3.1.38		Identification	<Id>	[0..1]	Text
3.1.39		Name	<Nm>	[0..1]	Text
3.1.40		PostalAddress	<PstlAdr>	[0..1]	
3.1.41		AddressType	<AdrTp>	[0..1]	Code
3.1.42		AddressLine	<AdrLine>	[0..5]	Text
3.1.43		StreetName	<StrtNm>	[0..1]	Text
3.1.44		BuildingNumber	<BldgNb>	[0..1]	Text
3.1.45		PostCode	<PstCd>	[0..1]	Text
3.1.46		TownName	<TwnNm>	[0..1]	Text
3.1.47		CountrySubDivision	<CtrySubDvsn>	[0..1]	Text
3.1.48		Country	<Ctry>	[1..1]	Code

3.1.0 FinancialInstitutionIdentification <FinInstnId>

Presence: [1..1]

Definition: Unique and unambiguous identifier of a financial institution, as assigned under an internationally recognised or proprietary identification scheme.

Type: *This message item is composed of one of the following* ***FinancialInstitutionIdentification5Choice*** *element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.1.1	{Or	BIC	<BIC>	[1..1]	Identifier
3.1.2	Or	ClearingSystemMemberIdentification	<ClrSysMmbId>	[1..1]	

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.1.5	Or	NameAndAddress	<NmAndAdr>	[1..1]	
3.1.16	Or	ProprietaryIdentification	<PrtryId>	[1..1]	
3.1.19	Or}	CombinedIdentification	<CmbndId>	[1..1]	

3.1.1 BIC <BIC>

Presence: [1..1]

*This message item is part of choice **3.1.0** FinancialInstitutionIdentification.*

Definition: Bank Identifier Code. Code allocated to financial institutions by the Registration Authority, under an international identification scheme, as described in the latest version of the standard ISO 9362 Banking (Banking telecommunication messages, Bank Identifier Codes).

Data Type: BICIdentifier

Format: [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}

Rule(s): BIC
Valid BICs are registered with the ISO 9362 Registration Authority, and consist of eight (8) or eleven (11) contiguous characters comprising the first three or all four of the following components: BANK CODE, COUNTRY CODE, LOCATION CODE, BRANCH CODE. The bank code, country code and location code are mandatory, while the branch code is optional.

3.1.2 ClearingSystemMemberIdentification <ClrSysMmbId>

Presence: [1..1]

*This message item is part of choice **3.1.0** FinancialInstitutionIdentification.*

Definition: Unique and unambiguous identifier of a clearing system member, as assigned by the system or system administrator.

Type: *This message item is composed of one of the following **ClearingSystemMemberIdentification3Choice** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.1.3	{Or	Identification	<Id>	[1..1]	Code
3.1.4	Or}	Proprietary	<Prtry>	[1..1]	Text

3.1.3 Identification <Id>

Presence: [1..1]

*This message item is part of choice **3.1.2** ClearingSystemMemberIdentification.*

Definition: Identification for a clearing system member, identified in the list of clearing system member identifications published externally.

Data Type: ExternalClearingSystemMemberCode

Format: maxLength: 35
minLength: 1

3.1.4 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **3.1.2** ClearingSystemMemberIdentification.*

Definition: Identification Code for a clearing system, that has not yet been identified in the list of clearing systems.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.1.5 NameAndAddress <NmAndAdr>

Presence: [1..1]

*This message item is part of choice **3.1.0** FinancialInstitutionIdentification.*

Definition: Identifies the name and address of a financial institution.

Type: *This message item is composed of the following **NameAndAddress7** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.1.6		Name	<Nm>	[1..1]	Text
3.1.7		PostalAddress	<PstlAdr>	[1..1]	

3.1.6 Name <Nm>

Presence: [1..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Data Type: Max70Text

Format: maxLength: 70
minLength: 1

3.1.7 PostalAddress <PstlAdr>

Presence: [1..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

Type: *This message item is composed of the following **PostalAddress1** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.1.8		AddressType	<AdrTp>	[0..1]	Code
3.1.9		AddressLine	<AdrLine>	[0..5]	Text
3.1.10		StreetName	<StrtNm>	[0..1]	Text
3.1.11		BuildingNumber	<BldgNb>	[0..1]	Text
3.1.12		PostCode	<PstCd>	[0..1]	Text
3.1.13		TownName	<TwnNm>	[0..1]	Text
3.1.14		CountrySubDivision	<CtrySubDvsn>	[0..1]	Text
3.1.15		Country	<Ctry>	[1..1]	Code

3.1.8 AddressType <AdrTp>

Presence: [0..1]

Definition: Identifies the nature of the postal address.

Data Type: Code

*When this message item is present, one of the following **AddressType2Code** values must be used:*

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

3.1.9 AddressLine <AdrLine>

Presence: [0..5]

Definition: Information that locates and identifies a specific address, as defined by postal services, that is presented in free format text.

Data Type: Max70Text

Format: maxLength: 70
minLength: 1

3.1.10 StreetName <StrtNm>

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Data Type: Max70Text

Format: maxLength: 70
minLength: 1

3.1.11 BuildingNumber <BldgNb>

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Data Type: Max16Text

Format: maxLength: 16
minLength: 1

3.1.12 PostCode <PstCd>

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Data Type: Max16Text

Format: maxLength: 16
minLength: 1

3.1.13 TownName <TwnNm>

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.1.14 CountrySubDivision <CtrySubDvsn>

Presence: [0..1]
Definition: Identifies a subdivision of a country eg, state, region, county.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.1.15 Country <Ctry>

Presence: [1..1]
Definition: Nation with its own government.
Data Type: CountryCode
Format: [A-Z]{2,2}
Rule(s): Country
The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

3.1.16 ProprietaryIdentification <PrtryId>

Presence: [1..1]
*This message item is part of choice **3.1.0** FinancialInstitutionIdentification.*
Definition: Unique and unambiguous identifier, as assigned to a financial institution using a proprietary identification scheme.
Type: *This message item is composed of the following **GenericIdentification3** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.1.17		Identification	<Id>	[1..1]	Text
3.1.18		Issuer	<Issr>	[0..1]	Text

3.1.17 Identification <Id>

Presence: [1..1]
Definition: Name or number assigned by an entity to enable recognition of that entity, eg, account identifier.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.1.18 Issuer <Issr>

Presence: [0..1]
Definition: Entity that assigns the identification.
Data Type: Max35Text
Format: maxLength: 35

minLength: 1

3.1.19 CombinedIdentification <CmbndId>

Presence: [1..1]

*This message item is part of choice **3.1.0** FinancialInstitutionIdentification.*

Definition: Unique and unambiguous identification of a financial institution, through a combination of globally recognised or proprietary identification scheme.

Type: *This message item is composed of the following **FinancialInstitutionIdentification3** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.1.20		BIC	<BIC>	[0..1]	Identifier
3.1.21		ClearingSystemMemberIdentification	<ClrSysMmbId>	[0..1]	
3.1.24		Name	<Nm>	[0..1]	Text
3.1.25		PostalAddress	<PstlAdr>	[0..1]	
3.1.34		ProprietaryIdentification	<PrtryId>	[0..1]	

3.1.20 BIC <BIC>

Presence: [0..1]

Definition: Bank Identifier Code. Code allocated to financial institutions by the Registration Authority, under an international identification scheme, as described in the latest version of the standard ISO 9362 Banking (Banking telecommunication messages, Bank Identifier Codes).

Data Type: BICIdentifier

Format: [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}

Rule(s): BIC
Valid BICs are registered with the ISO 9362 Registration Authority, and consist of eight (8) or eleven (11) contiguous characters comprising the first three or all four of the following components: BANK CODE, COUNTRY CODE, LOCATION CODE, BRANCH CODE. The bank code, country code and location code are mandatory, while the branch code is optional.

3.1.21 ClearingSystemMemberIdentification <ClrSysMmbId>

Presence: [0..1]

Definition: Unique and unambiguous identifier of a clearing system member, as assigned by the system or system administrator.

Type: *This message item is composed of one of the following **ClearingSystemMemberIdentification3Choice** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.1.22	{Or	Identification	<Id>	[1..1]	Code
3.1.23	Or}	Proprietary	<Prtry>	[1..1]	Text

3.1.22 Identification <Id>

Presence: [1..1]

*This message item is part of choice **3.1.21** ClearingSystemMemberIdentification.*

Definition: Identification for a clearing system member, identified in the list of clearing system member identifications published externally.

Data Type: ExternalClearingSystemMemberCode

Format: maxLength: 35
minLength: 1

3.1.23 Proprietary <Prtry>

Presence: [1..1]

*This message item is part of choice **3.1.21** ClearingSystemMemberIdentification.*

Definition: Identification Code for a clearing system, that has not yet been identified in the list of clearing systems.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.1.24 Name <Nm>

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Data Type: Max70Text

Format: maxLength: 70
minLength: 1

3.1.25 PostalAddress <PstlAdr>

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

Type: *This message item is composed of the following **PostalAddress1** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.1.26		AddressType	<AdrTp>	[0..1]	Code
3.1.27		AddressLine	<AdrLine>	[0..5]	Text
3.1.28		StreetName	<StrtNm>	[0..1]	Text
3.1.29		BuildingNumber	<BldgNb>	[0..1]	Text
3.1.30		PostCode	<PstCd>	[0..1]	Text
3.1.31		TownName	<TwnNm>	[0..1]	Text
3.1.32		CountrySubDivision	<CtrySubDvsn>	[0..1]	Text
3.1.33		Country	<Ctry>	[1..1]	Code

3.1.26 AddressType <AdrTp>

Presence: [0..1]

Definition: Identifies the nature of the postal address.

Data Type: Code

*When this message item is present, one of the following **AddressType2Code** values must be used:*

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

3.1.27 AddressLine <AdrLine>

Presence: [0..5]

Definition: Information that locates and identifies a specific address, as defined by postal services, that is presented in free format text.

Data Type: Max70Text

Format: maxLength: 70
minLength: 1

3.1.28 StreetName <StrtNm>

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Data Type: Max70Text

Format: maxLength: 70
minLength: 1

3.1.29 BuildingNumber <BldgNb>

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Data Type: Max16Text

Format: maxLength: 16
minLength: 1

3.1.30 PostCode <PstCd>

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Data Type: Max16Text

Format: maxLength: 16
minLength: 1

3.1.31 TownName <TwnNm>

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.1.32 CountrySubDivision <CtrySubDvsn>

Presence: [0..1]
Definition: Identifies a subdivision of a country eg, state, region, county.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.1.33 Country <Ctry>

Presence: [1..1]
Definition: Nation with its own government.
Data Type: CountryCode
Format: [A-Z]{2,2}
Rule(s): Country
The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

3.1.34 ProprietaryIdentification <PrtryId>

Presence: [0..1]
Definition: Unique and unambiguous identifier, as assigned to a financial institution using a proprietary identification scheme.
Type: *This message item is composed of the following **GenericIdentification3** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.1.35		Identification	<Id>	[1..1]	Text
3.1.36		Issuer	<Issr>	[0..1]	Text

3.1.35 Identification <Id>

Presence: [1..1]
Definition: Name or number assigned by an entity to enable recognition of that entity, eg, account identifier.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.1.36 Issuer <Issr>

Presence: [0..1]
Definition: Entity that assigns the identification.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.1.37 BranchIdentification <BrnchId>

Presence: [0..1]

Definition: Information identifying a specific branch of a financial institution.

Usage : this component should be used in case the identification information in the financial institution component does not provide identification up to branch level.

Type: *This message item is composed of the following **BranchData** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.1.38		Identification	<Id>	[0..1]	Text
3.1.39		Name	<Nm>	[0..1]	Text
3.1.40		PostalAddress	<PstlAdr>	[0..1]	

3.1.38 Identification <Id>

Presence: [0..1]

Definition: Unique and unambiguous identification of a branch of a financial institution.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.1.39 Name <Nm>

Presence: [0..1]

Definition: Name by which a party is known and which is usually used to identify that party.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

3.1.40 PostalAddress <PstlAdr>

Presence: [0..1]

Definition: Information that locates and identifies a specific address, as defined by postal services.

Type: *This message item is composed of the following **PostalAddress1** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
3.1.41		AddressType	<AdrTp>	[0..1]	Code
3.1.42		AddressLine	<AdrLine>	[0..5]	Text
3.1.43		StreetName	<StrtNm>	[0..1]	Text
3.1.44		BuildingNumber	<BldgNb>	[0..1]	Text
3.1.45		PostCode	<PstCd>	[0..1]	Text
3.1.46		TownName	<TwnNm>	[0..1]	Text
3.1.47		CountrySubDivision	<CtrySubDvsn>	[0..1]	Text
3.1.48		Country	<Ctry>	[1..1]	Code

3.1.41 AddressType <AdrTp>

Presence: [0..1]
Definition: Identifies the nature of the postal address.
Data Type: Code
*When this message item is present, one of the following **AddressType2Code** values must be used:*

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

3.1.42 AddressLine <AdrLine>

Presence: [0..5]
Definition: Information that locates and identifies a specific address, as defined by postal services, that is presented in free format text.
Data Type: Max70Text
Format: maxLength: 70
minLength: 1

3.1.43 StreetName <StrtNm>

Presence: [0..1]
Definition: Name of a street or thoroughfare.
Data Type: Max70Text
Format: maxLength: 70
minLength: 1

3.1.44 BuildingNumber <BldgNb>

Presence: [0..1]
Definition: Number that identifies the position of a building on a street.
Data Type: Max16Text
Format: maxLength: 16
minLength: 1

3.1.45 PostCode <PstCd>

Presence: [0..1]
Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.
Data Type: Max16Text
Format: maxLength: 16
minLength: 1

3.1.46 TownName <TwnNm>

Presence: [0..1]
Definition: Name of a built-up area, with defined boundaries, and a local government.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.1.47 CountrySubDivision <CtrySubDvsn>

Presence: [0..1]
Definition: Identifies a subdivision of a country eg, state, region, county.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

3.1.48 Country <Ctry>

Presence: [1..1]
Definition: Nation with its own government.
Data Type: CountryCode
Format: [A-Z]{2,2}
Rule(s): Country
The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

4 Identification information

4.1 PaymentIdentification2

PaymentIdentification2 *is used in message* ***FIToFICustomerCreditTransferV01*** *p.44, message* ***FIToFICustomerDirectDebitV01*** *p.115, message* ***FinancialInstitutionCreditTransferV01*** *p.225.*

Definition: Set of elements used to provide further means of referencing a payment transaction.
Type: *The following* ***PaymentIdentification2*** *element(s) must be used:*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
4.1.0		InstructionIdentification	<InstrId>	[0..1]	Text
4.1.1		EndToEndIdentification	<EndToEndId>	[1..1]	Text
4.1.2		TransactionIdentification	<TxId>	[1..1]	Text

4.1.0 InstructionIdentification <InstrId>

Presence: [0..1]
Definition: Unique identification as assigned by an instructing party for an instructed party to unambiguously identify the instruction.

Usage: the instruction identification is a point to point reference that can be used between the instructing party and the instructed party to refer to the individual instruction. It can be included in several messages related to the instruction.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

4.1.1 EndToEndIdentification <EndToEndId>

Presence: [1..1]

Definition: Unique identification assigned by the initiating party to unumbiguously identify the transaction. This identification is passed on, unchanged, throughout the entire end-to-end chain.

Usage: The end-to-end identification can be used for reconciliation or to link tasks relating to the transaction. It can be included in several messages related to the transaction.

Usage: In case there are technical limitations to carry on multiple references, the end-to-end identification must be carried on throughout the entire end-to-end chain.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

4.1.2 TransactionIdentification <TxId>

Presence: [1..1]

Definition: Unique identification assigned by the first instructing agent to unambiguously identify the transaction and passed on, unchanged, throughout the entire interbank chain.

Usage: The transaction identification can be used for reconciliation, tracking or to link tasks relating to the transaction on the interbank level.
Usage: The instructing agent has to make sure the transaction identification is unique for a pre-agreed period.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

5 Party identification

5.1 PartyIdentification8

PartyIdentification8 *is used in message* ***FIToFICustomerCreditTransferV01*** *p.45, p.45, p.45, p.45, p.45, p.47, p.47, message* ***FIToFICustomerDirectDebitV01*** *p.116, p.116, p.116, p.116, p.116, p.116, p.116, p.117, p.118, p.118, message* ***FIToFIPaymentReversalV01*** *p.167, p.168, p.168, p.169, p.169, p.170, p.170, p.170, p.170, p.171, p.171, message* ***PaymentCancellationRequestV01*** *p.265, p.266, p.266, p.267, p.268, p.268, p.269, p.269, p.269, p.269, p.269, p.269, message* ***PaymentReturnV01*** *p.321, p.322, p.323, p.324, p.324, p.325, p.325, p.325, p.325, p.325, p.325, message* ***PaymentStatusReportV02*** *p.390, p.391, p.391, p.392, p.393, p.393, p.394, p.394, p.394, p.394, p.394, p.394.*

Definition: Identification of a person, a financial institution or a non-financial institution.

Type: *The following* ***PartyIdentification8*** *element(s) must be used:*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
5.1.0		Name	<Nm>	[0..1]	Text

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
5.1.1		PostalAddress	<PstlAdr>	[0..1]	
5.1.2		AddressType	<AdrTp>	[0..1]	Code
5.1.3		AddressLine	<AdrLine>	[0..5]	Text
5.1.4		StreetName	<StrtNm>	[0..1]	Text
5.1.5		BuildingNumber	<BldgNb>	[0..1]	Text
5.1.6		PostCode	<PstCd>	[0..1]	Text
5.1.7		TownName	<TwnNm>	[0..1]	Text
5.1.8		CountrySubDivision	<CtrySubDvsn>	[0..1]	Text
5.1.9		Country	<Ctry>	[1..1]	Code
5.1.10		Identification	<Id>	[0..1]	
5.1.11	{Or	OrganisationIdentification	<OrgId>	[1..1]	
5.1.12		BIC	<BIC>	[0..1]	Identifier
5.1.13		IBEI	<IBEI>	[0..1]	Identifier
5.1.14		BEI	<BEI>	[0..1]	Identifier
5.1.15		EANGLN	<EANGLN>	[0..1]	Identifier
5.1.16		CHIPSUniversalIdentification	<USCHU>	[0..1]	Identifier
5.1.17		DUNS	<DUNS>	[0..1]	Identifier
5.1.18		BankPartyIdentification	<BkPtyId>	[0..1]	Text
5.1.19		TaxIdentificationNumber	<TaxIdNb>	[0..1]	Text
5.1.20		ProprietaryIdentification	<PrtryId>	[0..1]	
5.1.21		Identification	<Id>	[1..1]	Text
5.1.22		Issuer	<Issr>	[0..1]	Text
5.1.23	Or}	PrivateIdentification	<PrvtId>	[1..4]	
5.1.24	{{Or	DriversLicenseNumber	<DrvrsLicNb>	[1..1]	Text
5.1.25	Or	CustomerNumber	<CstmrNb>	[1..1]	Text
5.1.26	Or	SocialSecurityNumber	<SclSctyNb>	[1..1]	Text
5.1.27	Or	AlienRegistrationNumber	<AlnRegnNb>	[1..1]	Text
5.1.28	Or	PassportNumber	<PsptNb>	[1..1]	Text
5.1.29	Or	TaxIdentificationNumber	<TaxIdNb>	[1..1]	Text
5.1.30	Or	IdentityCardNumber	<IdntyCardNb>	[1..1]	Text
5.1.31	Or	EmployerIdentificationNumber	<MplyrIdNb>	[1..1]	Text
5.1.32	Or	DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[1..1]	
5.1.33		BirthDate	<BirthDt>	[1..1]	DateTime
5.1.34		ProvinceOfBirth	<PrvcOfBirth>	[0..1]	Text
5.1.35		CityOfBirth	<CityOfBirth>	[1..1]	Text
5.1.36		CountryOfBirth	<CtryOfBirth>	[1..1]	Code

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
5.1.37	Or}}	OtherIdentification	<OthrId>	[1..1]	
5.1.38		Identification	<Id>	[1..1]	Text
5.1.39		IdentificationType	<IdTp>	[1..1]	Text
5.1.40		Issuer	<Issr>	[0..1]	Text
5.1.41		CountryOfResidence	<CtryOfRes>	[0..1]	Code

5.1.0 Name <Nm>

Presence: [0..1]
Definition: Name by which a party is known and which is usually used to identify that party.
Data Type: Max70Text
Format: maxLength: 70
minLength: 1

5.1.1 PostalAddress <PstlAdr>

Presence: [0..1]
Definition: Information that locates and identifies a specific address, as defined by postal services.
Type: *This message item is composed of the following **PostalAddress1** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
5.1.2		AddressType	<AdrTp>	[0..1]	Code
5.1.3		AddressLine	<AdrLine>	[0..5]	Text
5.1.4		StreetName	<StrtNm>	[0..1]	Text
5.1.5		BuildingNumber	<BldgNb>	[0..1]	Text
5.1.6		PostCode	<PstCd>	[0..1]	Text
5.1.7		TownName	<TwnNm>	[0..1]	Text
5.1.8		CountrySubDivision	<CtrySubDvsn>	[0..1]	Text
5.1.9		Country	<Ctry>	[1..1]	Code

5.1.2 AddressType <AdrTp>

Presence: [0..1]
Definition: Identifies the nature of the postal address.
Data Type: Code
*When this message item is present, one of the following **AddressType2Code** values must be used:*

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.

Code	Name	Definition
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

5.1.3 AddressLine <AdrLine>

Presence: [0..5]

Definition: Information that locates and identifies a specific address, as defined by postal services, that is presented in free format text.

Data Type: Max70Text

Format: maxLength: 70
minLength: 1

5.1.4 StreetName <StrtNm>

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Data Type: Max70Text

Format: maxLength: 70
minLength: 1

5.1.5 BuildingNumber <BldgNb>

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Data Type: Max16Text

Format: maxLength: 16
minLength: 1

5.1.6 PostCode <PstCd>

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Data Type: Max16Text

Format: maxLength: 16
minLength: 1

5.1.7 TownName <TwnNm>

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

5.1.8 CountrySubDivision <CtrySubDvsn>

Presence: [0..1]

Definition: Identifies a subdivision of a country eg, state, region, county.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

5.1.9 Country <Ctry>

Presence: [1..1]
Definition: Nation with its own government.
Data Type: CountryCode
Format: [A-Z]{2,2}
Rule(s): Country
The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

5.1.10 Identification <Id>

Presence: [0..1]
Definition: Unique and unambiguous way of identifying an organisation or an individual person.
Type: *This message item is composed of one of the following **Party2Choice** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
5.1.11	{Or	OrganisationIdentification	<OrgId>	[1..1]	
5.1.23	Or}	PrivateIdentification	<PrvtId>	[1..4]	

5.1.11 OrganisationIdentification <OrgId>

Presence: [1..1]
*This message item is part of choice **5.1.10** Identification.*
Definition: Unique and unambiguous way of identifying an organisation.
Type: *This message item is composed of the following **OrganisationIdentification2** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
5.1.12		BIC	<BIC>	[0..1]	Identifier
5.1.13		IBEI	<IBEI>	[0..1]	Identifier
5.1.14		BEI	<BEI>	[0..1]	Identifier
5.1.15		EANGLN	<EANGLN>	[0..1]	Identifier
5.1.16		CHIPSUniversalIdentification	<USCHU>	[0..1]	Identifier
5.1.17		DUNS	<DUNS>	[0..1]	Identifier
5.1.18		BankPartyIdentification	<BkPtyId>	[0..1]	Text
5.1.19		TaxIdentificationNumber	<TaxIdNb>	[0..1]	Text
5.1.20		ProprietaryIdentification	<PrtryId>	[0..1]	

5.1.12 BIC <BIC>

Presence: [0..1]

Definition: Bank Identifier Code. Code allocated to financial institutions by the Registration Authority, under an international identification scheme, as described in the latest version of the standard ISO 9362 Banking (Banking telecommunication messages, Bank Identifier Codes).

Data Type: BICIdentifier

Format: [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}

Rule(s): BIC
Valid BICs are registered with the ISO 9362 Registration Authority, and consist of eight (8) or eleven (11) contiguous characters comprising the first three or all four of the following components: BANK CODE, COUNTRY CODE, LOCATION CODE, BRANCH CODE. The bank code, country code and location code are mandatory, while the branch code is optional.

5.1.13 IBEI <IBEI>

Presence: [0..1]

Definition: International Business Entity Identifier to uniquely identify business entities playing a role in the lifecycle of and events related to a financial instrument. (tentative - to be confirmed)

Data Type: IBEIIdentifier

Format: [A-Z]{2,2}[B-DF-HJ-NP-TV-XZ0-9]{7,7}[0-9]{1,1}

5.1.14 BEI <BEI>

Presence: [0..1]

Definition: Business Entity Identifier. Code allocated to non-financial institutions by the ISO 9362 Registration Authority. The Business Entity Identifier (BEI) has the same format as the BIC code (8 up to 11 characters) as stipulated in the standard ISO 9362 Banking (Banking Telecommunication Messages, Bank Identifier Codes, BIC).

Data Type: BEIIdentifier

Format: [A-Z]{6,6}[A-Z2-9][A-NP-Z0-9]([A-Z0-9]{3,3}){0,1}

Rule(s): BEI
Only Business Entity Identifiers registered with the ISO 9362 Registration Authority and consisting of 8 or 11 contiguous characters comprising the first three or all four of the following components: BANK CODE, COUNTRY CODE, LOCATION CODE, BRANCH CODE, are valid BEIs.

5.1.15 EANGLN <EANGLN>

Presence: [0..1]

Definition: Global Location Number. A non-significant reference number used to identify legal entities, functional entities, or physical entities according to the European Association for Numbering (EAN) numbering scheme rules.The number is used to retrieve detailed information that is linked to it.

Data Type: EANGLNIdentifier

Format: [0-9]{13,13}

5.1.16 CHIPSUniversalIdentification <USCHU>

Presence: [0..1]

Definition: (United States) Clearing House Interbank Payments System (CHIPS) Universal Identification (UID) - identifies entities that own accounts at CHIPS participating financial institutions, through which CHIPS payments are effected. The CHIPS UID is assigned by the New York Clearing House.

Data Type: CHIPSUniversalIdentifier

Format: CH[0-9]{6,6}

5.1.17 DUNS <DUNS>

Presence: [0..1]

Definition: Data Universal Numbering System. A unique identification number provided by Dun & Bradstreet to identify an organization.

Data Type: DunsIdentifier

Format: [0-9]{9,9}

5.1.18 BankPartyIdentification <BkPtyId>

Presence: [0..1]

Definition: Unique and unambiguous assignment made by a specific bank to identify a relationship as defined between the bank and its client.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

5.1.19 TaxIdentificationNumber <TaxIdNb>

Presence: [0..1]

Definition: Number assigned by a tax authority to an entity.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

5.1.20 ProprietaryIdentification <PrtryId>

Presence: [0..1]

Definition: Unique and unambiguous identifier for an organisation that is allocated by an institution.

Type: *This message item is composed of the following **GenericIdentification3** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
5.1.21		Identification	<Id>	[1..1]	Text
5.1.22		Issuer	<Issr>	[0..1]	Text

5.1.21 Identification <Id>

Presence: [1..1]

Definition: Name or number assigned by an entity to enable recognition of that entity, eg, account identifier.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

5.1.22 Issuer <Issr>

Presence: [0..1]
Definition: Entity that assigns the identification.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

5.1.23 PrivateIdentification <PrvtId>

Presence: [1..4]
*This message item is part of choice **5.1.10** Identification.*
Definition: Unique and unambiguous identification of a person, eg, passport.
Type: *This message item is composed of the following **PersonIdentification3** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
5.1.24	{Or	DriversLicenseNumber	<DrvrsLicNb>	[1..1]	Text
5.1.25	Or	CustomerNumber	<CstmrNb>	[1..1]	Text
5.1.26	Or	SocialSecurityNumber	<SclSctyNb>	[1..1]	Text
5.1.27	Or	AlienRegistrationNumber	<AlnRegnNb>	[1..1]	Text
5.1.28	Or	PassportNumber	<PsptNb>	[1..1]	Text
5.1.29	Or	TaxIdentificationNumber	<TaxIdNb>	[1..1]	Text
5.1.30	Or	IdentityCardNumber	<IdntyCardNb>	[1..1]	Text
5.1.31	Or	EmployerIdentificationNumber	<MplyrIdNb>	[1..1]	Text
5.1.32	Or	DateAndPlaceOfBirth	<DtAndPlcOfBirth>	[1..1]	
5.1.37	Or}	OtherIdentification	<OthrId>	[1..1]	
5.1.40		Issuer	<Issr>	[0..1]	Text

5.1.24 DriversLicenseNumber <DrvrsLicNb>

Synonym(s): :95S::ALTE//DRLC (ISO 15022)
Presence: [1..1]
*This message item is part of choice **5.1.23** PrivateIdentification.*
Definition: Number assigned by a license authority to a driver's license.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

5.1.25 CustomerNumber <CstmrNb>

Presence: [1..1]
*This message item is part of choice **5.1.23** PrivateIdentification.*
Definition: Number assigned by an agent to identify its customer.
Data Type: Max35Text
Format: maxLength: 35

minLength: 1

5.1.26 SocialSecurityNumber <SclSctyNb>

Synonym(s): :95S::ALTE//SSNX (ISO 15022)
Presence: [1..1]
*This message item is part of choice **5.1.23** PrivateIdentification.*
Definition: Number assigned by a social security agency.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

5.1.27 AlienRegistrationNumber <AlnRegnNb>

Synonym(s): :95S::ALTE//ARNU (ISO 15022)
Presence: [1..1]
*This message item is part of choice **5.1.23** PrivateIdentification.*
Definition: Number assigned by a government agency to identify foreign nationals.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

5.1.28 PassportNumber <PsptNb>

Synonym(s): :95S::ALTE//CCPT (ISO 15022)
Presence: [1..1]
*This message item is part of choice **5.1.23** PrivateIdentification.*
Definition: Number assigned by a passport authority to a passport.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

5.1.29 TaxIdentificationNumber <TaxIdNb>

Synonym(s): :95S::ALTE//TXID (ISO 15022)
Presence: [1..1]
*This message item is part of choice **5.1.23** PrivateIdentification.*
Definition: Number assigned by a tax authority to an entity.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

5.1.30 IdentityCardNumber <IdntyCardNb>

Presence: [1..1]
*This message item is part of choice **5.1.23** PrivateIdentification.*
Definition: Number assigned by a national authority to an identity card.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

5.1.31 EmployerIdentificationNumber <MplyrIdNb>

Synonym(s): :95S::ALTE//EINX (ISO 15022)
Presence: [1..1]
*This message item is part of choice **5.1.23** PrivateIdentification.*
Definition: Number assigned to an employer by a registration authority.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

5.1.32 DateAndPlaceOfBirth <DtAndPlcOfBirth>

Presence: [1..1]
*This message item is part of choice **5.1.23** PrivateIdentification.*
Definition: Date and place of birth of a person.
Type: *This message item is composed of the following **DateAndPlaceOfBirth** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
5.1.33		BirthDate	<BirthDt>	[1..1]	DateTime
5.1.34		ProvinceOfBirth	<PrvcOfBirth>	[0..1]	Text
5.1.35		CityOfBirth	<CityOfBirth>	[1..1]	Text
5.1.36		CountryOfBirth	<CtryOfBirth>	[1..1]	Code

5.1.33 BirthDate <BirthDt>

Presence: [1..1]
Definition: Date on which a person is born.
Data Type: ISODate

5.1.34 ProvinceOfBirth <PrvcOfBirth>

Presence: [0..1]
Definition: Province where a person was born.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

5.1.35 CityOfBirth <CityOfBirth>

Presence: [1..1]
Definition: City where a person was born.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

5.1.36 CountryOfBirth <CtryOfBirth>

Presence: [1..1]
Definition: Country where a person was born.

Data Type: CountryCode
Format: [A-Z]{2,2}
Rule(s): Country
The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

5.1.37 OtherIdentification <OthrId>

Presence: [1..1]
*This message item is part of choice **5.1.23** PrivateIdentification.*
Definition: Identifier issued to a person for which no specific identifier has been defined.
Type: *This message item is composed of the following **GenericIdentification4** element(s):*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
5.1.38		Identification	<Id>	[1..1]	Text
5.1.39		IdentificationType	<IdTp>	[1..1]	Text

5.1.38 Identification <Id>

Presence: [1..1]
Definition: Identifier issued to a person for which no specific identifier has been defined.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

5.1.39 IdentificationType <IdTp>

Presence: [1..1]
Definition: Specifies the nature of the identifier.
Usage: IdentificationType is used to specify what kind of identifier is used. It should be used in case the identifier is different from the identifiers listed in the pre-defined identifier list.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

5.1.40 Issuer <Issr>

Presence: [0..1]
Definition: Entity that assigns the identifier.
Data Type: Max35Text
Format: maxLength: 35
minLength: 1

5.1.41 CountryOfResidence <CtryOfRes>

Presence: [0..1]
Definition: Country in which a person resides (the place of a person's home). In the case of a company, it is the country from which the affairs of that company are directed.

Data Type: CountryCode
Format: [A-Z]{2,2}
Rule(s): Country
The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

6 Postal address

6.1 PostalAddress1

PostalAddress1 *is used in message* ***FIToFICustomerCreditTransferV01*** *p.46, message* ***FIToFICustomerDirectDebitV01*** *p.117.*

Definition: Information that locates and identifies a specific address, as defined by postal services.
Type: *The following* ***PostalAddress1*** *element(s) must be used:*

Ref	Or	Message Item	<XML Tag>	Mult.	Represent./ Type
6.1.0		AddressType	<AdrTp>	[0..1]	Code
6.1.1		AddressLine	<AdrLine>	[0..5]	Text
6.1.2		StreetName	<StrtNm>	[0..1]	Text
6.1.3		BuildingNumber	<BldgNb>	[0..1]	Text
6.1.4		PostCode	<PstCd>	[0..1]	Text
6.1.5		TownName	<TwnNm>	[0..1]	Text
6.1.6		CountrySubDivision	<CtrySubDvsn>	[0..1]	Text
6.1.7		Country	<Ctry>	[1..1]	Code

6.1.0 AddressType <AdrTp>

Presence: [0..1]
Definition: Identifies the nature of the postal address.
Data Type: Code
When this message item is present, one of the following ***AddressType2Code*** *values must be used:*

Code	Name	Definition
ADDR	Postal	Address is the complete postal address.
BIZZ	Business	Address is the business address.
DLVY	DeliveryTo	Address is the address to which delivery is to take place.
HOME	Residential	Address is the home address.
MLTO	MailTo	Address is the address to which mail is sent.
PBOX	POBox	Address is a postal office (PO) box.

6.1.1 AddressLine <AdrLine>

Presence: [0..5]

Definition: Information that locates and identifies a specific address, as defined by postal services, that is presented in free format text.

Data Type: Max70Text

Format: maxLength: 70
minLength: 1

6.1.2 StreetName <StrtNm>

Presence: [0..1]

Definition: Name of a street or thoroughfare.

Data Type: Max70Text

Format: maxLength: 70
minLength: 1

6.1.3 BuildingNumber <BldgNb>

Presence: [0..1]

Definition: Number that identifies the position of a building on a street.

Data Type: Max16Text

Format: maxLength: 16
minLength: 1

6.1.4 PostCode <PstCd>

Presence: [0..1]

Definition: Identifier consisting of a group of letters and/or numbers that is added to a postal address to assist the sorting of mail.

Data Type: Max16Text

Format: maxLength: 16
minLength: 1

6.1.5 TownName <TwnNm>

Presence: [0..1]

Definition: Name of a built-up area, with defined boundaries, and a local government.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

6.1.6 CountrySubDivision <CtrySubDvsn>

Presence: [0..1]

Definition: Identifies a subdivision of a country eg, state, region, county.

Data Type: Max35Text

Format: maxLength: 35
minLength: 1

6.1.7 Country <Ctry>

Presence: [1..1]

Definition: Nation with its own government.

Data Type: CountryCode

Format: [A-Z]{2,2}

Rule(s): Country
The code is checked against the list of country names obtained from the United Nations (ISO 3166, Alpha-2 code).

Indexes

Index of Message Items

A

AcceptanceDateTime: <AccptncDtTm>
Message FIToFICustomerCreditTransferV01 45
Message PaymentStatusReportV02 392

AdditionalCancellationReasonInformation: <AddtlCxlRsnInf>
Message PaymentCancellationRequestV01 266, 267

AdditionalRemittanceInformation: <AddtlRmtInf>
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 118
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

AdditionalReturnReasonInformation: <AddtlRtrRsnInf>
Message PaymentReturnV01 321, 322

AdditionalReversalReasonInformation: <AddtlRvslRsnInf>
Message FIToFIPaymentReversalV01 167, 168

AdditionalStatusReasonInformation: <AddtlStsRsnInf>
Message PaymentStatusReportV02 391, 392

Address: <Adr>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

AddressLine: <AdrLine>
461, 462, 462, 474, 475, 475, 488, 498

AddressType: <AdrTp>
461, 462, 462, 474, 475, 475, 488, 498

AlienRegistrationNumber: <AlnRegnNb>
488

AmendmentIndicator: <AmdmntInd>
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

AmendmentInformationDetails: <AmdmntInfDtls>
Message FIToFICustomerDirectDebitV01 115

Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

Amount: <Amt>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 168, 168
Message PaymentCancellationRequestV01 267, 267
Message PaymentReturnV01 322, 322
Message PaymentStatusReportV02 392, 392

Authorisation: <Authstn>
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166
Message PaymentReturnV01 320

Authority: <Authrty>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

AuthorityCountry: <AuthrtyCtry>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

AuthorityName: <AuthrtyNm>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

B

BankPartyIdentification: <BkPtyId>
488

BatchBooking: <BtchBookg>
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166
Message FinancialInstitutionCreditTransferV01 224
Message PaymentReturnV01 320

BBAN: <BBAN>
457

BEI: <BEI>
488

BIC: <BIC>
461, 461, 474, 474, 488

BirthDate: <BirthDt>

488

BranchIdentification: <BrnchId>
462, 475

BuildingNumber: <BldgNb>
461, 462, 462, 474, 475, 475, 488, 498

C

CancellationIdentification: <CxlId>
Message PaymentCancellationRequestV01 266

CancellationOriginator: <CxlOrgtr>
Message PaymentCancellationRequestV01 266, 266

CancellationReason: <CxlRsn>
Message PaymentCancellationRequestV01 266, 266

CancellationReasonInformation: <CxlRsnInf>
Message PaymentCancellationRequestV01 266, 266

CategoryPurpose: <CtgyPurp>
Message FIToFICustomerCreditTransferV01 44, 44
Message FIToFICustomerDirectDebitV01 115, 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

ChargeBearer: <ChrgBr>
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 168
Message PaymentReturnV01 322

ChargesAmount: <ChrgsAmt>
461

ChargesInformation: <ChrgsInf>
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 168
Message PaymentReturnV01 322
Message PaymentStatusReportV02 392

ChargesParty: <ChrgsPty>
461

CHIPSUniversalIdentification: <USCHU>
488

CityOfBirth: <CityOfBirth>
488

ClearingChannel: <ClrChanl>
Message FIToFICustomerCreditTransferV01 44, 44
Message FIToFICustomerDirectDebitV01 114, 115
Message FIToFIPaymentReversalV01 169
Message FinancialInstitutionCreditTransferV01 225, 225
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

ClearingSystem: <ClrSys>
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 167, 169
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

ClearingSystemIdentification: <ClrSysId>
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 167, 169
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

ClearingSystemMemberIdentification: <ClrSysMmbId>
461, 461, 474, 474

CLSTime: <CLSTm>
Message FIToFICustomerCreditTransferV01 45
Message FinancialInstitutionCreditTransferV01 225

Code: <Cd>
457
Message FIToFICustomerCreditTransferV01 44, 44, 44, 44, 45, 46, 46, 46, 46, 47
Message FIToFICustomerDirectDebitV01 114, 114, 115, 115, 117, 117, 117, 118
Message FIToFIPaymentReversalV01 167, 168, 169, 169, 170, 170
Message FinancialInstitutionCreditTransferV01 226, 226
Message PaymentCancellationRequestV01 266, 266, 267, 268, 268, 269
Message PaymentReturnV01 321, 322, 323, 323, 324, 324
Message PaymentStatusReportV02 391, 391, 392, 393, 393, 394

CombinedIdentification: <CmbndId>
461, 474

CompensationAmount: <CompstnAmt>
Message FIToFIPaymentReversalV01 168

Message PaymentReturnV01 322

ControlSum: <CtrlSum>
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 265
Message PaymentReturnV01 321

Country: <Ctry>
461, 462, 462, 474, 475, 475, 488, 498

CountryOfBirth: <CtryOfBirth>
488

CountryOfResidence: <CtryOfRes>
489

CountrySubDivision: <CtrySubDvsn>
461, 462, 462, 474, 475, 475, 488, 498

CreationDateTime: <CreDtTm>
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 265
Message PaymentReturnV01 320
Message PaymentStatusReportV02 390

CreditDateTime: <CdtDtTm>
Message FIToFICustomerCreditTransferV01 45
Message FinancialInstitutionCreditTransferV01 225

CreditNoteAmount: <CdtNoteAmt>
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

Creditor: <Cdtr>
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 171
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

CreditorAccount: <CdtrAcct>
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 171
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

CreditorAgent: <CdtrAgt>
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 171
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 265, 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 390, 394

CreditorAgentAccount: <CdtrAgtAcct>
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 171
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

CreditorReference: <CdtrRef>
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 118
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

CreditorReferenceInformation: <CdtrRefInf>
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 118
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

CreditorReferenceType: <CdtrRefTp>
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 118
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

CreditorSchemeIdentification: <CdtrSchmeId>

Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 392

CreditTransferTransactionInformation: <CdtTrfTxInf>
Message FIToFICustomerCreditTransferV01 44
Message FinancialInstitutionCreditTransferV01 225

Currency: <Ccy>
457

CurrencyOfTransfer: <CcyOfTrf>
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 322
Message PaymentStatusReportV02 392

CustomerNumber: <CstmrNb>
488

D

DateAndPlaceOfBirth: <DtAndPlcOfBirth>
488

DateOfSignature: <DtOfSgntr>
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

DebitCreditReportingIndicator: <DbtCdtRptgInd>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

DebitDateTime: <DbtDtTm>
Message FIToFICustomerCreditTransferV01 45
Message FinancialInstitutionCreditTransferV01 225

Debtor: <Dbtr>
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 170
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

DebtorAccount: <DbtrAcct>

Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 171
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

DebtorAgent: <DbtrAgt>
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 171
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 265, 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 390, 394

DebtorAgentAccount: <DbtrAgtAcct>
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 171
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

DetailedControlSum: <DtldCtrlSum>
Message PaymentStatusReportV02 391

DetailedNumberOfTransactions: <DtldNbOfTxs>
Message PaymentStatusReportV02 391

DetailedStatus: <DtldSts>
Message PaymentStatusReportV02 391

DirectDebitTransaction: <DrctDbtTx>
Message FIToFICustomerDirectDebitV01 115

DirectDebitTransactionInformation: <DrctDbtTxInf>
Message FIToFICustomerDirectDebitV01 115

DiscountAppliedAmount: <DscntApldAmt>
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

DriversLicenseNumber: <DrvrsLicNb>
488

DuePayableAmount: <DuePyblAmt>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

DUNS: <DUNS>
488

E

EANGLN: <EANGLN>
488

ElectronicSignature: <ElctrncSgntr>
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

EmployerIdentificationNumber: <MplyrIdNb>
488

EndToEndIdentification: <EndToEndId>
486

EquivalentAmount: <EqvtAmt>
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 322
Message PaymentStatusReportV02 392

ExchangeRate: <XchgRate>
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 168
Message PaymentReturnV01 322

F

FileOriginator: <FileOrgtr>
Message PaymentStatusReportV02 391

FinalCollectionDate: <FnlColltnDt>
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324

Message PaymentStatusReportV02 393

FinancialInstitutionIdentification: <FinInstnId>
461, 474

FirstCollectionDate: <FrstColltnDt>
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

ForwardingAgent: <FwdgAgt>
Message PaymentCancellationRequestV01 265
Message PaymentStatusReportV02 390

Frequency: <Frqcy>
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

G

GroupCancellation: <GrpCxl>
Message PaymentCancellationRequestV01 265

GroupHeader: <GrpHdr>
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 265
Message PaymentReturnV01 320
Message PaymentStatusReportV02 390

GroupReturn: <GrpRtr>
Message PaymentReturnV01 321

GroupReversal: <GrpRvsl>
Message FIToFIPaymentReversalV01 166

GroupStatus: <GrpSts>
Message PaymentStatusReportV02 391

I

IBAN: <IBAN>
457

IBEI: <IBEI>
488

Identification: <Id>
457, 457, 461, 461, 461, 462, 462, 474, 474, 474, 475, 475, 488, 488, 489

IdentificationType: <IdTp>
489

IdentityCardNumber: <IdntyCardNb>
488

Information: <Inf>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

InitiatingParty: <InitgPty>
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message PaymentCancellationRequestV01 265
Message PaymentStatusReportV02 390

InstructedAgent: <InstdAgt>
Message FIToFICustomerCreditTransferV01 44, 45
Message FIToFICustomerDirectDebitV01 115, 116
Message FIToFIPaymentReversalV01 167, 168
Message FinancialInstitutionCreditTransferV01 225, 225
Message PaymentCancellationRequestV01 266, 266
Message PaymentReturnV01 321, 322
Message PaymentStatusReportV02 390, 392

InstructedAmount: <InstdAmt>
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 322
Message PaymentStatusReportV02 392

InstructedReimbursementAgent: <InstdRmbrsmntAgt>
Message FIToFICustomerCreditTransferV01 44
Message FIToFIPaymentReversalV01 167, 169
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

InstructedReimbursementAgentAccount: <InstdRmbrsmntAgtAcct>
Message FIToFICustomerCreditTransferV01 44
Message FIToFIPaymentReversalV01 167, 169
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267

Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

InstructingAgent: <InstgAgt>
Message FIToFICustomerCreditTransferV01 44, 45
Message FIToFICustomerDirectDebitV01 115, 116
Message FIToFIPaymentReversalV01 167, 168
Message FinancialInstitutionCreditTransferV01 225, 225
Message PaymentCancellationRequestV01 265, 266
Message PaymentReturnV01 321, 322
Message PaymentStatusReportV02 390, 392

InstructingReimbursementAgent: <InstgRmbrsmntAgt>
Message FIToFICustomerCreditTransferV01 43
Message FIToFIPaymentReversalV01 167, 169
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

InstructingReimbursementAgentAccount: <InstgRmbrsmntAgtAcct>
Message FIToFICustomerCreditTransferV01 43
Message FIToFIPaymentReversalV01 167, 169
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

InstructionForCreditorAgent: <InstrForCdtrAgt>
Message FIToFICustomerCreditTransferV01 45
Message FinancialInstitutionCreditTransferV01 226

InstructionForNextAgent: <InstrForNxtAgt>
Message FIToFICustomerCreditTransferV01 46
Message FinancialInstitutionCreditTransferV01 226

InstructionIdentification: <InstrId>
486

InstructionInformation: <InstrInf>
Message FIToFICustomerCreditTransferV01 46, 46
Message FinancialInstitutionCreditTransferV01 226, 226

InstructionPriority: <InstrPrty>
Message FIToFICustomerCreditTransferV01 44, 44
Message FIToFICustomerDirectDebitV01 114, 115
Message FIToFIPaymentReversalV01 169
Message FinancialInstitutionCreditTransferV01 225, 225
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 392

InterbankSettlementAmount: <IntrBkSttlmAmt>
Message FIToFICustomerCreditTransferV01 44
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 168
Message FinancialInstitutionCreditTransferV01 225
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 322
Message PaymentStatusReportV02 392

InterbankSettlementDate: <IntrBkSttlmDt>
Message FIToFICustomerCreditTransferV01 43, 45
Message FIToFICustomerDirectDebitV01 114, 115
Message FIToFIPaymentReversalV01 166, 168, 168
Message FinancialInstitutionCreditTransferV01 224, 225
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 322, 322
Message PaymentStatusReportV02 392

IntermediaryAgent1: <IntrmyAgt1>
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FinancialInstitutionCreditTransferV01 225

IntermediaryAgent1Account: <IntrmyAgt1Acct>
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FinancialInstitutionCreditTransferV01 226

IntermediaryAgent2: <IntrmyAgt2>
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FinancialInstitutionCreditTransferV01 226

IntermediaryAgent2Account: <IntrmyAgt2Acct>
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FinancialInstitutionCreditTransferV01 226

IntermediaryAgent3: <IntrmyAgt3>
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FinancialInstitutionCreditTransferV01 226

IntermediaryAgent3Account: <IntrmyAgt3Acct>
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FinancialInstitutionCreditTransferV01 226

Invoicee: <Invcee>
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 118
Message FIToFIPaymentReversalV01 170

Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

Invoicer: <Invcr>
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 118
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

Issuer: <Issr>
461, 462, 474, 475, 488, 489
Message FIToFICustomerCreditTransferV01 46, 47
Message FIToFICustomerDirectDebitV01 117, 118
Message FIToFIPaymentReversalV01 170, 170
Message PaymentCancellationRequestV01 268, 269
Message PaymentReturnV01 324, 324
Message PaymentStatusReportV02 393, 394

L

LocalInstrument: <LclInstrm>
Message FIToFICustomerCreditTransferV01 44, 44
Message FIToFICustomerDirectDebitV01 114, 115
Message FIToFIPaymentReversalV01 169
Message FinancialInstitutionCreditTransferV01 225, 225
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

M

MandateIdentification: <MndtId>
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

MandateRelatedInformation: <MndtRltdInf>
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

MessageIdentification: <MsgId>
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114

Message FIToFIPaymentReversalV01 166
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 265
Message PaymentReturnV01 320
Message PaymentStatusReportV02 390

N

Name: <Nm>
457, 461, 461, 462, 474, 475, 475, 487
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

NameAndAddress: <NmAndAdr>
461, 474

NetworkFileName: <NtwkFileNm>
Message PaymentStatusReportV02 391

NumberOfTransactions: <NbOfTxs>
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 265
Message PaymentReturnV01 320

NumberOfTransactionsPerStatus: <NbOfTxsPerSts>
Message PaymentStatusReportV02 391

O

OrganisationIdentification: <OrgId>
488

OriginalControlSum: <OrgnlCtrlSum>
Message PaymentStatusReportV02 391

OriginalCreationDateTime: <OrgnlCreDtTm>
Message FIToFIPaymentReversalV01 167
Message PaymentCancellationRequestV01 266
Message PaymentReturnV01 321, 322
Message PaymentStatusReportV02 391

OriginalCreditorAgent: <OrgnlCdtrAgt>
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

OriginalCreditorAgentAccount: <OrgnlCdtrAgtAcct>
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

OriginalCreditorSchemeIdentification: <OrgnlCdtrSchmeId>
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

OriginalDebtor: <OrgnlDbtr>
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

OriginalDebtorAccount: <OrgnlDbtrAcct>
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

OriginalDebtorAgent: <OrgnlDbtrAgt>
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

OriginalDebtorAgentAccount: <OrgnlDbtrAgtAcct>
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

OriginalEndToEndIdentification: <OrgnlEndToEndId>
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 266
Message PaymentReturnV01 322
Message PaymentStatusReportV02 391

OriginalFinalCollectionDate: <OrgnlFnlColltnDt>
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268

Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

OriginalFrequency: <OrgnlFrqcy>
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

OriginalGroupInformation: <OrgnlGrpInf>
Message FIToFIPaymentReversalV01 167
Message PaymentCancellationRequestV01 266
Message PaymentReturnV01 321, 322

OriginalGroupInformationAndStatus: <OrgnlGrpInfAndSts>
Message PaymentStatusReportV02 391

OriginalInstructedAmount: <OrgnlInstdAmt>
Message PaymentCancellationRequestV01 266

OriginalInstructionIdentification: <OrgnlInstrId>
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 266
Message PaymentReturnV01 322
Message PaymentStatusReportV02 391

OriginalInterbankSettlementAmount: <OrgnlIntrBkSttlmAmt>
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 266
Message PaymentReturnV01 322

OriginalMandateIdentification: <OrgnlMndtId>
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

OriginalMessageIdentification: <OrgnlMsgId>
Message FIToFIPaymentReversalV01 167
Message PaymentCancellationRequestV01 266
Message PaymentReturnV01 321, 322
Message PaymentStatusReportV02 391

OriginalMessageNameIdentification: <OrgnlMsgNmId>
Message FIToFIPaymentReversalV01 167
Message PaymentCancellationRequestV01 266
Message PaymentReturnV01 321, 322
Message PaymentStatusReportV02 391

OriginalNumberOfTransactions: <OrgnlNbOfTxs>

Message PaymentStatusReportV02 391

OriginalPaymentInformationIdentification: <OrgnlPmtInfId>
Message FIToFIPaymentReversalV01 167
Message PaymentCancellationRequestV01 266
Message PaymentStatusReportV02 391

OriginalTransactionIdentification: <OrgnlTxId>
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 266
Message PaymentReturnV01 322
Message PaymentStatusReportV02 391

OriginalTransactionReference: <OrgnlTxRef>
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 322
Message PaymentStatusReportV02 392

OtherIdentification: <OthrId>
489

P

PassportNumber: <PsptNb>
488

PaymentIdentification: <PmtId>
Message FIToFICustomerCreditTransferV01 44
Message FIToFICustomerDirectDebitV01 115
Message FinancialInstitutionCreditTransferV01 225

PaymentMethod: <PmtMtd>
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

PaymentTypeInformation: <PmtTpInf>
Message FIToFICustomerCreditTransferV01 44, 44
Message FIToFICustomerDirectDebitV01 114, 115
Message FIToFIPaymentReversalV01 169
Message FinancialInstitutionCreditTransferV01 224, 225
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 392

PoolingAdjustmentDate: <PoolgAdjstmntDt>
Message FIToFICustomerCreditTransferV01 45

PostalAddress: <PstlAdr>
461, 461, 462, 474, 475, 475, 488

PostCode: <PstCd>
461, 462, 462, 474, 475, 475, 488, 498

PreNotificationDate: <PreNtfctnDt>
Message FIToFICustomerDirectDebitV01 116

PreNotificationIdentification: <PreNtfctnId>
Message FIToFICustomerDirectDebitV01 116

PreviousInstructingAgent: <PrvsInstgAgt>
Message FIToFICustomerCreditTransferV01 45
Message FinancialInstitutionCreditTransferV01 225

PreviousInstructingAgentAccount: <PrvsInstgAgtAcct>
Message FIToFICustomerCreditTransferV01 45
Message FinancialInstitutionCreditTransferV01 225

PrivateIdentification: <PrvtId>
488

Proprietary: <Prtry>
457, 461, 461, 474, 475
Message FIToFICustomerCreditTransferV01 43, 44, 44, 44, 44, 46, 46, 47
Message FIToFICustomerDirectDebitV01 114, 114, 114, 115, 115, 117, 117, 118
Message FIToFIPaymentReversalV01 167, 167, 168, 169, 169, 169, 170, 170
Message FinancialInstitutionCreditTransferV01 224, 225, 225, 225, 225
Message PaymentCancellationRequestV01 266, 267, 267, 267, 268, 268, 269
Message PaymentReturnV01 321, 321, 322, 323, 323, 323, 324, 324
Message PaymentStatusReportV02 391, 391, 392, 392, 393, 393, 394

ProprietaryAccount: <PrtryAcct>
457

ProprietaryIdentification: <PrtryId>
461, 462, 474, 475, 488

ProvinceOfBirth: <PrvcOfBirth>
488

Purpose: <Purp>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

R

ReferredDocumentAmount: <RfrdDocAmt>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 324

Message PaymentStatusReportV02 394

ReferredDocumentInformation: <RfrdDocInf>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

ReferredDocumentNumber: <RfrdDocNb>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

ReferredDocumentRelatedDate: <RfrdDocRltdDt>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

ReferredDocumentType: <RfrdDocTp>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

RegulatoryDetails: <RgltryDtls>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

RegulatoryReporting: <RgltryRptg>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

RelatedRemittanceInformation: <RltdRmtInf>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

RemittanceIdentification: <RmtId>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

RemittanceInformation: <RmtInf>
Message FIToFICustomerCreditTransferV01 46

Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

RemittanceLocationElectronicAddress: <RmtLctnElctrncAdr>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

RemittanceLocationMethod: <RmtLctnMtd>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

RemittanceLocationPostalAddress: <RmtLctnPstlAdr>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

RemittedAmount: <RmtdAmt>
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

RequestedCollectionDate: <ReqdColltnDt>
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 392

RequestedExecutionDate: <ReqdExctnDt>
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 392

ReturnedInstructedAmount: <RtrdInstdAmt>
Message PaymentReturnV01 322

ReturnedInterbankSettlementAmount: <RtrdIntrBkSttlmAmt>
Message PaymentReturnV01 322

ReturnIdentification: <RtrId>
Message PaymentReturnV01 322

ReturnOriginator: <RtrOrgtr>
Message PaymentReturnV01 321, 322

ReturnReason: <RtrRsn>
Message PaymentReturnV01 321, 322

ReturnReasonInformation: <RtrRsnInf>
Message PaymentReturnV01 321, 322

ReversalIdentification: <RvslId>
Message FIToFIPaymentReversalV01 167

ReversalOriginator: <RvslOrgtr>
Message FIToFIPaymentReversalV01 167, 168

ReversalReason: <RvslRsn>
Message FIToFIPaymentReversalV01 167, 168

ReversalReasonInformation: <RvslRsnInf>
Message FIToFIPaymentReversalV01 167, 168

ReversedInstructedAmount: <RvsdInstdAmt>
Message FIToFIPaymentReversalV01 168

ReversedInterbankSettlementAmount: <RvsdIntrBkSttlmAmt>
Message FIToFIPaymentReversalV01 168

S

SequenceType: <SeqTp>
Message FIToFICustomerDirectDebitV01 115, 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

ServiceLevel: <SvcLvl>
Message FIToFICustomerCreditTransferV01 44, 44
Message FIToFICustomerDirectDebitV01 114, 115
Message FIToFIPaymentReversalV01 169
Message FinancialInstitutionCreditTransferV01 225, 225
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 392

SettlementAccount: <SttlmAcct>
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166, 168
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

SettlementInformation: <SttlmInf>

Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166, 168
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

SettlementMethod: <SttlmMtd>
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166, 168
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

SettlementTimeIndication: <SttlmTmIndctn>
Message FIToFICustomerCreditTransferV01 45
Message FinancialInstitutionCreditTransferV01 225

SettlementTimeRequest: <SttlmTmReq>
Message FIToFICustomerCreditTransferV01 45
Message FinancialInstitutionCreditTransferV01 225

SocialSecurityNumber: <SclSctyNb>
488

StatusIdentification: <StsId>
Message PaymentStatusReportV02 391

StatusOriginator: <StsOrgtr>
Message PaymentStatusReportV02 391, 391

StatusReason: <StsRsn>
Message PaymentStatusReportV02 391, 391

StatusReasonInformation: <StsRsnInf>
Message PaymentStatusReportV02 391, 391

StreetName: <StrtNm>
461, 462, 462, 474, 475, 475, 488, 498

Structured: <Strd>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

T

TaxAmount: <TaxAmt>
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 118
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

TaxIdentificationNumber: <TaxIdNb>
488, 488

ThirdReimbursementAgent: <ThrdRmbrsmntAgt>
Message FIToFICustomerCreditTransferV01 44
Message FIToFIPaymentReversalV01 167, 169
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

ThirdReimbursementAgentAccount: <ThrdRmbrsmntAgtAcct>
Message FIToFICustomerCreditTransferV01 44
Message FIToFIPaymentReversalV01 167, 169
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

TotalInterbankSettlementAmount: <TtlIntrBkSttlmAmt>
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FinancialInstitutionCreditTransferV01 224

TotalReturnedInterbankSettlementAmount: <TtlRtrdIntrBkSttlmAmt>
Message PaymentReturnV01 321

TotalReversedInterbankSettlementAmount: <TtlRvsdIntrBkSttlmAmt>
Message FIToFIPaymentReversalV01 166

TownName: <TwnNm>
461, 462, 462, 474, 475, 475, 488, 498

TransactionIdentification: <TxId>
486

TransactionInformation: <TxInf>
Message FIToFIPaymentReversalV01 167
Message PaymentCancellationRequestV01 266
Message PaymentReturnV01 322

TransactionInformationAndStatus: <TxInfAndSts>

Message PaymentStatusReportV02 391

TransactionStatus: <TxSts>
Message PaymentStatusReportV02 391

Type: <Tp>
457

U

UltimateCreditor: <UltmtCdtr>
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 171
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

UltimateDebtor: <UltmtDbtr>
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

Unstructured: <Ustrd>
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

UPIC: <UPIC>
457

Index of XML tags

A

<AccptncDtTm>: AcceptanceDateTime
Message FIToFICustomerCreditTransferV01 45
Message PaymentStatusReportV02 392

<AddtlCxlRsnInf>: AdditionalCancellationReasonInformation
Message PaymentCancellationRequestV01 266, 267

<AddtlRmtInf>: AdditionalRemittanceInformation
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 118
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

<AddtlRtrRsnInf>: AdditionalReturnReasonInformation
Message PaymentReturnV01 321, 322

<AddtlRvslRsnInf>: AdditionalReversalReasonInformation
Message FIToFIPaymentReversalV01 167, 168

<AddtlStsRsnInf>: AdditionalStatusReasonInformation
Message PaymentStatusReportV02 391, 392

<Adr>: Address
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

<AdrLine>: AddressLine
461, 462, 462, 474, 475, 475, 488, 498

<AdrTp>: AddressType
461, 462, 462, 474, 475, 475, 488, 498

<AlnRegnNb>: AlienRegistrationNumber
488

<AmdmntInd>: AmendmentIndicator
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

<AmdmntInfDtls>: AmendmentInformationDetails
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

<Amt>: Amount
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 168, 168
Message PaymentCancellationRequestV01 267, 267
Message PaymentReturnV01 322, 322
Message PaymentStatusReportV02 392, 392

<Authrty>: Authority
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

<AuthrtyCtry>: AuthorityCountry
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

<AuthrtyNm>: AuthorityName
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

<Authstn>: Authorisation
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166
Message PaymentReturnV01 320

B

<BBAN>: BBAN
457

<BEI>: BEI
488

<BIC>: BIC
461, 461, 474, 474, 488

<BirthDt>: BirthDate
488

<BkPtyId>: BankPartyIdentification
488

<BldgNb>: BuildingNumber
461, 462, 462, 474, 475, 475, 488, 498

<BrnchId>: BranchIdentification
462, 475

<BtchBookg>: BatchBooking
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166
Message FinancialInstitutionCreditTransferV01 224
Message PaymentReturnV01 320

C

<Ccy>: Currency
457

<CcyOfTrf>: CurrencyOfTransfer
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 322
Message PaymentStatusReportV02 392

<Cd>: Code
457
Message FIToFICustomerCreditTransferV01 44, 44, 44, 44, 45, 46, 46, 46, 46, 47
Message FIToFICustomerDirectDebitV01 114, 114, 115, 115, 117, 117, 117, 118
Message FIToFIPaymentReversalV01 167, 168, 169, 169, 170, 170
Message FinancialInstitutionCreditTransferV01 226, 226
Message PaymentCancellationRequestV01 266, 266, 267, 268, 268, 269
Message PaymentReturnV01 321, 322, 323, 323, 324, 324
Message PaymentStatusReportV02 391, 391, 392, 393, 393, 394

<CdtDtTm>: CreditDateTime
Message FIToFICustomerCreditTransferV01 45
Message FinancialInstitutionCreditTransferV01 225

<CdtNoteAmt>: CreditNoteAmount
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

<Cdtr>: Creditor
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 171
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

<CdtrAcct>: CreditorAccount
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 171
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

<CdtrAgt>: CreditorAgent
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 171
Message FinancialInstitutionCreditTransferV01 226

Message PaymentCancellationRequestV01 265, 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 390, 394

<CdtrAgtAcct>: CreditorAgentAccount
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 171
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

<CdtrRef>: CreditorReference
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 118
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

<CdtrRefInf>: CreditorReferenceInformation
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 118
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

<CdtrRefTp>: CreditorReferenceType
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 118
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

<CdtrSchmeId>: CreditorSchemeIdentification
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 392

<CdtTrfTxInf>: CreditTransferTransactionInformation
Message FIToFICustomerCreditTransferV01 44
Message FinancialInstitutionCreditTransferV01 225

<ChrgBr>: ChargeBearer
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 168

Message PaymentReturnV01 322

<ChrgsAmt>: ChargesAmount
461

<ChrgsInf>: ChargesInformation
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 168
Message PaymentReturnV01 322
Message PaymentStatusReportV02 392

<ChrgsPty>: ChargesParty
461

<CityOfBirth>: CityOfBirth
488

<ClrChanl>: ClearingChannel
Message FIToFICustomerCreditTransferV01 44, 44
Message FIToFICustomerDirectDebitV01 114, 115
Message FIToFIPaymentReversalV01 169
Message FinancialInstitutionCreditTransferV01 225, 225
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

<ClrSys>: ClearingSystem
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 167, 169
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

<ClrSysId>: ClearingSystemIdentification
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 167, 169
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

<ClrSysMmbId>: ClearingSystemMemberIdentification
461, 461, 474, 474

<CLSTm>: CLSTime
Message FIToFICustomerCreditTransferV01 45
Message FinancialInstitutionCreditTransferV01 225

<CmbndId>: CombinedIdentification
461, 474

<CompstnAmt>: CompensationAmount
Message FIToFIPaymentReversalV01 168
Message PaymentReturnV01 322

<CreDtTm>: CreationDateTime
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 265
Message PaymentReturnV01 320
Message PaymentStatusReportV02 390

<CstmrNb>: CustomerNumber
488

<CtgyPurp>: CategoryPurpose
Message FIToFICustomerCreditTransferV01 44, 44
Message FIToFICustomerDirectDebitV01 115, 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

<CtrlSum>: ControlSum
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 265
Message PaymentReturnV01 321

<Ctry>: Country
461, 462, 462, 474, 475, 475, 488, 498

<CtryOfBirth>: CountryOfBirth
488

<CtryOfRes>: CountryOfResidence
489

<CtrySubDvsn>: CountrySubDivision
461, 462, 462, 474, 475, 475, 488, 498

<CxlId>: CancellationIdentification
Message PaymentCancellationRequestV01 266

<CxlOrgtr>: CancellationOriginator
Message PaymentCancellationRequestV01 266, 266

<CxlRsn>: CancellationReason
Message PaymentCancellationRequestV01 266, 266

<CxlRsnInf>: CancellationReasonInformation
Message PaymentCancellationRequestV01 266, 266

D

<DbtCdtRptgInd>: DebitCreditReportingIndicator
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

<DbtDtTm>: DebitDateTime
Message FIToFICustomerCreditTransferV01 45
Message FinancialInstitutionCreditTransferV01 225

<Dbtr>: Debtor
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 170
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

<DbtrAcct>: DebtorAccount
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 171
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

<DbtrAgt>: DebtorAgent
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 171
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 265, 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 390, 394

<DbtrAgtAcct>: DebtorAgentAccount
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 171
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

<DrctDbtTx>: DirectDebitTransaction
Message FIToFICustomerDirectDebitV01 115

<DrctDbtTxInf>: DirectDebitTransactionInformation
Message FIToFICustomerDirectDebitV01 115

<DrvrsLicNb>: DriversLicenseNumber
488

<DscntApldAmt>: DiscountAppliedAmount
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

<DtAndPlcOfBirth>: DateAndPlaceOfBirth
488

<DtldCtrlSum>: DetailedControlSum
Message PaymentStatusReportV02 391

<DtldNbOfTxs>: DetailedNumberOfTransactions
Message PaymentStatusReportV02 391

<DtldSts>: DetailedStatus
Message PaymentStatusReportV02 391

<DtOfSgntr>: DateOfSignature
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

<DuePyblAmt>: DuePayableAmount
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

<DUNS>: DUNS
488

E

<EANGLN>: EANGLN
488

<ElctrncSgntr>: ElectronicSignature
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

<EndToEndId>: EndToEndIdentification
486

<EqvtAmt>: EquivalentAmount
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 322
Message PaymentStatusReportV02 392

F

<FileOrgtr>: FileOriginator
Message PaymentStatusReportV02 391

<FinInstnId>: FinancialInstitutionIdentification
461, 474

<FnlColltnDt>: FinalCollectionDate
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

<Frqcy>: Frequency
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

<FrstColltnDt>: FirstCollectionDate
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

<FwdgAgt>: ForwardingAgent
Message PaymentCancellationRequestV01 265
Message PaymentStatusReportV02 390

G

<GrpCxl>: GroupCancellation
Message PaymentCancellationRequestV01 265

<GrpHdr>: GroupHeader
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 265
Message PaymentReturnV01 320
Message PaymentStatusReportV02 390

<GrpRtr>: GroupReturn
Message PaymentReturnV01 321

<GrpRvsl>: GroupReversal
Message FIToFIPaymentReversalV01 166

<GrpSts>: GroupStatus
Message PaymentStatusReportV02 391

I

<IBAN>: IBAN
457

<IBEI>: IBEI
488

<Id>: Identification
457, 457, 461, 461, 461, 462, 462, 474, 474, 474, 475, 475, 488, 488, 489

<IdntyCardNb>: IdentityCardNumber
488

<IdTp>: IdentificationType
489

<Inf>: Information
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

<InitgPty>: InitiatingParty
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message PaymentCancellationRequestV01 265
Message PaymentStatusReportV02 390

<InstdAgt>: InstructedAgent
Message FIToFICustomerCreditTransferV01 44, 45

Message FIToFICustomerDirectDebitV01 115, 116
Message FIToFIPaymentReversalV01 167, 168
Message FinancialInstitutionCreditTransferV01 225, 225
Message PaymentCancellationRequestV01 266, 266
Message PaymentReturnV01 321, 322
Message PaymentStatusReportV02 390, 392

<InstdAmt>: InstructedAmount
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 322
Message PaymentStatusReportV02 392

<InstdRmbrsmntAgt>: InstructedReimbursementAgent
Message FIToFICustomerCreditTransferV01 44
Message FIToFIPaymentReversalV01 167, 169
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

<InstdRmbrsmntAgtAcct>: InstructedReimbursementAgentAccount
Message FIToFICustomerCreditTransferV01 44
Message FIToFIPaymentReversalV01 167, 169
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

<InstgAgt>: InstructingAgent
Message FIToFICustomerCreditTransferV01 44, 45
Message FIToFICustomerDirectDebitV01 115, 116
Message FIToFIPaymentReversalV01 167, 168
Message FinancialInstitutionCreditTransferV01 225, 225
Message PaymentCancellationRequestV01 265, 266
Message PaymentReturnV01 321, 322
Message PaymentStatusReportV02 390, 392

<InstgRmbrsmntAgt>: InstructingReimbursementAgent
Message FIToFICustomerCreditTransferV01 43
Message FIToFIPaymentReversalV01 167, 169
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

<InstgRmbrsmntAgtAcct>: InstructingReimbursementAgentAccount
Message FIToFICustomerCreditTransferV01 43
Message FIToFIPaymentReversalV01 167, 169
Message FinancialInstitutionCreditTransferV01 224

Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

<InstrForCdtrAgt>: InstructionForCreditorAgent
Message FIToFICustomerCreditTransferV01 45
Message FinancialInstitutionCreditTransferV01 226

<InstrForNxtAgt>: InstructionForNextAgent
Message FIToFICustomerCreditTransferV01 46
Message FinancialInstitutionCreditTransferV01 226

<InstrId>: InstructionIdentification
486

<InstrInf>: InstructionInformation
Message FIToFICustomerCreditTransferV01 46, 46
Message FinancialInstitutionCreditTransferV01 226, 226

<InstrPrty>: InstructionPriority
Message FIToFICustomerCreditTransferV01 44, 44
Message FIToFICustomerDirectDebitV01 114, 115
Message FIToFIPaymentReversalV01 169
Message FinancialInstitutionCreditTransferV01 225, 225
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 392

<IntrBkSttlmAmt>: InterbankSettlementAmount
Message FIToFICustomerCreditTransferV01 44
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 168
Message FinancialInstitutionCreditTransferV01 225
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 322
Message PaymentStatusReportV02 392

<IntrBkSttlmDt>: InterbankSettlementDate
Message FIToFICustomerCreditTransferV01 43, 45
Message FIToFICustomerDirectDebitV01 114, 115
Message FIToFIPaymentReversalV01 166, 168, 168
Message FinancialInstitutionCreditTransferV01 224, 225
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 322, 322
Message PaymentStatusReportV02 392

<IntrmyAgt1>: IntermediaryAgent1
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FinancialInstitutionCreditTransferV01 225

<IntrmyAgt1Acct>: IntermediaryAgent1Account

Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FinancialInstitutionCreditTransferV01 226

<IntrmyAgt2>: IntermediaryAgent2
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FinancialInstitutionCreditTransferV01 226

<IntrmyAgt2Acct>: IntermediaryAgent2Account
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FinancialInstitutionCreditTransferV01 226

<IntrmyAgt3>: IntermediaryAgent3
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FinancialInstitutionCreditTransferV01 226

<IntrmyAgt3Acct>: IntermediaryAgent3Account
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FinancialInstitutionCreditTransferV01 226

<Invcee>: Invoicee
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 118
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

<Invcr>: Invoicer
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 118
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

<Issr>: Issuer
461, 462, 474, 475, 488, 489
Message FIToFICustomerCreditTransferV01 46, 47
Message FIToFICustomerDirectDebitV01 117, 118
Message FIToFIPaymentReversalV01 170, 170
Message PaymentCancellationRequestV01 268, 269
Message PaymentReturnV01 324, 324
Message PaymentStatusReportV02 393, 394

L

<LclInstrm>: LocalInstrument

Message FIToFICustomerCreditTransferV01 44, 44
Message FIToFICustomerDirectDebitV01 114, 115
Message FIToFIPaymentReversalV01 169
Message FinancialInstitutionCreditTransferV01 225, 225
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

M

<MndtId>: MandateIdentification
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

<MndtRltdInf>: MandateRelatedInformation
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

<MplyrIdNb>: EmployerIdentificationNumber
488

<MsgId>: MessageIdentification
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 265
Message PaymentReturnV01 320
Message PaymentStatusReportV02 390

N

<NbOfTxs>: NumberOfTransactions
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 265
Message PaymentReturnV01 320

<NbOfTxsPerSts>: NumberOfTransactionsPerStatus
Message PaymentStatusReportV02 391

<Nm>: Name
457, 461, 461, 462, 474, 475, 475, 487

Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

<NmAndAdr>: NameAndAddress
461, 474

<NtwkFileNm>: NetworkFileName
Message PaymentStatusReportV02 391

O

<OrgId>: OrganisationIdentification
488

<OrgnlCdtrAgt>: OriginalCreditorAgent
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

<OrgnlCdtrAgtAcct>: OriginalCreditorAgentAccount
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

<OrgnlCdtrSchmeId>: OriginalCreditorSchemeIdentification
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

<OrgnlCreDtTm>: OriginalCreationDateTime
Message FIToFIPaymentReversalV01 167
Message PaymentCancellationRequestV01 266
Message PaymentReturnV01 321, 322
Message PaymentStatusReportV02 391

<OrgnlCtrlSum>: OriginalControlSum
Message PaymentStatusReportV02 391

<OrgnlDbtr>: OriginalDebtor
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

<OrgnlDbtrAcct>: OriginalDebtorAccount

Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

<OrgnlDbtrAgt>: OriginalDebtorAgent
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

<OrgnlDbtrAgtAcct>: OriginalDebtorAgentAccount
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

<OrgnlEndToEndId>: OriginalEndToEndIdentification
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 266
Message PaymentReturnV01 322
Message PaymentStatusReportV02 391

<OrgnlFnlColltnDt>: OriginalFinalCollectionDate
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

<OrgnlFrqcy>: OriginalFrequency
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

<OrgnlGrpInf>: OriginalGroupInformation
Message FIToFIPaymentReversalV01 167
Message PaymentCancellationRequestV01 266
Message PaymentReturnV01 321, 322

<OrgnlGrpInfAndSts>: OriginalGroupInformationAndStatus
Message PaymentStatusReportV02 391

<OrgnlInstdAmt>: OriginalInstructedAmount
Message PaymentCancellationRequestV01 266

<OrgnlInstrId>: OriginalInstructionIdentification

Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 266
Message PaymentReturnV01 322
Message PaymentStatusReportV02 391

<OrgnlIntrBkSttlmAmt>: OriginalInterbankSettlementAmount
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 266
Message PaymentReturnV01 322

<OrgnlMndtId>: OriginalMandateIdentification
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

<OrgnlMsgId>: OriginalMessageIdentification
Message FIToFIPaymentReversalV01 167
Message PaymentCancellationRequestV01 266
Message PaymentReturnV01 321, 322
Message PaymentStatusReportV02 391

<OrgnlMsgNmId>: OriginalMessageNameIdentification
Message FIToFIPaymentReversalV01 167
Message PaymentCancellationRequestV01 266
Message PaymentReturnV01 321, 322
Message PaymentStatusReportV02 391

<OrgnlNbOfTxs>: OriginalNumberOfTransactions
Message PaymentStatusReportV02 391

<OrgnlPmtInfId>: OriginalPaymentInformationIdentification
Message FIToFIPaymentReversalV01 167
Message PaymentCancellationRequestV01 266
Message PaymentStatusReportV02 391

<OrgnlTxId>: OriginalTransactionIdentification
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 266
Message PaymentReturnV01 322
Message PaymentStatusReportV02 391

<OrgnlTxRef>: OriginalTransactionReference
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 322
Message PaymentStatusReportV02 392

<OthrId>: OtherIdentification
489

P

<PmtId>: PaymentIdentification
Message FIToFICustomerCreditTransferV01 44
Message FIToFICustomerDirectDebitV01 115
Message FinancialInstitutionCreditTransferV01 225

<PmtMtd>: PaymentMethod
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

<PmtTpInf>: PaymentTypeInformation
Message FIToFICustomerCreditTransferV01 44, 44
Message FIToFICustomerDirectDebitV01 114, 115
Message FIToFIPaymentReversalV01 169
Message FinancialInstitutionCreditTransferV01 224, 225
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 392

<PoolgAdjstmntDt>: PoolingAdjustmentDate
Message FIToFICustomerCreditTransferV01 45

<PreNtfctnDt>: PreNotificationDate
Message FIToFICustomerDirectDebitV01 116

<PreNtfctnId>: PreNotificationIdentification
Message FIToFICustomerDirectDebitV01 116

<Prtry>: Proprietary
457, 461, 461, 474, 475
Message FIToFICustomerCreditTransferV01 43, 44, 44, 44, 44, 46, 46, 47
Message FIToFICustomerDirectDebitV01 114, 114, 114, 115, 115, 117, 117, 118
Message FIToFIPaymentReversalV01 167, 167, 168, 169, 169, 169, 170, 170
Message FinancialInstitutionCreditTransferV01 224, 225, 225, 225, 225
Message PaymentCancellationRequestV01 266, 267, 267, 267, 268, 268, 269
Message PaymentReturnV01 321, 321, 322, 323, 323, 323, 324, 324
Message PaymentStatusReportV02 391, 391, 392, 392, 393, 393, 394

<PrtryAcct>: ProprietaryAccount
457

<PrtryId>: ProprietaryIdentification
461, 462, 474, 475, 488

<PrvcOfBirth>: ProvinceOfBirth
488

<PrvsInstgAgt>: PreviousInstructingAgent
Message FIToFICustomerCreditTransferV01 45

Message FinancialInstitutionCreditTransferV01 225

<PrvsInstgAgtAcct>: PreviousInstructingAgentAccount
Message FIToFICustomerCreditTransferV01 45
Message FinancialInstitutionCreditTransferV01 225

<PrvtId>: PrivateIdentification
488

<PsptNb>: PassportNumber
488

<PstCd>: PostCode
461, 462, 462, 474, 475, 475, 488, 498

<PstlAdr>: PostalAddress
461, 461, 462, 474, 475, 475, 488

<Purp>: Purpose
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

R

<ReqdColltnDt>: RequestedCollectionDate
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 392

<ReqdExctnDt>: RequestedExecutionDate
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 392

<RfrdDocAmt>: ReferredDocumentAmount
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

<RfrdDocInf>: ReferredDocumentInformation
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

<RfrdDocNb>: ReferredDocumentNumber
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

<RfrdDocRltdDt>: ReferredDocumentRelatedDate
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

<RfrdDocTp>: ReferredDocumentType
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

<RgltryDtls>: RegulatoryDetails
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

<RgltryRptg>: RegulatoryReporting
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

<RltdRmtInf>: RelatedRemittanceInformation
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

<RmtdAmt>: RemittedAmount
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

<RmtId>: RemittanceIdentification
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

<RmtInf>: RemittanceInformation
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

Message FIToFIPaymentReversalV01 170
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

<RmtLctnElctrncAdr>: RemittanceLocationElectronicAddress
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

<RmtLctnMtd>: RemittanceLocationMethod
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

<RmtLctnPstlAdr>: RemittanceLocationPostalAddress
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

<RtrdInstdAmt>: ReturnedInstructedAmount
Message PaymentReturnV01 322

<RtrdIntrBkSttlmAmt>: ReturnedInterbankSettlementAmount
Message PaymentReturnV01 322

<RtrId>: ReturnIdentification
Message PaymentReturnV01 322

<RtrOrgtr>: ReturnOriginator
Message PaymentReturnV01 321, 322

<RtrRsn>: ReturnReason
Message PaymentReturnV01 321, 322

<RtrRsnInf>: ReturnReasonInformation
Message PaymentReturnV01 321, 322

<RvsdInstdAmt>: ReversedInstructedAmount
Message FIToFIPaymentReversalV01 168

<RvsdIntrBkSttlmAmt>: ReversedInterbankSettlementAmount
Message FIToFIPaymentReversalV01 168

<RvslId>: ReversalIdentification
Message FIToFIPaymentReversalV01 167

<RvslOrgtr>: ReversalOriginator
Message FIToFIPaymentReversalV01 167, 168

<RvslRsn>: ReversalReason
Message FIToFIPaymentReversalV01 167, 168

<RvslRsnInf>: ReversalReasonInformation

Message FIToFIPaymentReversalV01 167, 168

S

<SclSctyNb>: SocialSecurityNumber
488

<SeqTp>: SequenceType
Message FIToFICustomerDirectDebitV01 115, 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

<Strd>: Structured
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

<StrtNm>: StreetName
461, 462, 462, 474, 475, 475, 488, 498

<StsId>: StatusIdentification
Message PaymentStatusReportV02 391

<StsOrgtr>: StatusOriginator
Message PaymentStatusReportV02 391, 391

<StsRsn>: StatusReason
Message PaymentStatusReportV02 391, 391

<StsRsnInf>: StatusReasonInformation
Message PaymentStatusReportV02 391, 391

<SttlmAcct>: SettlementAccount
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166, 168
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

<SttlmInf>: SettlementInformation
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166, 168
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267

Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

<SttlmMtd>: SettlementMethod
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166, 168
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

<SttlmTmIndctn>: SettlementTimeIndication
Message FIToFICustomerCreditTransferV01 45
Message FinancialInstitutionCreditTransferV01 225

<SttlmTmReq>: SettlementTimeRequest
Message FIToFICustomerCreditTransferV01 45
Message FinancialInstitutionCreditTransferV01 225

<SvcLvl>: ServiceLevel
Message FIToFICustomerCreditTransferV01 44, 44
Message FIToFICustomerDirectDebitV01 114, 115
Message FIToFIPaymentReversalV01 169
Message FinancialInstitutionCreditTransferV01 225, 225
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 392

T

<TaxAmt>: TaxAmount
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 118
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

<TaxIdNb>: TaxIdentificationNumber
488, 488

<ThrdRmbrsmntAgt>: ThirdReimbursementAgent
Message FIToFICustomerCreditTransferV01 44
Message FIToFIPaymentReversalV01 167, 169
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

<ThrdRmbrsmntAgtAcct>: ThirdReimbursementAgentAccount
Message FIToFICustomerCreditTransferV01 44

Message FIToFIPaymentReversalV01 167, 169
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

<Tp>: Type
457

<TtlIntrBkSttlmAmt>: TotalInterbankSettlementAmount
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FinancialInstitutionCreditTransferV01 224

<TtlRtrdIntrBkSttlmAmt>: TotalReturnedInterbankSettlementAmount
Message PaymentReturnV01 321

<TtlRvsdIntrBkSttlmAmt>: TotalReversedInterbankSettlementAmount
Message FIToFIPaymentReversalV01 166

<TwnNm>: TownName
461, 462, 462, 474, 475, 475, 488, 498

<TxId>: TransactionIdentification
486

<TxInf>: TransactionInformation
Message FIToFIPaymentReversalV01 167
Message PaymentCancellationRequestV01 266
Message PaymentReturnV01 322

<TxInfAndSts>: TransactionInformationAndStatus
Message PaymentStatusReportV02 391

<TxSts>: TransactionStatus
Message PaymentStatusReportV02 391

U

<UltmtCdtr>: UltimateCreditor
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 171
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

<UltmtDbtr>: UltimateDebtor
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170

Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 325
Message PaymentStatusReportV02 394

<UPIC>: UPIC
457

<USCHU>: CHIPSUniversalIdentification
488

<Ustrd>: Unstructured
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message FinancialInstitutionCreditTransferV01 226
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

X

<XchgRate>: ExchangeRate
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 168
Message PaymentReturnV01 322

Index of Message Item Types

A

AccountIdentification3Choice
457

AddressType2Code
461, 462, 462, 474, 475, 475, 488, 498

AmendmentInformationDetails1
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

AmountType2Choice
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 322
Message PaymentStatusReportV02 392

AustrianBankleitzahlIdentifier
447

B

BaseOneRate
454
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 168
Message PaymentReturnV01 322

BatchBookingIndicator
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166
Message FinancialInstitutionCreditTransferV01 224
Message PaymentReturnV01 320

BBANIdentifier
447, 457

BEIIdentifier
447, 488

BICIdentifier
448, 461, 461, 474, 474, 488

BranchAndFinancialInstitutionIdentification3
461, 474
Message FIToFICustomerCreditTransferV01 43, 44, 44, 44, 44, 45, 45, 45, 45, 45, 45, 45, 45
Message FIToFICustomerDirectDebitV01 115, 115, 116, 116, 116, 116, 116, 116, 116, 116, 116
Message FIToFIPaymentReversalV01 167, 167, 167, 167, 167, 168, 168, 169, 169, 169, 169, 170, 171, 171
Message FinancialInstitutionCreditTransferV01 224, 224, 224, 225, 225, 225, 225, 225, 225, 226, 226, 226, 226, 226, 226, 226, 226
Message PaymentCancellationRequestV01 265, 265, 265, 265, 266, 266, 266, 267, 267, 267, 268, 268, 269, 269
Message PaymentReturnV01 321, 321, 321, 321, 321, 322, 322, 323, 323, 323, 324, 324, 325, 325
Message PaymentStatusReportV02 390, 390, 390, 390, 390, 392, 392, 392, 392, 392, 393, 393, 394, 394

BranchData
462, 475

C

CanadianPaymentsARNIdentifier
448

CancellationReason1Choice
Message PaymentCancellationRequestV01 266, 266

CancellationReason2Code

Message PaymentCancellationRequestV01 266, 266

CancellationReasonInformation1
Message PaymentCancellationRequestV01 266, 266

CashAccount7
457
Message FIToFICustomerCreditTransferV01 43, 43, 44, 44, 45, 45, 45, 45, 45, 45, 45, 45
Message FIToFICustomerDirectDebitV01 114, 116, 116, 116, 116, 116, 116, 116, 116, 116, 116
Message FIToFIPaymentReversalV01 166, 167, 167, 167, 168, 169, 169, 169, 169, 169, 170, 171, 171, 171, 171
Message FinancialInstitutionCreditTransferV01 224, 224, 224, 224, 225, 226, 226, 226, 226, 226, 226, 226
Message PaymentCancellationRequestV01 267, 267, 267, 267, 268, 268, 268, 269, 269, 269, 269
Message PaymentReturnV01 321, 321, 321, 321, 323, 323, 323, 323, 324, 324, 324, 325, 325, 325, 325
Message PaymentStatusReportV02 392, 392, 392, 392, 393, 393, 393, 394, 394, 394, 394

CashAccountType2
457

CashAccountType4Code
457

CashClearingSystem3Code
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 167, 169
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

ChargeBearerType1Code
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 168
Message PaymentReturnV01 322

ChargesInformation1
461
Message FIToFICustomerCreditTransferV01 45
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 168
Message PaymentReturnV01 322
Message PaymentStatusReportV02 392

CHIPSParticipantIdentifier
448

CHIPSUniversalIdentifier
448, 488

ClearingChannel2Code
Message FIToFICustomerCreditTransferV01 44, 44

Message FIToFICustomerDirectDebitV01 114, 115
Message FIToFIPaymentReversalV01 169
Message FinancialInstitutionCreditTransferV01 225, 225
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

ClearingSystemIdentification1Choice
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 167, 169
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

ClearingSystemMemberIdentification3Choice
461, 461, 474, 474

CountryCode
449, 461, 462, 462, 474, 475, 475, 488, 488, 489, 498
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

CreditorReferenceInformation1
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 118
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

CreditorReferenceType1
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 118
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

CreditTransferTransactionInformation2
Message FIToFICustomerCreditTransferV01 44

CreditTransferTransactionInformation3
Message FinancialInstitutionCreditTransferV01 225

CurrencyAndAmount
446, 461
Message FIToFICustomerCreditTransferV01 43, 44, 45, 46, 46, 47, 47, 47, 47
Message FIToFICustomerDirectDebitV01 114, 115, 115, 117, 117, 117, 117, 117, 118
Message FIToFIPaymentReversalV01 166, 168, 168, 168, 168, 168, 168, 168, 170, 170, 170, 170, 170
Message FinancialInstitutionCreditTransferV01 224, 225

Message PaymentCancellationRequestV01 266, 266, 267, 267, 267, 269, 269, 269, 269, 269
Message PaymentReturnV01 321, 322, 322, 322, 322, 322, 322, 322, 324, 324, 324, 324, 324
Message PaymentStatusReportV02 392, 392, 392, 394, 394, 394, 394, 394

CurrencyCode
449, 457, 461
Message FIToFICustomerCreditTransferV01 43, 44, 45, 46, 46, 47, 47, 47, 47
Message FIToFICustomerDirectDebitV01 114, 115, 115, 117, 117, 117, 117, 117, 118
Message FIToFIPaymentReversalV01 166, 168, 168, 168, 168, 168, 168, 168, 168, 170, 170, 170, 170, 170
Message FinancialInstitutionCreditTransferV01 224, 225
Message PaymentCancellationRequestV01 266, 266, 267, 267, 267, 267, 269, 269, 269, 269, 269
Message PaymentReturnV01 321, 322, 322, 322, 322, 322, 322, 322, 322, 324, 324, 324, 324, 324
Message PaymentStatusReportV02 392, 392, 392, 392, 394, 394, 394, 394, 394

D

DateAndPlaceOfBirth
488

DecimalNumber
454
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 265
Message PaymentReturnV01 321
Message PaymentStatusReportV02 391, 391

DirectDebitTransaction1
Message FIToFICustomerDirectDebitV01 115

DirectDebitTransactionInformation2
Message FIToFICustomerDirectDebitV01 115

DocumentType2Code
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

DocumentType3Code
Message FIToFICustomerCreditTransferV01 47
Message FIToFICustomerDirectDebitV01 118
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 324
Message PaymentStatusReportV02 394

DunsIdentifier

449, 488

E

EANGLNIdentifier
449, 488

EquivalentAmount
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 322
Message PaymentStatusReportV02 392

ExtensiveBranchNetworkIdentifier
449

ExternalClearingSystemMemberCode
450, 461, 461, 474, 474

ExternalCode
450

ExternalLocalInstrumentCode
450
Message FIToFICustomerCreditTransferV01 44, 44
Message FIToFICustomerDirectDebitV01 114, 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

ExternalPurposeCode
450
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

F

FedwireRoutingNumberIdentifier
450

FinancialInstitutionIdentification3
461, 474

FinancialInstitutionIdentification5Choice
461, 474

Frequency1Code
Message FIToFICustomerDirectDebitV01 116, 116
Message FIToFIPaymentReversalV01 170, 170
Message PaymentCancellationRequestV01 268, 268

Message PaymentReturnV01 324, 324
Message PaymentStatusReportV02 393, 393

G

GenericIdentification3
461, 462, 474, 475, 488

GenericIdentification4
489

GermanBankleitzahlIdentifier
450

GroupHeader2
Message FIToFICustomerCreditTransferV01 43

GroupHeader3
Message FIToFICustomerDirectDebitV01 114

GroupHeader4
Message FinancialInstitutionCreditTransferV01 224

GroupHeader5
Message PaymentStatusReportV02 390

GroupHeader6
Message PaymentReturnV01 320

GroupHeader7
Message PaymentCancellationRequestV01 265

GroupHeader9
Message FIToFIPaymentReversalV01 166

GroupingIndicator
Message PaymentCancellationRequestV01 265

H

HellenicBankIdentificationCodeIdentifier
451

HongKongBankIdentifier
451

I

IBANIdentifier
451, 457

IBEIIdentifier
451, 488

ImpliedCurrencyAndAmount
447

IndianFinancialSystemCodeIdentifier
451

Instruction3Code
Message FIToFICustomerCreditTransferV01 45

Instruction4Code
Message FIToFICustomerCreditTransferV01 46
Message FinancialInstitutionCreditTransferV01 226

Instruction5Code
Message FinancialInstitutionCreditTransferV01 226

InstructionForCreditorAgent1
Message FIToFICustomerCreditTransferV01 45

InstructionForCreditorAgent2
Message FinancialInstitutionCreditTransferV01 226

InstructionForNextAgent1
Message FIToFICustomerCreditTransferV01 46
Message FinancialInstitutionCreditTransferV01 226

IrishNSCIdentifier
451

ISODate
447, 488
Message FIToFICustomerCreditTransferV01 43, 45, 45, 46
Message FIToFICustomerDirectDebitV01 114, 115, 115, 115, 116, 116, 116, 116, 117
Message FIToFIPaymentReversalV01 166, 168, 168, 168, 168, 169, 170, 170, 170, 170
Message FinancialInstitutionCreditTransferV01 224, 225
Message PaymentCancellationRequestV01 267, 267, 267, 268, 268, 268, 268, 268
Message PaymentReturnV01 321, 322, 322, 323, 323, 323, 324, 324, 324, 324
Message PaymentStatusReportV02 392, 392, 392, 393, 393, 393, 393, 394

ISODateTime
447
Message FIToFICustomerCreditTransferV01 43, 45, 45, 45
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166, 167
Message FinancialInstitutionCreditTransferV01 224, 225, 225
Message PaymentCancellationRequestV01 265, 266
Message PaymentReturnV01 320, 321, 322
Message PaymentStatusReportV02 390, 391, 392

ISOTime
447
Message FIToFICustomerCreditTransferV01 45
Message FinancialInstitutionCreditTransferV01 225

ItalianDomesticIdentifier
452

L

LanguageCode
452

LocalInstrument1Choice
Message FIToFICustomerCreditTransferV01 44, 44
Message FIToFICustomerDirectDebitV01 114, 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

M

MandateRelatedInformation1
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

Max1025Text
454
Message FIToFICustomerDirectDebitV01 116
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

Max105Text
454
Message FIToFIPaymentReversalV01 167, 168
Message PaymentCancellationRequestV01 266, 267
Message PaymentReturnV01 321, 322
Message PaymentStatusReportV02 391, 392

Max128Text
455
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166
Message PaymentReturnV01 320

Max140Text
455
Message FIToFICustomerCreditTransferV01 46, 46, 46, 47
Message FIToFICustomerDirectDebitV01 117, 118
Message FIToFIPaymentReversalV01 170, 170
Message FinancialInstitutionCreditTransferV01 226, 226, 226
Message PaymentCancellationRequestV01 268, 269
Message PaymentReturnV01 324, 325
Message PaymentStatusReportV02 393, 394

Max15NumericText
455
Message FIToFICustomerCreditTransferV01 43
Message FIToFICustomerDirectDebitV01 114
Message FIToFIPaymentReversalV01 166
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 265
Message PaymentReturnV01 320
Message PaymentStatusReportV02 391, 391

Max16Text
455, 461, 461, 462, 462, 462, 462, 474, 474, 475, 475, 475, 475, 488, 488, 498, 498

Max256Text
455
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

Max34Text
455, 457

Max350Text
456

Max35Text
456, 457, 461, 461, 461, 461, 461, 461, 462, 462, 462, 462, 462, 462, 462, 462, 474, 474, 474, 474, 474, 475, 475, 475, 475, 475, 475, 475, 475, 475, 486, 486, 486, 488, 488, 488, 488, 488, 488, 488, 488, 488, 488, 488, 488, 488, 488, 488, 488, 489, 489, 489, 498, 498
Message FIToFICustomerCreditTransferV01 43, 43, 44, 44, 44, 44, 46, 46, 46, 46, 46, 46, 47, 47, 47
Message FIToFICustomerDirectDebitV01 114, 114, 114, 114, 115, 115, 115, 115, 116, 117, 117, 117, 117, 117, 117, 118, 118, 118
Message FIToFIPaymentReversalV01 166, 167, 167, 167, 167, 167, 167, 168, 168, 168, 168, 169, 169, 169, 169, 169, 170, 170, 170, 170, 170, 170
Message FinancialInstitutionCreditTransferV01 224, 224, 225, 225, 225, 225
Message PaymentCancellationRequestV01 265, 266, 266, 266, 266, 266, 266, 266, 266, 267, 267, 267, 268, 268, 268, 268, 268, 268, 269, 269, 269
Message PaymentReturnV01 320, 321, 321, 321, 321, 322, 322, 322, 322, 322, 322, 322, 323, 323, 323, 323, 323, 324, 324, 324, 324, 324, 325
Message PaymentStatusReportV02 390, 391, 391, 391, 391, 391, 391, 391, 391, 391, 391, 391, 392, 392, 393, 393, 393, 393, 393, 394, 394, 394, 394

Max3Text

456
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

Max70Text
456, 457, 461, 461, 461, 461, 462, 462, 462, 462, 474, 474, 474, 475, 475, 475, 475, 475, 487, 488, 488, 498, 498
Message FIToFICustomerCreditTransferV01 46, 46
Message FIToFICustomerDirectDebitV01 117, 117

MICIdentifier
452

N

NameAndAddress3
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

NameAndAddress7
461, 474

NationalityCode
452

NewZealandNCCIdentifier
452

NumberOfTransactionsPerStatus1
Message PaymentStatusReportV02 391

O

OrganisationIdentification2
488

OriginalGroupInformation1
Message PaymentStatusReportV02 391

OriginalGroupInformation2
Message PaymentReturnV01 321

OriginalGroupInformation3
Message PaymentReturnV01 322

OriginalGroupInformation4
Message PaymentCancellationRequestV01 266

OriginalGroupInformation5
Message FIToFIPaymentReversalV01 167

OriginalTransactionReference1

Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 322
Message PaymentStatusReportV02 392

P

Party2Choice
488

PartyIdentification8
487
Message FIToFICustomerCreditTransferV01 45, 45, 45, 45, 45, 47, 47
Message FIToFICustomerDirectDebitV01 116, 116, 116, 116, 116, 116, 116, 117, 118, 118
Message FIToFIPaymentReversalV01 167, 168, 168, 169, 169, 170, 170, 170, 170, 171, 171
Message PaymentCancellationRequestV01 265, 266, 266, 267, 268, 268, 269, 269, 269, 269, 269, 269
Message PaymentReturnV01 321, 322, 323, 324, 324, 325, 325, 325, 325, 325, 325
Message PaymentStatusReportV02 390, 391, 391, 392, 393, 393, 394, 394, 394, 394, 394, 394

PaymentCategoryPurpose1Code
Message FIToFICustomerCreditTransferV01 44, 44
Message FIToFICustomerDirectDebitV01 115, 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

PaymentIdentification2
486
Message FIToFICustomerCreditTransferV01 44
Message FIToFICustomerDirectDebitV01 115
Message FinancialInstitutionCreditTransferV01 225

PaymentMethod4Code
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

PaymentTransactionInformation1
Message PaymentStatusReportV02 391

PaymentTransactionInformation2
Message PaymentReturnV01 322

PaymentTransactionInformation3
Message PaymentCancellationRequestV01 266

PaymentTransactionInformation5
Message FIToFIPaymentReversalV01 167

PaymentTypeInformation3

Message FIToFICustomerCreditTransferV01 44, 44

PaymentTypeInformation4
Message FIToFICustomerDirectDebitV01 114, 115

PaymentTypeInformation5
Message FinancialInstitutionCreditTransferV01 224, 225

PaymentTypeInformation6
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 392

PercentageRate
454

PersonIdentification3
488

PolishNationalClearingCodeIdentifier
452

PortugueseNCCIdentifier
452

PostalAddress1
461, 461, 462, 474, 475, 475, 488, 498
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

Priority2Code
Message FIToFICustomerCreditTransferV01 44, 44
Message FIToFICustomerDirectDebitV01 114, 115
Message FIToFIPaymentReversalV01 169
Message FinancialInstitutionCreditTransferV01 225, 225
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 392

Purpose1Choice
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

R

ReferredDocumentAmount1Choice
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 269
Message PaymentReturnV01 324

Message PaymentStatusReportV02 394

ReferredDocumentInformation1
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

ReferredDocumentType1
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

RegulatoryAuthority
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

RegulatoryReporting2
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

RegulatoryReportingType1Code
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

RemittanceInformation1
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

RemittanceInformation2
Message FinancialInstitutionCreditTransferV01 226

RemittanceLocation1
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

RemittanceLocationMethod1Code
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

RestrictedProprietaryChoice
Message FinancialInstitutionCreditTransferV01 225, 225, 225, 225

ReturnReason1Choice
Message PaymentReturnV01 321, 322

ReturnReasonInformation1
Message PaymentReturnV01 321, 322

ReversalReason1Choice
Message FIToFIPaymentReversalV01 167, 168

ReversalReasonInformation1
Message FIToFIPaymentReversalV01 167, 168

RussianCentralBankIdentificationCodeIdentifier
453

S

SequenceType1Code
Message FIToFICustomerDirectDebitV01 115, 115
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 323
Message PaymentStatusReportV02 393

ServiceLevel1Code
Message FIToFICustomerCreditTransferV01 44, 44
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 392

ServiceLevel2Choice
Message FIToFICustomerCreditTransferV01 44, 44
Message FIToFIPaymentReversalV01 169
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 392

ServiceLevel2Code
Message FIToFICustomerDirectDebitV01 114, 115

ServiceLevel3Choice
Message FIToFICustomerDirectDebitV01 114, 115

SettlementDateTimeIndication1
Message FIToFICustomerCreditTransferV01 45
Message FinancialInstitutionCreditTransferV01 225

SettlementInformation1
Message FIToFICustomerCreditTransferV01 43
Message FIToFIPaymentReversalV01 166
Message FinancialInstitutionCreditTransferV01 224

Message PaymentReturnV01 321

SettlementInformation2
Message FIToFICustomerDirectDebitV01 114

SettlementInformation3
Message FIToFIPaymentReversalV01 168
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 323
Message PaymentStatusReportV02 392

SettlementMethod1Code
Message FIToFICustomerCreditTransferV01 43
Message FIToFIPaymentReversalV01 166, 168
Message FinancialInstitutionCreditTransferV01 224
Message PaymentCancellationRequestV01 267
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 392

SettlementMethod2Code
Message FIToFICustomerDirectDebitV01 114

SettlementTimeRequest1
Message FIToFICustomerCreditTransferV01 45
Message FinancialInstitutionCreditTransferV01 225

SimpleIdentificationInformation2
457

SmallNetworkIdentifier
453

SouthAfricanNCCIdentifier
453

SpanishDomesticInterbankingIdentifier
453

StatusReason1Choice
Message PaymentStatusReportV02 391, 391

StatusReasonInformation1
Message PaymentStatusReportV02 391, 391

StructuredRegulatoryReporting2
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117

StructuredRemittanceInformation6
Message FIToFICustomerCreditTransferV01 46
Message FIToFICustomerDirectDebitV01 117
Message FIToFIPaymentReversalV01 170

Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 324
Message PaymentStatusReportV02 393

SwissBCIdentifier
453

SwissSICIdentifier
453

T

TransactionGroupStatus1Code
Message PaymentStatusReportV02 391

TransactionIndividualStatus1Code
Message PaymentStatusReportV02 391, 391

TransactionRejectReason2Code
Message PaymentReturnV01 321, 322
Message PaymentStatusReportV02 391, 391

TransactionReversalReason1Code
Message FIToFIPaymentReversalV01 167, 168

TrueFalseIndicator
Message FIToFICustomerDirectDebitV01 115
Message FIToFIPaymentReversalV01 166, 169
Message PaymentCancellationRequestV01 268
Message PaymentReturnV01 321, 323
Message PaymentStatusReportV02 393

U

UKDomesticSortCodeIdentifier
453

UPICIdentifier
454, 457

Revision Record

Revision	Date	Author	Description	Sections affected
1.0	12/07/2006	ISO 20022 RA	Initial version	All
2.0	08/09/2006	ISO 20022 RA	Reviewed version	All
3.0	11/10/2006	ISO 20022 RA	Message flows added	Message flows