Pattern 7 - Print a hollow m by n star rectangle.

Sample Input 3

Take **m** and **n** as an integer input, then print a **hollow m by n star rectangle**.

```
5
8
```

m = 5

n = 8

Sample Output 3

```
*****
*   *
*   *
*   *
*   *
*   *
*   *
*****
```



```java
public static void main(String[] args) {
    Scanner scn = new Scanner(System.in);
    int m = scn.nextInt();
    int n = scn.nextInt();

    for(int row = 0; row < n; row++){
        if(row == 0 || row == n-1){
            //m stars
            for(int i = 0; i < m; i++){
                System.out.print("*");
            }
        }
        else{// * m-2 *
            System.out.print("*");
            for(int i =0; i < m-2; i++){
                System.out.print(" ");
            }
            System.out.print("*");
        }
        System.out.println();

    }
```

m = 5
n = 4



row = 0 1 2 3 4

1 < 4 ✓

2 < 4 ✓

3 < 4 ✓

row == 0 || row == 3 ✓

4 < 4 ✗

Pattern 8 - Print a hollow square without top

Problem | Submissions | Leaderboard | Discussions

Take an integer input n and then print a hollow n by n square without the top.

Print as given in the conditions below:

In the first line there will a star , followed by **n-2** spaces and then there will be a star again,

Just like above, there will **n-1** lines and then

in the last line there will be **n** stars.

```java
import java.io.*;
import java.util.*;

public class Solution {

    public static void main(String[] args) {
        Scanner scn = new Scanner(System.in);
        int n = scn.nextInt();
        for(int row = 0; row < n; row++){
            if(row == n-1){
                for(int i = 0; i < n; i++){
                    System.out.print("*");
                }
            }else{
                System.out.print("*");
                for(int i = 0; i < n-2; i++){
                    System.out.print(" ");
                }
                System.out.print("*");
            }
            System.out.println();
        }
    }
}
```



Pattern 9 - Square Ladder with top and bottom

Take **n** as an integer input, then

print **n** tab separated stars in the first line,

then in the second line print a star, then **n-2** tabs, then print a star.

then print **n** tab separated stars in the third line.

then in the **fourth** line print a star, then **n-2** tabs, then print a star .

.





```java
import java.io.*;
import java.util.*;

public class Solution {

    public static void main(String[] args) {
        Scanner scn = new Scanner(System.in);
        int n = scn.nextInt();
        for(int row = 0; row < n; row++){
            if(row % 2 == 0){ // n stars
                for(int i = 0; i < n; i++){
                    System.out.print("*\t");
                }
            }else{
                System.out.print("*\t");
                for(int i = 0; i < n-2; i++){
                    System.out.print("\t");
                }
                System.out.print("*\t");
            }
            System.out.println();
        }
    }
}
```

n = 5



GKSTR24 Pattern_7_Pyramid

Sample Input 0

```
5
```

Sample Output 0

```
    *
   * *
  * * *
 * * * *
* * * * *
```

```java
import java.io.*;
import java.util.*;

public class Solution {

    public static void main(String[] args) {
        Scanner scn = new Scanner(System.in);
        int n = scn.nextInt();
        int star = 1;
        int space = n-1;

        for(int row = 0; row < n; row++){
            for(int i = 0; i < space; i++){
                System.out.print(" ");
            }
            for(int i = 0; i < star; i++){
                System.out.print("* ");
            }
            star++;
            space--;
            System.out.println();
        }
    }
}
```

n = 5

rows → n

star = 1

space = n-1

star++

space--

Diamond.

n = 5



1. rows → ? 2n-1

1st =
- stars = 1 → star += 2
- space = n-1 → space -= 1

n = 3

star -= 2
space += 1

n = 5

row = 0
row = 1
row = 2
row 3 → 4
row 4 → 5
row 5 6 7 8

+2 star
-1 space

-2 star
+1 space

if (row < n-1)

+2 star
-1 space

0
1
2
3 < 4

else



star = 1 3
space = 2 3
1 5
0
1 3
2

n=3



rows 2n-1

n=3

Star +2
space -1
A

row = 0 → 1 (A)

row = 1 → 2 (A)

→ row = 2 → 3 (B)

row = 3 → 4 (B)

n=5 → 2n-1 = 9

Star -2
space +1
B



row 0 → 1 (A)

row = 1 → 2 (A)

2 → 3 (A)

3 → 4 (A)

4 → 5 (B)

5 → 6 (B)

6 → 7 (B)

7 → 8 (B)

n=5

```
if (row < n-1)
{
   A
}
else
{
   B
}
```

row < 4

```java
public class Solution {

    public static void main(String[] args) {
        Scanner scn = new Scanner(System.in);
        int n = scn.nextInt();

        int space = n-1;
        int star = 1;

        for(int row = 0; row < (2*n)-1; row++){
            for(int i = 0; i < space; i++){
                System.out.print(" ");
            }
            for(int i = 0; i < star; i++){
                System.out.print("*");
            }

            if(row < n-1){
                star += 2;
                space -=1 ;
            }
            else{
                star -= 2;
                space += 1;
            }
            System.out.println();

        }
```



function $\{ f(x) = x^2$



function $\{ f(x) = 2x - 1$



functions / methods in Java.

↳ piece of code / block of code which perform specefic task.

$$f(x) = x^2$$

2 type of function

- inbuit
  - Math.max()
  - Sysl print()
  - main()
  - nextInt()
- user-defined.
  - we can create our func^n

Why? functions.

Reuse code.