

New Section 15 Page

5.0 pln();

24 October 2024 21:25

```
Functions Declaration
voturn-type function-name () }
```

int sum() {

Non-parameterized

Non-parameterized

Ly where it does not take any parameter from user

int sum() {

int a: 100;

int 5: 200;

seturn a+5;

}

Void print!()?

S.o.pln("Hello");

S.o.Pln("Geeksker"); S.o.Pln("Hi");

Void forint2() }

5.0.Plm ("Rehul"), -rized function

S.0.Plm("Geekster"),

}

p.s.v.m(String args (3) {

I main method -> It is first method to be executed.

printz();

Parameterized > Which accepts input while calling.

void printName (String name) { 'Rahul''
String appened Name: name + "kumar"; "Jatin"

S.o.pln (appended Name), "Jay"

"Aditya"

Trample

Find sum using a function

```
1 *import java.io.*;
 2 import java.util.*;
4 *public class Solution {
       public static void main(String[] args) {
 6 4
7 ₹
           /* Enter your code here. Read input from STDIN. Print output to S1
 8
           Scanner sc = new Scanner(System.in);
9
           int n = sc.nextInt();//4
10 v
           for(int i=1;i<=n;i++){
11
               int x= sc.nextInt();
               int y = sc.nextInt();
12
13
               findSum(x,y);
           }
14
      }
15
16 +
       static void findSum(int a, int b){
17
         int c = a+b;
18
           System.out.println(c);
19
20 }
```