
HW GKSTR17 Pattern 2

$$= 3, j = (1)^{2} < 3$$

$$j = (2)^{2} < 3$$

$$j = (3)^{2} < 3$$

Pattern 6 - Right triangle of 5 multiples



System.out.println();

System.out.print(j * 5 + "\t");


1 2


1 2 3

1 2 3 4

1 2 3 4 5

Pattern 7 - Print a hollow m by n star rectangle.






```
for (int i = 1; i <= n; i++) {    // rows
    for (int j = 1; j <= m; j++) {        // cols
        if (i == 1 || i == n || j == 1 || j == m) {
            System.out.print("*");
        } else {
            System.out.print(" ");
        }
    }
    System.out.println();</pre>
```



HW_Pattern 8 - Print a hollow square without top





70

HW_Print a, C, e, G, i, K... till 'z' or 'Z'

```
int turn = 1;
for (int i = 97; i <= 122; i+=2) {
    char ch = (char)i;
    if (turn % 2 == 0) {
        ch = Character.toUpperCase(ch);
    }
    turn++;
    System.out.println(ch);
}</pre>
```

```
int turn = 1;
for (int i = 97; i <= 122; i+=2) {
   char ch = (char)i;
   if (turn % 2 == 0) {
      ch = (char)(i - 32);
   }
   turn++;
   System.out.println(ch);
}</pre>
```

Print n/3

```
Scanner scn = new Scanner(System.in);
int n = scn.nextInt();
while ( n > 0 ) {
    System.out.print(n + " ");
    n = n / 3;
}
```

$$\eta = |03/3|$$
 $= 34/3$
 $= 11/3$
 $= 3/3$
 $= 1/3$
 $= 0$