INTERFACE CONTROL DOCUMENT

VERSION 1.0

VFS GLOBAL

Version#	Implemented By	Date	Description
1.0	VFS Global	21/05/2019	Version 1.0: API Method names as follows 1. VFS will provide API to get all masters associated with the application. Method name “master”. 2. VFS will provide API to send evoa associated all data. Method name “docket”. 3. VFS will provide API to track status of the current application. Method name “getStatusById”. 4. VFS will provide API to download evisa for the particular application. Method name “getEVOAById”.

Sample JWT

eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJpc3MiOiI2OTg0ZjE2NDM0ZjRhZDlmYzBlMDkwNTc1YzUyNTIwMSIsImN1bHR1cmVDb2RlIjoiZW4tVVMiLCJsb2dnZWRpblVzZXJJZCI6ImVlM2E2MzZiLTg3MWEtNGY5YS05YTc0LTMzZmU2NTJjYjliNSIsIlRyYXZlbEFnZW50SWQiOjEsImlhdCI6MTUxNjIzOTAyMn0.XLQROkfgTWV66_UgJV362-JmfuLOSXevIi0ccXE9VM8

Sample From - 6984f16434f4ad9fc0e090575c525201

1. **master**

Master name	Input	Sample Response
salutation	Token, From in request header	[{Id:1, Name:"Mr", Sequence : 1}]
gender	Token, From in request header	[{Id:1, Name:"Male", Sequence : 1}]
passportType	Token, From in request header	[{Id:1, Name:" Ordinary", Sequence : 1}]
occupation	Token, From in request header	[{Id:1, Name:"COMMERCIAL TRADER", Sequence : 1}]
airlines	Token, From in request header	[{Id:1, Name:"Thai Airways", Sequence : 1}]
arrivalAirport	Token, From in request header	[{Id:1, Name:" Suvarnabhumi International Airport", Sequence : 1}]
placeOfStay	Token, From in request header	[{Id:1, Name:" Hotel", Sequence : 1}]
city	Token, From in request header	[{Id:1, Name:" Bangkok", Sequence : 1}]
purposeOfVisit	Token, From in request header	[{Id:1, Name:" Business", Sequence : 1}]
yearlyIncome	Token, From in request header	[{Id:1, Name:" Less than 20,000 US$", Sequence : 1}]
flightType	Token, From in request header	[{Id:1, Name:" Charter", Sequence : 1}]
nationality	Token, From in request header	[{Id: 22, Name: "AFGHANISTAN", CountryCode: "AFG",…}]
nationality	Token, From in request header and optional parameter {IsResidence}	[{Id: 22, Name: "AFGHANISTAN", CountryCode: "AFG",…}]
nationality	Token, From in request header and optional parameter {IsNationality}	[{Id: 22, Name: "AFGHANISTAN", CountryCode: "AFG",…}]
district	Token, From in request header and optional parameter {CityId}	[{Id: 570, Name: "Chanuman", CityId: 26, PinCode: null,…}]
subDistrict	Token, From in request header and optional parameter {DistrictId}	[{Id: 3944, DistrictId: 570, Name: "Bung", Sequence: 982}]

Input

1. **Docket**

No.	Field Name	Field Type	Field Size	Required	Field Description	Sample Data
1.	Token	Jwt Token		Yes	Token provided by vfs while registering in the system	Provided in the header with **Authorization** key word
2.	From	String	50	Yes	Issuer given at the time of registering	Provided in the head with **From** Key word
3.	batchReference	String	128	Yes	Unique field identity to identify group	0a378f8b-0526-4d9c-b9de-c6948888d59
4.	paymentBatchReference	String	128	Yes	Unique field to identify payment batch reference	
5.	NoOfApplicants	number	5	Yes	Number of applicants in particular group	2
6.	Applicants	array		Yes	Array of applications	
7.	applicantDetails	Object		Yes	Object of applicant related data	
7.1	paymentReceiptRefNumber	string	128	Yes	Unique identifier for the individual applications payment	
7.2	ApplicantName	String	100	Yes	Applicant full name	
7.3	Email	String	80	Yes	Email	
7.4	Mobile	String	12	Yes	Mobile Number	
7.5	IsPriority	Number	2	Yes	Application is on priority or not	Yes =1, No =0
7.6	ISDCode	String	9	Yes	ISD code	
7.7	NationalityId	Number	2	Yes	Id of nationality master	
8.	passportDetails	object		Yes	Object for all passport related data	
8.1	GivenName	string	255	Yes	First name	
8.2	SurName	string	255	Yes	Last name	
8.3	MiddleName	String	255	No	Middle name	
8.4	PassportNumber	String	15	Yes	Passport Number	
8.5	PassportExpiryDate	String	10	Yes	Passport expiry date	YYYY-MM-DD
8.6	PassportIssueDate	String	10	Yes	Passport issue date	YYYY-MM-DD

8.7	DateOfBirth	String	10	Yes	Date of birth	YYYY-MM-DD
8.8	ResidencyId	Number	2	Yes	Id of residence master	
8.9	GenderId	Number	1	Yes	Id of gender master	
8.10	SalutationId	Number	1	Yes	Id of Salutation master	
8.11	PassportTypeId	Number	1	Yes	Id of Passport type master	
8.12	PermanentAddress	String	100	Yes	Permanent Address	
8.13	State	String	100	Yes	State	
8.14	YearlyIncome	Number	10	Yes	Yearly Income	
8.15	PlaceOfIssue	String	50	Yes	Place of passport issue	
8.16	OccupationId	Number	2	Yes	Id of occupation master	
9.	travelDetails	Object		Yes	Object of travel information related data	
9.1	ArrivalAirportId	Number	2	Yes	Id of Arrival Airport master	
9.2	ArrivalDate	String	10	Yes	Date of arrival	YYYY-MM-DD
9.3	ArrivalTime	String	5	Yes	Time of arrival	HH:MM
9.4	ArrivalFlightNumber	String	50	Yes	Arrival flight number	
9.5	ArrivalAirlinesId	Number	1	Yes	Id of Arrival Airlines master	
9.6	ArrivalPNRNumber	String	50	No	PNR Number in case of selected arrival airline is ThaiAirways	
9.7	DepartureDate	String	10	Yes	Date of departure	YYYY-MM-DD
9.8	DepartureTime	String	5	Yes	Time of departure	HH:MM
9.9	DepartureFlightNumber	String	50	Yes	Departure flight number	
9.10	DepartureAirlinesId	Number	128	Yes	Id of Departure Airlines master	
9.11	DeparturePNRNumber	String	50	No	PNR Number in case of selected arrival airline is ThaiAirways	
9.12	PurposeOfVisit	Number	128	Yes	Id of Purpose of visit master	
9.13	BoardedCountry	Number	128	Yes	Id of Boarded country master	
9.14	NextCity	String	128	Yes	Next city	
9.15	FirstTimeTraveller	Number	1	Yes	Travelling first time	Yes =1, No =0
9.16	TypeOfFlight	Number	2	Yes	Id of Type of flight master	
9.17	LengthOfStay	String	2	Yes	Length of stay	
9.18	IsMinorTravellingOnSamePassport	Number	1	No	If minor is travelling on same passort	Yes =1, No =0

9.18a	MinorFamilyName	String	100	No	Minor family name	
9.18b	MinorGivenName	String	100	No	Minor first name	
9.18c	MinorGender	Number	1	No	Id of Gender master	
9.18d	MinorDateOfBirth	String	10	No	Date of birth of minor	YYYY-MM-DD
9.18e	MinorPlaceOfBirth	String	100	No	Place of birth of minor	
10.	accommodationDetails	Object		Yes	Object of accommodation details data	
10.1	PlaceOfStayId	Number	10	Yes	Id of place of stay master	
10.2	AccommodationOrOwnerName	String	50	Yes	Accommodation or owner name	
10.3	CityId	Number	10	Yes	Id of city master	
10.4	DistrictId	Number	10	Yes	Id of district master	
10.5	SubDistrictId	Number	10	Yes	Id of sub district master	
10.6	PinCode	String	10	Yes	Pincode	
10.7	StreetAddress	String	100	Yes	Street address of the accommodation	
10.8	ReferenceDetails	String	50	Yes	Reference details	
11.	documentList	Array		Yes	Array of all documents	Maximum 8 and minimum 6 documents are required
11.1	DocumentListId	Id	3	Yes	DocumentId from document master	
11.2	FileContent	Base64		Yes	Document file content	
11.3	FileName	String	50	Yes	File name of uploaded document	
11.4	MimeType	String	20	Yes	Mime type	Image/jpeg, application/pdf
11.5	FileSize	String	10	Yes	Size of the file uploaded (in KB)	Should be less than 100 kb
12.	Amount	String	50	Yes	Amount paid	

Output

1. **Docket**

No.	Field Name	Field Size	Field Type	Required	Field Description	Sample
1.	isSuccess		Boolean	Yes	Response of api	
2.	errorDesc	200	Text	No	Incase isSuccess is false	
3.	totalSuccessCount	3	Number	Yes	Total application successfully submitted	
4.	totalFailedCount	3	Number	No	Total application submission failed	
5.	successList		Array	Yes	List of applications submitted	
5.1	webReferenceNumber	15	String	Yes	Unique identifier provided by VFS for every application	
5.2	paymentReceiptRefNumber	128	String	Yes	Unique identifier for the individual application payment provided by sender	
6	failedList		Array	Yes	List of applications submission failed	
6.1	paymentReceiptRefNumber	128	String	Yes	Unique identifier for the individual application payment provided by sender	
6.3	Reason	100	String	yes	Failure reason	

Input

2. getStatusById

No.	Field Name	Field Type	Field Size	Required	Field Description	Sample Data
1.	Token	Jwt token		Yes	Token provided by vfs while registering in the system	Provided in the header with **Authorization** key word
2.	From	String	50	Yes	Issuer given at the time of registering	Provided in the head with **From** Key word
3.	webReferenceNumber	String	20	Yes	Reference Number provided by	Reference number provided by the VFS in SendEVOAData API
4.	passportNumber	String	15	Yes	Passport Number of the application	
5.	dateOfBirth	String	10	Yes	Date of birth of applicant	YYYY-MM-DD

Output

2. getStatusById

No.	Field Name	Field Size	Field Type	Required	Field Description	Sample
1.	isSuccess		Boolean	Yes	Response of api	
2.	errorDesc	200	Text	No	Incase isSuccess is false	
3.	webReferenceNumber	15	String	Yes	Unique identifier provided by VFS for every application	
4.	paymentReceiptRefNumber	128	String	Yes	Unique identifier for the individual application payment provided by sender	
5.	status	50	String	Yes	Current status of the application	

Input

3. getEVOABById

No.	Field Name	Field Type	Field Size	Required	Field Description	Sample Data
1.	Token	Jwt token		Yes	Token provided by vfs while registering in the system	Provided in the header with **Authorization** key word
2.	From	String	50	Yes	Issuer given at the time of registering	Provided in the head with **From** Key word
3.	webReferenceNumber	String	20	Yes	Reference Number provided by	Reference number provided by the VFS in SendEVOAData API
4.	passportNumber	String	15	Yes	Passport Number of the application	

Output.

3. getEVOABById

No.	Field Name	Field Size	Field Type	Required	Field Description	Sample
1.	isSuccess		Boolean	Yes	Response of api	
2.	errorDesc	200	Text	No	Incase isSuccess is false	
3.	webReferenceNumber	15	String	Yes	Unique identifier provided by VFS for every application	
4.	paymentReceiptRefNumber	128	String	Yes	Unique identifier for the individual application payment provided by sender	
5.	evoaContent		Base64	Yes	Base64 encoded data of generated evoa	

Error Handling.

No.	Error Message	Error Code	Description
1.	Not authorized	401	User is not authorized to access the api
2.	Incorrect Request	404	In case of incorrect Request
3.	Internal Server Error	500	In case of other error, eg. Database connection error
4.	Incorrect data format	400	In case of incorrect data format