Visoka skola strukovnih studija za komunikacione i informacione tehnologije



DOKUMENTACIJA

Gabrijela Matovic 21/18

UVOD

- 1. Korisceni programski jezici i tehnologije
- 2. Opis funkcionalnosti
- 3. Template
- 4. Korisceni CSS


ORGANIZACIJA


- 1. Sitemap.xml
- 2. Sema baze podataka
- 3. Slike stranica sa opisom funkcionalnosti


KODOVI

- 1. JS
- 2. CSS
- 3. PHP


PHP KOD











UVOD

1. Korisceni programski jezici i tehnologije

JS, PHP, CSS, HTML, Jquery, SCSS

2. Opis funkcionalnosti

Registracija i logovanje, validacija podataka, ispis gresaka i upis u bazu

Ulogovan korisnik moze gledati blogove svih korisnika, postaviti svoj blog, izbrisati svoje prethodno napravljene blogove. Validacija podataka prilikom unosa bloga i prikaz gresaka

Meniji u navigaciji i futeru dinamicki ispisani

Autor otvara model sa linkom za download iste stranice u wordu

Administratorska stranica sadrzi informaciju o broju trenutno aktivnih i registrovanih korisnika. Prosecan pristup stranicama sajta

3. Template

Template nije koriscen, napisan je samostalno

4. Korisceni CSS


SCSS, Bootstrap, Materialize

ORGANIZACIJA

1. Sitemap.xml

```
</url>
```

2. Sema baze podataka



3. Slike stranica sa opisom funkcionalnosti

Linkovi dinamicki ispisani, klikom se otvara modal sa formama za logovanje i registraciju. Ispis gresaka. Prilikom uspesne registracije se pojavljuje toast sa porukom




Welcome to E-BLOG


perfect place for everyone who wants to publish passion their way. Easily share your experience, knowledge and interests with others




SIGN UP










Korisnicka stranica. Sve je ispisano dinamicki. Mogucnost dodavanja bloga, brisanja svojih blogova, pregled blogova drugih korisnika. Uspesnost postavljanja bloga se realizuje porukom sa toastom








₽	Insert title							
	Write something							
	Insert text							
Write something								
Choose blog tags								
	Animal Do it yourself Fitness and health Language learning Parenting Sports		Art Fashion Food Lifestyle Personal Choose at least one tag		Business Finance Gaming Music Self improvement Travel			
	POST BLOG	l	Location to the first	Add im	nage			

Insert an jpg/jpeg image

Modal za autora, link za preuzimanje iste stranice u wordu



Administratorska stranica sadrzi informaciju o ulogovanim korisnicima, registrovanim, posecenost stranicama sajta. Posecenost stranica je belezena u txt fajl.

E-Blog		х Analysis 🖍 Manage 🔁 Logout
Active users at the moment : O Number of registred users : 4		
PAGE NAME	Number of visits	AVERAGE ACCESS
/blog/index.php	344	25.312729948491537%
/blog/model/blog/getBlogTags.php	326	23.98822663723326%
/blog/model/blog/getBlogs.php	327	24.061810154525386%
/blog/model/admin/getVisitedPages.php	325	23.914643119941132%
/blog/model/user/logout.php	10	0.7358351729212657%
/blog/model/user/signIn.php	17	1.2509197939661516%
/blog/model/blog/makeBlog.php	3	0.22075055187637968%
/blog/model/blog/deleteBlog.php	6	0.44150110375275936%
es.php	1	0.07358351729212656%
511	ID US ON	

Sve greske nastale u radu su upisane u txt fajl, ukoliko korisnik pristupa nedozvoljenim stranicama sajta koje rade sa bazom, sesija korisnika se brise i on se redirektuje na pocetnu stranicu sajta

KODOVI

1. JS kod

```
window.onload=function(){
$(document).ready(function(){
    previewTags();
    $('.modal').modal();
    $('.dropdown-trigger').dropdown();
    $('select').formSelect();
    $("#styleButtonChooseBlogTags").click(function(){
        $('.modal').modal('close');
    });
    $("#btnSignUp").click(signUp);
    previewBlogs();
    $('body').on('click', 'a#delete', function(e){
        e.preventDefault();
        let id = $(this).parent().parent().data
("id");
        $.ajax({
            url: "model/blog/deleteBlog.php",
```

```
method: "post",
           data: {
              "id": id,
              "btnDeleteBlog": true
           },
           success: function (data) {
              console.log(data);
              // if (data.response) {
              M.toast({ html: data, displayLength: 300
0 });
              previewBlogs();
              // $('.modal').modal('close');
                    // $("#successSignUp").html(data.
message);
              // }
           },
           error: function (status) {
              console.log(status);
       });
   });
             P A G E ****************************
DMIN
********/
   getVisitedFiles();
});
var successSignUp;
function signUp(){
   successSignUp = 0;
```

```
Let username = $("#username").val();
    let email = $("#email").val();
    let password = $("#password").val();
    Let passwordConfirm = $("#passwordConfirm").val();
    Let regUsername = /^[a-zA-Z0-9]\{6,30\}$/;
    Let regEmail = /^{a-z}+[a-z0-9]?+ ...-1*@[a-z]
z]{2,10}(\.[a-z]{2,4})+$/;
    Let regPassword = /^.{8,40}$/;
    checkInput(username, regUsername, 'username', 'Usern
ame must have at least 6 characters and start with a let
ter');
    checkInput(email, regEmail, 'email', 'Wrong format o
f an e-mail address');
    checkInput(password, regPassword, 'password', 'Passw
ord must have at least 8 characters');
    if (password != passwordConfirm) {
        $("#passwordConfirm").next().next().html('Passwo
rds are not matched');
        successSignUp++;
    else {
        $("#passwordConfirm").next().next().html('');
    }
    if (!successSignUp) {
        $.ajax({
            url : "model/user/signUp.php",
            method : "post",
            data : {
```

```
"username" : username,
                "email" : email,
                "password" : password,
                "passwordConfirm" : passwordConfirm,
                "btnSignUp" : true
            },
            success : function(data){
                    // console.log(data);
                if(data.response)
                    M.toast({ html: data.message, displa
yLength: 3000});
                    $('.modal').modal('close');
                    // $("#successSignUp").html(data.mes
sage);
                }
                deleteInputData("username");
                deleteInputData("email");
                deleteInputData("password");
                deleteInputData("passwordConfirm");
            },
            error: function (status){
                console.log(status);
        });
    }
var successSignIn;
function signIn() {
     successSignIn = 0;
```

```
Let username = $("#usernameLogin").val();
    let password = $("#passwordLogin").val();
    Let regUsername = /^[a-zA-Z0-9]\{6,30\}$/;
    let regPassword = /^.{8,40}$/;
    checkInput(username, regUsername, 'usernameLogin', '
Username must have at least 6 characters and start with
a letter');
    checkInput(password, regPassword, 'passwordLogin', '
Password must have at least 8 characters');
    if (!successSignIn){
        return true;
    else{
        return false;
function checkInput(field, criteria, id, message) {
    if (!criteria.test(field)) {
        $("#" + id).next().next().html(message);
        successSignUp++;
        successSignIn++;
    else {
        $("#" + id).next().next().html('');
```

```
function deleteInputData(id) {
   $("#" + id).val('');
function previewTags(){
   $.ajax({
       url: "model/blog/getBlogTags.php",
       method: "post",
       data: {
           "getTagsRequest": true
       },
       success: function (data) {
           let html = '';
           i=0:
           html3 = '';
           html4='';
           html = ` Choose blog
tags `;
          for (let one of data) {
              html += `
                  <label>
                      <input type="checkbox" name="cho</pre>
oseTags[]" value= ${one.tag_id} />
                      <span>${one.title}</span>
                  </label> `;
              html3 += `
                  <label>
                      <input type="checkbox" name="tag</pre>
s[]" value= ${one.tag id} />
                      <span>${one.title}</span>
                  </label> `;
```

```
html4 += `
                  <label>
                      <input type="radio" name="t[]" v</pre>
alue= ${one.tag id} />
                      <span>${one.title}</span>
                  </label> `;
           }
           html += `
ne"> `;
           $("#getTagOffer").html(html);
           Let html2 = '';
          for (let one of data) {
              html2 += ` <a href="#" class="d-
flex "> ${one.title} <span>(2)</span> </a> `;
           html3 += `<input type="button" value="Delete</pre>
tag" class="btn btnPostBlog mt-
0" name="btnPostBlog" />`;
           html4 += `<div class="input-field">
                      <i class="material-</pre>
icons prefix">subject</i></i>
                      <input type="text" id="blogTitle</pre>
" name="blogTitle">
                      <label for="blogTitle">Edit tag<</pre>
/label>

                  </div>`;
```

```
html4 += `<input type="button" value="Edit t</pre>
ag" class="btn btnPostBlog mt-0" name="btnPostBlog" />`;
            $("#forTags").html(html2);
            $("#admindelete").html(html3);
            $("#adminedit").html(html4);
        },
        error: function (status) {
            console.log(status);
    });
var successAddBlog;
   function addBlog(){
    successAddBlog = 0;
    let title = $("#blogTitle").val();
    let text = $("#blogText").val();
    let picture = document.getElementById("file-
input").files[0];
    console.log(picture);
    if(!/^.{1,}$/.test(title))
        $("#blogTitle").next().next().html("Write someth
ing");
        successAddBlog++;
    else{
        $("#blogTitle").next().next().html("");
```

```
}
    if (!/^.{1,}$/.test(text)) {
        $("#blogText").next().next().html("Write somethi
ng");
        successAddBlog++;
    else {
        $("#blogText").next().next().html("");
    }
    let selected = [];
    $('input:checked').each(function (){
        selected.push($(this).attr('value'));
    });
    if(selected.length == 0)
        $("#checkOne").html("Choose at least one tag");
        successAddBlog++;
    else{
        $("#checkOne").html("");
    if(picture == undefined){
        $("#allErrors").html("Insert an jpg/jpeg image")
        successAddBlog++;
    if(successAddBlog == 0)
```

```
return true;
    else
    return false;
function previewBlogs(){
    $.ajax({
        url: "model/blog/getBlogs.php",
        method: "post",
        data: {
             "getAllBlogs": true
        },
        success: function (data) {
            html = '';
            for(let one of data.blogs)
            {
                 console.log(one);
                 html+=`<div class="blog mt-4" data-</pre>
id="${one.blog_id}">
                     <div class="userShortcut d-</pre>
flex align-items-center justify-content-between mb-1">
                         <div class="d-flex align-items-</pre>
center">`;
                         let username = one.username;
                         let first = username.split("")[0
].toUpperCase();
```

```
html+=`<span class="firstLetter"</pre>
> ${first} </span>
                            <a href="#"> ${one.username}
 </a>
                        </div>`;
                if(one.logged == one.whoPosted)
                    html +=`<div><a href="#" id="delete"</pre>
><i class="material-</pre>
icons editicons">delete</i></a></div>`;
                html+=`
                    </div>
                    1"> ${one.date}h 
                    <div class="slika"><img src="${one.i</pre>
mage}" alt="${one.title}" class="contentImage" /></div>
<div class="types d-flex flex-wrap">`;
               for(let tag of one.tags)
                {
                    html+=`<span data-</pre>
tag_id="${tag.tag_id}"> ${tag.title} </span>`;
                }
                html_{+=}
                    </div>
                    <h2> ${one.title}</h2>
                     ${one.text} 
                </div>`;
            }
```

```
$("#blogsPreview").html(html);
      },
      error: function (status) {
         console.log(status);
   });
function getVisitedFiles(){
   $.ajax({
      url: "model/admin/getVisitedPages.php",
      method: "post",
      data: {
         "visitedPages": true
      },
      success: function (data) {
         html='';
         console.log(data);
         html +=` 
                  <thead>
                     >
                        le ths">Page name
                        le ths">Number of visits
                        le ths">Average access
                     </thead>
                  `;
```

```
for(i=0; i<data.pages.length; i++)</pre>
              {
                  html+=``;
                  html += ` ${data.pages[i]} 
                  html += ` ${data.number[i]} </td</pre>
                  let result = data.number[i] / data.t
otal * 100;
                  html += ` ${result}% `;
                  html += ``;
           html +=`
                      `;
          $("#visited").html(html);
       },
       error: function (status) {
           console.log(status);
   });
```

2. CSS kod

```
margin: 0px;
  padding: 0px; }
body, .btn {
 font-family: "Bubblegum Sans" !important; }
body {
 color: #252525 !important; }
.title {
 font-family: "Freckle Face"; }
.underline {
 text-decoration: underline; }
.addColor {
 color: #fff; }
.background {
 background-color: #004B84; }
.uppercase {
 text-transform: uppercase; }
.row {
 margin-bottom: 0px; }
```

```
******* O V E R R I D E **
**********************************
input:not([type]):focus:not([readonly]) + label, input[t
ype=text]:not(.browser-
default):focus:not([readonly]) + label, input[type=passw
ord]:not(.browser-
default):focus:not([readonly]) + label, input[type=email
]:not(.browser-
default):focus:not([readonly]) + label, input[type=url]:
not(.browser-
default):focus:not([readonly]) + label, input[type=time]
:not(.browser-
default):focus:not([readonly]) + label, input[type=date]
:not(.browser-
default):focus:not([readonly]) + label, input[type=datet
ime]:not(.browser-
default):focus:not([readonly]) + label, input[type=datet
ime-local]:not(.browser-
default):focus:not([readonly]) + label, input[type=tel]:
not(.browser-
default):focus:not([readonly]) + label, input[type=numbe
r]:not(.browser-
default):focus:not([readonly]) + label, input[type=searc
h]:not(.browser-
default):focus:not([readonly]) + label, textarea.materia
lize-textarea:focus:not([readonly]) + label {
 color: #252525; }
input:not([type]):focus:not([readonly]), input[type=text
]:not(.browser-
```

```
default):focus:not([readonly]), input[type=password]:not
(.browser-
default):focus:not([readonly]), input[type=email]:not(.b
rowser-
default):focus:not([readonly]), input[type=url]:not(.bro
wser-
default):focus:not([readonly]), input[type=time]:not(.br
owser-
default):focus:not([readonly]), input[type=date]:not(.br
owser-
default):focus:not([readonly]), input[type=datetime]:not
(.browser-
default):focus:not([readonly]), input[type=datetime-
local]:not(.browser-
default):focus:not([readonly]), input[type=tel]:not(.bro
wser-
default):focus:not([readonly]), input[type=number]:not(.
browser-
default):focus:not([readonly]), input[type=search]:not(.
browser-
default):focus:not([readonly]), textarea.materialize-
textarea:focus:not([readonly]) {
  border-bottom: 1px solid #252525;
 box-shadow: none; }
.input-field .prefix.active {
 color: #004B84; }
.input-field > label {
  color: #252525;
  padding-left: 10px; }
```

```
****** M E N U *******
/************************
.nav-wrapper ul {
 height: 64px;
 width: fit-content;
 position: absolute;
 right: 0;
 top: 0; }
nav .brand-logo {
 position: relative; }
h1 {
 font-size: 30px;
 margin: 0px;
 line-height: unset;
 width: fit-content !important;
 color: #fff; }
.link span, .link i {
 color: #fff; }
nav ul a {
 color: #252525; }
nav .brand-logo {
 position: relative; }
nav {
-webkit-box-shadow: none !important; }
```

```
.nav-wrapper ul {
 height: 64px;
 width: fit-content; }
.material-icons {
  margin-right: 10px !important; }
.stayHere {
 position: sticky;
 top: 0px;
 z-index: 50; }
[type=text], textarea, select {
 font-family: "Bubblegum Sans"; }
@media only screen and (max-width: 992px) {
  nav .brand-logo {
    left: 0;
    display: contents; } }
@media screen and (max-width: 740px) {
  .disappear {
    display: none; }
  .link i {
    width: fit-content !important;
    margin: 0px !important; } }
@media screen and (max-width: 475px) {
  .nav-wrapper {
    display: flex !important;
    flex-direction: column !important; }
    .nav-wrapper h1, .nav-wrapper u1 {
```

```
margin: 0 auto !important; }
   .nav-wrapper ul {
    height: fit-content;
    width: 100%;
    display: flex;
    position: relative;
    margin: 0 auto !important;
    justify-content: center !important;
    background-color: #004B84; }
     .nav-wrapper ul li {
      height: fit-content; }
 .becomeFixed {
   position: fixed !important;
   position: absolute !important;
   top: 0px !important;
   z-index: 2000 !important; }
 nav {
   height: fit-content;
   position: relative !important; } }
.btn, .btn:hover {
 background-color: #252525 !important; }
/****** M O D A L S *****
*************
.modal {
 max-height: 80%;
 max-width: 30%;
 padding: 20px; }
```

```
.prefix {
 color: #004B84; }
input[type="submit"] {
 margin-top: 50px; }
.modal-close {
 position: absolute;
 top: 10px;
 right: 10px;
 padding: 0;
 margin: 0px 5px 0px 0px;
 font-size: 20px; }
.formFont {
 font-size: 30px; }
.btnSignIn {
 margin-top: 30px !important; }
.errorP {
 color: #b71c1c; }
@media screen and (max-width: 1295px) {
  .modal {
   max-height: 80%;
    max-width: 35%;
    padding: 20px; } }
@media screen and (max-width: 931px) {
  .modal {
    max-width: 50%; } }
```

```
@media screen and (max-width: 751px) {
  .modal {
   max-width: 60%; } }
@media screen and (max-width: 600px) {
  .modal {
   max-width: 70%; } }
@media screen and (max-width: 475px) {
  .modal {
   max-width: 80%; } }
/****** H E A D E R *****
****************************
/*****************
.bgImage {
 background-image: url("../images/header1.jpg");
 background-size: 50% 50%;
 background-position: right;
 background-repeat: no-repeat;
 height: 600px;
 width: 600px; }
.headerImage {
 width: 100%;
 height: 100%; }
.welcome {
 color: #004B84; }
.welcomep {
 font-size: 25px; }
@media only screen and (max-width: 991px) {
```

```
.change991 {
   margin-top: 30px;
   text-align: center !important; }
   .change991 h3 {
     font-size: 33px; }
   .change991 .welcomep {
     font-size: 20px !important; } }
.toast {
 background-color: #252525 !important; }
/****** H O M E   ********
/*******************************
****************************
/* S E A R C H */
.searchbq {
 background-color: #004B84 !important; }
/* B L O G */
.userShortcut {
 width: 100%;
 height: fit-content;
 padding: 10px;
 border-bottom: 1px solid #c0c0c0; }
 .userShortcut img {
   height: 30px;
   width: 30px;
   border-radius: 50%; }
 .userShortcut a {
   margin-left: 10px;
   color: #252525;
   text-decoration: underline; }
```

```
.postBlog, .blog {
  border: 1px solid #c0c0c0;
  border-radius: 10px; }
.blog {
 position: relative; }
.editicons {
 font-size: 20px;
 margin-right: 0px !important; }
#edit, #delete {
 width: 100%;
 height: 100%; }
.moreOptionsList {
  position: absolute;
 right: 0;
 top: 0;
 background-color: #fff;
 border: 1px solid #c0c0c0;
  border-radius: 0px 10px; }
  .moreOptionsList li {
    padding: 10px; }
    .moreOptionsList li:first-child {
      border-bottom: 1px solid #c0c0c0; }
.linkA {
  color: #252525 !important; }
.postBlog {
```

```
width: 80%;
 padding: 20px;
 margin-left: auto !important; }
.disappearOptions {
 display: none; }
.blog {
 width: 47%;
 margin-left: 0px; }
.blog h2 {
 font-size: 25px;
 margin: 0px;
 padding: 10px 15px 10px 15px; }
.content {
 padding: 0px 15px 15px 15px; }
.date {
 text-align: right;
 padding: 0px 15px; }
.comments {
 padding: 15px;
 border-top: 1px solid #c0c0c0; }
 .comments a {
   color: #252525;
   font-style: italic; }
.date, .types {
 font-size: 13px;
```

```
color: rgba(37, 37, 37, 0.5);
 font-style: italic; }
.types {
 padding: 0px 10px; }
.firstLetter {
 background-color: #004B84;
 color: #fff;
 padding: 1px 7px;
 border-radius: 50px; }
.types span {
 margin-left: 5px;
 width: fit-content;
 background-color: #fff;
 border-radius: 10px;
 border: 1px solid #c0c0c0;
 color: #252525;
 padding: 5px;
 margin-bottom: 5px !important; }
.contentImage {
 width: 100%; }
.changewidth {
 width: 83.5%;
 margin-left: auto !important; }
.image-upload > input {
 display: none;
 width: 100% !important; }
```

```
.itslabel {
 width: 30%; }
#checkOne {
 width: 100%; }
.smallMessage {
 width: 100%;
 margin-bottom: 10px; }
.addImage, .add {
 color: #252525 !important;
 cursor: pointer;
 font-size: 15px; }
.addImage {
 font-size: 25px; }
/* S O R T */
/********************
*******/
.dropdown-content li > a, .dropdown-content li > span {
 color: #252525; }
.select-dropdown {
 border: 1px solid #c0c0c0 !important;
 border-radius: 10px !important; }
.select-wrapper {
 width: 100% !important;
 margin: 0 auto;
```

```
margin-left: auto !important; }
.first {
 margin-left: 20px !important; }
/* TYPE OF BLOG LEFT */
.blogType li {
 margin: 5px \otimes px; }
  .blogType li:first-child {
    margin-top: 0px; }
.blogType li a {
 display: block;
 color: #252525 !important;
 border-radius: 10px;
 padding: 0px 10px;
 width: 100%; }
  .blogType li a span {
    margin-left: 5px !important; }
@media only screen and (max-width: 991px) {
  .blogType {
    width: 90%;
    margin: 0 auto;
    flex-wrap: wrap;
    flex-direction: row !important;
    justify-content: space-between !important; }
    .blogType li {
      width: 30%; }
      .blogType li:first-child {
        margin: 5px 0px; }
```

```
.changewidth, .postBlog {
   margin: 0 auto; }
  .postBlog {
   margin-top: 30px !important; }
  .blog {
   width: 90%; } }
@media only screen and (max-width: 991px) {
  .select-wrapper, .search {
   width: 90% !important;
   margin: 0 auto !important; }
  .blog, .postBlog, .changewidth {
   width: 90%; }
  .blog {
   width: 100%; }
  .deleteP {
   padding: 0px; } }
@media only screen and (max-width: 840px) {
  .itslabel {
   width: 48%; } }
@media only screen and (max-width: 600px) {
  .blogType li {
   width: 45%; } }
@media only screen and (max-width: 500px) {
  .itslabel {
   width: 100%; } }
@media only screen and (max-width: 420px) {
 .blogType li {
```

```
width: 100%;
    margin: 5px auto !important; } }
@media only screen and (max-width: 350px) {
  .disappear350 {
    display: none !important; } }
/* M O D A L chooseBlogTagsTitle */
.chooseBlogTagsTitle {
 font-size: 30px !important; }
#author {
  margin-right: auto !important; }
[type="checkbox"]:checked + span:not(.lever):before {
  border-right: 2px solid #004B84;
 border-bottom: 2px solid #004B84; }
.forChooseBlogTags {
  color: #252525; }
.styleButtonChooseBlogTags {
 display: block;
 text-align: center !important;
  background-color: #252525;
 width: 80px !important;
 margin: 0 auto !important; }
  .styleButtonChooseBlogTags:hover {
   background-color: #252525; }
.ddlChange li a {
  text-decoration: none;
  border-radius: 50px 10px 0px 0px !important;
  margin-left: 0px;
```

```
width: 120px !important;
 font-size: 15px; }
********************************/
****************************
.copy {
 font-size: 30px; }
.change {
 font-size: 23px !important; }
/****** A D M I N ******
************************
/**********************************
************************
.ths {
 font-size: 18px; }
.managesize {
 font-size: 25px; }
.radios {
 width: 20%;
 height: fit-content; }
@media only screen and (max-width: 991px) {
 .radios {
  width: 32%; } }
@media only screen and (max-width: 690px) {
.radios {
```

```
width: 50% !important; } }
@media only screen and (max-width: 420px) {
    .radios {
     width: 100% !important; } }
/*# sourceMappingURL=style.css.map */
```

3. PHP kod

Index.php

```
<?php
    require_once("config/connection.php");
    session_start();
    require_once("view/fixed/head.php");
    require_once("view/fixed/menu.php");
    if(isset($_SESSION['user']) && $_SESSION['user']-
>role_id == 1)
        if(isset($_GET['page']))
            if($_GET['page'] == 'user')
                include("view/home.php");
        }
    else if(isset($_SESSION['user']) && $_SESSION['user'
]->role id == 2)
    {
        if(isset($_GET['page']))
            if($_GET['page'] == 'analysis')
```

```
include("view/analysis.php");
}
else if($_GET['page'] == 'manage'){
    include("view/manage.php");
}
}
else{
    require_once("view/header.php");
}
require_once("view/fixed/footer.php");
}
```

CONFIG FOLDER

Connection.php

```
<?php
    require once("configuration.php");
    require once("visitedLog.php");
    require once("getError.php");
    try{
        $connection=new PDO("mysql:host=$host;dbname=$db
name",$un , $pass);
        $connection-
>setAttribute(PDO::ATTR ERRMODE, PDO::ERRMODE EXCEPTION)
        $connection-
>setAttribute(PDO::ATTR DEFAULT FETCH MODE, PDO::FETCH O
BJ);
    catch(PDOException $ex)
            $message = $ex->getMessage();
            $content = "Connection problems - $message";
            $path = "";
            error($content, $path);
    visitedPages();
```

.env faj

DBNAME=praktikum SERVER=localhost USERNAME=root PASSWORD=

Configuration.php

```
<?php
// Osnovna podesavanja
define("BASE_URL", "http://localhost/blog/");
define("ABSOLUTE PATH", $ SERVER["DOCUMENT ROOT"]."/blog
/");
// Ostala podesavanja
define("ENV_FAJL", ABSOLUTE_PATH."config/.env");
define("LOG FAJL", ABSOLUTE PATH."data/log.txt");
define("ERROR", ABSOLUTE PATH."data/error.txt");
define("SEPARTOR", "&");
// Podesavanja za bazu
$host = env("SERVER");
$dbname = env("DBNAME");
$un = env("USERNAME");
$pass = env("PASSWORD");
function env($naziv){
    $podaci = file(ENV FAJL);
    $vrednost = "";
    foreach($podaci as $key=>$value){
        $row = explode("=", $value);
        if($row[0]==$naziv){
            $vrednost = trim($row[1]);
    return $vrednost; }
```

getError.php

```
<?php
   function error($msg)
    {
        try{
            $openedFile = fopen(ERROR, 'ab');
            $content='';
            $date = time();
            $address = $_SERVER['REMOTE_ADDR'];
            $content = "$date \t $address \t $msg \n";
            fwrite($openedFile, $content);
            fclose($openedFile);
        catch(PDOException $e){
    }
```

VisitedLog.php

```
function visitedPages(){
    try{
        $file = fopen(LOG_FAJL, 'ab');
        $content='';
        $page = $_SERVER["PHP_SELF"];
        // $date = time();
        $content = "$page \n";

        fwrite($file, $content);
        fclose($file);
    }
    catch(PDOException $e){
        echo $e->getMessage();
    }
}
```

VIEW FILES

FIXED

Menu.php

```
<?php
    require once("model/link/getMenuLinks.php");
?>
    <div class="container-fluid background stayHere">
        <div class="container">
            <div class="row">
                <div class="col-lg-12">
                    <nav class="background right">
                        <div class="nav-wrapper">
                            <a href="#!" class="brand-</pre>
logo uppercase title"><h1>E&#45;blog</h1></a>
                            <?php if(isset($_SESSION['user']) && $_SESSION['</pre>
user']->role_id == 1): ?>
            <?php $forPreview = getMenuLinks("user"); ?>
                <?php foreach($forPreview as $one): ?>
                                class="link">
                                    <a href="<?= $one-
>href ?>">
                                        <i class="materi</pre>
al-icons left"> <?=$one->icon ?> </i>
```

```
<span class="dis</pre>
appear">
                                                <?=$one-
>name ?>
                                            </span>
                                       </a>
                                   <?php endforeach; ?>
           <?php elseif(isset($_SESSION['user']) && $_SES</pre>
SION['user']->role id == 2): ?>
               <?php $forPreview = getMenuLinks("admin");</pre>
 ?>
                   <?php foreach($forPreview as $one): ?>
                                   cli class="link">
                                       <a href="<?= $one-
>href ?>">
                                            <i class="materi</pre>
al-icons left"> <?=$one->icon ?> </i></i></or>
                                            <span class="dis</pre>
appear">
                                                <?=$one-
>name ?>
                                            </span>
                                       </a>
                                   <?php endforeach; ?>
        <?php else: ?>
               <?php $forPreview = getMenuLinks("unauthor</pre>
ised"); ?>
                   <?php foreach($forPreview as $one): ?>
```

```
<a class=</pre>
"waves-effect waves-light btn modal-
trigger" href="<?=$one->href?>"> <?= $one-
>name ?> </a>
                 <?php endforeach; ?>
       <?php endif; ?>
                          </div>
                   </nav>
               </div>
           </div>
       </div>
   </div>
<!-- SIGN IN MODAL -->
<div id="modalSignIn" class="modal">
   ✕
   <div class="modal-content center">
       <h2 class="formFont mb-4">Sign In</h2>
   <form action="model/user/signIn.php" method="post" a</pre>
utocomplete="off" onSubmit="return signIn();">
     <div class="input-field">
       <i class="material-</pre>
icons prefix">account circle</i></i>
       <input type="text" id="usernameLogin" name="user</pre>
nameLogin">
       <label for="usernameLogin">Username</label>
       </div>
     <div class="input-field">
       <i class="material-icons prefix">lock</i>
```

```
<input type="password" id="passwordLogin" name="</pre>
passwordLogin">
       <label for="passwordLogin">Password</label>
        <!-</pre>
- //sessionCheckAndPreview('errorSignIn');--> 
     </div>
     <input type="submit" value="Sign In" class="btn bt</pre>
nSignIn mt-3" id="btnSignIn" name="btnSignIn"/>
   </form>
 </div>
</div>
<!-- SIGN UP MODAL -->
<div id="modalSignUp" class="modal">
   ✕
   <div class="modal-content center">
       <h2 class="formFont mb-4">Sign Up</h2>
   <form id="formSignUp" autocomplete="off">
     <div class="input-field">
       <i class="material-</pre>
icons prefix">account circle</i>
       <input type="text" id="username">
       <label for="username">Username</label>
      </div>
     <div class="input-field">
       <i class="material-icons prefix">email</i>
       <input type="text" id="email">
       <label for="email">E-mail</label>
       </div>
     <div class="input-field">
```

```
<i class="material-icons prefix">lock</i>
       <input type="password" id="password">
       <label for="password">Password</label>
       </div>
     <div class="input-field">
       <i class="material-icons prefix">lock</i>
       <input type="password" id="passwordConfirm">
       <label for="passwordConfirm">Confirm password</l</pre>
abel>
       </div>
     <input type="button" value="Sign Up" class="btn bt</pre>
nSignUp mt-2" id="btnSignUp" name="btnSignUp">
   </form>
 </div>
</div>
```

Head.php

```
<!DOCTYPE html>
    <head>
        <meta charset="UTF-8">
        <meta name="viewport" content="width=device-</pre>
width, initial-scale=1.0" />
        <meta name="keywords" content="blog, blos, e-</pre>
blog, blogging, experience" />
        <meta name="description" content="Welcome to E-</pre>
BLOG, perfect place for everyone who wants to publish pa
ssion their way. Easily share your experience, knowledge
 and interests with others" />
        <!--Google fonts-->
        <!-
- <link href="https://fonts.googleapis.com/css?family=La</pre>
cquer|Philosopher|Yeon+Sung&display=swap" rel="styleshee"
t" /> -->
        <link href="https://fonts.googleapis.com/css2?fa</pre>
mily=Bubblegum+Sans&display=swap" rel="stylesheet" />
        <link href="https://fonts.googleapis.com/css2?fa</pre>
mily=Love+Ya+Like+A+Sister&display=swap" rel="stylesheet
" />
        <link href="https://fonts.googleapis.com/css2?fa</pre>
mily=Freckle+Face&display=swap" rel="stylesheet" />
        <!-- spongebob -->
        <link href="https://fonts.googleapis.com/css2?fa</pre>
mily=Flavors&display=swap" rel="stylesheet" />
        <link href="https://fonts.googleapis.com/css2?fa</pre>
mily=Miltonian+Tattoo&display=swap" rel="stylesheet" />
```

```
<!--Font awesome-->
        <link rel="stylesheet" href="https://use.fontawe</pre>
some.com/releases/v5.8.2/css/all.css" />
        <!-- Materialize icons -->
        <link href="https://fonts.googleapis.com/icon?fa</pre>
mily=Material+Icons" rel="stylesheet" />
        <!-- Favourite icon -->
        <link rel="shortcut icon" href="assets/images/ic</pre>
on.ico" type="image/png" />
        <!-- Files -->
        <meta name="viewport" content="width=device-</pre>
width, initial-scale=1" />
        <link rel="stylesheet" href="assets/css/material</pre>
ize.min.css" />
        <link rel="stylesheet" href="assets/css/bootstra</pre>
p-grid.min.css" />
        <link rel="stylesheet" href="assets/css/style.cs</pre>
s" />
        <title> E&#45;blog </title>
    </head>
    <body>
```

Footer.php

```
<?php
    require("model/link/getFooterLinks.php");
?>
        <footer class="page-footer background pt-0">
            <div class="container">
                <div class="row pt-2 pb-3 d-flex align-</pre>
items-center">
                    <div class="col-lg-6 col-md-12">
                        <h3 class="white-
text change title uppercase underline center">Find us on
</h3>
                        <?php $footerLinks = getFooterLi</pre>
nks("social"); ?>
                            <?php foreach($footerLinks a</pre>
s $one): ?>
                                       cli class="center"
><a class="grey-text text-lighten-</pre>
3" target=" blank" href="<?= $one->href ?>"> <?= $one-</pre>
>name ?> </a>
                            <?php endforeach; ?>
                        </div>
                    <div class="col-lg-6 col-md-12">
```

```
<h3 class="white-</pre>
text change center title underline uppercase">Useful lin
ks</h3>
                      <l
       <?php $footerLinks = getFooterLinks("additional"</pre>
); ?>
           <?php foreach($footerLinks as $one): ?>
               <?php if($one->name == 'Author'): ?>
                    <a class="grey-</pre>
text text-lighten-3 modal-trigger" href="<?= $one-
>href ?>"> <?= $one->name ?> </a>
               <?php else: ?>
                    <a class="grey-</pre>
text text-lighten-3" target=" blank" href="<?= $one-
>href ?>"> <?= $one->name ?> </a>
               <?php endif; ?>
           <?php endforeach; ?>
                    </div>
               </div>
         </div>
         <div class="footer-copyright">
           <div class="container">
                Copyright <s</pre>
pan class="copy">©</span> Gabrijela Matović 2020 </
p>
           </div>
         </div>
       </footer>
```

```
<script src="assets/js/jquery-</pre>
3.4.1.min.js"></script>
        <script src="assets/js/materialize.min.js"></scr</pre>
ipt>
        <script src="assets/js/main.js" type="text/javas</pre>
cript"></script>
    </body>
</html>
<div id="author" class="modal d-flex flex-</pre>
column justify-content-center">
    <h4 class="uppercase title center mb-
3"> Author </h4>
    <div class="center"><img src="assets/images/author.j</pre>
pg" id="author" alt="Author's picture" /> </div>
     Gabrijela Matovic 21/18 
     geeris77@gmail.com 
    <a class="btn m-</pre>
3" href="model/link/wordDownload.php"> Export as word fi
le </a>
</div>
```

OSTALI VIEW

Header.php

```
<div class="container">
    <div class="row">
        <div class="col-lg-6 d-flex justify-content-</pre>
center align-items-center change991">
            <div>
            <h3> Welcome to <span class="welcome title u
ppercase ml-2"> E-blog </span> </h3>
             perfect place for every
one who wants to publish passion their way. Easily share
your experience, knowledge and interests with others </
p>
            </div>
        </div>
        <div class="col-lg-6">
            <img src="assets/images/header.jpg" class="h</pre>
eaderImage" />
        </div>
    </div>
</div>
```

Home.php

```
<?php if(isset($ SESSION['blogMade'])): ?>
           <script> alert("<?= $ SESSION["blogMade"] ?>
"); </script>
       <?php unset($ SESSION["blogMade"]); ?>
<?php endif; ?>
<div class="container">
   <div class="row mt-2">
       <div class="col-lg-3 col-sm-12 mt-4">
           <select class="sortList">
               <option class="first" value="0" disabled</pre>
selected>Sort blogs</option>
               <option value="1">Show popular</option>
               <option value="2">Show newest first</opt</pre>
ion>
               <option value="3"> Show oldest first
tion>
           </select>
           4" id="forTags">
               <!-- JS -->
           </div>
       <div class="col-lg-9">
           <div class="row">
               <div class="col-lg-12">
                   <div class="postBlog mt-4">
```

```
<form action="model/blog/makeBlo"</pre>
g.php" enctype="multipart/form-
data" method="post" id="addBlog" onSubmit="return addBlog"
g();">
                            <div class="input-field">
                                <i class="material-</pre>
icons prefix">subject</i>
                                <input type="text" id="b</pre>
logTitle" name="blogTitle">
                                <label for="blogTitle">I
nsert title</label>
                                > 
                            </div>
                            <div class="input-field">
                                <i class="material-</pre>
icons prefix">edit</i>
                                <textarea id="blogText"</pre>
name="blogText" class="materialize-textarea"></textarea>
                                <label for="blogText">In
sert text</label>
                                > 
                            </div>
                            <div class="d-flex flex-</pre>
row justify-content-around">
                                <!-
- <a href="#modalGetBlogTags" id="tagOffer" class="add m
odal-trigger"> Add blog tags <i class="material-
icons addImage">add circle</i></a> -->
```

```
<div class="d-</pre>
flex justify-content-between flex-wrap mb-
3" id="getTagOffer">
                                       </div>
                              </div>
                              <div class="d-flex justify-</pre>
content-around">
                                  <input type="submit" val</pre>
ue="Post blog" class="btn btnPostBlog mt-
3" name="btnPostBlog">
                                  <div class="image-</pre>
upload mt-3">
                                       <label for="file-</pre>
input" class="add center">
                                           <span class="dis</pre>
appear350">Add image</span><i class="material-</pre>
icons addImage">collections</i></i>
                                       </label>
                                       <input id="file-</pre>
input" name="blogFile" type="file" />
                                  </div>
                              </div>
                              3" id="allErrors">
                                  <?php if(isset($_SESSION))</pre>
['errors']))
                                  {
                                      $errors = $_SESSION[
"errors"];
```

```
foreach($errors as $
one){
                                         echo $one;
                                     }
                                 }
                              </form>
                    </div>
                </div>
            </div>
            <div class="row changewidth mb-5">
                <div class="col-12 d-flex flex-</pre>
wrap justify-content-between deleteP" id="blogsPreview">
                        <!-- <div class="blog mt-4">
                         <div class="userShortcut d-</pre>
flex align-items-center mb-1">
                             <imq src="assets/images/head</pre>
er.jpg" />
                             <a href="#"> mile123 </a>
                        </div>
                        1"> 27.07.2020. 03:03h 
                        <img src="assets/images/header.j</pre>
pg" class="contentImage" />
                         <div class="types d-flex flex-</pre>
wrap">
                             <span> #food </span>
                             <span> #bure </span>
```

Analysis.php

```
<?php
   require("model/admin/numberOfActiveUsers.php");
   require("model/admin/numberOfRegistredUsers.php");
?>
   <div class="container">
       <div class="row mt-2">
           <div class="col-lg-12" id="tableErrors">
               class="mt-
4"> Active users at the moment : <?= $active->a ?> 
               4"> Number of registred users : <?= $registred-
>r ?> 
               <div id="visited"> </div>
           </div>
       </div>
   </div>
```

Manage.php - nedovrseno

```
<div class="container">
        <div class="row mt-2">
            <div class="col-lg-12">
                <h2 class="uppercase title managesize">
Add blog tag </h2>
                <form id="adminadd">
                    <div class="input-field">
                         <i class="material-</pre>
icons prefix">subject</i>
                         <input type="text" id="blogTitle</pre>
 name="blogTitle">
                         <label for="blogTitle">Insert ne
w tag</label>

                    </div>
                    <input type="button" value="Add tag"</pre>
 class="btn btnPostBlog mt-0" name="btnPostBlog" />
                </form>
            </div>
            <div class="col-lg-12">
                <h2 class="uppercase title managesize">
Edit blog tag </h2>
                <form id="adminedit" class="d-flex flex-</pre>
wrap">
                    <div class="input-field">
                         <i class="material-</pre>
icons prefix">subject</i></i>
                         <input type="text" id="blogTitle</pre>
 name="blogTitle">
```

MODEL FOLDER

ADMIN

getVisitedPages.php

```
<?php
    require_once("../../config/connection.php");
    if(isset($_POST['visitedPages']))
        $code=200;
        header("Content-Type:application/json");
        $allVisited;
        $allPages;
        $number=[];
        try{
           $openedFile = file(LOG_FAJL);
            $allVisited=0;
            $allPages=[];
            $number=[];
            foreach($openedFile as $one){
                $allVisited++;
                if(!in_array($one, $allPages))
                    array push($allPages, $one);
            $i;
            foreach($allPages as $exist){
                $i=0;
                foreach($openedFile as $one){
                    if($exist == $one)
```

```
$i++;
                array_push($number, $i);
            }
            $json = json_encode([
                "pages" => $allPages,
                "number" => $number,
                "total" => $allVisited
            ]);
        catch(PDOException $ex){
            $message = $ex->getMessage();
            $content = "Get blog tags - select - $messag
e";
            // $path = "../../";
            error($content);
        }
        echo $json;
        http_response_code($code);
    else{
        session_destroy();
        header("Location:../../index.php");
    }
```

number Of Active Users. php

```
<?php
    global $connection;

    $active = $connection-
>query("SELECT COUNT(username) as a FROM user WHERE is_a
ctive = 1 AND role_id = 1")->fetch();
```

number Of Registred Users. php

```
<?php
    global $connection;

    $registred = $connection-
>query("SELECT COUNT(username) as r FROM user WHERE role
_id = 1")->fetch();
```

BLOG

makeBlog.php

```
<?php
    require_once("../../config/connection.php");
    session start();
    $cameFrom = $_SERVER["HTTP_REFERER"];
   // var_dump($_POST);
    if(isset($_POST['btnPostBlog']))
    {
        $errors=[];
        if(isset($ POST['blogTitle']) && preg match("/^.
{1,}$/", $_POST['blogTitle']))
            $title = $ POST['blogTitle'];
        else
            array push($errors, "Fill the title field");
        }
        if(isset($ POST['blogText']) && preg match("/^.{
1,}$/", $_POST['blogText']))
            $text = $_POST['blogText'];
        else
        {
            array push($errors, "Fill the text field");
```

```
}
        if(isset($_POST['chooseTags']))
            $tags = $ POST['chooseTags'];
        else
        {
            array_push($errors, "Choose at least one tag
");
        }
        if(isset($_FILES['blogFile']) && !empty($_FILES[
'blogFile']))
        {
            $fileName = $ FILES['blogFile']['name'];
            $tmpLocation = $ FILES['blogFile']['tmp name
 ];
            $arrayName = explode(".", $fileName);
            $ext = end($arrayName);
            $time = time();
            $newFile = "../../assets/images/blogImages/"
."small".$time.$fileName;
            $newFileForDatabase = "assets/images/blogIma
ges/"."small".$time.$fileName;
            if($ext == "jpg" // $ext == "jpeg")
                //header("content-type:image/jpeg");
                $newHeight = 500;
```

```
list($width, $height) = getImageSize($tm
pLocation);
                $newWidth = $width * $newHeight / $heigh
t;
                $platno = imagecreatetruecolor($newWidth
 $newHeight);
                $for = imagecreatefromjpeg($tmpLocation)
                imagecopyresized($platno, $for, 0, 0, 0,
 0, $newWidth, $newHeight, $width, $height);
                imagejpeg($platno, $newFile);
                imagedestroy($platno);
            }
            else
            {
                array_push($errors, "Insert an image wit
h jpg or jpeg format");
        else
        {
            array_push($errors, "Insert an image with jp
g or jpeg format");
        }
        if(count($errors) == 0)
```

```
$user id = $ SESSION['user']->user id;
            $prepare = $connection-
>prepare("INSERT INTO blog VALUES (null, :title, :image,
 :text, :date, :user id)");
           $title = addslashes($title);
           $prepare->bindParam(":title", $title);
            $prepare-
>bindParam(":image", $newFileForDatabase);
           $title = addslashes($text);
           $prepare->bindParam(":text", $text);
           $prepare->bindParam(":date", $time);
           $prepare->bindParam(":user id", $user id);
            try{
                $result = $prepare->execute();
                if($result){
                        $data = $connection-
>query("SELECT blog_id FROM blog ORDER BY blog_id DESC L
IMIT 1")->fetch();
                        $blog id = $data->blog id;
                        settype($blog_id, "integer");
                        $successfullyAddedTags=0;
                   foreach($tags as $one)
```

```
settype($one, "integer");
                        $prepare = $connection-
>prepare("INSERT INTO blog_tag VALUES (null, :blog_id, :
tag_id)");
                        $prepare-
>bindParam(":blog_id", $blog_id);
                        $prepare-
>bindParam(":tag_id", $one);
                        try{
                            $result = $prepare-
>execute();
                             if(!$result)
                                 $successfullyAddedTags++
                             }
                        }
                        catch(PDOException $ex){
                             $message = $ex-
>getMessage();
                             $content = "Add tags to new
blog - insert - $message";
                            error($content);
                        }
                    }
                    if($successfullyAddedTags == 0)
```

```
$_SESSION["blogMade"] = "Your bl
og has been successfully added";
                        header("location:$cameFrom");
                    }
                }
            catch(PDOException $ex){
                $message = $ex->getMessage();
                $content = "Make new blog - insert - $me
ssage";
                error($content);
        else
        {
            $_SESSION["errors"] = $errors;
            header("location:$cameFrom");
    else{
        session_destroy();
        header("Location:../../index.php");
    }
```

getBlogTags.php

```
<?php
    require once("../../config/connection.php");
    if(isset($ POST['getTagsRequest']))
        $code=200;
        header("Content-Type:application/json");
        global $connection;
        try{
        $result = $connection-
>query("SELECT * FROM tag ORDER BY title")->fetchAll();
        catch(PDOException $ex){
            $message = $ex->getMessage();
            $content = "Get blog tags - select - $messag
            // $path = "../../";
            error($content);
        }
        echo json encode($result);
        http response code($code);
   else{
        session destroy();
        header("Location:../../index.php");
```

getBlogs.php

```
<?php
    session start();
    require once("../../config/connection.php");
    if(isset($_POST['getAllBlogs']))
        $code=200;
        header("Content-Type:application/json");
        global $connection;
        try{
        $blogs = $connection-
>query("SELECT u.username AS loggedUser, b.*
                                     FROM user u INNER JO
IN blog b ON u.user id = b.user id
                                    ORDER BY date DESC")
->fetchAll();
        catch(PDOException $ex){
            $message = $ex->getMessage();
            $content = "Get all blogs - select - $messag
e";
            // $path = "../../";
            error($content);
        }
        $session = $_SESSION["user"]->user_id;
        $niz=[];
```

```
foreach($blogs as $oneBlog)
            $blog id = $oneBlog->blog id;
            $username = $oneBlog->loggedUser;
            $image = $oneBlog->image;
            $text = $oneBlog->text;
            $title = $oneBlog->title;
            $whoPosted = $oneBlog->user id;
            $date = $oneBlog->date;
            $date = date('Y-m-d H:i', $date);
        try{
            $tagsOfOne = $connection->query("SELECT t.*
                                    FROM blog b INNER JO
IN blog tag bt ON b.blog id = bt.blog id INNER JOIN tag
t ON bt.tag id = t.tag id WHERE bt.blog id = $blog id")-
>fetchAll();
        catch(PDOException $ex){
            $message = $ex->getMessage();
            $content = "Get all blog tags - select - $me
ssage";
            // $path = "../../";
            error($content);
        }
        $myObj = new stdClass();
        $myObj -> blog id = $blog id;
        $myObj -> username = $username;
        $myObj -> image = $image;
```

```
$myObj -> text = $text;
    $myObj -> title = $title;
    $myObj -> whoPosted = $whoPosted;
    $myObj -> date = $date;
    $myObj -> tags = $tagsOfOne;
    $myObj -> logged = $session;
    array_push($niz, $myObj);
    $json = json_encode([
        "blogs" => $niz
    ]);
    echo $json;
    http_response_code($code);
else{
    session_destroy();
    header("Location:../../index.php");
```

deleteBlog.php

```
<?php
    require once("../../config/connection.php");
    if(isset($_POST['btnDeleteBlog']))
        header("Content-Type:application/json");
        $id = $ POST['id'];
        $code=200;
        $deleted = $connection-
>prepare("DELETE FROM blog WHERE blog id=:id");
        $deleted->bindParam(":id", $id);
        try{
            $success = $deleted->execute();
        catch(PDOException $ex){
            $message = $ex->getMessage();
            $content = "Delete blog - delete - $message"
            // $path = "../../";
            error($content);
        }
        if($success)
            $message = "Blog has been successfully delet
ed"
```

```
}
else{
    $message = "An error has been occured";
}

echo json_encode($message);
http_response_code($code);
}
else{
    session_destroy();
    header("Location:../../index.php");
}
?>
```

LINK

getFooterLinks.php

getMenuLinks.php

wordDownload.php

```
<?php
    $path= "../../data/Author.docx";
    if(file_exists($path)) {
        header('Content-Description: File Transfer');
        header('Content-Type: application/octet-
stream');
        header('Content-
Disposition: attachment; filename="'.basename($path).'"'
);
        header('Expires: 0');
        header('Cache-Control: must-revalidate');
        header('Pragma: public');
        header('Content-Length: ' . filesize($path));
        flush();
        readfile($path);
        die();
    else {
        die();
    }
```

USER

isActive.php

```
<?php
   function changeIsActive($id, $new){
        global $connection;
        var dump($connection);
        $prepare = $connection-
>prepare("UPDATE user SET is_active = :changeActive WHER
E user_id = :id");
        $prepare -> bindParam(":changeActive", $new);
        $prepare -> bindParam(":id", $id);
        try{
            $prepare->execute();
        catch(PDOException $ex){
                $message = $ex->getMessage();
                $content = "Change active user status -
update - $message";
                error($content);
   }
```

Logout.php

```
<?php
    session_start();
    require_once("../../config/connection.php");
    require("isActive.php");

$id = $_SESSION['user']->user_id;
    changeIsActive($id, 0);

session_destroy();
    header("location:../../index.php");
?>
```

PrepareData.php

```
  function prepareUserData($data, $isPassword){
    if($isPassword)
    {
      $data = addslashes($data);
      $data = md5($data);

      return $data;
    }
    else{
      $data = addslashes($data);
      return $data;
    }
      *data = addslashes($data);
      return $data;
    }
}
```

signIn.php

```
<?php
    require_once("../../config/connection.php");
    require once("prepareData.php");
    require_once("isActive.php");
    session start();
   $i=0;
   if(isset($_POST['btnSignIn']))
        if(isset($_POST['usernameLogin']))
            $usernameLogin = $ POST['usernameLogin'];
            $usernameLogin = trim($usernameLogin);
            forUsername = "/^[a-zA-Z0-9]{6,30}$/";
            if(!preg_match($forUsername, $usernameLogin)
            {
                $i++;
            }
        else{
                $i++;
        }
        if(isset($_POST['passwordLogin']))
        {
            $passwordLogin = $_POST['passwordLogin'];
```

```
$passwordLogin = trim($passwordLogin);
            $forPassword = "/^.{8,}$/";
            if(!preg match($forPassword, $passwordLogin)
                $i++;
        else{
            $i++;
        if(\$i == 0)
            // $signInResult=signInUser($usernameLogin,
$passwordLogin);
            $preparedUsername = prepareUserData($usernam
eLogin, 0);
            $preparedPassword = prepareUserData($passwor
dLogin, 1);
        try{
        $result = $connection-
>query("SELECT * FROM user WHERE username='$preparedUser
name' AND password='$preparedPassword'")->fetch();
        catch(PDOException $ex){
                $message = $ex->getMessage();
```

```
$content = "Sign in user - select - $mes
sage";
                error($content);
        // return $result;
            if(!$result)
            {
                $_SESSION['errorSignIn'] = "Sign In deta
ils are incorrect";
                $content = $_SESSION['errorSignIn'];
                error($content);
                 header("location:../../index.php");
            else{
                $_SESSION['user'] = $result;
                $id = $ SESSION['user']->user id;
                changeIsActive($id, 1);
                if($ SESSION['user']->role id==1)
                    header("location:../../index.php?pag
e=user");
                else if($ SESSION['user']->role id==2)
                header("location:../../index.php?page=an
alysis");
        else{
```

signUp.php

```
<?php
    session start();
    require once("../../config/connection.php");
    require_once("prepareData.php");
    header("Content-type:application/json");
    $data = null;
    $code = 404;
    $i=0;
    if(isset($_POST['btnSignUp']))
        if(isset($ POST['username']))
            $username = $ POST['username'];
            $username = trim($username);
            $forUsername = "/^[a-zA-Z0-9]{6,30}$/";
            if(!preg match($forUsername, $username))
                $errorun = "Username must have at least
five characters and start with a letter";
                $i++;
            }
        else{
            $errorun = "Username must have at least five
 characters and start with a letter";
                $i++;
```

```
}
        if(isset($_POST['email']))
            $email = $ POST['email'];
            $email = trim($email);
            $forEmail = "/^[a-z]+[a-z0-9\?\+\_\.\-]*@[a-
z]{2,10}(\.[a-z]{2,4})+$/";
            if(!preg match($forEmail, $email))
                $errore = "Wrong format of an e-
mail address";
                $i++;
            }
        else{
                $errore = "Wrong format of an e-
mail address";
                $i++;
        }
        if(isset($_POST['password']))
        {
            $passwordup = $ POST['password'];
            $passwordup = trim($passwordup);
            $forPassword = "/^.{8,}$/";
            if(!preg_match($forPassword, $passwordup))
```

```
$errorp = "Password must have at least 8
 characters";
                $i++;
            }
            else{
                if(isset($_POST['passwordConfirm']))
                $passwordConfirm = $_POST['passwordConfi
rm'];
                $passwordConfirm = trim($passwordConfirm
);
                    if($passwordup != $passwordConfirm)
                        $errorpc = "Passwords are not ma
tched";
                    $i++;
                }
                else{
                    $errorpc = "Passwords are not matche"
d";
                    $i++;
            }
        else{
            $errorp = "Password must have at least 8 cha
racters";
            $i++;
```

```
if($i != 0)
            $data = json encode([
                "response" => 0,
                "errorun" => $errorun,
                "errore" => $errore,
                "errorp" => $errorp,
                "errorpc" => $errorpc,
            ]);
        else{
            $prepareQuery = $connection-
>prepare("INSERT INTO user VALUES (null, :username, null
, :email, :passwordup, null, :createDate, :isActive, :ro
leID)");
            $preparedUsername = prepareUserData($usernam
e, 0);
            $prepareQuery-
>bindParam(":username", $preparedUsername);
            $preparedEmail = prepareUserData($email, 0);
            $prepareQuery-
>bindParam(":email", $preparedEmail);
            $preparedPassword = prepareUserData($passwor)
dup, 1);
            $prepareQuery-
>bindParam(":passwordup", $preparedPassword);
            $createDate=time();
```

```
$prepareQuery-
>bindParam(":createDate", $createDate);
            define("IS ACTIVE", 0);
            $isActive = IS ACTIVE;
            $prepareQuery -
> bindParam(":isActive", $isActive);
            define("USER_ROLE", 1);
            $roleID = USER ROLE;
            $prepareQuery-
>bindParam(":roleID", $roleID);
            try{
                $prepareQuery->execute();
            catch(PDOException $ex){
                $message = $ex->getMessage();
                $content = "Sign up user - insert - $mes
sage";
                error($content);
            }
        }
            $data = json_encode([
                "response" => 1,
                "message" => 'Your account has been succ
essfully made'
            ]);
            echo $data;
```

```
http_response_code(200);
}
else{
    session_destroy();
    header("Location:../../index.php");
}
```