

# Cucumber Report

Jul 23, 2022, 12:39:24 PM

**Start : Jul 23, 12:39:20.374 PM**

**End : Jul 23, 12:39:23.367 PM**

**Duration : 2.993 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 3**


**FAILED - 3**


**SKIPPED - 0**

**PASSED - 15**


**FAILED - 3**

**SKIPPED - 0**







#	Feature Name	T	P	F	S	Duration
1	<u>Validate and Test POST request for Users API</u>	6	3	3	0	2.993 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Validate and Test POST request for Users API</u>	<u>User is able to create a new user record</u>	3	2	1	0	0.877 s
2	<u>Validate and Test POST request for Users API</u>	<u>User is able to create a new user record with either existing firstname or existing contact or existing email</u>	3	2	1	0	0.520 s
3	<u>Validate and Test POST request for Users API</u>	<u>User is unable to create a new user record with existing firstname, contact and email</u>	3	3	0	0	0.882 s
4	<u>Validate and Test POST request for Users API</u>	<u>User is able to create a new user record with missing mandatory field</u>	3	3	0	0	0.417 s
5	<u>Validate and Test POST request for Users API</u>	<u>User is able to create a new user record with empty request body</u>	3	3	0	0	0.020 s
6	<u>Validate and Test POST request for Users API</u>	<u>User is not able to create a new user record when UserType is other than Dietician/Patient</u>	3	2	1	0	0.229 s

**(F)- Validate and Test POST request for Users API**

<b>FAILED</b>	<b>DURATION - 2.993 s</b>	Scenarios		Steps	
/ 12:39:20.374 PM // 12:39:23.367 PM /		Total - 6		Total - 18	
		Pass - 3		Pass - 15	
		Fail - 3		Fail - 3	
		Skip - 0		Skip - 0	



**(S)- User is able to create a new user record**

<div>FAILED</div> <div>DURATION - 0.877 s</div>		<div></div>	<div>Steps</div> <div>Total - 3</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 12:39:20.378 PM // 12:39:21.255 PM /</div>				
<div>Validate and Test POST request for Users API</div>				
<div>@userspost @userspostsuccess</div>				

#	Step / Hook Details	Status	Duration
1	Given User is on POST Request with Users endpoint	PASSED	0.001 s
2	When User sends the POST request with valid users inputs	PASSED	0.834 s
3	Then User should be displayed success status code 200 with message Successfully Created. with automatically generated userid	FAILED	0.017 s
	java.lang.AssertionError: 1 expectation failed. JSON path Message doesn't match. Expected: Successfully Created. Actual: User detail already Exists. Check on [ Firstname, Contact , Email ] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:505) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:687) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)		

#	Step / Hook Details	Status	Duration
	<pre> at jdk.internal.reflect.GeneratedMethodAccessor318.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:263) at io.restassured.specification.ResponseSpecification\$body\$1.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:110) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:244) at UserAPI.PostUsers. user_should_be_displayed_success_status_code_with_message_successfully_created_with_automatically_generated_userid(PostUsers.java:119) at ?.User should be displayed success status code 200 with message Successfully Created. with automatically generated userid(file:///C:/Users/svatt/git/DieticianAPI-Hackathon/src/test/resources/features/Users/POSTUsers.feature:10) * Not displayable characters are replaced by '?'. </pre>		



### (S)- User is able to create a new user record with either existing firstname or existing contact or existing email

<b>FAILED</b>	<b>DURATION - 0.520 s</b>		<b>Steps</b> Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:39:21.267 PM // 12:39:21.787 PM /				
Validate and Test POST request for Users API				
@userspostexisting @userspost				

#	Step / Hook Details	Status	Duration
1	Given User is on POST Request with Users endpoint	PASSED	0.000 s
2	When User sends the POST request with either existing firstname or existing contact or existing email	PASSED	0.499 s
3	Then User should be displayed success status code 200 with message Successfully Created. with automatically generated userid  <pre> java.lang.AssertionError: 1 expectation failed. JSON path Message doesn't match. Expected: Successfully Created. Actual: User detail already Exists. Check on [ Firstname, Contact , Email ] at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) </pre>	FAILED	0.018 s

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:505) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:687) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at jdk.internal.reflect.GeneratedMethodAccessor318.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:263) at io.restassured.specification.ResponseSpecification\$body\$1.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:110) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:244) at UserAPI.PostUsers. user_should_be_displayed_success_status_code_with_message_successfully_created_with_automatically_generated_userid(PostUsers. java:119)     at ?.User should be displayed success status code 200 with message Successfully Created. with automatically generated userid(file:///C:/Users/svatt/git/DieticianAPI-Hackathon/src/test/resources/features/Users/POSTUsers.feature:16) * Not displayable characters are replaced by '?'. </pre>		



### (S)- User is unable to create a new user record with existing firstname, contact and email

<b>PASSED</b>	<b>DURATION - 0.882 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:39:21.794 PM // 12:39:22.676 PM /				
Validate and Test POST request for Users API				
@userspost @userspostexistsfnameconemail				

#	Step / Hook Details	Status	Duration
1	Given User is on POST Request with Users endpoint	PASSED	0.001 s



#	Step / Hook Details	Status	Duration
2	When User sends the POST request with existing firstname, contact and email	PASSED	0.856 s
3	Then User should be displayed success status code 200 with message User detail already Exists. Check on [ Firstname, Contact , Email ]	PASSED	0.024 s

### (S)- User is able to create a new user record with missing mandatory field

<b>PASSED</b>	<b>DURATION - 0.417 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:39:22.685 PM // 12:39:23.102 PM /				
Validate and Test POST request for Users API				
@userspost @userspostnomandfields				



#	Step / Hook Details	Status	Duration
1	Given User is on POST Request with Users endpoint	PASSED	0.001 s
2	When User sends the POST request with mandatory fields	PASSED	0.398 s
3	Then User should be displayed success status code 200 with message Missing Items OR Invalid Entry. Check on fieldname	PASSED	0.017 s

### (S)- User is able to create a new user record with empty request body

<b>PASSED</b>	<b>DURATION - 0.020 s</b>		<b>Steps</b> Total - 3 Pass - 3 Fail - 0 Skip - 0	
/ 12:39:23.111 PM // 12:39:23.131 PM /				
Validate and Test POST request for Users API				
@userspost @userspostemptybody				

#	Step / Hook Details	Status	Duration
1	Given User is on POST Request with Users endpoint	PASSED	0.001 s
2	When User sends the POST request with empty request body	PASSED	0.006 s
3	Then User should be displayed status code 400 Bad Request	PASSED	0.012 s

**(S)- User is not able to create a new user record when UserType is other than Dietician/Patient**

<b>FAILED</b>	<b>DURATION - 0.229 s</b>		<b>Steps</b> Total - 3 Pass - 2 Fail - 1 Skip - 0	
/ 12:39:23.138 PM // 12:39:23.367 PM /				
Validate and Test POST request for Users API				
@userspost @userspostneusertype				

#	Step / Hook Details	Status	Duration
1	Given User is on POST Request with Users endpoint	PASSED	0.000 s
2	When User sends POST request with UserType other than Dietician or Patient	PASSED	0.227 s
3	Then User should be displayed 400 validation error message UserType should be Dietician/Patient  <pre>java.lang.AssertionError: 1 expectation failed. Expected status code &lt;400&gt; but was &lt;200&gt;.     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)     at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:505)     at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:687)     at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)     at jdk.internal.reflect.GeneratedMethodAccessor318.invoke(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)     at java.base/java.lang.reflect.Method.invoke(Method.java:568)     at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)     at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)     at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:128)     at io.restassured.specification.ResponseSpecification\$statusCode\$0.callCurrent(Unknown Source)     at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:136)     at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89)     at UserAPI.PostUsers.user_should_be_displayed_validation_error_message_user_type_should_be_dietician_patient(PostUsers.java:340)</pre>	FAILED	0.001 s



#	Step / Hook Details	Status	Duration
	<p>at ?.User should be displayed 400 validation error message UserType should be Dietician/Patient(file:///C:/Users/svatt/git/DieticianAPI-Hackathon/src/test/resources/features/Users/POSTUsers.feature:40)</p> <p>* Not displayable characters are replaced by '?'. </p>		