

Student 29 **POLANI GEETHANJALI** 192412372RA

10 / 10 submitted

Q1. Looping statements

CODE

```
#include<stdio.h>
int main()
{
    int n,rem,sum=0;
    scanf("%d",&n);
    while(n!=0)
    {
        rem=n%10;
        sum=sum*10+rem;
        n=n/10;
    }
    printf("reverse of the number=%d",sum);
    return 0;
}
```

INPUT

12345

OUTPUT

reverse of the number=54321

Q2. Looping statements

CODE

```
#include<stdio.h>
int main()
{
    int n,rem,sum=0;
    scanf("%d",&n);
    while(n!=0)
    {
        rem=n%10;
        sum=sum+rem*rem;
        n=n/10;
    }
    if(n==0)
    printf("palindrome");
    else
    printf("not palindrome");
    return 0;
}
```

INPUT

121

OUTPUT

palindrome

Q3. Looping statements

CODE

```
#include<stdio.h>
int main()
{
    int n,rem,sum=0;
    scanf("%d",&n);
    while(n!=0)
    {
        rem=n%10;
        sum=sum+rem*rem*rem;
        n=n/10;
    }
    if(n==0)
        printf("armstrong");
    else
        printf("not armstrong");
    return 0;
}
```

INPUT

143

OUTPUT

armstrong

Q4. Looping statements

Score: 0.00 TC: 0/3 passed

CODE

```
#include<stdio.h>
int main()
{
    int n;
    scanf("%d",&n)
}
```

OUTPUT

Q5. Looping statements

CODE

```
#include<stdio.h>
int main()
{
    int n,i,j;
    scanf("%d",&n);
    for(i=0;i<=n;i++)
    {
        for(j=1;j<=n;j++)
            if(i==0||i==n||j==1||j==n)
                printf("* ");
        for(j=1;j<=n-1;j++)
            printf(" ");
        printf("\n");
    }
    return 0;
}
```

INPUT

5

OUTPUT

```
+ * * * *
+ *
+ *
+ *
+ *
+ *
+ * * * *
```

Q6. Looping statements

CODE

```
#include<stdio.h>
int main()
{
    int n,i,j;
    scanf("%d",&n);
    for(i=1;i<=n;i++)
    {
        for(j=0;j<=n;j++)
            printf(" ");
        for(j=0;j<=n-i;j++)
            printf("* ");
        printf("\n");
    }
    return 0;
}
```

INPUT

4

OUTPUT

```
   * * * *
  * * *
 * *
*
```

Q7. Looping statements

CODE

```
#include<stdio.h>
int main()
{
    int n,i,j;
    scanf("%d",&n);
    for(i=1;i<=n;i++)
    {
        for(j=1;j<=i;j++)
            printf("*");
        printf("\n");
    }
    return 0;
}
```

INPUT

4

OUTPUT

Q8. Looping statements

CODE

```
#include<stdio.h>
int main()
{
    int n,i,j;
    scanf("%d",&n);
    for(i=1;i<=n;i++)
    {
        for(j=1;j<=n;j++)
            printf(" ");
        for(j=1;j<=2*i-1;j++)
            printf("*");
        printf("\n");
    }
    return 0;
}
```

INPUT

3

OUTPUT

```
Compilation Error:
C:\Windows\TEMP\sandbox_192412372RA_6a6306b1c0ac33.59734891\main.c: In function 'main':
C:\Windows\TEMP\sandbox_192412372RA_6a6306b1c0ac33.59734891\main.c:6:11: error: expected expression before ';' token
    6 |         for(i=1;i<=n;i++)
      |         ^
```

Q9. Looping statements

CODE

```
#include<stdio.h>
int main()
{
    int i,j,n,a=1;
    scanf("%d",&n);
    for(i=1;i<=n;i++)
    {
        for(j=1;j<=i;j++)
            printf("%d",a++);
        printf("\n");
    }
    return 0;
}
```

INPUT

OUTPUT

Q10. Looping statements

CODE

```
#include<stdio.h>
int main()
{
    int i,j,n,coeff=1;
    scanf("%d",&n);
    for(i=0;i<n;i++)
    {
        for(j=0;j<=i;j++)
        {
            if(j==0||i==0)
                coeff==1;
            else
                coeff=coeff*(i-j+1)/j;
            printf("%d",coeff);
        }
        printf("\n");
    }
    return 0;
}
```

INPUT

OUTPUT