

QUESTIONS 17 / 18 completed

Sum(ODD,EVEN) ▾

SUM(ODD,EVEN)

C Program to Find the Sum of Even and Odd Numbers.

Problem Description
The program takes the number N and finds the sum of odd and even numbers from 1 to N.

Testcases:

-5
10
4

PROGRAM EDITOR

C ▾

Run

Save

```
1 #include<stdio.h>
2 int main()
3 {
4     int n,i,e=0,o=0;
5     scanf("%d",&n);
6     for(i=1;i<=n;i++)
7         if(i%2==0)
8             e+=i;
9     else
10         o+=i;
11     printf("Even sum=%d\n Odd sum=%d",e,o);
12     return 0;
13 }
```

INPUT

45

QUESTIONS 17 / 18 completed

Natural ▾

NATURAL

Write a program that prints the first n natural numbers using a for loop.

PROGRAM EDITOR

C ▾

Run

Save

```
1 #include<stdio.h>
2 int main()
3 {
4     int i,n,sum=0;
5     scanf("%d",&n);
6     for(i=1;i<=n;i++)
7     {
8         sum=sum+i;
9         printf("%d",i);
10    }
11    return 0;
12 }
```

INPUT

Your INPUT goes
here!



SIMATS Online Programming Lab
C PROGRAMMING

 POLANI GEETHANJALI
192412372RA

QUESTIONS 17 / 18 completed

Sum

SUM

Write a program that calculates the sum of the first n natural numbers using a while loop.

PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main()
3 {
4     int n,i,sum=0;
5     scanf("%d",&n);
6     for(i=1;i<=n;i++)
7     {
8         sum=sum+i;
9     }
10    printf("%d is the sum of n natural numbers");
11    return 0;
12 }
```

INPUT

3



SIMATS Online Programming Lab
C PROGRAMMING

 POLANI GEETHANJALI
192412372RA

QUESTIONS 17 / 18 completed

Table

TABLE

Write a program that prints the multiplication table of a given number using a for loop.

PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main()
3 {
4     int n,i;
5     scanf("%d",&n);
6     for(i=1;i<=10;i++)
7     printf("%d*%d=%d\n",n,i,n*i);
8     return 0;
9 }
```

INPUT

8



SIMATS Online Programming Lab
C PROGRAMMING

 POLANI GEETHANJALI
192412372RA

QUESTIONS 17 / 18 completed

Prime

PRIME

Write a program that takes a number as input and determines whether it is a prime number or not using a while loop.

PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main()
3 {
4     int n,i;
5     scanf("%d",&n);
6     for(i=2;i<n;i++)
7     {
8         if(n%i==0)
9         {
10            printf("not prime");
11            return 0;
12        }
13    }
14    printf("prime");
15    return 0;
16 }
```

INPUT

31



SIMATS Online Programming Lab
C PROGRAMMING

 POLANI GEETHANJALI
192412372RA

QUESTIONS 17 / 18 completed

Count Vows

COUNT VOWS

Write a program that takes a string as input and counts the number of vowels in the string using a for loop.

PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main()
3 {
4     char str[100];
5     int i,count=0;
6     printf("enter a string: ");
7     scanf("%s,str");
8     for(i=0;str[i]!='\0';i++)
9     {
10         if(str[i]=='a' || str[i]=='e' || str[i]=='i' || str[i]=='o' || str[i]=='u' || str[i]=='A' || str[i]=='E' || str[i]=='I' || str[i]=='O' || str[i]=='U')
11             count++;
12     }
13     printf("number of vowels=%d",count);
14     return 0;
15 }
```

INPUT

hello



SIMATS Online Programming Lab
C PROGRAMMING

 POLANI GEETHANJALI
192412372RA

QUESTIONS 17 / 18 completed

Fibonacci

FIBONACCI

Write a program that prints the Fibonacci series up to a given number using a while loop.

PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main()
3 {
4     int n,i=1,a=0,b=1,c;
5     scanf("%d",&n);
6     while(i<=n)
7     {
8         printf("%d",a);
9         c=a+b;
10        a=b;
11        b=c;
12        i++;
13    }
14    return 0;
15 }
```

INPUT

4



SIMATS Online Programming Lab
C PROGRAMMING

 POLANI GEETHANJALI
192412372RA

QUESTIONS 17 / 18 completed

Factorial

FACTORIAL

Write a program that takes a number as input and prints its factorial using a for loop.

PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main()
3 {
4     int n,temp,rem,sum=0,fact;
5     scanf("%d",&n);
6     temp=n;
7     while(n!=0)
8     {
9         rem=n%10;
10        fact=1;
11        for(int i=1;i<=rem;i++)
12            fact=fact*i;
13        sum=sum+fact;
14        n=n/10;
15    }
16    if(temp==sum)
17        printf("strong number");
18    else
19        printf("not strong number");
20    return 0;
21 }
```

INPUT

567



SIMATS Online Programming Lab
C PROGRAMMING

 POLANI GEETHANJALI
192412372RA

QUESTIONS 17 / 18 completed

Pyramid

PYRAMID

Write a program that prints a pyramid pattern of stars using nested loops.

PROGRAM EDITOR

C

Run Save

```

1 #include<stdio.h>
2 int main()
3 {
4     int n,i,j;
5     scanf("%d",&n);
6     for(i=1;i<=n;i++)
7     {
8         for(j=1;j<=i;j++)
9             printf(" ");
10        for(j=1;j<=n;j++)
11            printf("*");
12        printf("\n");
13    }
14    return 0;
15 }

```

INPUT

4



SIMATS Online Programming Lab
C PROGRAMMING

 POLANI GEETHANJALI
192412372RA

QUESTIONS 17 / 18 completed

Diamond

DIAMOND

Write a program that prints a diamond pattern of stars using nested loops.

PROGRAM EDITOR

C

Run Save

```

1 #include<stdio.h>
2 int main()
3 {
4     int n,i,j;
5     scanf("%d",&n);
6     for(i=1;i<=n;i++)
7     {
8         for(j=1;j<=2*i-1;j++)
9             printf(" ");
10        printf("\n");
11    }
12    for(i=n-1;i>=1;i--)
13    {
14        for(j=1;j<=n-i;j++)
15            printf(" ");
16        for(j=1;j<=2*i-1;j++)
17            printf(" ");
18        printf("\n");
19    }
20    return 0;
21 }

```

INPUT

Your INPUT goes here!



SIMATS Online Programming Lab
C PROGRAMMING

 POLANI GEETHANJALI
192412372RA

QUESTIONS 17 / 18 completed

R- triangle

R- TRIANGLE

Write a program that prints a right-angled triangle pattern of stars using nested loops.

PROGRAM EDITOR

C

Run Save

```

1 #include<stdio.h>
2 int main()
3 {
4     int i,j,n;
5     scanf("%d",&n);
6     for(i=n;i>=1;i--)
7     {
8         for(j=1;j<=n-i;j++)
9             printf(" ");
10        for(j=1;j<=i;j++)
11            printf("* ");
12        printf("\n");
13    }
14    return 0;
15 }

```

INPUT

6



SIMATS Online Programming Lab
C PROGRAMMING

 POLANI GEETHANJALI
192412372RA

QUESTIONS 17 / 18 completed

Hollow Square

HOLLOW SQUARE

Write a program that prints a hollow square pattern of stars using nested loops.

PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main()
3 {
4     int n,i,j;
5     scanf("%d",&n);
6     for(i=1;i<=n;i++)
7     {
8         for(j=1;j<=n;j++)
9             if(i==1||i==n||j==1||j==n)
10                printf("* ");
11         else
12             printf(" ");
13         printf("\n");
14     }
15     return 0;
16 }
```

INPUT

5



SIMATS Online Programming Lab
C PROGRAMMING

 POLANI GEETHANJALI
192412372RA

QUESTIONS 17 / 18 completed

Hollow Diamond

HOLLOW DIAMOND

Write a program that prints a hollow diamond pattern of stars using nested loops.

PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main()
3 {
4     int n,i,j;
5     scanf("%d",&n);
6     for(i=1;i<=n;i++)
7     {
8         for(j=1;j<=i;j++)
9             printf(" ");
10        for(j=i;j<=n;j++)
11            printf("* ");
12        printf("\n");
13    }
14    return 0;
15 }
```

INPUT

6



SIMATS Online Programming Lab
C PROGRAMMING

 POLANI GEETHANJALI
192412372RA

QUESTIONS 17 / 18 completed

Pascal's triangle

PASCAL'S TRIANGLE

Write a program that prints a Pascal's triangle pattern using nested loops.

PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main()
3 {
4     int n,i,j,coeff=1;
5     scanf("%d",&n);
6     for(i=0;i<n;i++)
7     {
8         for(j=0;j<=n-i;j++)
9             printf(" ");
10        for(j=0;j<=i;j++)
11        {
12            if(j==0||i==0)
13                coeff=1;
14            else
15                coeff=coeff*(i-j+1)/j;
16            printf("%4d",coeff);
17        }
18        printf("\n");
19    }
20    return 0;
21 }
```

INPUT

Your INPUT goes here!



SIMATS Online Programming Lab
C PROGRAMMING

 POLANI GEETHANJALI
192412372RA

QUESTIONS 17 / 18 completed

zigzag

ZIGZAG
Write a program that prints a zigzag pattern of stars using nested loops.

PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main()
3 {
4     int i,j;
5     for(i=1;i<=3;i++)
6     {
7         for(j=1;j<=5;j++)
8         {
9             if((i+j)%2==0)
10                printf("*");
11            else
12                printf(" ");
13        }
14        printf("\n");
15    }
16    return 0;
17 }
```

INPUT

Your INPUT goes here!



SIMATS Online Programming Lab
C PROGRAMMING

 POLANI GEETHANJALI
192412372RA

QUESTIONS 17 / 18 completed

Armstrong

ARMSTRONG
Write a program to find the given number is Armstrong or Not.

PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main()
3 {
4     int n,rem,sum=0;
5     scanf("%d",&n);
6     while(n!=0)
7     {
8         rem=n%10;
9         sum=sum+rem;
10        n=n/10;
11    }
12    printf("sum of digits=%d",sum);
13    return 0;
14 }
```

INPUT

45



SIMATS Online Programming Lab
C PROGRAMMING

 POLANI GEETHANJALI
192412372RA

QUESTIONS 17 / 18 completed

Perfect

PERFECT
Write a program to find the given number is Perfect number or Not.

PROGRAM EDITOR

C

Run

Save

```
1 #include<stdio.h>
2 int main()
3 {
4     int n,i,sum=0;
5     scanf("%d",&n);
6     for(i=1;i<n;i++)
7     {
8         if(n%i==0)
9             sum=sum+i;
10    }
11    if(sum==n)
12        printf("perfect number");
13    else
14        printf("not prime number");
15    return 0;
16 }
```

INPUT

45