

contact-a — actual-size pad template

Print 100% / actual size. Verify the 100 mm bar. Bodies and board grid remain provisional.

TOP



MIRRORED UNDERSIDE — TOP coordinates




100 mm calibration line

Check actual components, plugs and adapters over the template. The buck and smart PCB bodies require separate measured allocation. Reference numbers use schematics-and-placement.pdf.


contact-b — actual-size pad template

Print 100% / actual size. Verify the 100 mm bar. Bodies and board grid remain provisional.

TOP



MIRRORED UNDERSIDE — TOP coordinates




100 mm calibration line

Check actual components, plugs and adapters over the template. The buck and smart PCB bodies require separate measured allocation. Reference numbers use schematics-and-placement.pdf.


power — actual-size pad template

Print 100% / actual size. Verify the 100 mm bar. Bodies and board grid remain provisional.

TOP



MIRRORED UNDERSIDE — TOP coordinates




100 mm calibration line

Check actual components, plugs and adapters over the template. The buck and smart PCB bodies require separate measured allocation. Reference numbers use schematics-and-placement.pdf.


router-matrix — actual-size pad template

Print 100% / actual size. Verify the 100 mm bar. Bodies and board grid remain provisional.

TOP



MIRRORED UNDERSIDE — TOP coordinates




100 mm calibration line


Check actual components, plugs and adapters over the template. The buck and smart PCB bodies require separate measured allocation. Reference numbers use schematics-and-placement.pdf.

Early smart reference — actual-size pad template

TOP



MIRRORED UNDERSIDE



100 mm calibration line

Limited direct-voltage fixture; no bank mux, service isolation or full output/current hardware on this board. Physical envelopes are pending.