








GND
3V3
5V
J5: GND TX RX
VoxHub CM4 rev A2
SPK


USB-C PD 9-20V
MIC - NO WASH
VoxHub CM4 rev A2 - this side faces the top cover
github.com/geilevideossos-gamedev/fable-sbc-test
MUTE
MIC - NO WASH


H1
M2.5 board mount
USB4105-GF-A
J1
FID1
Fiducial
61400826021
J6
DM3AT-SF-PEJM5
J4
H2
M2.5 board mount
100nF
C19
U3
TPS2553DBVR
10k
R16
49.9k
TP3
TP2
TP1
+3V3
+5V
C44
100nF
MK2
IM69D130
U6
U5
TPS2553DBVR
SMBJ22A
D1
Q1
SD24C
D2
D3
U1
C1
49.9k
10uF
C8
C9
220nF
C5
D4
FAULT (red)
2.2k
1k
R1
U8
U7
C41
C38
C39
100nF
C42
R37
C20
4.7uF
C21
J5
DEBUG UART
Y1
24MHz
15pF
U4
USBLC6-2SC6
C35
C33
C36
100k
R28
R29
R31
R32
J3
DF40C-100DS-0.4V(51)
H6
CM4 spacer M2.5x1.5
CM4 spacer M2.5x1.5
1uF
C12
100nF
C11
L1
C14
C15
C16
C17
22uF
FID2
Fiducial
FID3
Fiducial
R46
100k
RF-BM-2652P2
TC2030-NL (cJTAG)
J8
C50
2N7002
Q4
R47
R44
100nF
C47
U10
MAX98357AETE+T
C46
J7
SPEAKER
U11
R41
R42
R43
100k
ADAU7002AEBZ-R7
C45
R25
R24
10k
H7
CM4 spacer M2.5x1.5
J2
DF40C-100DS-0.4V(51)
H5
CM4 spacer M2.5x1.5
H4
JP1
C22
22uF
C23
R10
RPIBOOT
1k
R26
ACT (green)
M2.5 board mount
H3
M2.5 board mount
C43
100nF
MK1
IM69D130
Q2
Q3
2N7002
2N7002


JS202011JCQN (MUTE)
SW1
D9
RED (muted)
D8
BLUE
D7
GREEN