

# Tecgraf Report about the study of EDRC Use Case 2

**(February 2016, version prepared by Geiza M. Hamazaki da Silva and Livia Ruback,  
Tecgraf Institute/PUC-Rio)**

## Summary

1. Introduction .....	3
2. RFQ information for one pressure .....	4
2.1 Template ClassOfParticipationDefinition.....	4
2.1.1 Problems identified .....	5
2.2 Template ClassOfAssemblyDefinition .....	5
2.2.1 Problems identified .....	6
2.3 Template SpecializationByCompoundType.....	7
2.3.1 Problems identified .....	8
2.4 Template SpecializationOfClassOfIndividual.....	8
2.4.1 Problems identified .....	9
2.5 Template ClassOfContainmentDefinition .....	9
2.5.1 Problems identified .....	10
2.6 Template ClassOfFeatureWholePartDefinition .....	11
2.6.1 Problems identified .....	12
2.7 Template ClassificationOfIndividual .....	12
2.7.1 Problems identified .....	13
2.8 Template ClassifiedDefinitionOfClassOfIndividualWithInformationRepresentation .....	13
2.8.1 Problems identified .....	14
3. Reply to the RFQ information .....	14
3.1 Template ProductClassFulfilClassOfFunctionPlace .....	14
3.1.1 Problems identified .....	15
3.2 Template ClassOfIndividualHasMonetaryValue .....	15
3.2.1 Problems identified .....	16
3.3 Template ClassifiedDefinitionOfClassOfIndividualWithInformationRepresentation .....	16
3.3.1 Problems identified .....	17
4. Our proposal .....	18
5. Data Specification .....	21
5.1 Object Declarations .....	21
5.2 Template Pattern .....	25

## 1. Introduction

This document describes the interpretation of the EDRC Use Case 2, about the files *pressure\_transmitter\_rfq\_1.ttl* and *pressure\_transmitter\_rfq\_1\_reply.ttl*, which contains respectively RFQ information for one pressure transmitter and a reply to it.

For a matter of understanding, Section 2 presents the RFQ information for one pressure transmitter explaining separately the main templates and its instances. Section 3 follow the same approach, but for the reply to the RFQ information. Section 4 describes a proposal for solving the inconsistencies found in the *pressure\_transmitter\_rfq\_1.ttl* and Section 5 shows a First Order Logic representation of the Object Declarations and the Templates Patterns used to construct the EDRC User Case 2.

Notes:

- All resources identifiers presented in this document are shortened, for instance, the resource `id83f1614d-649b-4876-ae1e-34721972e9bc` is being represented as “`id83f...`”.
- All the cardinality number missed in the templates is being represented as “[X]”
- Different colors are used to show the resources: *yellow boxes* represents the templates and its instances, *blue boxes* brings the roles object of the templates and *gray boxes* show other templates that relates with the current template.

## 2. RFQ information for one pressure

The Request For Quotation information for one pressure transmitter file (*pressure\_transmitter\_rfq\_1.ttl*) comprises the resources presented as follow. The templates and its instances in bold are presented in next sections.

Resource	rdf:type	Section
id69516a23-2029-4f05-a714-3d269cc78de5	dm:ClassOfActivity	
id7176e82f-fe79-43eb-b7c3-6f8132751085	dm:ClassOfArrangedIndividual	
id73806964-ca9a-4b2a-a997-13d6a57d4c6d	dm:ClassOfArrangedIndividual	
id83f1614d-649b-4876-ae1e-34721972e9bc	dm:ClassOfArrangedIndividual	
id0109f0bf-ac9d-411f-85cd-785ee3194d9e	dm:ClassOfInanimatePhysicalObject	
id05c6754c-b2b7-4a7f-89c1-5e31940b5516	dm:ClassOfInanimatePhysicalObject	
id05796c76-5f03-4e11-9a02-a1db079abec7	dm:ClassOfInanimatePhysicalObject	
id96b6298e-8fe2-4939-9609-5cd47e0f0516	dm:ClassOfInanimatePhysicalObject, pcardl:R-c898dddf-932e-4216-bf99-0f40df3847f4	
id20a39ca3-eb99-44be-aacf-8dac3b3f99cb	dm:ClassOfInformationRepresentation, pcardl:R-4d215388-2b65-4bee-9efb-a2fcac12f284 ("REQUEST FOR QUOTATION")	
id3dd5e9f4-f0ed-4e88-90e8-47cee5deb9c	dm:ClassOfInformationRepresentation, pcardl:R-a3107083-c97f-458d-aa24-d3785a0a1835 ("RFQ ITEM")	
id91a437fa-20de-470b-83d0-2cdf4e461914	dm:FunctionalPhysicalObject	
idfd37bd5-690c-4596-b603-677ba6f7d88a	tpl:ClassificationOfIndividual	2.7
id2ad1e4e-7061-4a6a-867a-91f8e023a65b	tpl:ClassifiedDefinitionOfClassOfIndividualWithInformationRepresentation <sup>1</sup>	2.8
id1395ad4b-81d5-4f46-a90b-7593f98cd332	tpl:ClassifiedIdentificationOfIndividual	
id00394ae2-f71f-4d9b-b23e-0921320a2292	tpl:ClassOfAssemblyDefinition	2.2
id3ff4a9d3-be07-4679-84aa-e25c1daac45c	tpl:ClassOfContainmentDefinition	2.5
idc10d6602-0aa9-4a71-8579-9e8c18dac8de	tpl:ClassOfFeatureWholePartDefinition	2.6
id1d2bf4dc-6b26-44a7-a5ba-96a4784ecd44	tpl:ClassOfIndividualHasIndirectPropertyWithBoundingValues	
idef595e28-52b2-42fd-b714-1368087d85e7	tpl:ClassOfIndividualHasIndirectPropertyWithValue	
id7cbfe727-ba44-49fe-83d2-50c5edb17e5d	tpl:ClassOfParticipationDefinition	2.1
id5a5afdec-c690-4a37-a869-6b33d15dd92a	tpl:CompositionOfClassOfInformationRepresentation	
id84912f2-0994-4ac5-b0b1-d664376dd345	tpl:SpecializationByCompoundType	2.3
id0c73c960-9164-46f3-959a-70a6fd5a31b2	tpl:SpecializationOfClassOfIndividual	2.4
id75fe4685-a1f7-4e88-b4c5-9b0a9fa707fa		
idc1b54729-7deb-4764-a16a-0a9d29b1582e		
id1f575f73-ea84-43ab-8980-b647f73965d4		
id24bb682e-d3c8-4245-999c-d31cf54f664a		
id0e7d3ad9-ab84-43f9-9f1a-9b980dfe7973		
id42d99e6e-a100-4574-865b-dcb1761ef742		
id84217d48-1196-439b-8dfe-cfd7376b08c		
idc5c4e0d5-f495-4fc8-96f3-5e8fb8944fb6		
idf9f811d7-6344-49f1-82aa-1da40a7c2db0		

### 2.1 Template ClassOfParticipationDefinition

The template specification is shown in <http://15926.org/templatespecs/CL-ACTIV-01.xml>.

The template roles are the following (see link above):

Role No	Role Name	Role Object Type
1	hasActivityType	dm:ClassOfActivity
2	hasParticipantType	dm:ClassOfIndividual
3	hasParticipantRole	dm:Role
4	hasDefined	dm:ClassOfParticipation
5	hasCardinalityOfActivity	dm:Cardinality
6	hasCardinalityOfParticipant	dm:Cardinality

Figure 1 shows the two ClassOfParticipationDefinition template instances of the pressure\_transmitter\_rfq\_1.ttl file.

<sup>1</sup>This template is present on the EDRC Use Case 2 Technical Documentation using the previous name, "ClassifiedDefinitionOfClassOfIndividualByCOIR".

**[G1] Comentário:** The signature of this template has changed after it was approved by MMT. It is the previous signature.




Figure 1 ClassOfParticipationDefinition template instantiation

The represented information described in the template specification (see link above) says that:

“[hasParticipantType] shall participate in [hasCardinalityOfActivity] member of [hasActivityType] in the role of [hasParticipantRole]”.

(a) For the first template instance (id0c7...), one can say:

“[id83f...] (subclass of SIGNAL) shall participate in [X] member of [id695...] (subclass of TRANSMITTING) in the role of [OUTPUT]”,

which means that

*a signal artifact gives an output signal.*

(b) For the second template instance (id75f...), one can say:

“[id96b...] (subclass of PRESSURE TRANSMITTER) shall participate in [X] member of [id695...] (subclass of TRANSMITTING) in the role of [PERFORMER]”.

which means that

*The pressure transmitter perform in the transmitting.*

### 2.1.1 Problems identified

(a) As pointed out in the specification, “at instantiation of this template it is mandatory to add meta:valEffectiveDate with the dateTime that the represented information became effective”. *This instance does not contain this date required.*

(b) Some template roles are missing: (4) hasDefined, (5) hasCardinalityOfActivity and (6) hasCardinalityOfParticipant.

## 2.2 Template ClassOfAssemblyDefinition

The template specification is shown in <http://15926.org/templatespecs/CL-STRUC-03.xml>

Role No	Role Name	Role Object Type
1	hasClassOfWhole	dm:ClassOfArrangedIndividual
2	hasClassOfPart	dm:ClassOfIndividual
3	hasCardinalityOfWhole	dm:Cardinality
4	hasCardinalityOfPart	dm:Cardinality

Figure 2 shows the two `ClassOfAssemblyDefinition` template instances of the `pressure_transmitter_rfq_1.ttl` file.




Figure 2 ClassOfAssemblyDefinition template instantiation

The represented information described in the specification (see link above) says that:

"Any member of ClassOfArrangedIndividual [hasClassOfWhole] is composed of [hasCardinalityOfWhole] member(s) of ClassOfIndividual [hasClassOfPart] in an assembly".

(a) For the first template instance (id003...), one can say:

"Any member of ClassOfArrangedIndividual [CO\_R420-PT-5152] (subclass of PRESSURE TRANSMITTER) is composed of [X] member(s) of ClassOfIndividual [PE\_R420-PT-5252] (subclass of PRESSURE ELEMENT) in an assembly",

which means that

*"The PRESSURE TRANSMITTER [CO\_R420-PT-5152] has a the PRESSURE ELEMENT [PE\_R420-PT-5152] as a part"*

(b) For the second template instance (id3ff...), one can say:

"Any member of ClassOfArrangedIndividual [CO\_R420-PT-5152] (subclass of PRESSURE TRANSMITTER) is composed of [X] member(s) of ClassOfIndividual [id057...] in an assembly",

which means that

*"The PRESSURE TRANSMITTER [CO\_R420-PT-5152] has a HOUSING as a part".*

### 2.2.1 Problems identified

(a) As pointed out in the specification, “at instantiation of this template it is mandatory to add `meta:valEffectiveDate` with the `dateTime` that the represented information became effective”. *This instance does not contain this date required.*

(b) Some template roles are missing: (3) hasCardinalityOfRole and (4) hasCardinalityOfPart

## 2.3 Template SpecializationByCompoundType

The template specification is shown in <http://15926.org/templatespecs/CL-MATL-01.xml>

The template roles are the following (see link above):

Role No	Role Name	Role Object Type
1	hasSubClass	dm:ClassOfArrangedIndividual
2	hasSuperClass	dm:ClassOfCompound

Figure 3 shows the two SpecializationByCompoundType template instances of the pressure\_transmitter\_rfq\_1.ttl file.




Figure 3 SpecializationByCompound template instantiation

The represented information described in the specification (see link above) says that:

“Any member of ClassOfArrangedIndividual [hasSubClass] is of the [hasSuperClass] compound type.”

(a) For the first template instance (id24b...), one can say:

“Any member of ClassOfArrangedIndividual **[PE\_R420-PT-5152]** (subclass of PRESSURE ELEMENT) is of the **[ASTM GRADE 316L]** compound type”,

which means that

“The PRESSURE ELEMENT PE\_R420-PT-5152 is made of a stainless steel material (ASTM GRADE 316L)”

(b) For the second template instance (Id1f5...), one can say:

“Any member of ClassOfArrangedIndividual [id057...] (subclass of HOUSING) is of the [ALUMINIUM] compound type”,

which means that

“The HOUSING is made of ALUMINIUM”.

### 2.3.1 Problems identified

- (a) As pointed out in the specification, “at instantiation of this template it is mandatory to add meta:valEffectiveDate with the dateTime that the represented information became effective”.  
This instance does not contain this date required.

## 2.4 Template SpecializationOfClassOfIndividual

The template specification is shown in <http://15926.org/templatespecs/CL-SPECN-01.xml>

The template roles are the following (see link above):

Role No	Role Name	Role Object Type
1	hasSubClass	dm:ClassOfIndividual
2	hasSuperClass	dm:Class

Figure 4 shows the four SpecializationOfClassOfIndividual template instances of the pressure\_transmitter\_rfq\_1.ttl file.




Figure 4 SpecializationOfClassOfIndividual template instantiation

The represented information described in the specification (see link above) says that:

“Any member of [hasSubClass] is also a member of [hasSuperClass].”

- (a) For the first instance of the template (id42d...), one can say:

“Any member of [CO\_R420-PT-5152] (subclass of PRESSURE TRANSMITTER) is also a member of the [ATEX FLAME-PROOF],”



which means that

*"The PRESSURE TRANSMITTER CO\_420-PT-5152 is compliant to the ATEX FLAME-PROOF certification".*

(b) For the second instance of the template (idc5c...), one can say:

*"Any member of [PE\_R420-PT-5152] (subclass of PRESSURE ELEMENT) is also a member of the [ISOLATING DIAPHRAGM]",*

which means that

*"The PRESSURE ELEMENT has an isolating diaphragm".*

(c) For the third instance of the template (id0e7...), one can say:

*"Any member of [id738...] (subclass of PROCESS CONNECTION) is also a member of the [PROCESS CONNECTION ½ - 14 NPT]",*

which means that

*"The process connection is of the ½ - 14 NPT type (1/2 inch diameter/ 14 threads per inch)"*

(d) For the fourth instance of the template (idf9f...), one can say:

*"Any member of [id717...] (subclass of ELECTRICAL CONNECTION) is also a member of the [THREADED HOLE M20 X 1.5 F]",*

which means that

*The electrical connection is of the THREADED HOLE M20 x 1.5 F type (basic major diameter 20mm, 1.5 mm per thread, female)*

## 2.4.1 Problems identified

(a) As pointed out in the specification, "at instantiation of this template it is mandatory to add meta:valEffectiveDate with the dateTime that the represented information became effective". This instance does not contain this date required.

## 2.5 Template ClassOfContainmentDefinition

The template specification is shown in <http://15926.org/templatespecs/CL-LOCTN-01.xml>

The template roles are the following (see link above):

Role No	Role Name	Role Object Type
1	hasClassOfContainer	dm:ClassOfIndividual
2	hasClassOfContained	dm:ClassOfIndividual
3	hasCardinalityOfContainer	dm:Cardinality
4	hasCardinalityOfContained	dm:Cardinality

Figure 5 shows the ClassOfContainmentDefinition template instance of the pressure\_transmitter\_rfq\_1.ttl file.




Figure 5 ClassOfContainmentDefinition template instantiation

The represented information described in the specification (see link above) says that:

“Any member of [hasClassOfContained] [may | shall] be contained in any member of [hasClassOfContainer].”

For the instance of the template (idc10...), one can say:

“Any member of [S\_R420-PT-5152] (subclass of STREAM) may be contained in any member of [CO\_R420-PT-5152] (subclass of PRESSURE TRANSMITTER),”

which means that

“The PRESSURE TRANSMITTER CO\_R420-PT-5152 for STREAMS is compliant to the ATEX FLAME-PROOF certification”.

## 2.5.1 Problems identified

- As pointed out in the specification, “at instantiation of this template it is mandatory to add meta:valEffectiveDate with the dateTime that the represented information became effective”. This instance does not contain this date required.
- Some template roles are missing: (3) hasCardinalityOfContainer and (4) hasCardinalityOfContained

## 2.6 Template ClassOfFeatureWholePartDefinition

The template specification is shown in <http://15926.org/templatespecs/CL-STRUC-04.xml?cachebuster=0.32036900%201440772479>

The template roles are the following (see link above):

Role No	Role Name	Role Object Type
1	hasClassOfWhole	dm:ClassOfArrangedIndividual
2	hasClassOfPart	dm:ClassOfFeature
3	hasCardinalityOfWhole	dm:Cardinality
4	hasCardinalityOfPart	dm:Cardinality

Figure 6 shows the ClassOfFeatureWholePartDefinition template instance of the pressure\_transmitter\_rfq\_1.ttl file.



Figure 6 ClassOfFeatureWholePartDefinition template instantiation

The represented information described in the specification (see link above) says that:

“Any member of ClassOfArrangedIndividual [hasClassOfWhole] has [hasCardinalityOfWhole] member(s) of ClassOfIndividual [hasClassOfPart] as a Feature.”

(a) For the first instance of the template (idef5...), one can say:

“Any member of ClassOfArrangedIndividual [CO\_R420-PT-5152] (subclass of PRESSURE TRANSMITTER) has [X] member(s) of ClassOfIndividual [id717...] (subclass of PROCESS CONNECTION) as a Feature”,

which means that

“The pressure transmitter has an electrical connection”.

(b) For the second instance of the template (id1d2...), one can say:

“Any member of ClassOfArrangedIndividual [CO\_R420-PT-5152] (subclass of PRESSURE TRANSMITTER) has [X] member(s) of ClassOfIndividual [id1d2...] (subclass of ELECTRICAL CONNECTION) as a Feature”,

which means that

“The pressure transmitter has a process connection”.

2.6.1 Problems identified

- (a) As pointed out in the specification, “at instantiation of this template it is mandatory to add meta:valEffectiveDate with the dateTime that the represented information became effective”. This instance does not contain this date required.
- (b) Some template roles are missing: (3) hasCardinalityOfWhole and (4) hasCardinalityOfPart

2.7 Template ClassificationOfIndividual

The template specification is shown in <http://15926.org/templatespecs/IN-CLSIF-01.xml>

Note: This template is not present on the EDRC Use Case 2 Technical Documentation.

The template roles are the following (see link above):

Role No	Role Name	Role Object Type
1	hasClassifier	dm:PossibleIndividual
2	hasClassified	dm:ClassOfIndividual

Figure 7 shows the ClassificationOfIndividual template instance of the pressure\_transmitter\_rfq\_1.ttl file.




Figure 7 ClassificationOfIndividual template instantiation

The represented information described in the specification (see link above) says that:

“PossibleIndividual [hasClassified] is classified with [hasClassifier].”

For the instance of the template (idfdc...), one can say:

“Possible Individual **[420-PT-5152]** is classified with **[CO\_R420-PT-5152]** (subclass of PRESSURE TRANSMITTER)”,

which means that

“The PRESSURE TRANSMITTER CO\_R420-PT-5152 is the R420-PT-5152”.

2.7.1 Problems identified

- (a) As pointed out in the specification, “at instantiation of this template it is mandatory to add meta:valEffectiveDate with the dateTime that the represented information became effective”. This instance does not contain this date required.

2.8 Template  
ClassifiedDefinitionOfClassOfIndividualWithInformationRepresentation

The template specification is shown in <http://www.15926.org/templatespecs/CL-DEFN-02a1.xml>

Note: This template is present on the EDRC Use Case 2 Technical Documentation using the previous name, “ClassifiedDefinitionOfClassOfIndividualByCOIR”.

The template roles are the following (see link above):

Role No	Role Name	Role Object Type
1	hasDefined	dm:ClassOfIndividual
2	hasDefinition	dm:ClassOfInformationRepresentation
3	hasDefinitionType	Dm:ClassOfClassOfDefinition

Figure 8 shows the ClassifiedDefinitionOfClassOfIndividualWithInformationRepresentation template instance of the pressure\_transmitter\_rfq\_1.ttl file.




Figure 8 ClassifiedDefinitionOfClassOfIndividualWithInformationRepresentation template instantiation

The represented information described in the specification (see link above) says that:

“Members of [hasDefined] are defined as [hasDefinition] according [hasDefinitionType].”

For the instance of the template (idf2a...), one can say:

“Members of [CO\_R420-PT-5152] (subclass of PRESSURE TRANSMITTER) are defined as [Sr. 1] according [CLASS DEFINITION BY RFQ REQUIREMENT]”,

which means that

“The Request For Quotation Sr. 1 and the requirements are related to the pressure transmitter CO\_R420-PT-5152”.

### 2.8.1 Problems identified

- (b) As pointed out in the specification, “at instantiation of this template it is mandatory to add meta:valEffectiveDate with the dateTime that the represented information became effective”. This instance does not contain this date required.

## 3. Reply to the RFQ information

The reply to the Request for Quotation information for one pressure transmitter file (*pressure\_transmitter\_rfq\_1\_reply.ttl*) **comprises all the resources presented in the request file (*pressure\_transmitter\_rfq\_1.ttl*) together with other five resources that represents the quotation.** The templates and its instances in bold are presented in next sections.

Resource	rdf:type	Section
pressure_transmitter_rfq_1_reply:id09596342-9f7b-41b2-9609-ff5a88ded337	dm:ClassOfArrangedIndividual, dm:ClassOfInformationRepresentation	
pressure_transmitter_rfq_1_reply:id2d28890e-6acc-4e7f-a83f-a5656d145a76	pcardl:R-bd9e51e1-7182-421d-887e-e5cb37e34653 ("QUOTATION")	
pressure_transmitter_rfq_1_reply:id3161308c-abb9-49c9-ae8a-be0ce9267e1	tpl:ProductClassFulfillsClassOfFunctionPlace	3.1
pressure_transmitter_rfq_1_reply:id3e56ba39-663b-47e2-9ac4-00849a35c53b	tpl:ClassOfIndividualHasMonetaryValue	3.2
pressure_transmitter_rfq_1_reply:id4ec28a4d-aab7-4f5b-936b-8820d731830e	tpl:ClassifiedDefinitionOfClassOfIndividual WithInformationRepresentation	3.3

### 3.1 Template ProductClassFulfillsClassOfFunctionPlace

The template specification is shown in <http://15926.org/templatespecs/CL-FUNC-08.xml?cachebuster=0.82030400%201441117215>

The template roles are the following (see link above):

Role No	Role Name	Role Object Type
1	hasFunctionPlaceClass	dm:ClassOfArrangedIndividual
2	hasProductClass	dm:ClassOfArrangedIndividual
3	hasClassOfFulfilled	dm:ClassOfArrangedIndividual

Figure 9 shows the ProductClassFulfilClassOfFunctionPlace template instance of the pressure\_transmitter\_rfq\_1\_reply.ttl file.




Figure 9 ProductClassFulfilClassOfFunctionPlace template instantiation

The represented information described in the specification (see link above) says that:

“Any member of a class-of-temporal-part of Product Class [hasProductClass] fulfils the requirements of any member of a class-of-temporal-part of Process Design Item [hasFunctionPlaceClass]”

For the instance of the template (id316...), one can say:

“Any member of a class-of-temporal-part of Product Class [2051TG2A2B21BE1] (type EMERSON EQUIPMENT CLASS) fulfils the requirements of any member of a class-of-temporal-part of Process Design Item [CO\_R420-PT-5152]”

which means that

“The EMERSON EQUIPMENT CLASS 2051TG2A2B21BE1 fulfil the requirements for the CO\_R420-PT-5152 PRESSURE TRANSMITTER”.

### 3.1.1 Problems identified

- (c) As pointed out in the specification, “at instantiation of this template it is mandatory to add meta:valEffectiveDate with the dateTime that the represented information became effective”. This instance does not contain this date required.

## 3.2 Template ClassOfIndividualHasMonetaryValue

The template specification is shown in <http://15926.org/templatespecs/CL-INDPTY-07.xml?cachebuster=0.82274400%201441117215>

The template roles are the following (see link above):

Role No	Role Name	Role Object Type
1	hasPossessorType	dm:ClassOfIndividual
2	hasCostType	dm:ClassOfIndirectProperty
3	valPropertyValue	dm:ExpressReal
4	hasCurrency	dm:Scale

Figure 10 shows the ClassOfIndividualHasMonetaryValue template instance of the pressure\_transmitter\_rfq\_1\_reply.ttl file.




Figure 10 ClassOfIndividualHasMonetaryValue template instantiation

The represented information described in the specification (see link above) says that:

“Any member of [hasPossessorType] has a [hasIndirectPropertyType] with a value of [valPointValue] [hasScale].”

For the instance of the template (id3e5...), one can say:

“Any member of [2051TG2A2B21BE1] has a [STANDARD PRICE] with a value of [1715.0] [USD]”

which means that

“The Quotation for the 2051TG2A2B21BE1 product has as standard price 1715 USD”.

### 3.2.1 Problems identified

- (d) As pointed out in the specification, “at instantiation of this template it is mandatory to add meta:valEffectiveDate with the dateTime that the represented information became effective”. This instance does not contain this date required.

## 3.3 Template

### ClassifiedDefinitionOfClassOfIndividualWithInformationRepresentation

The template specification is shown in <http://www.15926.org/templatespecs/CL-DEFN-02a1.xml>



The template roles are the following (see link above):

Role No	Role Name	Role Object Type
1	hasDefined	dm:ClassOfIndividual
2	hasDefinition	dm:ClassOfInformationRepresentation
3	hasDefinitionType	dm:ClassOfClassOfDefinition

### 3.3.1 Problems identified

- (a) As pointed out in the specification, “at instantiation of this template it is mandatory to add meta:valEffectiveDate with the dateTime that the represented information became effective”. *This instance does not contain this date required.*
- (b) The template instance roles in the reply file are not consistent with the template specification (instead of the hasDefined, hasDefinition and hasDefinitionType, the instance id4ec... uses the roles tpl:hasDescribed, tpl:hasDescription and tpl:hasDescriptionType).

## 4. Our proposal

This Section describes our proposal for solving the inconsistencies found in the *pressure\_transmitter\_rfq\_1.ttl* file (only for that file) described in the previous Sections. The new instances are shown as follows (it is presented at the file *pressure\_transmitter\_rfq\_1\_tec.ttl*). The orange colored text represents our suggestions to fill the gaps found or to correct the inconsistencies and the texts after the symbol `"/"` are comments.

```
:id00394ae2-f71f-4d9b-b23e-0921320a2292
  rdf:type tpl:ClassOfAssemblyDefinition ;
  tpl:hasClassOfPart :id0109f0bf-ac9d-411f-85cd-785ee3194d9e ;
  tpl:hasClassOfWhole :id96b6298e-8fe2-4939-9609-5cd47e0f0516 ;
  meta:valEffectiveDate "2015-09-08T11:00:00+00:00";
  tpl:hasCardinalityOfRole :CardinalityX;2
  tpl:hasCardinalityOfPart : CardinalityX;
.
:id0109f0bf-ac9d-411f-85cd-785ee3194d9e
  rdf:type dm:ClassOfInanimatePhysicalObject ;
  rdfs:label "PE_R420-PT-5152" ;
  rdfs:subClassOf pcardl:RDS462104 ;
.
:id05796c76-5f03-4e11-9a02-a1db079abec7
  rdf:type dm:ClassOfInanimatePhysicalObject ;
  rdfs:subClassOf pcardl:RDS11008205 ;
.
:id05c6754c-b2b7-4a7f-89c1-5e31940b5516
  rdf:type dm:ClassOfInanimatePhysicalObject ;
  rdfs:label "S_R420-PT-5152" ;
  rdfs:subClassOf pcardl:RDS13026796 ;
.
:idx // auxiliary element to be created
  rdf:type dm:ClassOfParticipation;
.
:id0c73c960-9164-46f3-959a-70a6fd5a31b2
  rdf:type tpl:ClassOfParticipationDefinition ;
  tpl:hasActivityType :id69516a23-2029-4f05-a714-3d269cc78de5 ;
  tpl:hasParticipantRole pcardl:RDS13652847 ;
  tpl:hasParticipantType :id83f1614d-649b-4876-ae1e-34721972e9bc ;
  meta:valEffectiveDate "2015-09-08T11:00:00+00:00";
  tpl:hasDefined :idx;
  tpl:hasCardinalityOfActivity : CardinalityX; // (to be reviewed)
  tpl:hasCardinalityOfParticipant : CardinalityX; // (to be reviewed)
.
:id0e7d3ad9-ab84-43f9-9f1a-9b980dfe7973
  rdf:type tpl:SpecializationOfClassOfIndividual ;
  tpl:hasSubClass :id73806964-ca9a-4b2a-a997-13d6a57d4c6d ;
  tpl:hasSuperClass pcardl:RDS9062776044 ;
.
:id1395ad4b-81d5-4f46-a90b-7593f98edd32
  rdf:type tpl:ClassifiedIdentificationOfIndividual ;
  tpl:hasIdentificationType pcardl:R-0d8da6d3-bf11-4e17-bdeb-fcfcbeb32490 ;
  tpl:hasIdentified :id91a437fa-20de-470b-83d0-2cdf4a61914 ;
  tpl:valIdentifier "R420-PT-5152" ;
  meta:valEffectiveDate "2015-09-08T11:00:00+00:00";
.
:id1d2bf4dc-6b26-44a7-a5ba-96a4784ecd44
  rdf:type tpl:ClassOfFeatureWholePartDefinition ;
  tpl:hasClassOfPart :id73806964-ca9a-4b2a-a997-13d6a57d4c6d ;
  tpl:hasClassOfWhole :id96b6298e-8fe2-4939-9609-5cd47e0f0516 ;
  meta:valEffectiveDate "2015-09-08T11:00:00+00:00";
.
:id1f575f73-ea84-43ab-8980-b647f73965d4
  rdf:type tpl:SpecializationByCompoundType ;
  tpl:hasSubClass :id05796c76-5f03-4e11-9a02-a1db079abec7 ;
  tpl:hasSuperClass pcardl:RDS480059 ;
.
```

---

<sup>2</sup> Cardinality to be defined by PCA

```

: id20a39ca3-eb99-44be-aacf-8dae3b3f99cb
  rdf:type pcardl:R-4d2153f8-2b65-4bee-9efb-a2fcac12f284 ;
  rdf:type dm:ClassOfInformationRepresentation ;
  rdfs:label "RFQ-001" ;
.
: id24bb682e-d3c8-4245-999c-d31cf54f664a
  rdf:type tpl:SpecializationByCompoundType ;
  tpl:hasSubClass :id0109f0bf-ac9d-411f-85cd-785ee3194d9e ;
  tpl:hasSuperClass pcardl:RDS472229 ;
.
: id3dd5e9f4-f0ed-4e88-90e8-47cee5deb9c
  rdf:type pcardl:R-a3107083-c97f-458d-aa24-d3785a0a1835 ;
  rdf:type dm:ClassOfInformationRepresentation ;
  rdfs:label "1" ;
.
: id3ff4a9d3-be07-4679-84aa-e25c1daac45c
  rdf:type tpl:ClassOfAssemblyDefinition ;
  tpl:hasClassOfPart :id05796c76-5f03-4e11-9a02-a1db079abec7 ;
  tpl:hasClassOfWhole :id96b6298e-8fe2-4939-9609-5cd47e0f0516 ;
.
: id42d99e6e-a100-4574-865b-dcb1761ef742
  rdf:type tpl:SpecializationOfClassOfIndividual ;
  tpl:hasSubClass :id96b6298e-8fe2-4939-9609-5cd47e0f0516 ;
  tpl:hasSuperClass pcardl:R-lea100f5-e301-4528-bc51-9ab95b73d5f5 ;
.
: id5a5afdec-c690-4a37-a869-6b33d15dd92a
  rdf:type tpl:ClassOfIndividualHasIndirectPropertyWithValue ;
  tpl:hasIndirectPropertyType pcardl:RDS369629 ;
  tpl:hasPossessorType :id05c6754c-b2b7-4a7f-89c1-5e31940b5516 ;
  tpl:hasScale pcardl:RDS1348874 ;
  tpl:valPropertyValue "19.2" ;
.
: id69516a23-2029-4f05-a714-3d269cc78de5
  rdf:type dm:ClassOfActivity ;
  rdfs:subClassOf pcardl:RDS9652247 ;
.
: id7176e82f-fe79-43eb-b7c3-6f8132751085
  rdf:type dm:ClassOfArrangedIndividual ;
  rdfs:subClassOf pcardl:RDS9551659 ;
.
: id73806964-ca9a-4b2a-a997-13d6a57d4c6d
  rdf:type dm:ClassOfArrangedIndividual ;
  rdfs:subClassOf pcardl:RDS1442382761 ;
.
: id75fe4685-a1f7-4e88-b4c5-9b0a9fa707fa
  rdf:type tpl:ClassOfParticipationDefinition ;
  tpl:hasActivityType :id69516a23-2029-4f05-a714-3d269cc78de5 ;
  tpl:hasParticipantRole pcardl:R-d2f7bbdf-0314-417b-b50b-b4fa4b6cd897 ;
  tpl:hasParticipantType :id96b6298e-8fe2-4939-9609-5cd47e0f0516 ;
.
: id7cbfe727-ba44-49fe-83d2-50c5edb17e5d
  rdf:type tpl:ClassOfIndividualHasIndirectPropertyWithBoundingValues ;
  tpl:hasIndirectPropertyType pcardl:R-172326ab-22d4-4ba0-be6e-f2f4890e8185 ;
  tpl:hasPossessorType :id96b6298e-8fe2-4939-9609-5cd47e0f0516 ;
  tpl:hasScale pcardl:RDS1348874 ;
  tpl:valLowerBound "0" ;
  tpl:valUpperBound "30.0" ;
.
: id83f1614d-649b-4876-ae1e-34721972e9bc
  rdf:type dm:ClassOfArrangedIndividual ;
  rdfs:subClassOf pcardl:RDS337196911 ;
.
: id84217d48-1196-439b-8dfe-cfcd7376b08c
  rdf:type tpl:SpecializationOfClassOfIndividual ;
  tpl:hasSubClass :id83f1614d-649b-4876-ae1e-34721972e9bc ;
  tpl:hasSuperClass pcardl:R-9589eb0d-8276-40b8-9ada-8d79cfc1c7101 ;
.
: id91a437fa-20de-470b-83d0-2cdfe4a61914
  rdf:type dm:FunctionalPhysicalObject ;
  rdfs:label "R420-PT-5152" ;
.
: id96b6298e-8fe2-4939-9609-5cd47e0f0516
  rdf:type pcardl:R-c898dddf-932e-4216-bf99-0f40df3847f4 ;
  rdf:type dm:ClassOfInanimatePhysicalObject ;
  rdfs:label "CO_R420-PT-5152" ;
  rdfs:subClassOf pcardl:RDS354194-RDS743399 ; // the right is PRESSURE TRANSMITTER, not
PRESSURE

```

```

.
: idc10d6602-0aa9-4a71-8579-9e8c18dac8de
  rdf:type tpl:ClassOfContainmentDefinition ;
  tpl:hasClassOfContained :id05c6754c-b2b7-4a7f-89c1-5e31940b5516 ;
  tpl:hasClassOfContainer :id96b6298e-8fe2-4939-9609-5cd47e0f0516 ;
  tpl:hasCardinalityOfContainer :RDSNEW004; // (to be reviewed)
  tpl:hasCardinalityOfContained :RDSNEW004; // (to be reviewed)
.
: idc1b54729-7deb-4764-a16a-0a9d29b1582e
  rdf:type tpl:CompositionOfClassOfInformationRepresentation ;
  tpl:hasPart :id3dd5e9f4-f0ed-4e88-90e8-47cee5deb9c ;
  tpl:hasWhole :id20a39ca3-eb99-44be-aacf-8dae3b3f99cb ;
.
: idc5c4e0d5-f495-4fc8-96f3-5e8fb8944fb6
  rdf:type tpl:SpecializationOfClassOfIndividual ;
  tpl:hasSubClass :id0109f0bf-ac9d-411f-85cd-785ee3194d9e ;
  tpl:hasSuperClass pcardl:RDS429389 ;
.
: idef595e28-52b2-42fd-b714-1368087d85e7
  rdf:type tpl:ClassOfFeatureWholePartDefinition ;
  tpl:hasClassOfPart :id7176e82f-fe79-43eb-b7c3-6f8132751085 ;
  tpl:hasClassOfWhole :id96b6298e-8fe2-4939-9609-5cd47e0f0516 ;
  tpl:hasCardinalityOfWhole : CardinalityX;
  tpl:hasCardinalityOfPart : CardinalityX;
.
: idf2ad1e4e-7061-4a6a-867a-91f8e023a65b
  rdf:type tpl:ClassifiedDefinitionOfClassOfIndividualByCOIR ;
  tpl:hasDefined :id96b6298e-8fe2-4939-9609-5cd47e0f0516 ;
  tpl:hasDefinition :id3dd5e9f4-f0ed-4e88-90e8-47cee5deb9c ;
  tpl:hasDefinitionType pcardl:R-67680ea6-21d0-4951-baec-de09bbe4f41d ;
.
: idf84912f2-0994-4ac5-b0b1-dd64376dd345
  rdf:type tpl:ClassOfIndividualHasIndirectPropertyWithValue ;
  tpl:hasIndirectPropertyType pcardl:RDS369674 ;
  tpl:hasPossessorType :id05c6754c-b2b7-4a7f-89c1-5e31940b5516 ;
  tpl:hasScale pcardl:RDS1322684 ;
  tpl:valPropertyValue "95.0" ;
.
: idf9f811d7-6344-49f1-82aa-1da40a7c2db0
  rdf:type tpl:SpecializationOfClassOfIndividual ;
  tpl:hasSubClass :id7176e82f-fe79-43eb-b7c3-6f8132751085 ;
  tpl:hasSuperClass pcardl:RDS1459162771 ;
.
: idfdc37bd5-690c-4596-b603-677ba6f7d88a
  rdf:type tpl:ClassificationOfIndividual ;
  tpl:hasClassified :id91a437fa-20de-470b-83d0-2cdf4e4a61914 ;
  tpl:hasClassifier :id96b6298e-8fe2-4939-9609-5cd47e0f0516 ;
.
<http://iso15926.fi.atech.org/edrc_usecase_2/pressure_transmitter_rf1>
  rdf:type owl:Ontology ;
  owl:imports tpl: ;
  owl:versionInfo "Created with TopBraid Composer"^^xsd:string ;
.

```

The files presented at the directory "edrc\_usecase\_2 - changed by TecGraf," allows to test the EDRC UC2 with answering real SPARQL queries. The reader can see it at the document UC2\_SPARQL\_Examples.pdf

## 5. Data Specification

This section brings a First Order Logic representation of the Object Declarations and the Templates Patterns<sup>3</sup> used to construct the EDRC User Case 2<sup>4</sup>. The main goal of this section is to show the connection between the classes, templates and patterns to model the information or data.

### 5.1 Object Declarations

At the FOL formula below, the predicates are used to define properties and some predicates are not in Part 7 of ISO15926. These predicates are:

- Identification(x) - it means that x is an identifier;
- RequestforQuotation(x) - it means that x is a Request for Quotation;
- TaggedItemObject(x) - it means that x is a Tagged Item;
- EquipmentType(x) - it means that x is an Equipment Type;
- RequiredItemClass(x) - it means that x is a Required Item;
- PressureElement(x) - it means that x is a Pressure Element;
- Stream(x) - it means that x is a Stream;
- Quotation(x) - it means that x is a Quotation;
- RFQItem(x) - it means that x is a Request for Quotation Item;
- ClassificationProperty(x,y) - it means that x is classified as y;
- IdentificationProperty(x,y) - it means that x has the label y;
- SpecializationProperty (x, y) - it means that x is subclass of y.

Note: In the specification of the Template Pattern, it is possible to use the templates presented at Part 7 of ISO15926 and at ISO15926.org. However, Object declarations are designed to be implemented without templates.

---

<sup>3</sup> In the mapping of the information to be accessed or data to be exchanged, to ISO 15926 reference data Classes and Templates, it was noticed certain sets of repeating patterns. The repetitive nature of the patterns allow the work to accelerate. When new requirements have been identified with similar semantics already mapped to specific patterns, these same patterns have simply been applied to the new requirements[5]

<sup>4</sup> see specification downloading the file at <http://techinvestlab.ru/EDRCDemo>

### Request for Quotation

RequestforQuotationObjectDeclaration(y,z,k) ->  
    ClassOfInformationRepresentation(y)^  
    RequestforQuotation(z)^  
    Identification(k) ^  
    ExpressString(k)^  
    ClassificationProperty(z,y) ^  
    IdentificationProperty(y,k) .

Instance                      example:                      RequestforQuotationObjectDeclaration  
(InformationRepresentationY, RequestForQuotationX, "RFQ\_0001").

The **RequestForQuotationX** is classified as **InformationRepresentationY** and has the identifier **RFQ\_0001**.

### Tagged Item

TaggedItemObjectDeclaration (y,z,k) ->  
    FunctionalPhysicalObject(y)^  
    TaggedItemObject(z)^  
    Identification(k) ^  
    ExpressString(k)^  
    ClassificationProperty(z,y) ^  
    IdentificationProperty(y,k) .

Instance    example:    TaggedItemObjectDeclaration    (FunctionalPhysicalObjectY,  
TaggedItemObjectZ, "R420-PT-6501").

The **TaggedItemObjectZ**, is classified as **FunctionalPhysicalObjectY** and has the identifier **R420-PT-6501**.

### Required Class

RequiredClassObjectDeclaration (x, y,z,k) ->  
    ClassOfInanimatePhysicalObject(x) ^  
    Identification(y)^  
    ExpressString(y)^  
    EquipmentType(z)^  
    RequiredItemClass(k) ^  
    ClassificationProperty(k,x) ^  
    IdentificationProperty (x,y) ^  
    SpecializationProperty (x,z) .

Instance    example:    RequiredClassObjectDeclaration    (InanimatePhysicalObjectX,  
"CO\_R420-PT-6501", EquipmentTypeX, RequiredItemClassZ).

The **InanimatePhysicalObjectX** is classified as **RequiredItemClassZ**, is subclass of **EquipmentTypeX** and has the identifier **CO\_R420-PT-6501**.

Note: the **EquipmentTypeX** is a Data set element (RDL entity), it can be PRESSURE TRANSMITTER <http://posccaesar.org/rdl/RDS743399>

#### Pressure Element Class

```
PressureElementClassObjectDeclaration(x, y, z) ->  
  ClassOfInanimatePhysicalObject(x)^  
  Identification(y) ^  
  ExpressString(y)^  
  PressureElement(z)^  
  IdentificationProperty (x,y) ^  
  SpecializationProperty (x,z) .
```

Instance example: PressureElementClassObjectDeclaration (InanimatePhysicalObjectX, "PE\_R420-PT-6501", PressureElementZ).

The **InanimatePhysicalObjectX** is subclass of **PressureElementZ** and has the identifier **PE\_R420-PT-6501**.

#### Stream Class

```
StreamClassObjectDeclaration(x,y,z) ->  
  ClassOfInanimatePhysicalObject(x)^  
  Identification (y)^  
  ExpressString(y)^  
  Stream(z)^  
  IdentificationProperty(x,y) ^  
  SpecializationProperty (x,z) .
```

Instance example: StreamClassObjectDeclaration (InanimatePhysicalObjectX, "S\_R420-PT-6501", StreamZ).

The **InanimatePhysicalObjectX** is subclass of **StreamZ** and has the identifier **S\_R420-PT-6501**

### Reply to the Request for Quotation

ReplytotheRequestforQuotationObjectDeclaration(y,z,k) ->  
    ClassOfInformationRepresentation(y)^  
    Quotation(z)^  
    Identification(k)^  
    ExpressString(k)^  
    ClassificationProperty(z,y) ^  
    IdentificationProperty (y,k) .

Instance example: Reply to the Request forQuotationDeclaration  
(InformationY,QuotationZ, "RFQ\_0001\_Reply").

The **InformationY** is classified as **QuotationZ** and has the identifier **RFQ\_0001\_Reply**.

### RFQ Item

RFQItemObjectDeclaration(y,k,z) ->  
    ClassOfInanimatePhysicalObject(y)^  
    Identification(k)^  
    ExpressString(k)^  
    RFQItem(z)^  
    IdentificationProperty (y,k) ^  
    ClassificationProperty (y,z) .

Instance example RFQItemObjectDeclaration (InanimatePhysicalObjectY,"Sr.1",  
RFQItemZ).

The **InanimatePhyiscalObjectY** has a **RFQItemZ** and has the identifier **Sr.1**.



## 5.2 Template Pattern

The formulas bellow represent requirements for the request for quote about the pressure transmitter (request and reply) and its specification.

Pressure\_Transmitter\_RFQ (X1, X2, X3, X4, X5, X6, X7, X8, C1, X9, X10, C2, X11, X12, C3, X13, X14, X15, X16, X17, X18, X19, X20, X21, X22, X23, X24, X25, X26, X27, X28, X29, X30)

```
->
    TagNumber(X1, X2, X3, X4) ^
    OperatingPressure(X4, X5, X6, X7, X8, C1, X9) ^
    OperatingTemperature(X4, X5, X6, X7, X10, C2, X11) ^
    CalibrationRange (X4, X12, C3, X9) ^
    ProductCertification (X4, X13) ^
    Output (X14, X15, X4, X16, X17, X18) ^
    ElementType(X4, X19, X20) ^
    ElementMaterial (X4, X19, X21) ^
    HousingMaterial (X4, X22, X23) ^
    ElectricalConnectionType(X4, X24, X25) ^
    ProcessConnectionType(X26, X4, X27) ^
    DefinitionOfClassByRQFDocument(X28, X29, X4, X30).
```

Pressure\_Transmitter\_RFQ Reply (X1, X2, X3, X4, X5, X6, X7, X8, C1, X9, X10, C2, X11, X12, C3, X13, X14, X15, X16, X17, X18, X20, X21, X22, X23, X24, X25, PC, PCN, X28, X29, X30, R1, R2, R3, R4, C4, R5)

```
->
    TagNumber(X1, X2, X3, X4) ^
    OperatingPressure(X4, X5, X6, X7, X8, C1, X9) ^
    OperatingTemperature(X4, X5, X6, X7, X10, C2, X11) ^
    CalibrationRange (X4, X12, C3, X9) ^
    ProductCertification (X4, X13) ^
    Output (X14, X15, X4, X16, X17, X18) ^
    ElementType(X4, X19, X20) ^
    ElementMaterial (X4, X19, X21) ^
    HousingMaterial (X4, X22, X23) ^
    ElectricalConnectionType(X4, X24, X25) ^
    ProcessConnectionType(X26, X4, X27) ^
    DefinitionOfClassByRQFDocument(X28, X29, X4, X30) ^
    ModelNumber (X4, X28, R1, R2, R3, R4, C4, R5) .
```

```
TagNumber(X1, X2, X3, X4) ->
    ClassifiedIdentificationOfIndividual(X1, X2, X3) ^
    ClassificationOfIndividual (X1, X4) .

OperatingPressure(X4, X5, X6, X7, X8, C1, X9) ->
    ClassOfContainmentDefinition(X4, X5, X6, X7) ^
    ClassOfIndividualHasIndirectPropertyWithValue(X5, X8, C1, X9) .

OperatingTemperature(X4, X5, X6, X7, X10, C2, X11) - >
    ClassOfContainmentDefinition(X4, X5, X6, X7) ^
    ClassOfIndividualHasIndirectPropertyWithValue(X5, X10, C2, X11) .

CalibrationRange (X4, X12, C3, X9) - >
    ClassOfIndividualHasIndirectPropertyWithMaximumValue (X4, X12, C3, X9) .

ProductCertification (X4, X13) - >
    SpecializationOfClassOfIndividual (X4, X13) .

Output (X14, X15, X4, X16, X17, X18) ->
    SpecializationOfNOPfClassOfIndividual(X14, X15) ^
    ClassOfParticipationDefinition (X4, X16, X17) ^
    ClassOfParticipationDefinition (X14, X16, X18) .

ElementType(X4, X19, X20) ->
    ClassOfAssemblyDefinition(X4, X19) ^
    SpecializationOfClassOfIndividual(X19, X20) .

ElementMaterial (X4, X19, X21) ->
    ClassOfAssemblyDefinition(X4, X19) ^
    SpecializationByCompoundType(X19, X21) .

HousingMaterial (X4, X22, X23) ->
```

```

ClassOfAssemblyDefinition(X4, X22) ^
SpecializationByCompoundType(X22, X23).

ElectricalConnectionType(X4, X24, X25) ->
ClassOfFeatureWholePartDefinition (X24, X4) ^
SpecializationOfClassOfIndividual(X25, X24).

ProcessConnectionType(X26, X4, X27) ->
ClassOfFeatureWholePartDefinition (X26, X4) ^
SpecializationOfClassOfIndividual(X27, X26).

DefinitionOfClassByRQFDocument(X28, X29, X4, X30) ->
CompositionOfClassOfInformationRepresentation(X28, X29) ^
ClassifiedIdentificationOfIndividualWithInformationRepresentation (X4, X28, X30).

ModelNumber (X4, X28, R1, R2, R3, R1, R4, C4, R5) ->
ClassifiedIdentificationOfIndividualWithInformationRepresentation(X4, X28, R1) ^
ProductClassFulfillsClassOfFunctionPlace(X4, R3, R2) ^
IndividualHasMonetaryValue (R3, R4, C4, R5).

```

The formulas bellow represents the instantiation of the formula shown above (request and reply). The instance is essential to understand how the objects are build based on the patterns and using the templates.

Note2: The labels described as follows are taken from (i) the own object label or (ii) the `rdfs:subClassOf` property or (iii) the `tpl:hasSuperClass` property.

Note3: The instantiation process must be applied to all patterns and template. Here is showed the instantiation for just the more external patterns.

#### Notation of some constants:

```

id91a... = CompanyNamespace+Project ID + TagNumber or CompanyNamespace + UUID
id0959... = ClassOfArrangedIndividual
CO_R420-PT-5152 = Company's PRESSURE TRANSMITTER
R420-PT-5152 = PRESSURE TRANSMITTER tag
S_R420-PT-5152 = PRESSURE TRANSMITTER STREAM
PE_R420-PT-5152 = PRESSURE ELEMENT
cardinality1 = cardinality to be defined by PCA
cardinality2 = cardinality to be defined by PCA

```

#### Formulas:

```

Pressure_Transmitter_RFQ ("id91a...", "R420-PT-5152", "TAG ASSIGNMENT CLASS", "CO_R420-PT-5152", "S_R420-PT-5152", "cardinality1", "cardinality2", "NORMAL OPERATING PRESSURE", 19.2, "BAR GAUGE", "NORMAL OPERATING TEMPERATURE", 95.0, "DEGREE CELSIUS", "CALIBRATION RANGE", 30, "ATEX FLAME PROOF", "SIGNAL", "4_20mA, HART", "TRANSMITTING", "PERFORMER", "OUTPUT", "PE_R420-PT-5152", "ISOLATING DIAPHRAGM", "ASTM GRADE 316L", "HOUSING", "ALLUMINIUM", "ELECTRICAL CONNECTION", "THREADED HOLE M20 X 1.5F", "PROCESS CONNECTION", "PROCESS CONNECTION 1/2 -14 NPT", "Sr.1", "RFQ-001", "CLASS DEFINITION BY X29 REQUIREMENT")
->

TagNumber("id91a...", "R420-PT-5152", "TAG ASSIGNMENT CLASS", "CO_R420-PT-5152") ^

OperatingPressure("CO_R420-PT-5152", "S_R420-PT-5152", "cardinality1", "cardinality2", "NORMAL OPERATING PRESSURE", 19.2, "BAR GAUGE") ^

OperatingTemperature("CO_R420-PT-5152", "S_R420-PT-5152", "cardinality1", "cardinality2", "NORMAL OPERATING TEMPERATURE", 95.0, "DEGREE CELSIUS") ^

CalibrationRange ("CO_R420-PT-5152", "CALIBRATION RANGE", 30, "BAR GAUGE") ^

ProductCertification ("CO_R420-PT-5152", "ATEX FLAME PROOF") ^

Output ("SIGNAL", "4_20mA, HART", "CO_R420-PT-5152", "TRANSMITTING", "PERFORMER", "OUTPUT")
^

ElementType ("CO_R420-PT-5152", "PE_R420-PT-5152", "ISOLATING DIAPHRAGM") ^

```

```

ElementMaterial ("CO_R420-PT-5152","PE_R420-PT-5152", "ASTM GRADE 316L") ^

HousingMaterial ("CO_R420-PT-5152","HOUSING","ALLUMINIUM") ^

ElectricalConnectionType ("CO_R420-PT-5152","ELECTRICAL CONNECTION", "THREADED HOLE M20
X 1.5F") ^

ProcessConnectionType ("PROCESS CONNECTION" ,"CO_R420-PT-5152", "PROCESS CONNECTION 1/2
-14 NPT") ^

DefinitionOfClassByRQFDocument ("Sr.1","RFQ-001","CO_R420-PT-5152","CLASS DEFINITION BY
RQF REQUIREMENT") .

PressureTransmitter_RFQ_Reply ("id91a...", "R420-PT-5152", "TAG ASSIGNMENT CLASS",
"CO_R420-PT-5152", "S_R420-PT-5152", "cardinality1","cardinality2", "NORMAL OPERATING
PRESSURE", 19.2, "BAR GAUGE","NORMAL OPERATING TEMPERATURE", 95.0, "DEGREE CELSIUS",
"CALIBRATION RANGE", 30, "ATEX FLAME PROOF", "SIGNAL","4_20mA,HART","TRANSMITTING",
"PERFORMER", "OUTPUT", "PE_R420-PT-5152","ISOLATING DIAPHRAGM","ASTM GRADE 316L",
"HOUSING","ALLUMINIUM", "ELECTRICAL CONNECTION", "THREADED HOLE M20 X 1.5F", "PROCESS
CONNECTION", "PROCESS CONNECTION 1/2 -14 NPT","Sr.1","RFQ-001", "CLASS DEFINITION BY RQF
REQUIREMENT", "CLASS DESCRIPTION BY QUOTATION", "id0959...", "2051TG2A2B21BE1 - EMERSON
EQUIPMENT CLASS" , "STANDARD PRICE", 1715, "USD" )

->

TagNumber("id91a...", "R420-PT-5152", "TAG ASSIGNMENT CLASS", "CO_R420-PT-5152") ^

OperatingPressure("CO_R420-PT-5152","S_R420-PT-5152","cardinality1","cardinality2",
"NORMAL OPERATING PRESSURE", 19.2, "BAR GAUGE")^

OperatingTemperature("CO_R420-PT-5152","S_R420-PT-5152","cardinality1","cardinality2",
"NORMAL OPERATING TEMPERATURE", 95.0, "DEGREE CELSIUS") ^

CalibrationRange ("CO_R420-PT-5152","CALIBRATION RANGE", 30,"BAR GAUGE") ^

ProductCertification ("CO_R420-PT-5152", "ATEX FLAME PROOF") ^

Output ("SIGNAL","4_20mA, HART", "CO_R420-PT-5152", "TRANSMITTING", "PERFORMER",
"OUTPUT") ^

ElementType("CO_R420-PT-5152", "PE_R420-PT-5152", "ISOLATING DIAPHRAGM") ^

ElementMaterial ("CO_R420-PT-5152","PE_R420-PT-5152", "ASTM GRADE 316L") ^

HousingMaterial ("CO_R420-PT-5152","HOUSING","ALLUMINIUM") ^

ElectricalConnectionType("CO_R420-PT-5152","ELECTRICAL CONNECTION", "THREADED HOLE M20 X
1.5F") ^

ProcessConnectionType("PROCESS CONNECTION" ,"CO_R420-PT-5152", "PROCESS CONNECTION 1/2 -
14 NPT") ^

DefinitionOfClassByRQFDocument("Sr.1","RFQ-001","CO_R420-PT-5152","CLASS DEFINITION BY
RQF REQUIREMENT") ^

ModelNumber ("CO_R420-PT-5152", "Sr.1","CLASS DESCRIPTION BY QUOTATION", id0959...,
"2051TG2A2B21BE1 - EMERSON EQUIPMENT CLASS" , "STANDARD PRICE", 1715, "USD" ) .

```