Bulk Change

1 / 2,492 rules

Filters

Search for rules...

∨ Language

Search for languages...

Java	639
C#	401
JavaScript	246
TypeScript	240
PHP	223
Python	172
VB.NET	170
Flex	82
HTML	71
Kotlin	49
Ruby	48
Scala	47
Go	44
CSS	31
XML	23

15 shown Show More

∨ Type

🐞 Bug	535
🔓 Vulnerability	141
☢ Code Smell	1.6k

"!important" should not be used on "keyframes"   CSS 🐞 Bug ▼▾

"$this" should not be used in a static context   PHP 🐞 Bug ▼▾

"&&" and "||" should be used   PHP ☢ Code Smell 🏷 suspicious ▼▾

".equals()" should not be used to test the values of "Atomic" classes   Java 🐞 Bug 🏷 multi-threading ▼▾

"<!DOCTYPE>" declarations should appear before "<html>" tags   HTML 🐞 Bug 🏷 user-experience ▼▾

"<>" should not be used to test inequality   Python ☢ Code Smell 🏷 obsolete ▼▾

"<?php" and "<?=" tags should be used   PHP ☢ Code Smell 🏷 convention, psr1 ▼▾

"<fieldset>" tags should contain a "<legend>"   HTML 🐞 Bug 🏷 accessibility ▼▾

"<frames>" should have a "title" attribute   HTML 🐞 Bug 🏷 accessibility ▼▾

"<html>" element should have a language attribute   HTML 🐞 Bug 🏷 accessibility, wc... ▼▾

"<li>" and "<dt>" item tags should be in "<ul>", "<ol>" or "<dl>" container tags   HTML 🐞 Bug ▼▾

"<object>" tags should provide an alternative content   HTML ☢ Code Smell 🏷 accessibility, wc... ▼▾

"<strong>" and "<em>" tags should be used   HTML 🐞 Bug 🏷 accessibility ▼▾

"<table>" tags should have a description   HTML 🐞 Bug 🏷 accessibility, wc... ▼▾

"<th>" tags should have "id" or "scope" attributes   HTML 🐞 Bug 🏷 accessibility, wc... ▼▾

"<title>" should be present in all pages   HTML 🐞 Bug 🏷 user-experience ▼▾

"=+" should not be used instead of "+="   C# 🐞 Bug ▼▾

Bulk Change

1 / 2,492 rules

"=+" should not be used instead of "+="	Go 🐞 Bug ▼▾
"=+" should not be used instead of "+="	PHP 🐞 Bug ▼▾
"=+" should not be used instead of "+="	Ruby 🐞 Bug ▼▾
"=+" should not be used instead of "+="	Java 🐞 Bug ▼▾
"=+" should not be used instead of "+="	VB.NET 🐞 Bug ▼▾
"==" and "!=" should not be used when "equals" is overridden	Java ☢ Code Smell 🏷 cert, cwe, suspi… ▼▾
"==" should not be used when "Equals" is overridden	C# ☢ Code Smell 🏷 cwe, suspicious ▼▾
"===" and "!==" should be used instead of "==" and "!="	Flex ☢ Code Smell 🏷 suspicious ▼▾
"===" and "!==" should be used instead of "==" and "!="	JavaScript ☢ Code Smell 🏷 suspicious ▼▾
"===" and "!==" should be used instead of "==" and "!="	TypeScript ☢ Code Smell 🏷 suspicious ▼▾
"@CheckForNull" or "@Nullable" should not be used on primitive types	Java ☢ Code Smell ▼▾
"@Controller" classes that use "@SessionAttributes" must call "setComplete" on their "SessionStatus" objects	Java 🐞 Bug 🏷 spring ▼▾
"@Deprecated" code marked for removal should never be used	Java ☢ Code Smell 🏷 cert, cwe, obsol… ▼▾
"@Deprecated" code should not be used	Java ☢ Code Smell 🏷 cert, cwe, obsol… ▼▾
"@EnableAutoConfiguration" should be fine-tuned	Java ☢ Code Smell 🏷 performance, sp… ▼▾
"@NonNull" values should not be set to null	Java 🐞 Bug 🏷 cert, cwe ▼▾
"@Override" should be used on overriding and implementing methods	Java ☢ Code Smell 🏷 bad-practice ▼▾

Filters

🔍 Search for rules...

⌄ **Language**

🔍 Search for languages...

Java	639
C#	401
JavaScript	246
TypeScript	240
PHP	223
Python	172
VB.NET	170
Flex	82
HTML	71
Kotlin	49
Ruby	48
Scala	47
Go	44
CSS	31
XML	23

15 shown Show More

⌄ **Type**

🐞 Bug	535
🔓 Vulnerability	141
☢ Code Smell	1.6k

Bulk Change

Filters

🔍 Search for rules...

∨ Language

🔍 Search for languages...

Java	639
C#	401
JavaScript	246
TypeScript	240
PHP	223
Python	172
VB.NET	170
Flex	82
HTML	71
Kotlin	49
Ruby	48
Scala	47
Go	44
CSS	31
XML	23

15 shown Show More

∨ Type

🐞 Bug		535
🔒 Vulnerability		141
☢ Code Smell		1.6k

package

"[DefaultValue]" should not be used when "[DefaultParameterValue]" is meant	C# ☢ Code Smell	🏷 suspicious	▽
"[ExpectedException]" should not be used	C# ☢ Code Smell	🏷 tests	▽
"[Optional]" should not be used on "ref" or "out" parameters	C# ☢ Code Smell	🏷 pitfall	▽
"\" should only be used as an escape character outside of raw strings	DEPRECATED Python 🐞 Bug		▽
"__construct" functions should not make PHP 4-style calls to parent constructors	PHP ☢ Code Smell	🏷 convention	▽
"__exit__" should accept type, value, and traceback arguments	DEPRECATED Python 🐞 Bug		▽
"__init__" should not return a value	Python 🐞 Bug		▽
"abstract" classes should not have "public" constructors	C# ☢ Code Smell	🏷 confusing	▽
"action" mappings should not have too many "forward" entries	Java ☢ Code Smell	🏷 brain-overload, …	▽
"ActiveMQConnectionFactory" should not be vulnerable to malicious code deserialization	Java 🔒 Vulnerability	🏷 cwe, owasp-a8	▽
"alert(...)" should not be used	DEPRECATED JavaScript 🔒 Vulnerability		▽
"Alert.show(...)" should not be used	DEPRECATED Flex 🔒 Vulnerability		▽
"allow_url_fopen" and "allow_url_include" should be disabled	PHP 🔒 Vulnerability	🏷 cwe, owasp-a1, …	▽
"Any()" should be used to test for emptiness	C# ☢ Code Smell	🏷 clumsy	▽
"arguments" should not be accessed directly	TypeScript ☢ Code Smell	🏷 api-design, es2…	▽
"arguments" should not be accessed directly	JavaScript ☢ Code Smell	🏷 api-design, es2…	▽

Bulk Change

1 / 2,492 rules

"arguments.caller" and "arguments.callee" should not be used   JavaScript   ⊗ Code Smell   ⬢ obsolete   ▽

"aria-label" or "aria-labelledby" attributes should be used to differentiate similar elements   HTML   ⊗ Code Smell   ⬢ accessibility, wc...   ▽

"Arrays.stream" should be used for primitive arrays   Java   ⊗ Code Smell   ⬢ performance   ▽

"Assembly.GetExecutingAssembly" should not be called   C#   ⊗ Code Smell   ⬢ performance   ▽

"Assembly.Load" should be used   C#   ⊗ Code Smell   ⬢ unpredictable   ▽

"async" and "await" should not be used as identifiers   C#   ⊗ Code Smell   ⬢ pitfall   ▽

"async" methods should not return "void"   C#   🐞 Bug   ⬢ async-await, mu...   ▽

"at-rules" should be valid   CSS   🐞 Bug   ▽

"await" should not be used redundantly   JavaScript   ⊗ Code Smell   ⬢ redundant   ▽

"await" should not be used redundantly   TypeScript   ⊗ Code Smell   ⬢ redundant   ▽

"await" should only be used with promises   TypeScript   ⊗ Code Smell   ⬢ confusing   ▽

"await" should only be used with promises   JavaScript   ⊗ Code Smell   ⬢ confusing   ▽

"base.Equals" should not be used to check for reference equality in "Equals" if "base" is not "object"   C#   🐞 Bug   ▽

"Bean Validation" (JSR 380) should be properly configured   Java   ⊗ Code Smell   ▽

"BigDecimal(double)" should not be used   Java   🐞 Bug   ⬢ cert   ▽

"break" and "continue" should not be used outside a loop   Python   🐞 Bug   ▽

"ByVal" should not be used   VB.NET   ⊗ Code Smell   ⬢ clumsy   ▽

"calc" operands should be correctly spaced   CSS   🐞 Bug   ▽

Filters

🔍 Search for rules...

⌄ Language

🔍 Search for languages...

Java	639
C#	401
JavaScript	246
TypeScript	240
PHP	223
Python	172
VB.NET	170
Flex	82
HTML	71
Kotlin	49
Ruby	48
Scala	47
Go	44
CSS	31
XML	23

15 shown   Show More

⌄ Type

🐞 Bug	535
🔒 Vulnerability	141
⊗ Code Smell	1.6k

Bulk Change

Filters

🔍 Search for rules...

∨ **Language**

🔍 Search for languages...

Java	639
C#	401
JavaScript	246
TypeScript	240
PHP	223
Python	172
VB.NET	170
Flex	82
HTML	71
Kotlin	49
Ruby	48
Scala	47
Go	44
CSS	31
XML	23

15 shown Show More

∨ **Type**

🐞 Bug		535
🔒 Vulnerability		141
☢ Code Smell		1.6k

"case" statements should have "else" clauses · Ruby · Code Smell · cwe

"case" statements should not be nested · Ruby ☢ Code Smell 🏷 pitfall

"case" statements should not have too many "when" clauses · Ruby ☢ Code Smell 🏷 brain-overload

"catch" clauses should do more than rethrow · Java ☢ Code Smell 🏷 clumsy, error-ha…

"catch" clauses should do more than rethrow · VB.NET ☢ Code Smell 🏷 clumsy, error-ha…

"catch" clauses should do more than rethrow · JavaScript ☢ Code Smell 🏷 clumsy, error-ha…

"catch" clauses should do more than rethrow · TypeScript ☢ Code Smell 🏷 clumsy, error-ha…

"catch" clauses should do more than rethrow · PHP ☢ Code Smell 🏷 clumsy, error-ha…

"catch" clauses should do more than rethrow · C# ☢ Code Smell 🏷 clumsy, error-ha…

"cgi.force_redirect" should be enabled · PHP 🔒 Vulnerability 🏷 cwe, owasp-a6, …

"Class.forName()" should not load JDBC 4.0+ drivers · Java ☢ Code Smell 🏷 obsolete

"clone" should not be overridden · Java ☢ Code Smell 🏷 suspicious

"Cloneables" should implement "clone" · Java ☢ Code Smell 🏷 api-design, conv…

"close()" calls should not be redundant · Java ☢ Code Smell 🏷 redundant

"collect" should be used with "Streams" instead of "list::add" · Java ☢ Code Smell 🏷 java8

"Collections.EMPTY_LIST", "EMPTY_MAP", and "EMPTY_SET" should not be used · Java ☢ Code Smell 🏷 obsolete, pitfall

"compareTo" results should not be checked for specific values · Java 🐞 Bug 🏷 unpredictable

"compareTo" should not be overloaded · Java 🐞 Bug 🏷 pitfall

Bulk Change

ConfigureAwait(false)" should be used   C# 😵 Code Smell 🏷 async-await, mu...

"ConstructorArgument" parameters should exist in constructors   C# 🐞 Bug 🏷 wpf, xaml

"ConstructorArgument" parameters should exist in constructors   VB.NET 🐞 Bug 🏷 wpf, xaml

"continue" should not be used   TypeScript 😵 Code Smell 🏷 bad-practice

"continue" should not be used   JavaScript 😵 Code Smell 🏷 bad-practice

"CoSetProxyBlanket" and "CoInitializeSecurity" should not be used   C# 🔓 Vulnerability 🏷 owasp-a6

"CoSetProxyBlanket" and "CoInitializeSecurity" should not be used   VB.NET 🔓 Vulnerability 🏷 owasp-a6

100 of 2,492 shown   **Show More**

Filters

🔍 Search for rules...

∨ Language

🔍 Search for languages...

Java	639
C#	401
JavaScript	246
TypeScript	240
PHP	223
Python	172
VB.NET	170
Flex	82
HTML	71
Kotlin	49
Ruby	48
Scala	47
Go	44
CSS	31
XML	23

15 shown Show More

∨ Type

🐞 Bug	535
🔓 Vulnerability	141
😵 Code Smell	1.6k