

To print: A4 portrait, scale 100%, background graphics on. Complete one form per tester per round and return it to the section leader. A spreadsheet version for collating several testers' results can be generated on request.

User Acceptance Testing — PWMS

Parliamentary Workflow Management System · IRPD section · Delegation Reports · International Resolutions · International Agreements

1. Who is testing, and against what

Tester name	Role / designation	
Section / group	Date(s) of testing	
Environment tested (URL)	Build / version under test	
Browser and device	Round	☐ 1 — first acceptance run ☐ 2 — re-test ☐ 3 — final
Test records used (references)		

Test on training records only. Do not run this form against live instruments in production. If a scenario needs a record in a particular stage, ask the administrator to prepare one rather than changing a real record.

2. How to complete this form

- Work through the scenarios in order. For each one, carry out the steps in *What to do* and compare what happens with *Expected result*.
- Record one result per scenario by **circling** a letter in the *Result* column. A scenario marked * is **critical to acceptance** and must pass for the section to accept the system.
- If the result is not **P**, write what actually happened in *Evidence / defect ref*, and add a row to the **defect log** (§14) giving it an ID. Put that defect ID in the evidence column so the two tie together.
- If an earlier defect stops you reaching a scenario, mark it **B** and name the defect that blocked it. Do not guess.
- Mark a scenario **N** only where it genuinely does not apply to the section's work — say why in the evidence column. Where a scenario depends on administrator configuration (for example email or SharePoint), note that in your comments rather than marking it as failed.
- Attach screenshots where they help. Name each one with the scenario ID (for example E2-blocked.png) and list the files in §16.

P — Pass: as expected **F** — Fail: not as expected **B** — Blocked: could not be carried out **N** — Not applicable

Severity — use this to grade every defect you log

S1 — Blocking	The section cannot carry out real work, or data is lost or corrupted.
S2 — Major	A core task gives the wrong result and there is no acceptable workaround.
S3 — Minor	The task works but with an awkward workaround, or a field, label or figure is wrong.
S4 — Cosmetic	Appearance or wording only; nothing about the work changes.

3. A — Access and sign-in

ID	What to do	Expected result (acceptance criterion)	Result	Evidence / defect ref
A1 *	Open the environment and sign in with your normal Parliament directory account.	You reach the Dashboard. No separate PWMS password is asked for.	P · F · B · N	
A2	Read the Dashboard: the four figures, then the four work lists.	The figures are Total workflows, Assigned to you, Due in 7 days and Overdue. The lists are Assigned to you, Due soon, Overdue and Awaiting your committees, and the records in them are ones you recognise as yours.	P · F · B · N	
A3 *	Open the three instrument registers and the cross-instrument Workflows list.	You see the records you are entitled to and no others. A record you may not open does not appear in any list, or in the report builder's filter lists.	P · F · B · N	
A4	Open Workflows → Create a workflow, then each register's New button.	New Report, New Resolution and New Agreement are all offered to you.	P · F · B · N	

4. B — Reading and monitoring a record

ID	What to do	Expected result (acceptance criterion)	Result	Evidence / defect ref
B1	Open a delegation report's Overview tab.	It states the title, owner, who it is assigned to, its stage, priority and due date, its description, the engagement dates and location, the report document link — and carries the BR03 updates card.	P · F · B · N	

ID	What to do	Expected result (acceptance criterion)	Result	Evidence / defect ref
B2	Open the Progress tab.	A completion percentage, the stage sequence with the current stage marked, and a journey naming who moved the record, when and with what comment.	P · F · B · N	
B3	Change the record's title, save, then open its Timeline tab.	The edit appears in the merged history with your name and the time, alongside every stage change. Nothing on the record changes without appearing here.	P · F · B · N	
B4	Find a record whose deadline has passed while it is still open (set a past deadline on a training record if needed).	It is flagged overdue on the record and in the register. A record in a final stage is never shown as overdue.	P · F · B · N	

5. C — Capturing a delegation report

ID	What to do	Expected result (acceptance criterion)	Result	Evidence / defect ref
C1 *	New Report. Complete the title, description, deadline and priority, then the engagement name, country, city, start and end dates and the report document link. Create report.	Confirmed. The record is given a DR- <i><year>-<sequence></i> reference by the system and starts at <i>Awaiting PGIR approval</i> .	P · F · B · N	
C2	Try to save a start date in the future. Then try an end date earlier than the start date.	Both are refused, with the reason given on the field. Neither is saved.	P · F · B · N	
C3	Add a Parliamentary Delegation Member and a Support Official, each with the role they held. Then take one of them off the delegation.	Both appear with their type and role. The person taken off stays listed, struck through, showing who removed them and when.	P · F · B · N	
C4	On the report's Related tab, use Resolutions adopted → Add Resolution to add a resolution (title, number, adoption date).	The resolution is created as an international resolution, owned by you and linked to this report, and is listed on the card.	P · F · B · N	
C5	Try to capture a second resolution using a number that is already in use.	Refused, with a message that the resolution number already exists.	P · F · B · N	

6. D — Capturing a resolution and an agreement

ID	What to do	Expected result (acceptance criterion)	Result	Evidence / defect ref
D1	New Resolution, with no parent report: give the number, title, adoption date, responsible group and resolution text.	Created successfully at the stage <i>Captured</i> . You supply the resolution number; the system does not generate it.	P · F · B · N	
D2	New Agreement: set the agreement type (Section 231(2) or 231(3)), the ATC tabling date, the submitting department and the referral committees.	Created successfully, starting at <i>Agreement Tabled – referred to Committee</i> — not at the first stage printed on the diagram.	P · F · B · N	
D3	As the responsible minister, try to link a person who does not hold a current executive appointment. Then record that person's name in the responsible-minister name field instead.	The link is refused, with the reason stated. The name field saves, so an agreement signed by a former minister can still be recorded accurately.	P · F · B · N	

7. E — Moving a record on, and the ATC publication

This is the part of the system the section most depends on: a delegation report cannot be closed until the ATC publication has been recorded. Run E1, E2 and E3 in order, on the same report.

ID	What to do	Expected result (acceptance criterion)	Result	Evidence / defect ref
E1 *	On a report at <i>Tabled and referred to Committee</i> with no ATC update recorded, open Status → Close – House approved.	The confirmation page refuses it, headed <i>This transition cannot be taken yet</i> , and states that an ATC update published event is required. The confirm button is not available.	P · F · B · N	
E2 *	On the same report's Overview tab, use BR03 updates → Add update. Give the date and any one ATC detail (reference, publication date, page or document link). Record update.	Confirmed, and PWMS states the report may now be closed from the Status menu. The update is listed in the report's update history and the ATC reference shows on Overview.	P · F · B · N	
E3 *	Now open Status → Close – House approved, add a comment, and confirm the change.	The move is accepted, and you land on the Timeline showing the move, your name and your comment. The record shows as closed and stops being flagged overdue.	P · F · B · N	

ID	What to do	Expected result (acceptance criterion)	Result	Evidence / defect ref
E4	Confirm with the administrator (or a colleague in a committee the record was referred to) what that committee can do on a record while the referral is open.	The committee can read and edit the record, but is not offered the Status menu — moving a record on remains the owning section's job.	P · F · B · N	

8. F — Referrals

ID	What to do	Expected result (acceptance criterion)	Result	Evidence / defect ref
F1	On a record, open the Referrals tab → Add Referral. Choose a committee, set the response due date, and say what the committee should consider. Send referral.	Confirmed. The referral is listed as open with its due date, and the committee's members are notified (bell, and email where configured).	P · F · B · N	
F2 *	With the committee (or the administrator), confirm what access the referral gave them to the record.	The committee can read and edit the record while the referral is open, and keeps view after it closes. It is not given the right to move the record on.	P · F · B · N	
F3	Record an answer to the referral (a response document link and notes). Then raise a second referral and withdraw it, giving a reason.	The first is recorded as answered, with who answered and when. The second is recorded as withdrawn, with the reason and who withdrew it.	P · F · B · N	
F4	With the administrator, check that a referral due within 24 hours raises a reminder (needs the background worker and mail service to be configured).	A reminder is sent to the committee and recorded against the referral. Mark N/A if email is not yet configured for the environment.	P · F · B · N	

9. G — Documents

ID	What to do	Expected result (acceptance criterion)	Result	Evidence / defect ref
G1	Attachments tab → Add attachment. Browse your sites and libraries and attach a document that already exists in SharePoint.	The document is listed against the record with its type, folder, who attached it and when.	P · F · B · N	
G2	In the same panel, upload a new file into a folder, choosing an attachment type first.	Confirmed. The file is placed in SharePoint and attached to the record in one step.	P · F · B · N	
G3 *	Select an attached document's name to open it.	It opens in a new tab. You are not asked to sign in to SharePoint.	P · F · B · N	
G4	Open a document's Versions panel. Then upload a revised copy using the same file name into the same folder.	The version history lists the versions with a download for each. The revised copy is recorded as a new version of the same document, not as a second document.	P · F · B · N	
G5	Detach an attached document, confirming the prompt.	The link is removed from the record. The file and its versions remain in SharePoint, and the detachment is recorded on the record's history.	P · F · B · N	

10. H — Notes

ID	What to do	Expected result (acceptance criterion)	Result	Evidence / defect ref
H1	Notes tab → Add Note, write a note and save it.	The note is listed with your name and the date and time it was recorded.	P · F · B · N	
H2	Ask a colleague to try to edit or delete the note you just wrote.	They cannot change your note; they can add their own instead. A note belongs to its author.	P · F · B · N	

11. I — Reporting, exports and sharing

ID	What to do	Expected result (acceptance criterion)	Result	Evidence / defect ref
I1 *	Reports → Report builder. Filter by workflow type, state, period and overdue only, then run the report.	The preview shows the record count, the four summary figures, and the matching register. It contains only records you are permitted to open — and the filter lists offer no values from records you cannot see.	P · F · B · N	
I2	Export the same report as Excel, PDF, Web page and CSV.	All four download and open. The CSV carries the register only; the other three carry the summary, the breakdowns, the register, the activity and the referrals, whichever report type was selected.	P · F · B · N	
I3	Open a record and use its Document menu to produce a PDF.	A formal document for that one instrument downloads, showing its facts, people, referrals, documents and history.	P · F · B · N	

ID	What to do	Expected result (acceptance criterion)	Result	Evidence / defect ref
I4	On the report preview, select Share . Give it a name, an expiry and recipient addresses, then create the link. Open the link in a private window.	The recipient must sign in to PWMS, then sees the report read-only showing the <i>creator's</i> figures. The Share button is not offered to them.	P · F · B · N	
I5	Open the alert bell. Open one alert. Then use Mark all read.	The bell shows the unread count. Opening an alert marks it read and takes you to the record it concerns. Mark all read clears the rest — merely viewing the alerts page marks nothing read.	P · F · B · N	

12. J — Records and accountability

ID	What to do	Expected result (acceptance criterion)	Result	Evidence / defect ref
J1 *	Move a record through a transition, then read its Timeline and its Progress tab.	The move, the person who made it, the time and the comment are all recorded, and the record's stage and progress have changed accordingly. Nothing is recorded anonymously.	P · F · B · N	
J2	Open a record where you have view but not edit (ask the administrator to arrange one if none exists).	The controls you may not use are absent rather than failing when clicked.	P · F · B · N	

13. Before you log a defect — expected behaviour

The following are deliberate and confirmed with the section. Please do **not** log them as defects; note them in your comments only if they cause a problem for the section's work.

1. A blocked move may look unblocked	The Referrals tab's <i>Conditions</i> column can show a dash for the report's closing move even though it needs the ATC update. The confirmation page is the authority on whether a move may be taken.
2. An agreement's first stage is not reachable	<i>Submitted for tabling</i> on an international agreement has no incoming move, so a record starts at <i>Agreement Tabled – referred to Committee</i> .
3. Lists are not paged	Registers, alerts and the timeline show a fixed number of rows without page controls. Use search and the filters to narrow a long list.
4. The header search box is decorative	The search box in the page header does not search anything. Use the Search on the page you are working in.
5. The report type does not change an export	Choosing Referrals or Activity changes what is previewed on screen, but a workbook, PDF or web-page export always carries the summary, breakdowns, register, activity and referrals. The CSV is the register only.
6. A share is fixed once created	A share link's recipients, expiry and message cannot be changed afterwards, and only an administrator can revoke it. It also stops working if the account that created it is removed.
7. Email needs configuration	Alert and shared-report email depends on the mail service and the background worker being configured and running. If email does not arrive, the in-app bell is still accurate — raise it with the administrator.
8. Detaching keeps the file	Detaching removes the link from the record only; the file stays in SharePoint. Re-uploading the same file name into the same folder becomes a new version.
9. Document links expire	A SharePoint address resolved by PWMS is short-lived. Send the record, not the resolved address.
10. Reference numbers restart each January	A delegation report's and an agreement's reference begin again at 0001 each year, so the full reference including the year should always be quoted.
11. Changing the stage on the edit form	The edit form can move a record's stage without taking a transition. It is an administrator's correction tool: it checks no requirement and records no move. If you used it while testing, say so — it is not a defect.

14. Defect log

One row per defect. Give the same ID in the scenario's *Evidence / defect ref* column so the two records tie together.

Defect ID	Scenario	Severity	What happened, and the steps that produced it	Reported to / date	Status

Defect ID	Scenario	Severity	What happened, and the steps that produced it	Reported to / date	Status

15. Acceptance decision

The section accepts the system when all of the following are true:

1. Every scenario marked * has passed.
2. No Severity 1 or Severity 2 defect is still open.
3. Every other open defect has a workaround the section has agreed and recorded here.

Scenario totals	Passed _____ Failed _____ Blocked _____ Not applicable _____
Critical scenarios	Passed _____ of 10
Defects by severity	S1 _____ S2 _____ S3 _____ S4 _____
Agreed workarounds, and anything carried forward	
Overall comments from the tester	
Decision	☐ Accept ☐ Accept with the workarounds recorded above ☐ Not accepted — reasons above

16. Sign-off

Tested by (tester)	Name and signature	Date
Reviewed by (section leader)	Name and signature	Date
Accepted by (business owner)	Name and signature	Date
Screenshots and attachments	List the file names, each with its scenario ID	

By signing, the tester confirms that the scenarios above were carried out as described and that the results recorded are accurate. Return the completed form to the section leader, who forwards it to the PWMS administrator for the defect log.