```
-- phpMyAdmin SQL Dump
-- version 4.0.10.9
-- http://www.phpmyadmin.net
-- Host: warehouse.cims.nyu.edu
-- Generation Time: Mar 27, 2016 at 01:46 PM
-- Server version: 5.1.73
-- PHP Version: 5.3.14
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";
SET time_zone = "+00:00";
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!40101 SET NAMES utf8 */;
-- Database: `gem306_vet_practice`
-- Table structure for table `animals`
CREATE TABLE IF NOT EXISTS `animals` (
   pet_name` varchar(100) NOT NULL,
pet_type` varchar(100) NOT NULL,
  `pet_breed` varchar(100) NOT NULL,
   gender` varchar(100) NOT NULL,
  `date of birth` date DEFAULT NULL,
  `owner_name` varchar(100) NOT NULL,
  `last_name` varchar(100) NOT NULL,
  `vaccine_name` varchar(100) NOT NULL,
  `immunization_date` date DEFAULT NULL,
  PRIMARY KEY (`pet name`),
  KEY `owner_name` (`owner_name`),
  KEY `vaccine_name` (`vaccine_name`)
) ENGINE=MyISAM DEFAULT CHARSET=latin1;
-- Dumping data for table `animals`
INSERT INTO `animals` (`pet_name`, `pet_type`, `pet_breed`, `gender`,
`date_of_birth`, `owner_name`, `last_name`, `vaccine_name`,
`immunization date`) VALUES
```

```
('Cooper', 'Dog', 'Yellow Labrador Retriever', 'Male', '2010-12-07', 'Katie', 'Webber', 'Rabies', '2011-05-08'), ('Ava', 'Dog', 'Poodle', 'Female', '2013-02-20', 'Holly', 'White', 'Canine Lyme Vaccine', '2014-11-03'),
('Luna', 'Cat', 'Bombay', 'Female', '2009-09-13', 'Chase', 'Klein',
'Distemper', '2009-12-19'),
('Chester', 'Cat', 'Persian', 'Male', '2015-04-11', 'Helen ', 'Smith',
'Feline Leukemia', '2014-07-21'),
('Duke', 'Dog', 'German Shepherd', 'Male', '2010-01-16', 'Mark',
'Gold', 'Rabies', '2016-01-22'),
('Princess', 'Dog', 'Beagle', 'Female', '2011-05-12', 'Gale',
'Rupert', 'Canine Lyme Vaccine', '2012-01-18'), ('Maxi', 'Dog', 'Poodle', 'Male', '2012-07-12', 'Hannah ', 'Jones',
'Distemper', '2016-04-13');
-- Table structure for table `immunizations`
CREATE TABLE IF NOT EXISTS `immunizations` (
   `vaccine_name` varchar(100) NOT NULL,
  `vaccine_cost` int(11) NOT NULL,
  `treatment_freq` varchar(100) NOT NULL,
  PRIMARY KEY (`vaccine_name`)
) ENGINE=MyISAM DEFAULT CHARSET=latin1;
-- Dumping data for table `immunizations`
INSERT INTO `immunizations` (`vaccine name`, `vaccine cost`,
`treatment freg`) VALUES
('Rabies', 19, 'every 1 to 3 years'),
('Canine Lyme Vaccine', 33, 'every 4 to 6 months'),
('Distemper', 30, 'every 1 to 3 years'), ('Feline Leukemia', 28, 'every 1 to 3 years');
-- Table structure for table `owners`
CREATE TABLE IF NOT EXISTS 'owners' (
   owner_name` varchar(100) NOT NULL,
  `owner_last_name` varchar(100) NOT NULL,
  `owner email` varchar(100) NOT NULL,
  `owner_mobile` varchar(100) NOT NULL,
```

```
`owner_address` varchar(100) NOT NULL.
   `vet_name` varchar(100) NOT NULL,
   `zipcode` int(11) NOT NULL,
   PRIMARY KEY (`owner_name`),
  KEY `vet name` (`vet name`)
) ENGINE=MyISAM DEFAULT CHARSET=latin1;
-- Dumping data for table `owners`
INSERT INTO `owners` (`owner_name`, `owner_last_name`, `owner_email`,
`owner_mobile`, `owner_address`, `vet_name`, `zipcode`) VALUES
('Katie', 'Webber', 'webber8@gmail.com', '5174332986', '21 Baker Ave,
New York NY', 'Doctor Morgan', 10011),
('Holly', 'White', 'hollywhite5@gmail.com', '6982746632', '314 Orchard
Park Drive, New York NY', 'Doctor Henry', 10012), ('Chase', 'Klein', 'klein78@gmail.com', '5351146257', '314 Montgomery Blvd, New York NY', 'Doctor Morgan', 10011), ('Helen ', 'Smith', 'helen_smith11@gmail.com', '4371225698', '29
Delancey Str, New York NY', 'Doctor Janet', 10012), ('Mark', 'Gold', 'markgold422@gmail.com', '5251499853', '647 Columbus
Drive, New York NY', 'Doctor Henry', 10012), ('Mary', 'Rupert', 'maryrupert3@gmail.com', '7234665698', '31 W. 13th
Street, New York NY', 'Doctor Janet', 10011);
-- Table structure for table `vet`
CREATE TABLE IF NOT EXISTS `vet` (
   `vet name` varchar(100) NOT NULL,
   `vet_mobile` varchar(100) NOT NULL,
   `vet email` varchar(100) NOT NULL,
  PRIMARY KEY (`vet name`)
) ENGINE=MyISAM DEFAULT CHARSET=latin1;
-- Dumping data for table `vet`
INSERT INTO `vet` (`vet_name`, `vet_mobile`, `vet_email`) VALUES
('Doctor Morgan', '8223743278', 'morgan_burgh@gmail.com'), ('Doctor Henry', '7237498724', 'henry_webber@gmail.com'), ('Doctor Janet', '2938472879', 'janet_shultz@gmail.com');
/*!40101 SET CHARACTER SET CLIENT=@OLD CHARACTER SET CLIENT */;
/*!40101 SET CHARACTER SET RESULTS=@OLD CHARACTER SET RESULTS */;
```

/\*!40101 SET COLLATION\_CONNECTION=@OLD\_COLLATION\_CONNECTION \*/;