

1. Basic Linux commands


Command	Sample Usage	Description
pwd	pwd	Shows current directory
ls	ls	Shows list of files and folders
cd	cd Desktop	Change directory (folder)
mkdir	mkdir foldername	Make a directory (folder)
touch	touch file.bat	Create file
cp	cp test.txt test2.txt	Copy file
mv	mv sasa.txt foldername/	Move or rename the file
cat	cat type.txt	Display or check the file contents
clear	clear	Clear terminal
rm	rm sungjinwoo.bat	Remove or delete file

2 . Basic Git commands

Command	Sample Usage	Description	Common Option
git init	git init	Creates a new repository in current folder	git init -b main Starts with main as the default branch.
git status	git status	Shows the status of repository	git status -s Shows a shorter version of the status
git add	git add susu.txt	Adds a file so it can be included in the next commit.	git add . Stages all changed files.
git commit	git commit - "LeBron James"	Saves staged changes as a commit with a message.	git commit -am "Update" Stages and commits modified tracked files.
git log	git log	Shows the history of commits in the repository.	git log --oneline Displays commits in one-line format.
git diff	git diff	Shows changes that have not been staged.	git diff --staged Shows changes already in the staging area.
git restore	git restore kwewe.txt	Discards unstaged changes and restores the previous version.	git restore --staged file.txt Removes a file from staging.
git branch	git branch	Lists the branches in the repository.	git branch new-feature Creates a new branch.
git checkout / git switch	git switch new-feature	Switches from the current branch to another branch.	git switch -c new-feature Creates and switches to a new branch.
git merge	git merge new-feature	Combines changes from another branch into the current branch.	git merge --no-ff new-feature Creates a merge commit even with fast-forward possible.
git tag	git tag v1.0	Creates a label for a specific commit, usually for versions.	git tag -a v1.0 -m "Version 1.0" Creates an annotated tag.
git clone	git clone URL link	Copies an existing Git repository to your computer.	git clone -b main URL Clones and checks out the specified branch.

3. The three-tree architecture of Git

Working Directory -- (git add)--> Staging Area --(git commit)--> Git Repository



REFERENCES:

Loeliger, J., & McCullough, M. (2012). *Version control with Git: Powerful tools and techniques for collaborative software development*. O'Reilly Media.

Shot, W. E., Jr. (2025). *The Linux command line: A complete introduction* (3rd ed.). No Starch Press.

Sinha, P. (2023, April 21). *Git three-stage architecture*. Hashnode.

// I do not use AI here and it took me a lot of time just to ensure that this is a single-page activity