Evri
Distribution Interface

API

Evri Routing Web Service

Version: **1.6.13**
Dated: **18.07.25**

Copyright © Evri Limited

Copyright

The information contained within this document is the property of Evri. This information is issued in confidence to the intended recipients only and must not be reproduced, used, or disclosed in whole or in part or given or otherwise communicated to any third party without the prior permission of Evri.

Disclaimer

Any advice given or statements or recommendations made shall not in any circumstances constitute or be deemed to constitute a warranty by Evri as to the accuracy of such advice, statements, or recommendations. Evri shall not be liable for any loss, expense, damage or claim arising out of the advice given or not given or statements made or omitted in connection with this document.

Document Control

Version	Author	Date	Summary
4.5.4	M.Mackulin	16 Sep 2020	Highlight updates for Food service and corrected version. *NB no additional fields just usage clarification
4.5.5	S J Smith	03 Nov 2020	Update field lengths for addresses
4.6	S J Smith	16 Nov 2020	Added CPC Code and Return Address
4.7	S J Smith	25 Nov 2020	Added Return Barcodes and Collections and EORI. Make vat and duty paid values optional.
4.8	S J Smith	18 Feb 2021	Make email address mandatory for Republic of Ireland, 10 digit HS Codes for IE.
4.9	S J Smith	28 May 2021	Added IOSS
4.10	M.Mackulin	03 Aug 2021	Amended Routing request notes regards wt & dims
4.10 Review	M.Mackulin	09 Nov 2021	Revisions following Client Integration review. Removed reference to Address Validation call method this feature has been deprecated. Added details of calling system authentication see section **Error! Reference source not found.** Clarified that if a client sets customerAlertGroup then they should also set the customerAlertType and mobile number. Updated parcel entity notes for weight, dimensions and value to indicate these are mandatory and valid values should be supplied. Updated services entity notes on mandatory / optional fields Marked CashOnDelivery, RetailStoreService, IdentityService and Diversions entities as not currently used. Added Delivery to ParcelShop sample request Minor revisions – post review
1.0	S.Asquith	29 Mar 2022	Revisions for rebranding to Evri, document renamed to version 1.0
1.1	T.Dean	23 May 2022	Revisions following multiple projects - Added new fields relating to Dangerous Goods Removed references to currency restrictions Shipment Value added to allow for GECO consumption
1.2	T.Dean	17 October 2022	Revisions to allow for new international data to be passed to Evri's International Shipping Platforms. - ShipperTaxId added with new description

Copyright © Evri Limited

			- DeliveryMethodDesc now allows for C2C notification & distinguishment
1.3	M.Mackulin	17 November 2022	Various updates from Client Int review. • Noted user id as deprecated field • Corrected IOSS Number to 15 Char Removed expected delivery date
1.4	C.Holmes	25 January 2023	Revison to add merchantId field to deliveryRoutingRequest under SenderAddress entity
1.5	M.Mackulin	03 February 2023	Revision to add Australian Tax Fields Purchaser ABN, Merchant ARN , GST Exemption Code under DeliveryRoutingRequestEntry
1.5.1	M.Mackulin	07 March 2023	Minor update, numberOfItems can now be up to 200. Error code 10161 (international parcels) now contains more specific error messages
1.5.2	C.Holmes	31 March 2023	Small revision to remove merchantId following cancellation of scan on collection
1.5.3	M.Mackulin	01 September 2023	Addition of two new delivery request parameters. senderEmail in Sender Address entity exportReason in Parcel entity
1.5.4	M.Mackulin	11 October 2023	Clarification that exportReason must contain one of the descriptive values listed to receive a valid routing response.
1.6	C Henry	15 November 2023	Amended specification to a standardised format.

1.6.1	C Henry	01 February 2024	Minor corrections to the following:
			• Corrections to example requests including:
			  ○ Corrected SOAP envelopes.
			  ○ Added exportReason field into international requests.
			• Removed reference to contents entity being mandatory for Channel Islands.

1.6.2	M.Mackulin	10 April 2024	Minor amendment to the reason for export, to state that this is an optional field. Can optionally be supplied for cross-border parcels. If supplied must be one of the values listed to receive a valid routing response: If not supplied the default of 'commercial_goods' will be applied to the cross-border parcel.
1.6.3	E Haworth	14 May 2024	Amendment to Restrictions for use.
1.6.4	C Henry / S Smith	15 May 2024	Amendments to several fields for Northern Ireland changes due to Windsor Framework. Refer to Appendix for further details. Example API request provided.
1.6.5	C Elhage	16 July 2024	Amendments to retailStoreId attribute in retailStoreService related to Click and Collect capability
1.6.6	S Smith	13 Sep 2024	Amended mandatory/optional for Northern Ireland
1.6.7	S Smith	18 Sep2024	Made sender address clearer for C2C
1.6.8	F.Mamaniat	02 Oct. 2024	Minor Amendment to Weight & dimension attributes notes
1.6.9	C Henry	16 Oct 2024	Added new 'Out of Home (ParcelShop/Locker) deliveries' section to provide a brief overview of OOH and Finder options available. Added in volume calculation.
1.6.10	C Henry	17 Apr 2025	Added example payload for NRC returns
1.6.11	C Elhage	28 Apr 2025	Added details for Depot Returns
1.6.12	S Smith	30 Jun 2025	Included Alpha/Extended drops

Copyright © Evri Limited

1.6.13	M Mackulin	18 Jul 2025	Added guidance on Hide My Email feature. See Routing Request Notes.

Table of Contents

Contents

Introduction 6
Data Exchange Overview 7
Restrictions for use 7
Web Service Access Details 9
Test System URLs 9
Production System URLs 9
Authentication 10
Delivery Routing Request 11
Structure 11
Calling Methods 12
Determine Routing 12
Route Delivery and Create Pre-advice 12
Route Delivery, Create Pre-advice and Label 12
Route Delivery, Create Pre-advice and Return Barcode 12
Route Delivery, Create Pre-advice, Return Barcode and Labels 12
Request Parameters 14
Routing Request Notes 26
Out of Home (ParcelShop/Locker) deliveries 28
Example Requests 29
Delivery to UK Home Address 29
Delivery to UK Out of Home Location e.g. ParcelShop or Locker 33
Delivery to German Home Address 35
Delivery to German Parcel Shop 37
Delivery to UK Retail Store Location e.g. ClientStore 39
Collection Routing Request 41
Structure 41
Calling Methods 42

Copyright © Evri Limited

Determine Routing 42
Route Collection and Create Pre-advice 42
Route Collection, Create Pre-advice and Return Barcode 42
Route Collection, Create Pre-advice, Return Barcode and Label 42
Create Return Barcode 42
Create Return Barcode and Label 43
Request Parameters 44
Example Requests 45
Determine routing for UK Customer Collection 46
Delivery to Depot Return (T3RS) 47
Routing Response 49
Structure 49
Response Parameters 50
Example Responses 55
Delivery to UK Customer with Next Day Service: 55
Delivery to UK Customer with return: 57
Collection request UK: 59
Delivery to French Parcelshop: 61
Error Codes/Messages 63
Label Specification 67
Appendix 68
Routing Method Availability by Country 68
Service Availability by Country 69
ISO Country Codes 70
Windsor Framework (Northern Ireland) 75

Copyright © Evri Limited

Introduction

This document is intended to provide an overview of the external service interface of the Evri Routing platform, which is provided as both a SOAP and RESTful web service.

The web service allows clients to check parcel routing, create labels and pre-advice data. The service supports the routing of delivery shipments and collections within the UK and Cross Border destinations.

The service can be used to do the following:

- Determine routing of a delivery shipment or a collection.
- Route a Parcel or Collection.
- Create pre-advice data.
- Create labels.

The output from the service will be a response containing the parcel routing information, warning/error messages and, if applicable, barcodes and a label image string.

The parcel/collection pre-advice data is used internally by Evri.

This document describes version 4 of the service.

Copyright © Evri Limited

Data Exchange Overview

This diagram shows the data exchanges that will take place between client systems and the Evri Routing Service:



1. Populate a routing request for the collections/deliveries.
2. Call the Evri Routing Service using the relevant routing method (Determine routing, create pre-advice and label etc.).
3. For each record in the Request object, Evri determines the routing and, where applicable, calculates the barcode reference.
4. Pre-Advice will be created on the Evri System where necessary.
5. For each routing request, the service will create a response which will contain routing data for the request, warning/error codes and, where required, barcodes.
   Note: If there are any error messages on a response entry, then the routing etc. has failed for this particular delivery/collection.
6. You will use the information in the response (if no error messages have been returned) to record the information you require (e.g. barcode reference (for tracking)) and print your labels.

Restrictions for use

- The maximum number of routing request entries in a single call to the service must not exceed 100.
- If you are using the PDF labels that the service produces, these should not be altered in any way as the layout may change if new services are introduced.
    - Deviation from the PDF label provided via the service should not occur. The webservice should be used to generate the routing information, but you should use the Evri Label Specification to generate a label. This label must be signed off by Evri IT.
- Error codes/messages may be added as services are introduced so you should ensure that your systems can cater for errors codes that are not listed in this document.

Copyright © Evri Limited

- The web service provides routing information based on the technical capabilities available, and does not consider any specific commercial rates. Parcels can be routed to a delivery method:
    - If the parcel matches the weights & dimension limits set against that delivery method
    - If a specific service is compatible with that delivery method (e.g. food)
    - If routing for that delivery method exists against the delivery address

Copyright © Evri Limited

Web Service Access Details

In order for clients to access the web service, they will be provided with a username and password for the test and production systems.

Clients are required to provide a public, static IP address or IP address range of any calling server, as the services are provided by a whitelist. We cannot whitelist dynamic IP addresses.

Test System URLs

CXF Endpoint:
https://sit.hermes-europe.co.uk/routing/

SOAP Service Endpoint:
https://sit.hermes-europe.co.uk/routing/service/soap/v4

WSDL:
https://sit.hermes-europe.co.uk/routing/service/soap/v4?wsdl

REST Service Endpoint:
https://sit.hermes-europe.co.uk/routing/service/rest/v4

Note: If using the REST endpoint, the routing method should be added to the end of the URL:
e.g. https://sit.hermes-europe.co.uk/routing/service/rest/v4/routeDeliveryCreatePreadvice

Production System URLs

CXF Endpoint:
https://www.hermes-europe.co.uk/routing/

SOAP Service Endpoint:
https://www.hermes-europe.co.uk/routing/service/soap/v4

WSDL:
https://www.hermes-europe.co.uk/routing/service/soap/v4?wsdl

REST Service Endpoint:
https://www.hermes-europe.co.uk/routing/service/rest/v4

Note: If using the REST endpoint, the routing method should be added to the end of the URL:
e.g. https://www.hermes-europe.co.uk/routing/service/rest/v4/routeDeliveryCreatePreadvice

Copyright © Evri Limited

Authentication

Note: The calling system needs to authenticate via https standard authentication in the header of the initial request. This needs to be pre-emptive in nature.

The routing API uses **Basic** authentication to ensure users should have access to the service. For both the test and production environments you will have separate usernames and passwords to be sent as part of this basic authentication.
If your tools don't have a Basic authentication method readily available, you can follow the steps below to generate it manually.

Manual Steps

To send these details as Basic authentication, you need to pass a HTTP header such as below:

Authorization: Basic [Encoded details here]

The encoded segment in square brackets should be the Base 64 encoded username and password formatted as 'Username:Password'

Example:
If the username of your account is 'ClientA' and the password is 'Evriparcel123', you would need to base 64 encode 'ClientA:Evriparcel123' and add that to the HTTP header. This would lead to:

Authorization: Basic Q2xpZW50QTpFdnJpcGFyY2VsMTIz=

Copyright © Evri Limited

Delivery Routing Request

A Delivery Routing Request should be sent to the Web Service to obtain routing information for delivering parcels.

Each Delivery Routing Request will contain one or more Delivery Routing Request Entries which contain basic information about each parcel that you intend to send to Evri for delivery.

Once a Delivery Routing Request has been successfully processed, the Web Service will return a Response containing routing information, warning/error codes and, where applicable, barcodes and a label image string.

Structure



Copyright © Evri Limited

Calling Methods

The following information details the methods and attributes that are available for Delivery Routing.

Determine Routing

- Used to determine the route for a parcel to be delivered to a customer's home address, Locker or ParcelShop.
- Based on parcel attributes, address, ParcelShop ID etc.

Method: determineDeliveryRouting

Route Delivery and Create Pre-advice

- Used to determine the route for a parcel to be delivered to a customer's home address, Locker or ParcelShop.
- Based on parcel attributes, address, ParcelShop ID etc.
- Response contains the required information for clients to produce a label.
- Pre-advice data is also generated.

Method: routeDeliveryCreatePreadvice

Route Delivery, Create Pre-advice and Label

- Used to determine the route for a parcel to be delivered to a customer's home address, Locker or ParcelShop.
- Based on parcel attributes, address, ParcelShop ID etc.
- Response contains the required information for clients to produce a label.
- Pre-advice data is also generated.
- A delivery label PDF image will be supplied as an encoded byte array.

Method: routeDeliveryCreatePreadviceAndLabel

Route Delivery, Create Pre-advice and Return Barcode

- Used to determine the route for a parcel to be delivered to a customer's home address, Locker or ParcelShop.
- Based on parcel attributes, address, ParcelShop ID etc.
- Response contains the required information for clients to produce a label.
- Pre-advice data is also generated.
- Information to create a returns label will be returned.

Method: routeDeliveryCreatePreadviceReturnBarcode

Route Delivery, Create Pre-advice, Return Barcode and Labels

- Used to determine the route for a parcel to be delivered to a customer's home address, Locker or ParcelShop.
- Based on parcel attributes, address, ParcelShop ID etc.
- Response contains the required information for clients to produce a label.

Copyright © Evri Limited

- Pre-advice data is also generated.
- Information to create a returns label will be returned.
- Delivery and return label PDF images will be supplied as an encoded byte array.

Method: routeDeliveryCreatePreadviceReturnBarcodeAndLabel

Copyright © Evri Limited

Request Parameters

DeliveryRoutingRequest

Attribute	Type	Max Length	M/O	Comments
clientId	String	10	M	Client Id (Provided by Evri) Leading zeros are not required.
clientName	String	32	M	Client Name (Provided by Evri)
childClientId	String	3	O	Child Client Id (Provided by Evri if required)
childClientName	String	32	O	Child Client Name (Provided by Evri if required)
batchNumber	Number	5	O	Not currently used.
creationDate	Date	n/a	O	Date and time that request was created. Format yyyy-mm-ddThh:mm:ss.000z (UTC) e.g. 2023-10-21T06:22:58.000Z
routingStartDate	Date	n/a	O	Start date for which routing will calculated against. Format yyyy-mm-ddThh:mm:ss.000z (UTC) (Current Date used if date is not supplied)
userId	String	32	O	Not currently used.
sourceOfRequest	String	8	M	Always 'CLIENTWS'
deliveryRoutingRequestEntries	Delivery Routing Request Entries	n/a	M	Parcel Delivery Routing Request Entries
eoriNumber	String	20	O – UK M – Cross Border	Your Economic Operators Registration Identification number (EORI). **Note:** Must be supplied for Cross Border if not already supplied to Evri.
vatNumber	String	20	O – UK M – Cross Border	Your VAT number. **Note:** Must be supplied for Cross Border if not already supplied to Evri.
iossNumber	String	15	O – UK M – Cross Border	Your Import One-Stop Shop (IOSS) number. **Note:** If the Client has opted in to IOSS must be supplied for EU destinations if not already supplied to Evri.

Copyright © Evri Limited

DeliveryRoutingRequestEntries

Attribute	Type	Max Length	M/O	Comments
List<deliveryRoutingRequestEntry>	List< Delivery Routing Request Entry>	n/a	M	List of Parcel Delivery Routing Requests

DeliveryRoutingRequestEntry Entity

Attribute	Type	Max Length	M/O	Comments
Address Validation Required	Boolean	n/a	O	Default to 'false'. *Feature deprecated
customer	Customer	n/a	M	Details about the customer. See Customer entity for details.
parcel	Parcel	n/a	M	Details about the parcel. See Parcel entity for details.
diversions	Diversions	n/a	O	Details any diversions that are excluded (UK only) Not Currently Used.
services	Services	n/a	O	**Note:** If Services required on parcel this must be supplied. See Services entity for details of delivery service options.
senderAddress	SenderAddress	n/a	O	The name and address of the sender of the parcel. **Note:** Mandatory for C2C shippers.
productCode	Integer	10	O – UK*	The product code identifies the type of the shipment. **Note:** For **Food Service** this field is mandatory and should be set to 7
expectedDespatchDate	Date	n/a	M	The date when the parcel is expected to be despatched from the client warehouse. Must follow the below format: 2023-11-15 or 2023-11-15T00:00:00
requiredDate	Date	n/a	O*	The date when the parcel is expected to be delivered by. (in format YYYY-MM-DD) **Note:** For **Food Service** this field is mandatory and should be populated.
countryOfOrigin	String	2	M	Two letter ISO 3166-1 ALPHA-2 country code of the country where the parcel was despatched from (e. g. DE, AT, IT, GB). This must be uppercase.
warehouseNo	Integer	6	O	Not currently used
carrierCode	String	6	O	Optional to place carrier reference

Copyright © Evri Limited

Attribute	Type	Max Length	M/O	Comments
deliveryMethod	String	3	O	Not currently used
multiplePartsId	String	50	O	Not currently used
return	Return Entity	n/a	O	Not currently used
shipperTaxId	String	15	O	Norway VOEC/ Import EORI Number
purchaserAbn	String	20	O	Only applicable when shipping to Australia or New Zealand.
merchantArn	String	20	O	
gstExemptionCode	String	20	O	

Copyright © Evri Limited

Customer Entity

Attribute	Type	Max Length	M/O	Comments
address	Address Entity	n/a	M	The customer address
homePhoneNo	String	15	O	The home phone number of the addressee.
workPhoneNo	String	15	O	The work phone number of the addressee.
mobilePhoneNo	String	15	O*	The mobile phone number of the addressee. Our system validates UK 07, 44, +44 prefixed phone numbers. Please remove spaces in this field. **Note:** Mandatory if SMS required.
faxNo	String	15	O	The fax number of the addressee.
email	String	80	O*	The email address of the addressee. **Notes:** This is mandatory if email notification required. This is mandatory for deliveries to the Republic of Ireland (IE). *** See Routing Request Notes section to ensure email notifications can be sent to the customer when a 'Hide My Email' feature is used.**
customerReference1	String	20	M	Reference number to identify the parcel. (e.g. Account Number)
customerReference2	String	20	O	Reference number to identify the parcel. (e.g. Order Number)
customerAlertType	String	1	O	**Note:** Mandatory for SMS notifications and should be set to '2'. If a value is applied a CustomerAlertGroup and mobilePhoneNo value must be given.
customerAlertGroup	String	4	O	Determines which tracking events trigger an SMS Alert and what branding is applied. **Note:** Mandatory for SMS notifications. Must be present if a customerAlertType is populated. Values are: 0001 for parent profile branding. 0002 is child 1 0003 is child 2 etc.
deliveryMessage	String	32	O	Appears on Manifest to Courier
specialInstruction1	String	32	O	Special Instruction for Delivery
specialInstruction2	String	32	O	Special Instruction for Delivery

Copyright © Evri Limited

Address Entity (as part of Customer Entity or Return Entity)

Attribute	Type	Max Length	M/O	Comments
title	String	20	O	The title of the addressee.
firstName	String	50	O	The first name of the addressee.
lastName	String	50	M	The last name of the addressee.
houseNo	String	10	O	The house no of the addressee. *One of houseNo or houseName should be supplied.*
houseName	String	32	O	The Name of the House. *One of houseNo or houseName should be supplied.*
streetName	String	32	M	The street name of the addressee. *Please provide houseName or houseNo in their respective fields – if not supplied should be supplied in streetName string.*
addressLine1	String	32	O	Additional address information of the addressee.
addressLine2	String	32	O	Additional address information of the addressee.
addressLine3	String	32	O	Additional address information of the addressee.
city	String	32	M	The city of the addressee. Must be present for Customer address.
region	String	32	O	The County / State / Region of the addressee.
postCode	String	10	M*	The postcode of the addressee. Must be present for Customer if country supports postcodes. This must be uppercase.
countryCode	String	2	M	Two letter ISO 3166-1 ALPHA-2 country code of the addressee (e. g. DE, AT, IT, GB). This must be uppercase.

Address Entity (as part of ParcelShopService Entity)

Note: ParcelShop/Locker address is not required but countryCode is mandatory.

Attribute	Type	Max Length	M/O	Comments
title	String	20	O	Should not be populated.
firstName	String	50	O	Should not be populated.
lastName	String	50	O	Should not be populated.
houseNo	String	10	O	Should not be populated.
houseName	String	32	O	Should not be populated.
streetName	String	32	O	Should not be populated.
addressLine1	String	32	O	Should not be populated.
addressLine2	String	32	O	Should not be populated.
addressLine3	String	32	O	Should not be populated.
City	String	32	O	Should not be populated.
Region	String	32	O	Should not be populated.
postCode	String	10	O	Should not be populated.
countryCode	String	2	M	Two letter ISO 3166-1 ALPHA-2 country code of the addressee (e. g. DE, AT, IT, GB). This must be uppercase.

Copyright © Evri Limited

SenderAddress Entity

Note: Mandatory for **C2C** Shippers, and should include sender name.

Attribute	Type	Max Length	M/O	Comments
addressLine1	String	32	O	Sender Name
addressLine2	String	32	O	Line 1 of the Sender Address.
addressLine3	String	32	O	Line 2 of the Sender Address.
addressLine4	String	32	O	Line 3of the Sender Address.
senderEmail	String	80	O	The email address of the sender. If supplied: Max length is 80 chars, Must contain "." Must contain "@" **Notes:** Used for Sender email notifications. *** See Routing Request Notes section to ensure email notifications can be sent to the customer when a 'Hide My Email' feature is used.**

Return Entity

Attribute	Type	Max Length	M/O	Comments
address	Address	n/a	O	The address that the parcel should be returned to in the case that the parcel cannot be delivered.

Parcel Entity

Attribute	Type	Max Length	M/O	Comments
weight	Integer	7	M	Weight in grams. **Note:** Must be accurately supplied.
length	Integer	4	M	Length in centimetres. Longest dimension.
width	Integer	4	M	Width in centimetres. Middle dimension.
depth	Integer	4	M	Depth in centimetres. Shortest dimension.
girth	Integer	4	M	Girth in centimetres. See notes.
combinedDimension	Integer	4	M	Combined Dimension in centimetres. See notes.
volume	Integer	10	M	Volume in Cubic centimetres.
currency	String	3	O – UK M – Cross Border	The three letter ISO currency code for the value (E.g. GBP, EUR, USD). All ISO Currency codes are valid.

Copyright © Evri Limited

Attribute	Type	Max Length	M/O	Comments
shipmentCost	Integer	10	O	Value of the shipment costs (in preferred currency same in Cent, Pence etc)
value	Integer	10	M	Value of the parcel (in Cent, Pence etc.). **Note:** Must be accurately supplied for Northern Ireland, International and Channel Islands.
numberOfParts	Integer	10	O	Not currently used.
numberOfItems	Integer	10	O – UK M- Cross Border	The number of items in the parcel. Valid values between 1 and 200. **Note:** Must be accurately supplied for Northern Ireland and International.
hangingGarment	Boolean	n/a	O	'true' if the parcel is a hanging garment.
theftRisk	Boolean	n/a	O	Not currently used.
multipleParts	Boolean	n/a	O	Not currently used.
catalogue	Boolean	n/a	O	Set to 'true' if the parcel is a catalogue or Postable.
description	String	32	O – UK M – Cross Border	Description of the parcel contents e.g. T-Shirt, Socks. **Note:** Must be accurately supplied for Northern Ireland, International and Channel Islands.
originOfParcel	String	2	O – UK M – Cross Border	Two letter ISO 3166-1 ALPHA-2 country code of where the item was manufactured. This is where the items were packaged into the parcel for shipment.
dutyPaid	String	1	O – UK M – Cross Border	U = Duty Unpaid P = Duty Paid
dutyPaidValue	Integer	6	O	This field should contain details of duties/tariffs applied.
vatValue	Integer	6	O	This field should contain details of the VAT charges.
contents	Contents Entity	n/a	O – UK M – Cross Border	Details of the contents of the Parcel. **Note:** Mandatory for Northern Ireland for Business-to-Consumer (B2C) traffic.
exportReason	String	50	O	The reason for export. **Note:** Can optionally be supplied for Cross Border. If supplied must be one of the following values to receive a valid routing response: • commercial_goods (default) • gifts • documents • commercial_sample

Copyright © Evri Limited

Attribute	Type	Max Length	M/O	Comments
				• returned_goods • other • clothing • intercompany_transfer • repair • personal_items If not supplied the default of 'commercial_goods' will be applied to the cross-border parcel.

Contents Entity

Attribute	Type	Max Length	M/O	Comments
List<Content>	List< Content>	n/a	O – UK M – Cross Border	List of the contents of the parcel. **Mandatory** for International, Northern Ireland (B2C) and Republic of Ireland (IE) shipments.

Content Entity

Attribute	Type	Max Length	M/O	Comments
skuCode	String	30	O*	The internal stock-keeping unit code that identifies the item. **Mandatory for International**
skuDescription	String	2000	O*	The specific description of the item. **Mandatory for Northern Ireland & International (see example) and must be an accurate description of the goods in plain English.** e.g. Blue, Plastic, Toy, Car
hsCode	String	10	O*	The Harmonised system code that describes the category of the parcel. This must be 8 digits minimum and 10 digits maximum. This must be a valid World Customs Organization (WCO) code. This must be 10 digits for Republic of Ireland (IE) shipments. This must be 10 digits if the parcel value is over 135 GBP or 150 EUR. **Mandatory for International**
value	Integer	10	O*	Value of the item (in Cent, Pence etc.) based on currency conversion rate. **Note:** this should be the total value of the same item within the parcel.

Copyright © Evri Limited

Attribute	Type	Max Length	M/O	Comments
				Mandatory for International
countryOf Manufacture	String	2	O*	Two letter ISO 3166-1 ALPHA-2 country code of where the item was manufactured. **Mandatory for International**
itemWeight	Integer	6	O*	Weight of the item in grams. **Note:** this should be the total weight of the same item within the parcel. **Mandatory for International**
itemQuantity	Integer	6	O*	The quantity of the same item within the parcel. **Mandatory for Northern Ireland & International**
cpcCode	String	7	O	The Customs procedure code relevant to the item. This is used to identify the customs and/or excise regimes which goods are being entered into and removed from. If supplied this must be 7 digits.
dgObject				
dgType	String	2	M - If parcel is DG. O – if not DG	Dangerous good type – currently one acceptable value: LQ
dgProductType	String	6	M- If parcel is DG. O – if not DG	Product Type – only 3 acceptable values: UN1266 UN1263 UN1950
dgCapacity	Decimal	9	M- If parcel is DG. O – if not DG	This field is the capacity of the dangerous good in digits and decimal points. e.g., 999999.999
dgCapacityUOM	String	2	M- If parcel is DG. O – if not DG	This field represents the unit of measurements of the above. Accepted values: L ML G

Services Entity

Attribute	Type	Max Length	M/O	Comments
statedDay	StatedDay Entity	n/a	O	Stated day is an optional service for collections only.

Copyright © Evri Limited

Attribute	Type	Max Length	M/O	Comments
				See StatedDay entity for details.
statedTime	String	1	O	Not currently used.
nextDay	Boolean	4	O*	Set to 'true' if next day delivery service is required. Must be all lowercase
householdSignature	Boolean	4	O*	Set to 'true' if household signature service is required. Must be all lowercase
signature	Boolean	4	O*	Set to 'true' if signature service is required. Must be all lowercase
redirectionProhibited	Boolean	n/a	O	Not currently used
limitedQuantity	Boolean	n/a	O	Not currently used
cashOnDelivery	CashOn Delivery Entity	n/a	O	Not currently used
parcelShopService	Parcel Shop Service Entity	n/a	O*	Mandatory if parcelShop delivery service is requested. See ParcelShopService entity for details.
retailStoreService	RetailStore Service Entity	n/a	O*	Mandatory if Click and collect (Client store) service is requested. See RetailStoreService Entity for details.
identityService	Identity Service Entity	n/a	O	Not currently used
trackedServiceOpt Out	Boolean	n/a	O	Not currently used

Stated Day Entity

Attribute	Type	Max Length	M/O	Comments
statedDayIndicator	String	1	M*	Determines if stated day service is requested. Valid values are 1 (Monday) to 7 (Sunday). *Only available for collections. If a statedDayIndicator is not populated, the collection will take place on the next available working day.
statedDate	Date	n/a	O	Not currently used

CashOnDelivery Entity ** Not currently used

Attribute	Type	Max Length	M/O	Comments
cashValue	Integer	10	O	The cash value (in Cent, Pence etc.). Maximum value 100000000.

Copyright © Evri Limited

Attribute	Type	Max Length	M/O	Comments
cashCurrency	String	3	O	The three letter currency code for the cash value (e. g. EUR).
bankTransferValue	Integer	10	O	The bank transfer value (in Cent, Pence etc.). Maximum value 100000000.
bankTransferCurrency	String	3	O	The three letter currency code for the bank transfer value (e. g. EUR).

ParcelShopService Entity

Attribute	Type	Max Length	M/O	Comments
parcelShopId	String	20	M*	ID of the ParcelShop/Locker where parcel will be delivered to. *If ParcelShop/Locker delivery service is required.
address	Address	n/a	M*	The address of the ParcelShop *If ParcelShop/Locker delivery service is required.

The parcelShopId and the countryCode are minimum requirements for the Parcelshop/Locker Service.

Copyright © Evri Limited

RetailStoreService Entity

Attribute	Type	Max Length	M/O	Comments
retailStoreId	String	6	*M	ID of Client Retail Store where parcel will be delivered to. * If Click & Collect (Client Store Delivery) service is required.
address	Address	n/a	O	The address of the Client Retail Store

IdentityService Entity ** Not currently used

Attribute	Type	Max Length	M/O	Comments
idCardNo	String	20	O	The number of the document used for identification. (must be used with idCardType)
idCardType	String	3	O	The type of the document used for identification. (used in conjunction with idCardNo). Valid values are: 100 – German Passport, 200 – European Passport, 300 – International Passport.
ageValidation	Integer	3	O	The minimum required age for the receiver of the parcel. Must be between 0 and 100 if entered.
dateOfBirth	Date	n/a	O	The date of birth of the receiver of the parcel.
pin	String	35	O	PIN code agreed between client and customer.
Module	String	3	O	Identity service module.

Diversions Entity ** Not currently used

Attribute	Type	Max Length	M/O	Comments
excludeCancelDelivery	Boolean	n/a	O	Don't allow delivery cancelations if true.
excludeLaterDate	Boolean	n/a	O	Don't allow later delivery if true.
excludeNeighbours	Boolean	n/a	O	Don't allow diversion to neighbours if true.
excludeSafePlace	Boolean	n/a	O	Don't allow diversion to safe place if true.
excludeParcelshop	Boolean	n/a	O	Don't allow diversion to safe place if true.
excludeRetailStore	Boolean	n/a	O	Don't allow diversion to retail store if true.

Copyright © Evri Limited

Routing Request Notes

There should be one Delivery or Collection Routing Request Object for each parcel that you require routing information/barcodes for. These records contain all the necessary information that Evri needs to route the address and to allocate a method of delivery to your parcel/collection.

Weight & dimension attributes - Actual values are required for all parcels to ensure these align with the weights and dimensions captured within the parcel network.

Girth should be supplied and is calculated as follows:

(2 x parcel width) + (2 x parcel depth)

The width is the second longest parcel dimension, and the depth is the shortest parcel dimension.

Note: If the parcel girth is not supplied (e.g. the field contains a 0 value), Evri will calculate this using the values supplied in the width and depth fields. The calculation is only applied once the parcel has entered the network and is not part of the API calling method.

Combined Dimension is calculated as follows:

(parcel length) + (parcel girth)

The length is the longest parcel dimension.

Note: If the parcel combined dimension is not supplied (e.g. the field contains a 0 value), Evri will calculate this using the values supplied in the length, width and depth fields. The calculation is only applied once the parcel has entered the network and is not part of the API calling method.

Volume is calculated as follows:

(parcel length) x (parcel width) x (parcel depth)

The length is the longest parcel dimension, the width is the second longest parcel dimension, and the depth is the shortest parcel dimension.

Note: If the parcel volume is not supplied (e.g. the field contains a 0 value), Evri will calculate this using the values supplied in the length, width and depth fields. The calculation is only applied once the parcel has entered the network and is not part of the API calling method.

If you are unable to provide the weight and dimension data, Evri will treat as an exception.

Copyright © Evri Limited

Customer Alert Group field is mandatory if **Customer Alert Type** is supplied.
If SMS required both Customer Alert Type and Customer Alert Group **must be supplied**.
SMS text messages and associated tracking point triggers will be held by Evri against a Group Indicator. The attribute value will be advised by Evri after consultation with the client.

Customer Reference 1 field can contain your unique reference number for the parcel. Evri will record the value against the Evri barcode number and it can be used to access parcel tracking information.

Delivery Message - Evri recommend that Delivery Messages are not printed on the label for security purposes. However, Delivery Messages are printed on the Courier Manifest/ displayed on Courier BYOD/Hand Held Terminal device to aid delivery.

Delivery messages are for the Client and Special Instructions to aid delivery should be ideally supplied by the Client's customer.

Expected Despatch Date field should contain the date on which you expect the parcel to leave your warehouse. For example, if you produce the file on the 15th November 2023 and it typically takes 1 further day to pick the items and despatch the parcel from your warehouse, the value should be set e.g. 2023-11-16.

Special Characters
Evri systems can accept extended ASCII characters but it is your responsibility to ensure that no other special characters are included and particularly in address fields.
Please avoid use of colons, semicolons or pipes.

Dates
All dates entered must be in a valid date format, **unless otherwise stated** above.
In XML, format would be YYYY-MM-DDTHH:MI:SE (e.g. 2023-11-15T00:00:00)

ZPL Formatted Labels
By default, the labels generated by the web service are in PDF format.
However, if you require your labels to be in ZPL format, you can add the following to your request under the deliveryRoutingRequest:

<labelFormat>ZPL_799_1199</labelFormat>

The labelImage field in the response will then contain a base64 string that should be decoded into the ZPL format label.

Hide My Email
If Client allows Customers to use the Apple 'Hide My Email' feature, then please add our Evri domain **@evri.com** into your Apple Developer account as without doing so Evri email notifications will not reach the customer.

Copyright © Evri Limited

Out of Home (ParcelShop/Locker) deliveries

If sending to one of our Out of Home locations, first you need to display our ParcelShop and Locker availability within your checkout or webshop for the consumer to choose a convenient location for delivery.

We have several options of how you can achieve this:

ParcelShop Finder API

This API provides all the information for our locations that can be searched on a one-by-one basis using the recipient's postcode, or by country for you to hold the data locally in your own database.

See supporting documentation *"Evri Client Integration - API - Public ParcelShop Finder"*

Embedded ParcelShop finder

This is a JavaScript based add on that displays our ParcelShop finder in an iFrame.

See supporting documentation *"Evri Embedded ParcelShop Finder Integration Guide"*

Shopify ParcelShop Finder App

This app has been designed to integrate with your Shopify+ checkout and is available to download via the Shopify App Store.

See supporting documentation *"Evri Client Integration - Shopify ParcelShop Finder App"*

Once a location has been selected at checkout, you need to retain the ParcelShopID and ensure this is mapped through your Order Management System to the Evri API call. It's the presence of the ParcelShopID that will correctly route the parcel to the ParcelShop or Locker for delivery.

See "*Delivery to UK Out of Home Location e.g. ParcelShop or Locker*" in the example requests section of this document.

Copyright © Evri Limited

Example Requests

Note: These requests are given in SOAP format.

REST format is the same but without the parts in **bold**.
If using a REST environment, the routing method should be added to the end of the URL:
e.g. https://www.hermes-europe.co.uk/routing/service/rest/v4/routeDeliveryCreatePreadvice

As requests are in XML format, you may need to change the **Content-Type** in your request headers to **text/xml**.

Delivery to UK Home Address

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:v4="http://v4.web.domain.routing.hermes.co.uk/">
  <soapenv:Header/>
  <soapenv:Body>
    <v4:routeDeliveryCreatePreadviceAndLabel>
        <deliveryRoutingRequest>
          <clientId>1234</clientId>
          <clientName>Client Name</clientName>
          <childClientId>001</childClientId>
          <childClientName>Child Name</childClientName>
          <creationDate>2023-11-15T14:35:00</creationDate>
          <sourceOfRequest>CLIENTWS</sourceOfRequest>
          <deliveryRoutingRequestEntries>
            <deliveryRoutingRequestEntry>
              <addressValidationRequired>false</addressValidationRequired>
              <customer>
                <address>
                  <title>Mr</title>
                  <firstName>Test</firstName>
                  <lastName>Customer</lastName>
                  <houseNo>1</houseNo>
                  <streetName>Capitol Close</streetName>
                  <city>Morley</city>
                  <postCode>LS27 0WH</postCode>
                  <countryCode>GB</countryCode>
                </address>
                <homePhoneNo>01234567890</homePhoneNo>
                <workPhoneNo>05234567890</workPhoneNo>
                <mobilePhoneNo>07234567890</mobilePhoneNo>
                <email>si@si.com</email>
                <customerReference1>HTEST1</customerReference1>
                <customerReference2>HTEST2</customerReference2>
```


Copyright © Evri Limited

```
            <customerAlertType>2</customerAlertType>
            <customerAlertGroup>0001</customerAlertGroup>
            <deliveryMessage>Delivery Message</deliveryMessage>
            <specialInstruction1>Leave in Porch</specialInstruction1>
            <specialInstruction2>Spec Inst 2</specialInstruction2>
          </customer>
          <parcel>
            <weight>1000</weight>
            <length>50</length>
            <width>50</width>
            <depth>20</depth>
            <girth>140</girth>
            <combinedDimension>190</combinedDimension>
            <volume>40000</volume>
            <currency>GBP</currency>
            <value>1000</value>
            <numberOfParts>1</numberOfParts>
            <numberOfItems>1</numberOfItems>
            <description>Footwear</description>
            <originOfParcel>GB</originOfParcel>
          </parcel>
          <services>
            <nextDay>true</nextDay>
          </services>
          <senderAddress>
            <addressLine1>Evri</addressLine1>
            <addressLine2>Capitol Close</addressLine2>
            <addressLine3>Leeds</addressLine3>
            <addressLine4>LS27 0WH</addressLine4>
          </senderAddress>
          <expectedDespatchDate>2023-11-15</expectedDespatchDate>
          <countryOfOrigin>GB</countryOfOrigin>
        </deliveryRoutingRequestEntry>
      </deliveryRoutingRequestEntries>
    </deliveryRoutingRequest>
  </v4:routeDeliveryCreatePreadviceAndLabel>
 </soapenv:Body>
</soapenv:Envelope>
```


Copyright © Evri Limited

Home delivery from Great Britain to Northern Ireland


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xm
lns:v4="http://v4.web.domain.routing.hermes.co.uk/">
  <soapenv:Header/>
  <soapenv:Body>
    <v4:routeDeliveryCreatePreadviceAndLabel>
      <deliveryRoutingRequest>
        <clientId>1234</clientId>
        <clientName>Client Name</clientName>
        <childClientId>001</childClientId>
        <childClientName>Child Name</childClientName>
        <creationDate>2023-11-15T14:35:00</creationDate>
        <sourceOfRequest>CLIENTWS</sourceOfRequest>
        <deliveryRoutingRequestEntries>
          <deliveryRoutingRequestEntry>
            <addressValidationRequired>false</addressValidationRequired>
            <customer>
              <address>
                <title>Mr</title>
                <firstName>Test</firstName>
                <lastName>Customer</lastName>
                <houseNo>1</houseNo>
                <streetName>Capitol Close</streetName>
                <city>Morley</city>
                <postCode>LS27 0WH</postCode>
                <countryCode>GB</countryCode>
              </address>
              <homePhoneNo>01234567890</homePhoneNo>
              <workPhoneNo>05234567890</workPhoneNo>
              <mobilePhoneNo>07234567890</mobilePhoneNo>
              <email>si@si.com</email>
              <customerReference1>HTEST1</customerReference1>
              <customerReference2>HTEST2</customerReference2>
              <customerAlertType>2</customerAlertType>
              <customerAlertGroup>0001</customerAlertGroup>
              <deliveryMessage>Delivery Message</deliveryMessage>
              <specialInstruction1>Leave in Porch</specialInstruction1>
              <specialInstruction2>Spec Inst 2</specialInstruction2>
            </customer>
            <parcel>
              <weight>10000</weight>
              <length>50</length>
              <width>50</width>
              <depth>20</depth>
              <girth>140</girth>
```


Copyright © Evri Limited

```
            <combinedDimension>190</combinedDimension>
            <volume>40000</volume>
            <currency>GBP</currency>
            <value>200</value>
            <numberOfParts>1</numberOfParts>
            <numberOfItems>4</numberOfItems>
            <description>Toys</description>
            <originOfParcel>GB</originOfParcel>
        <contents>
              <content>
                <skuCode>12345678</skuCode>
                <skuDescription>Blue, Plastic, Toy, Car</skuDescription>
                <hsCode>9503001000</hsCode>
                <value>100</value>
                <countryOfManufacture>US</countryOfManufacture>
                <itemWeight>5000</itemWeight>
                <itemQuantity>3</itemQuantity>
              </content>
         <content>
                <skuCode>12345679</skuCode>
                <skuDescription>Red, Plastic, Toy, Car</skuDescription>
                <hsCode>9503001000</hsCode>
                <value>100</value>
                <countryOfManufacture>US</countryOfManufacture>
                <itemWeight>5000</itemWeight>
                <itemQuantity>1</itemQuantity>
              </content>
            </contents>
          </parcel>
          <senderAddress>
            <addressLine1>Evri</addressLine1>
            <addressLine2>Capitol Close</addressLine2>
            <addressLine3>Leeds</addressLine3>
            <addressLine4>LS27 0WH</addressLine4>
          </senderAddress>
          <expectedDespatchDate>2023-11-15</expectedDespatchDate>
          <countryOfOrigin>GB</countryOfOrigin>
        </deliveryRoutingRequestEntry>
      </deliveryRoutingRequestEntries>
    </deliveryRoutingRequest>
  </v4:routeDeliveryCreatePreadviceAndLabel>
 </soapenv:Body>
</soapenv:Envelope>
```


** Attributes in red must be provided **

Copyright © Evri Limited

Delivery to UK Out of Home Location e.g. ParcelShop or Locker


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xm
lns:v4="http://v4.web.domain.routing.hermes.co.uk/">
  <soapenv:Header/>
  <soapenv:Body>
    <v4:routeDeliveryCreatePreadviceAndLabel>
      <deliveryRoutingRequest>
        <clientId>1234</clientId>
        <clientName>Client Name</clientName>
        <creationDate>2023-11-15T14:35:00</creationDate>
        <sourceOfRequest>CLIENTWS</sourceOfRequest>
        <deliveryRoutingRequestEntries>
          <deliveryRoutingRequestEntry>
            <addressValidationRequired>false</addressValidationRequired>
            <customer>
              <address>
                <title>Mr</title>
                <firstName>Joe</firstName>
                <lastName>Bloggs</lastName>
                <houseNo>15</houseNo>
                <houseName>My House</houseName>
                <streetName>My Street</streetName>
                <addressLine1>My Address Line 1</addressLine1>
                <addressLine2>My Address Line 2</addressLine2>
                <addressLine3>My Address Line 3</addressLine3>
                <city>Leeds</city>
                <region>West Yorkshire</region>
                <postCode>LS27 9TE</postCode>
                <countryCode>GB</countryCode>
              </address>
              <homePhoneNo>1</homePhoneNo>
              <workPhoneNo>2</workPhoneNo>
              <mobilePhoneNo>3</mobilePhoneNo>
              <email>si@si.com</email>
              <customerReference1>UKDomestic1-1</customerReference1>
              <customerReference2>UKDomestic1-2</customerReference2>
              <customerAlertType>2</customerAlertType>
              <customerAlertGroup>0001</customerAlertGroup>
              <deliveryMessage>Leave in Garage</deliveryMessage>
              <specialInstruction1>Special 1</specialInstruction1>
              <specialInstruction2>Special 2</specialInstruction2>
            </customer>
            <parcel>
              <weight>1000</weight>
              <length>50</length>
```


Copyright © Evri Limited

```
            <width>50</width>
            <depth>20</depth>
            <girth>140</girth>
            <combinedDimension>190</combinedDimension>
            <volume>50000</volume>
            <currency>GBP</currency>
            <value>5999</value>
            <numberOfParts>1</numberOfParts>
            <numberOfItems>1</numberOfItems>
            <hangingGarment>false</hangingGarment>
            <multipleParts>false</multipleParts>
            <catalogue>false</catalogue>
            <description>Shoes</description>
            <originOfParcel>GB</originOfParcel>
          </parcel>
          <services>
            <parcelShopService>
              <parcelShopId>S07770</parcelShopId>
              <address>
                <countryCode>GB</countryCode>
              </address>
            </parcelShopService>
          </services>
          <senderAddress>
            <addressLine1>Sender 1</addressLine1>
            <addressLine2>Sender 2</addressLine2>
            <addressLine3>Sender 3</addressLine3>
            <addressLine4>Sender 4</addressLine4>
          </senderAddress>
          <expectedDespatchDate>2023-11-15</expectedDespatchDate>
          <countryOfOrigin>GB</countryOfOrigin>
        </deliveryRoutingRequestEntry>
      </deliveryRoutingRequestEntries>
    </deliveryRoutingRequest>
  </v4:routeDeliveryCreatePreadviceAndLabel>
</soapenv:Body>
</soapenv:Envelope>
```


Copyright © Evri Limited

Delivery to German Home Address


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xm
lns:v4="http://v4.web.domain.routing.hermes.co.uk/">
  <soapenv:Header/>
  <soapenv:Body>
    <v4:routeDeliveryCreatePreadvice>
      <deliveryRoutingRequest>
        <clientId>1234</clientId>
        <clientName>Client Name</clientName>
        <batchNumber>1</batchNumber>
        <creationDate>2023-11-15T14:35:00</creationDate>
        <sourceOfRequest>CLIENTWS</sourceOfRequest>
        <deliveryRoutingRequestEntries>
          <deliveryRoutingRequestEntry>
            <addressValidationRequired>?</addressValidationRequired>
            <customer>
              <address>
                <title>Mr</title>
                <firstName>Test</firstName>
                <lastName>Customer</lastName>
                <houseNo>11</houseNo>
                <streetName>Annaberger Strasse</streetName>
                <countryCode>DE</countryCode>
                <postCode>09484</postCode>
                <city>Kurort Oberwiesenthal</city>
              </address>
              <homePhoneNo>123</homePhoneNo>
              <workPhoneNo>456</workPhoneNo>
              <mobilePhoneNo>789</mobilePhoneNo>
              <faxNo>012</faxNo>
              <email>si@si.com</email>
              <customerReference1>Ref1</customerReference1>
              <customerReference2>Ref2</customerReference2>
              <customerAlertType>2</customerAlertType>
              <customerAlertGroup>0001</customerAlertGroup>
              <deliveryMessage>Del Message</deliveryMessage>
              <specialInstruction1>Spec Inst 1</specialInstruction1>
              <specialInstruction2>Spec Inst 2</specialInstruction2>
            </customer>
            <parcel>
              <weight>5000</weight>
              <length>50</length>
              <width>50</width>
              <depth>20</depth>
              <girth>140</girth>
```


Copyright © Evri Limited

```
            <combinedDimension>190</combinedDimension>
            <volume>50000</volume>
            <currency>EUR</currency>
            <value>100</value>
            <numberOfParts>1</numberOfParts>
            <numberOfItems>1</numberOfItems>
            <description>Toys</description>
            <originOfParcel>GB</originOfParcel>
            <dutyPaid>P</dutyPaid>
            <dutyPaidValue>10</dutyPaidValue>
            <vatValue>10</vatValue>
            <contents>
              <content>
                <skuCode>12345678</skuCode>
                <skuDescription>Blue, Plastic, Toy, Car</skuDescription>
                <hsCode>9503001000</hsCode>
                <value>100</value>
                <countryOfManufacture>US</countryOfManufacture>
                <itemWeight>5000</itemWeight>
                <itemQuantity>1</itemQuantity>
              </content>
            </contents>
            <exportReason>gifts</exportReason>
          </parcel>
          <senderAddress>
            <addressLine1>Evri</addressLine1>
            <addressLine2>Capitol Close</addressLine2>
            <addressLine3>Leeds</addressLine3>
            <addressLine4>LS27 0WH</addressLine4>
          </senderAddress>
          <expectedDespatchDate>2023-11-15</expectedDespatchDate>
          <countryOfOrigin>GB</countryOfOrigin>
        </deliveryRoutingRequestEntry>
      </deliveryRoutingRequestEntries>
      <vatNumber>GB1234567890123</vatNumber>
      <eoriNumber>GB123456789012</eoriNumber>
      <iossNumber>IM1234567891234</iossNumber>
    </deliveryRoutingRequest>
  </v4:routeDeliveryCreatePreadvice>
</soapenv:Body>
</soapenv:Envelope>
```


Copyright © Evri Limited

Delivery to German Parcel Shop


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xm
lns:v4="http://v4.web.domain.routing.hermes.co.uk/">
  <soapenv:Header/>
  <soapenv:Body>
    <v4:routeDeliveryCreatePreadvice>
      <deliveryRoutingRequest>
        <clientId>1234</clientId>
        <clientName>Client Name</clientName>
        <batchNumber>1</batchNumber>
        <creationDate>2023-11-15T14:35:00</creationDate>
        <sourceOfRequest>CLIENTWS</sourceOfRequest>
        <deliveryRoutingRequestEntries>
          <deliveryRoutingRequestEntry>
            <addressValidationRequired>N</addressValidationRequired>
            <customer>
              <address>
                <title>Mr</title>
                <firstName>Test</firstName>
                <lastName>Customer</lastName>
                <houseNo>11</houseNo>
                <streetName>Annaberger Strasse</streetName>
                <countryCode>DE</countryCode>
                <postCode>09484</postCode>
                <city>Kurort Oberwiesenthal</city>
              </address>
              <homePhoneNo>123</homePhoneNo>
              <workPhoneNo>456</workPhoneNo>
              <mobilePhoneNo>789</mobilePhoneNo>
              <faxNo>012</faxNo>
              <email>si@si.com</email>
              <customerReference1>Ref1</customerReference1>
              <customerReference2>Ref2</customerReference2>
              <customerAlertType>2</customerAlertType>
              <customerAlertGroup>0001</customerAlertGroup>
            </customer>
            <parcel>
              <weight>5000</weight>
              <length>50</length>
              <width>50</width>
              <depth>20</depth>
              <girth>140</girth>
              <combinedDimension>190</combinedDimension>
              <volume>50000</volume>
              <currency>EUR</currency>
```


Copyright © Evri Limited

```
            <value>100</value>
            <numberOfParts>1</numberOfParts>
            <numberOfItems>1</numberOfItems>
            <description>Toys</description>
            <originOfParcel>GB</originOfParcel>
            <dutyPaid>P</dutyPaid>
            <dutyPaidValue>10</dutyPaidValue>
            <vatValue>10</vatValue>
            <contents>
              <content>
                <skuCode>12345678</skuCode>
                <skuDescription>Blue, Plastic, Toy, Car</skuDescription>
                <hsCode>9503001000</hsCode>
                <value>100</value>
                <countryOfManufacture>US</countryOfManufacture>
                <itemWeight>5000</itemWeight>
                <itemQuantity>1</itemQuantity>
              </content>
            </contents>
            <exportReason>gifts</exportReason>
          </parcel>
          <services>
            <parcelShopService>
              <parcelShopId>669154</parcelShopId>
              <address>
                <countryCode>DE</countryCode>
              </address>
            </parcelShopService>
          </services>
          <senderAddress>
            <addressLine1>Evri</addressLine1>
            <addressLine2>Capitol Close</addressLine2>
            <addressLine3>Leeds</addressLine3>
            <addressLine4>LS27 0WH</addressLine4>
          </senderAddress>
          <expectedDespatchDate>2023-11-15</expectedDespatchDate>
          <countryOfOrigin>GB</countryOfOrigin>
        </deliveryRoutingRequestEntry>
      </deliveryRoutingRequestEntries>
      <vatNumber>GB1234567890123</vatNumber>
      <eoriNumber>GB123456789012</eoriNumber>
      <iossNumber>IM1234567891234</iossNumber>
    </deliveryRoutingRequest>
  </v4:routeDeliveryCreatePreadvice>
</soapenv:Body>
</soapenv:Envelope>
```


Copyright © Evri Limited

Delivery to UK Retail Store Location e.g. ClientStore


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xm
lns:v4="http://v4.web.domain.routing.hermes.co.uk/">
  <soapenv:Header/>
  <soapenv:Body>
    <v4:routeDeliveryCreatePreadviceAndLabel>
      <deliveryRoutingRequest>
        <clientId>1234</clientId>
        <clientName>Client Name</clientName>
        <creationDate>2023-11-15T14:35:00</creationDate>
        <sourceOfRequest>CLIENTWS</sourceOfRequest>
        <deliveryRoutingRequestEntries>
          <deliveryRoutingRequestEntry>
            <addressValidationRequired>false</addressValidationRequired>
            <customer>
              <address>
                <title>Mr</title>
                <firstName>Joe</firstName>
                <lastName>Bloggs</lastName>
                <houseNo>15</houseNo>
                <houseName>My House</houseName>
                <streetName>My Street</streetName>
                <addressLine1>My Address Line 1</addressLine1>
                <addressLine2>My Address Line 2</addressLine2>
                <addressLine3>My Address Line 3</addressLine3>
                <city>Leeds</city>
                <region>West Yorkshire</region>
                <postCode>LS27 9TE</postCode>
                <countryCode>GB</countryCode>
              </address>
              <homePhoneNo>1</homePhoneNo>
              <workPhoneNo>2</workPhoneNo>
              <mobilePhoneNo>3</mobilePhoneNo>
              <email>si@si.com</email>
              <customerReference1>UKDomestic1-1</customerReference1>
              <customerReference2>UKDomestic1-2</customerReference2>
              <customerAlertType>2</customerAlertType>
              <customerAlertGroup>0001</customerAlertGroup>
              <deliveryMessage>Leave in Garage</deliveryMessage>
              <specialInstruction1>Special 1</specialInstruction1>
              <specialInstruction2>Special 2</specialInstruction2>
            </customer>
            <parcel>
              <weight>1000</weight>
              <length>50</length>
```


Copyright © Evri Limited

```
            <width>50</width>
            <depth>20</depth>
            <girth>140</girth>
            <combinedDimension>190</combinedDimension>
            <volume>50000</volume>
            <currency>GBP</currency>
            <value>5999</value>
            <numberOfParts>1</numberOfParts>
            <numberOfItems>1</numberOfItems>
            <hangingGarment>false</hangingGarment>
            <multipleParts>false</multipleParts>
            <catalogue>false</catalogue>
            <description>Shoes</description>
            <originOfParcel>GB</originOfParcel>
          </parcel>
          <services>
            <retailStoreService>
              <retailStoreId>T07770</retailStoreId>
             </retailStoreService>
          </services>
          <senderAddress>
            <addressLine1>Sender 1</addressLine1>
            <addressLine2>Sender 2</addressLine2>
            <addressLine3>Sender 3</addressLine3>
            <addressLine4>Sender 4</addressLine4>
          </senderAddress>
          <expectedDespatchDate>2023-11-15</expectedDespatchDate>
          <countryOfOrigin>GB</countryOfOrigin>
        </deliveryRoutingRequestEntry>
      </deliveryRoutingRequestEntries>
    </deliveryRoutingRequest>
  </v4:routeDeliveryCreatePreadviceAndLabel>
 </soapenv:Body>
</soapenv:Envelope>
```


Copyright © Evri Limited

Collection Routing Request

A Collection Routing Request should be sent to the Web Service to obtain routing information for collecting parcels from a customer.

Each Collection Routing Request will contain one or more Collection Routing Request Entries which contain basic information about each parcel that you would like Evri to collect.

Once a Collection Routing Request has been successfully processed, the Web Service will return a Response containing routing information, warning/error codes and, where applicable, barcodes and a label image string.

Structure



Copyright © Evri Limited

Calling Methods

The following information details the methods and attributes that are available for Collection Routing.

Determine Routing

- Used to determine the route for a parcel to be collected from a customer's address.
- Should not be used for ParcelShop/Lockers.
- Based on parcel attributes, address etc.

Method: determineCollectionRouting

Route Collection and Create Pre-advice

- Used to determine the route for a parcel to be collected from a customer's address.
- Should not be used for ParcelShop/Lockers.
- Based on parcel attributes, address etc.
- This assumes that a return label has already been created.
- This informs Evri to collect the parcel.

Method: routeCollectionCreatePreadvice

Route Collection, Create Pre-advice and Return Barcode

- Used to determine the route for a parcel to be collected from a customer's address.
- Should not be used for ParcelShop/Lockers.
- Based on parcel attributes, address etc.
- Response contains the required information for clients to produce a Return label.
- This informs Evri to collect the parcel.

Method: routeCollectionCreatePreadviceReturnBarcode

Route Collection, Create Pre-advice, Return Barcode and Label

- Used to determine the route for a parcel to be collected from a customer's address.
- Should not be used for ParcelShop/Lockers.
- Based on parcel attributes, address etc.
- Response contains the required information for clients to produce a Return label.
- This informs Evri to collect the parcel.
- A return label PDF image will be supplied as an encoded byte array.

Method: routeCollectionCreatePreadviceReturnBarcodeAndLabel

Create Return Barcode

- Used to provide the information required to produce a return label.
- Should be used for ParcelShop/Locker drop off.
- Pre-advice is not created as it is optional for the customer to return the parcel.

Copyright © Evri Limited

- The Return address returned in the response is pre-populated using the address from the Evri Client Database, which is provided to Evri via the Client's account manager.

Method: createReturnBarcode

Create Return Barcode and Label

- Used to provide the information required to produce a return label.
- Should be used for ParcelShop/Locker drop off.
- Pre-advice is not created as it is optional for the customer to return the parcel.
- A return label PDF image will be supplied as an encoded byte array.
- The Return address returned in the response is pre-populated using the address from the Evri Client Database, which is provided to Evri via the Client's account manager.
- For Depot Returns – Evri routing determines the return depot based on the client's Depot Return flag and configured return location in Evri system. Clients must ensure their Depot return location is registered via onboarding or the Client Location API.

Method: createReturnBarcodeAndLabel

Copyright © Evri Limited

Request Parameters

CollectionRoutingRequest

Attribute	Type	Max Length	M/O	Comments
clientId	String	4	M	Client Id (Provided by Evri)
clientName	String	32	M	Client Name (Provided by Evri)
childClientId	String	3	O	Child Client Id (Provided by Evri if required)
childClientName	String	32	O	Child Client Name (Provided by Evri if required)
batchNumber	Number	5	O	Not currently used
creationDate	Date	n/a	O	Date and time that request was created. Format yyyy-mm-ddThh:mm:ss.000z (UTC) e.g. 2023-11-15T06:22:58.000Z
routingStartDate	Date	n/a	O	Start date for which routing will calculated against (Current Date will be used if this date is not supplied)
userId	String	32	O	Clients User Id
sourceOfRequest	String	8	M	Always 'CLIENTWS'
Collection RoutingRequestEntries	Collection RoutingRequestEntries	n/a	O	Parcel Collection Routing Request Entries

CollectionRoutingRequestEntries

Attribute	Type	Max Length	M/O	Comments
List<collection RoutingRequest Entry>	List<Collection RoutingRequestEntry>	n/a	M	List of Parcel Collection Routing Requests

Copyright © Evri Limited

CollectionRoutingRequest Entity

Attribute	Type	Max Length	M/O	Comments
addressValidationRequired	Boolean	n/a	O	Default to 'false'. *Feature deprecated
customer	Customer	n/a	M	Details about the customer. See Customer entity for details.
parcel	Parcel	n/a	O	Details about the parcel. See Parcel entity for details. This must be provided for all methods apart from Create Return Barcode (with or without Label)
services	Services	n/a	O	Details about delivery services required. See Services entity for details.
productCode	Integer	10	O	Not currently used
requiredDate	Date	n/a	O	The date when the parcel is expected to be collected by. (in format YYYY-MM-DD)
countryOfOrigin	String	2	M	The two letter country code of the country of origin (e. g. DE, AT, IT, GB).
warehouseNo	Integer	6	O	Not currently used
carrierCode	String	6	O	Not currently used
collectionMethod	String	3	O	Not currently used
numberOfParcels	Integer	2	O	The number of parcels to collect.
barcode	String	25	O	Returns Barcode or C2C Delivery Barcode **Note:** If you have previously created a return barcode, this must be populated in this field to link the collection to the return.

Example Requests

Note: These requests are given in SOAP format.

REST format is the same but without the parts in **bold**.
If using a REST environment, the routing method should be added to the end of the URL:
e.g. https://www.hermes-europe.co.uk/routing/service/rest/v4/routeCollectionCreatePreadvice

As requests are in XML format, you may need to change the **Content-Type** in your request headers to **text/xml**.

Copyright © Evri Limited

Determine routing for UK Customer Collection


```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:v4="http://v4.web.domain.routing.hermes.co.uk/">
  <soapenv:Header/>
  <soapenv:Body>
    <v4:determineCollectionRouting>
      <collectionRoutingRequest>
        <clientId>1234</clientId>
        <clientName>Client Name</clientName>
        <batchNumber>1</batchNumber>
        <creationDate>2023-11-15T14:35:00</creationDate>
        <sourceOfRequest>CLIENTWS</sourceOfRequest>
        <collectionRoutingRequestEntries>
          <collectionRoutingRequestEntry>
            <addressValidationRequired>?</addressValidationRequired>
            <customer>
              <address>
                <title>Mr</title>
                <firstName>Test</firstName>
                <lastName>Customer</lastName>
                <houseNo>1</houseNo>
                <streetName>Capitol Close</streetName>
                <city>Morley</city>
                <postCode>LS27 0WH</postCode>
                <countryCode>GB</countryCode>
              </address>
              <homePhoneNo>01234567890</homePhoneNo>
              <workPhoneNo>05234567890</workPhoneNo>
              <mobilePhoneNo>07234567890</mobilePhoneNo>
              <email>si@si.com</email>
              <customerReference1>Ref1</customerReference1>
              <customerReference2>Ref2</customerReference2>
              <customerAlertType>2</customerAlertType>
            <customerAlertGroup>0001</customerAlertGroup>
              <deliveryMessage>Del Message</deliveryMessage>
              <specialInstruction1>Leave in Porch</specialInstruction1>
              <specialInstruction2>Spec Inst 2</specialInstruction2>
            </customer>
            <parcel>
              <weight>1000</weight>
              <length>50</length>
              <width>50</width>
              <depth>20</depth>
              <girth>140</girth>
```


Copyright © Evri Limited

```
            <combinedDimension>190</combinedDimension>
            <volume>50000</volume>
            <value>100</value>
            <numberOfParts>1</numberOfParts>
            <numberOfItems>1</numberOfItems>
            <description>Brown Shoes</description>
            <originOfParcel>GB</originOfParcel>
          </parcel>
          <countryOfOrigin>GB</countryOfOrigin>
        </collectionRoutingRequestEntry>
      </collectionRoutingRequestEntries>
    </collectionRoutingRequest>
  </v4:determineCollectionRouting>
 </soapenv:Body>
</soapenv:Envelope>
```

Delivery to Depot Return (T3RS)

This example demonstrates a Depot Return request.
This requires that the client has a valid depot pre-configured with EVRi. Depot Returns use the same return label generation mechanisms with the supported Endpoints:

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:v4="http://v4.web.domain.routing.hermes.co.uk/">
  <soapenv:Header/>
  <soapenv:Body>
   <v4:createReturnBarcodeAndLabel>
<collectionRoutingRequest>
   <clientId>1234</clientId>
   <clientName>Client Name</clientName>
   <batchNumber>1</batchNumber>
   <creationDate>2023-11-15T14:35:00</creationDate>
   <sourceOfRequest>CLIENTWS</sourceOfRequest>
   <collectionRoutingRequestEntries>
      <collectionRoutingRequestEntry>
         <addressValidationRequired>?</addressValidationRequired>
         <customer>
            <address>
               <title>Mr</title>
               <firstName>Test</firstName>
```


Copyright © Evri Limited

```
            <lastName>Customer</lastName>
            <houseNo>1</houseNo>
            <streetName>Capitol Close</streetName>
            <city>Morley</city>
            <postCode>LS27 0WH</postCode>
            <countryCode>GB</countryCode>
          </address>
          <customerReference1>Ref1</customerReference1>
        </customer>
        <parcel>
          <weight>1000</weight>
          <length>50</length>
          <width>50</width>
          <depth>20</depth>
          <girth>140</girth>
          <combinedDimension>190</combinedDimension>
          <volume>50000</volume>
          <value>100</value>
          <numberOfParts>1</numberOfParts>
          <numberOfItems>1</numberOfItems>
          <description>Brown Shoes</description>
          <originOfParcel>GB</originOfParcel>
        </parcel>
        <countryOfOrigin>GB</countryOfOrigin>
      </collectionRoutingRequestEntry>
    </collectionRoutingRequestEntries>
  </collectionRoutingRequest>
    </v4:createReturnBarcodeAndLabel>
  </soapenv:Body>
</soapenv:Envelope>
```


Copyright © Evri Limited

Routing Response

The Routing Response contains all the information you need to store on your system about the shipments you have created and, where applicable, to produce a Evri compatible delivery/collection label.

Structure



Copyright © Evri Limited

Response Parameters

RoutingResponse Entity

Attribute	Type	Max Length	Comments
clientId	String	10	Client Id (Provided by Evri)
clientName	String	32	Client Name (Provided by Evri)
childClientId	String	3	Child Client Id (Provided by Evri if required)
childClient Name	String	32	Child Client Name (Provided by Evri if required)
clientLogoRef	String	50	The reference of the logo image for the client or child client
batchNumber	Integer	5	Not currently used
creationDate	Date	n/a	Date and time that request was created. Format yyyy-mm-ddThh:mm:ss.000z (UTC) e.g. 2023-11-15T06:22:58.000Z
Routing ResponseEntries	Routing ResponseEntries	n/a	Parcel Delivery or Collection Routing Request Entries

RoutingResponseEntries

Attribute	Type	Max Length	Comments
List<deliveryRouting RequestEntry>	List< Delivery Routing Request Entry>	n/a	List of Parcel Delivery Routing Requests

Copyright © Evri Limited

RoutingResponseEntry Entity

Attribute	Type	Max Length	Comments
senderAddress	ResponseAddress	n/a	Address of the sender
destinationAddress	ResponseAddress	n/a	Destination Address
outboundCarriers	Carriers	n/a	Details about carriers for a delivery See Carriers entity for details.
inboundCarriers	Carriers	n/a	Details about carriers for a collection See Carriers entity for details.
serviceDescriptions	ServiceDescriptions	n/a	List of Service Descriptions
weight	String	10	Weight in Kg
value	String	10	Value and current of parcel, e.g. 49.99 GBP
entity1Value	String	32	The value to print in the Entity1 value box on the label.
entity2Value	String	32	The value to print in the Entity2 value box on the label.
entity3Value	String	32	The value to print in the Entity3 value box on the label.
entity4Value	String	32	The value to print in the Entity4 value box on the label.
errorMessages	List<Message>	n/a	List of error messages. See Message entity for details.
warningMessages	List<Message>	n/a	List of warning messages. See Message entity for details.
titles	Titles	n/a	List of Label Title details
process	String	32	Identifies if the response is for a delivery or a collection.

Copyright © Evri Limited

ResponseAddress Entity

Attribute	Type	Max Length	Comments
addressLine1	String	32	Address Line 1 of the addressee.
addressLine2	String	32	Address Line 2 of the addressee.
addressLine3	String	32	Address Line 3 of the addressee.
addressLine4	String	32	Address Line 4 of the addressee.
addressLine5	String	32	Address Line 5 of the addressee.
addressLine6	String	32	Address Line 6 of the addressee.
addressLine7	String	32	Address Line 7 of the addressee.
addressLine8	String	32	Address Line 8 of the addressee.
customerReference1	String	20	Reference number to identify the parcel. (e.g. Account Number)
customerReference2	String	20	Reference number to identify the parcel. (e.g. Order Number)

Titles Entity

Attribute	Type	Max Length	Comments
senderAddressTitle	String	32	The Title to print against the sender address (in the relevant language).
destinationAddressTitle	String	32	The Title to print against the destination address (in the relevant language).
entity1Title	String	32	The Title to print in the Entity1 title box on the label.
entity2Title	String	32	The Title to print in the Entity2 title box on the label.
entity3Title	String	32	The Title to print in the Entity3 title box on the label.
entity4Title	String	32	The Title to print in the Entity4 title box on the label.

Copyright © Evri Limited

Carriers Entity

Attribute	Type	Max Length	Comments
carrier1	Carrier	n/a	The first carrier for a delivery/collection. See Carrier entity for details.
carrier2	Carrier	n/a	The second carrier for a delivery/collection. See Carrier entity for details.
labelImage	Byte[]	n/a	PDF label if required (returned as Base64 encoded byte array)
entity1Value	String	32	The value to print in the Entity1 value box on the label.
entity2Value	String	32	The value to print in the Entity2 value box on the label.
entity3Value	String	32	The value to print in the Entity3 value box on the label.
entity4Value	String	32	The value to print in the Entity4 value box on the label.
titles	Titles	n/a	List of Label Title details

Carrier Entity

Attribute	Type	Max Length	Comments
carrierId	String	6	The ID of the Carrier.
carrierName	String	32	The Name of the Carrier.
carrierLogoRef	String	50	The reference of the logo image for the carrier
deliveryMethodDesc	String	32	Used to notify whether it is a C2C request or not (GECO)
deliveryMethodCode	Integer	3	The numeric code of the delivery service provided by the Carrier.
barcode1	Barcode	n/a	Barcode information (see Barcode Entity)
barcode2	Barcode	n/a	Barcode information (see Barcode Entity)
sortLevel1	String	32	Information used for manual sorting by carrier.
sortLevel2	String	32	Information used for manual sorting by carrier.
sortLevel3	String	32	Information used for manual sorting by carrier.
sortLevel4	String	32	Information used for manual sorting by carrier.
sortLevel5	String	32	Information used for manual sorting by carrier.
sortLevel6	String	32	Information used for manual sorting by carrier.
sortLevel7	String	32	Information used for manual sorting by carrier.
sortLevel8	String	32	Information used for manual sorting by carrier.
sortLevel9	String	32	Information used for manual sorting by carrier.
sortLevel10	String	32	Information used for manual sorting by carrier.
nodeName	String	50	Name of Node, e.g. ParcelShop Name
address	Response Address	n/a	Address of customer, Parcelshop, or Return address
serviceDescriptions	serviceDescriptions	n/a	List of Service Descriptions.

Copyright © Evri Limited

Message Entity

Attribute	Type	Max Length	Comments
errorCode	Integer	10	The ID of the Message. See Section 5.4 for further details.
errorDescription	String	200	The Description for the Message. See Section 5.4 for further details.

Barcode Entity

Attribute	Type	Max Length	Comments
barcodeNumber	String	30	The Barcode Number.
barcodeLength	Integer	16	The Length of the Barcode.
barcodeSymbology	String	4	The Symbology used to print the barcode. Valid values are: C39- Code 39 C128 – Code 128 P417 – PDF 417
barcodeDisplay	String	35	The man readable barcode number which should be printed with the barcode.

ServiceDescriptions Entity

Attribute	Type	Max Length	Comments
List<service Description>	List< Service Description>	n/a	List of Service Offer Descriptions for services requested. See ServiceDescription entity for details.

ServiceDescription Entity

Attribute	Type	Max Length	Comments
serviceDescription Text	String	50	The description of the service requested.
serviceLogoRef	String	50	The reference of the logo image for the service
servicePosition	Integer	n/a	The position to print the service on the label.

Copyright © Evri Limited

Example Responses

Note: These responses are given in SOAP format.

REST format is the same but without the parts in **bold**.

Delivery to UK Customer with Next Day Service:


```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ns2:routeDeliveryCreatePreadviceResponse xmlns:ns2="http://v4.web.domain.rou
ting.hermes.co.uk/">
        <ns2:routingResponse>
          <clientId>1234</clientId>
        <clientName>Client Name</clientName>
          <clientLogoRef>CLIENT_1234</clientLogoRef>
          <creationDate>2023-11-15T14:35:00Z</creationDate>
          <routingResponseEntries>
            <routingResponseEntry>
              <destinationAddress>
                <addressLine1>Mr Test Customer</addressLine1>
                <addressLine2>1 Capitol Close</addressLine2>
                <addressLine3>Morley</addressLine3>
                <addressLine6>Leeds</addressLine6>
                <addressLine7>West Yorkshire</addressLine7>
                <addressLine8>LS27 0WH</addressLine8>
                <customerReference1>UKDomestic1-1</customerReference1>
                <customerReference2>UKDomestic1-2</customerReference2>
              </destinationAddress>
              <senderAddress>
                <addressLine1>Evri</addressLine1>
                <addressLine2>Capitol Close</addressLine2>
                <addressLine3>Leeds</addressLine3>
                <addressLine4>LS27 0WH</addressLine4>
              </senderAddress>
              <outboundCarriers>
                <carrier1>
                  <carrierId>HUK</carrierId>
                  <carrierName>PCLNET</carrierName>
                  <carrierLogoRef>CARRIER_HUK</carrierLogoRef>
                  <deliveryMethodDesc>COU-PNET</deliveryMethodDesc>
                  <deliveryMethodCode>004</deliveryMethodCode>
                  <barcode1>
                    <barcodeNumber>H00IMA0014926664</barcodeNumber>
                    <barcodeLength>16</barcodeLength>
                    <barcodeSymbology>C128</barcodeSymbology>
```


Copyright © Evri Limited

```
                <barcodeDisplay>H-00IM-A-001492666-4</barcodeDisplay>
              </barcode1>
              <sortLevel1>99</sortLevel1>
              <sortLevel2>NORM</sortLevel2>
              <sortLevel3>VAN      73</sortLevel3>
              <sortLevel4>DROP     CC-01</sortLevel4>
              <sortLevel5>C-ROUND  6394</sortLevel5>
            </carrier1>
          </outboundCarriers>
          <serviceDescriptions>
            <serviceDescription>
              <serviceDescriptionText>NDAY</serviceDescriptionText>
            </serviceDescription>
          </serviceDescriptions>
          <weight>1.0</weight>
          <value>5.00 GBP</value>
          <entity1Value>2023-11-15</entity1Value>
          <entity2Value>1</entity2Value>
          <entity3Value>UKDomestic1-1</entity3Value>
          <entity4Value>UKDomestic1-2</entity4Value>
          <titles>
            <senderAddressTitle></senderAddressTitle>
            <destinationAddressTitle>Destination</destinationAddressTitle>
            <entity1Title>Date</entity1Title>
            <entity2Title>Weight in kg</entity2Title>
            <entity3Title>Reference 1</entity3Title>
            <entity4Title>Reference 2</entity4Title>
          </titles>
          <process>DELIVERY</process>
        </routingResponseEntry>
      </routingResponseEntries>
    </ns2:routingResponse>
  </ns2:routeDeliveryCreatePreadviceResponse>
</soap:Body>
</soap:Envelope>
```


Copyright © Evri Limited

Delivery to UK Customer with return:

<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
<soap:Body>
<ns2:routeDeliveryCreatePreadviceResponse xmlns:ns2="http://v4.web.domain.routing.hermes.co.uk/">
<**ns2**:routingResponse>
<clientId>1234</clientId>
<clientName>Client Name</clientName>
<clientLogoRef>CLIENT_1234</clientLogoRef>
<creationDate>2023-11-15T14:35:00Z</creationDate>
<routingResponseEntries>
<routingResponseEntry>
<destinationAddress>
<addressLine1>Mr Test Customer</addressLine1>
<addressLine2>Capitol House</addressLine2>
<addressLine3>Capitol Park</addressLine3>
<addressLine4>My Address Line 4</addressLine4>
<addressLine5>My Address Line 5</addressLine5>
<addressLine6>Morley</addressLine6>
<addressLine7>LS270WH</addressLine7>
<customerReference1>UKDomestic1-1</customerReference1>
<customerReference2>UKDomestic1-2</customerReference2>
</destinationAddress>
<senderAddress>
<addressLine1>Sender 1</addressLine1>
<addressLine2>Sender 2</addressLine2>
<addressLine3>Sender 3</addressLine3>
<addressLine4>Sender 4</addressLine4>
</senderAddress>
<outboundCarriers>
<carrier1>
<carrierId>HUK</carrierId>
<carrierName>PCLNET</carrierName>
<carrierLogoRef>CARRIER_HUK</carrierLogoRef>
<deliveryMethodDesc>COU-PNET</deliveryMethodDesc>
<deliveryMethodCode>004</deliveryMethodCode>
<barcode1>
<barcodeNumber>H00IMA0014927147</barcodeNumber>
<barcodeLength>16</barcodeLength>
<barcodeSymbology>C128</barcodeSymbology>
<barcodeDisplay>H-00IM-A-001492714-7</barcodeDisplay>
</barcode1>
<sortLevel1>99 </sortLevel1>
<sortLevel2>NORM </sortLevel2>
<sortLevel3>VAN 75 </sortLevel3>

Copyright © Evri Limited

```
      <sortLevel4>DROP     19      </sortLevel4>
      <sortLevel5>C-ROUND  6394    </sortLevel5>
    </carrier1>
  </outboundCarriers>
  <inboundCarriers>
    <carrier1>
      <carrierId>HUK</carrierId>
      <carrierName>PCLNET</carrierName>
      <carrierLogoRef>CARRIER_HUK</carrierLogoRef>
      <deliveryMethodDesc>C2B RETURN</deliveryMethodDesc>
      <deliveryMethodCode>105</deliveryMethodCode>
      <barcode1>
        <barcodeNumber>H00IMD0014926972</barcodeNumber>
        <barcodeLength>16</barcodeLength>
        <barcodeSymbology>C128</barcodeSymbology>
        <barcodeDisplay>H-00IM-D-001492697-2</barcodeDisplay>
      </barcode1>
      <sortLevel1>34</sortLevel1>
      <sortLevel2>NRC</sortLevel2>
      <sortLevel4>ZONE N0</sortLevel4>
      <sortLevel5>SUB ZONE 15</sortLevel5>
      <address>
        <addressLine1>Dean Pearce</addressLine1>
        <addressLine2>Hermes Parcelnet Rugby Hub</addressLine2>
        <addressLine3>Unit 1</addressLine3>
        <addressLine4>Rugby Gateway</addressLine4>
        <addressLine5>OverView Way</addressLine5>
        <addressLine6>Rugby</addressLine6>
        <addressLine7>Warwickshire</addressLine7>
      </address>
    </carrier1>
    <entity1Value>2023-11-15</entity1Value>
    <entity3Value>UKDomestic1-1</entity3Value>
    <entity4Value>UKDomestic1-2</entity4Value>
    <titles>
      <senderAddressTitle>Sender</senderAddressTitle>
      <destinationAddressTitle>Destination</destinationAddressTitle>
      <entity1Title>Date</entity1Title>
      <entity3Title>Reference 1</entity3Title>
      <entity4Title>Reference 2</entity4Title>
    </titles>
  </inboundCarriers>
  <weight>1</weight>
  <value>0.20 GBP</value>
  <entity1Value>2023-11-15</entity1Value>
  <entity2Value>1</entity2Value>
```


Copyright © Evri Limited

```
            <entity3Value>UKDomestic1-1</entity3Value>
            <entity4Value>UKDomestic1-2</entity4Value>
            <titles>
              <senderAddressTitle></senderAddressTitle>
              <destinationAddressTitle>Destination</destinationAddressTitle>
              <entity1Title>Date</entity1Title>
              <entity2Title>Weight in kg</entity2Title>
              <entity3Title>Reference 1</entity3Title>
              <entity4Title>Reference 2</entity4Title>
            </titles>
            <process>DELIVERY</process>
          </routingResponseEntry>
        </routingResponseEntries>
      </ns2:routingResponse>
    </ns2:routeDeliveryCreatePreadviceResponse>
  </soap:Body>
</soap:Envelope>
```


<u>Collection request UK:</u>


```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ns2:routeDeliveryCreatePreadviceResponse xmlns:ns2="http://v4.web.domain.rou
ting.hermes.co.uk/">
      <ns2:routingResponse>
      <clientId>1234</clientId>
      <clientName>Client Name</clientName>
        <childClientId>001</childClientId>
        <batchNumber>1</batchNumber>
        <creationDate>2023-11-15T14:35:00+01:00</creationDate>
        <routingResponseEntries>
          <routingResponseEntry>
            <destinationAddress>
              <addressLine1>Mr Test Customer</addressLine1>
              <addressLine2>10 New Close</addressLine2>
              <addressLine3>Morley</addressLine3>
              <addressLine4>Leeds</addressLine4>
              <addressLine5>West Yorkshire</addressLine5>
              <addressLine6>LS27 0WH</addressLine6>
              <customerReference1>Ref1</customerReference1>
              <customerReference2>Ref2</customerReference2>
            </destinationAddress>
```


Copyright © Evri Limited

```
            <inboundCarriers>
              <carrier1>
                <carrierId>HUK</carrierId>
                <carrierLogoRef>CARRIER_HUK</carrierLogoRef>
                <deliveryMethodDesc>COU-PNET</deliveryMethodDesc>
                <sortLevel1>15     </sortLevel1>
                <sortLevel2>BRA2    </sortLevel2>
                <sortLevel3>VAN     86     </sortLevel3>
                <sortLevel4>DROP    86     </sortLevel4>
                <sortLevel5>C-ROUND  1548    </sortLevel5>
              </carrier1>
              <entity1Value>2023-11-15</entity1Value>
              <entity3Value>Ref1</entity3Value>
              <entity4Value>Ref2</entity4Value>
              <titles>
                <senderAddressTitle>Sender</senderAddressTitle>
                <destinationAddressTitle>Destination</destinationAddressTitle>
                <entity1Title>Date</entity1Title>
                <entity3Title>Reference 1</entity3Title>
                <entity4Title>Reference 2</entity4Title>
              </titles>
            </inboundCarriers>
            <weight>5</weight>
            <value>10 GBP</value>
            <entity1Value>2023-11-15</entity1Value>
            <entity2Value>1</entity2Value>
            <entity3Value>Ref1</entity3Value>
            <entity4Value>Ref2</entity4Value>
            <titles>
              <senderAddressTitle></senderAddressTitle>
              <destinationAddressTitle>Destination</destinationAddressTitle>
              <entity1Title>Date</entity1Title>
              <entity2Title>Weight in kg</entity2Title>
              <entity3Title>Reference 1</entity3Title>
              <entity4Title>Reference 2</entity4Title>
            </titles>
            <process>COLLECTION</process>
          </routingResponseEntry>
        </routingResponseEntries>
      </ns2:routingResponse>
    </ns2:routeDeliveryCreatePreadviceResponse>
  </soap:Body>
</soap:Envelope>
```


Copyright © Evri Limited

Delivery to French Parcelshop:


```
<soap:Envelope xmlns:soap="http://schemas.xmlsoap.org/soap/envelope/">
  <soap:Body>
    <ns2:routeDeliveryCreatePreadviceResponse xmlns:ns2="http://v4.web.domain.routing.hermes.co.uk/">
        <ns2:routingResponse>
        <clientId>1234</clientId>
        <clientName>Client Name</clientName>
          <clientLogoRef>CLIENT_1234</clientLogoRef>
          <batchNumber>1</batchNumber>
          <creationDate>2023-11-15T00:00:00Z</creationDate>
          <routingResponseEntries>
            <routingResponseEntry>
              <destinationAddress>
                <addressLine1>Mr TEST TEST</addressLine1>
                <addressLine2>TEST</addressLine2>
                <addressLine3>Paris</addressLine3>
                <addressLine4>75000</addressLine4>
                <addressLine5>FRANCE</addressLine5>
                <customerReference1>C12345678</customerReference1>
              </destinationAddress>
              <outboundCarriers>
                <carrier1>
                  <carrierId>HUK</carrierId>
                  <carrierLogoRef>CARRIER_HUK</carrierLogoRef>
                  <deliveryMethodDesc>GECO</deliveryMethodDesc>
                  <deliveryMethodCode>149</deliveryMethodCode>
                  <barcode1>
                    <barcodeNumber>H00IMC0004916942</barcodeNumber>
                    <barcodeLength>16</barcodeLength>
                    <barcodeSymbology>C128</barcodeSymbology>
                    <barcodeDisplay>H-00IM-C-000491694-2</barcodeDisplay>
                  </barcode1>
                  <barcode2>
                    <barcodeNumber>H00IMC0004916942</barcodeNumber>
                    <barcodeLength>0</barcodeLength>
                  </barcode2>
                  <sortLevel1>33     </sortLevel1>
                  <sortLevel2>FRA    </sortLevel2>
                  <sortLevel3>VAN     25     </sortLevel3>
                </carrier1>
              </outboundCarriers>
              <weight>1</weight>
              <value>10.00 GBP</value>
              <entity1Value>H00IMC0004916942</entity1Value>
```


Copyright © Evri Limited

```
            <entity2Value>1</entity2Value>
            <entity3Value>2023-11-15</entity3Value>
            <entity4Value>1/1</entity4Value>
            <titles>
              <senderAddressTitle>Expediteur</senderAddressTitle>
              <destinationAddressTitle>Destinataire</destinationAddressTitle>
              <entity1Title>N° de suivi</entity1Title>
              <entity2Title>Poids en kg</entity2Title>
              <entity3Title>Date d`envoi</entity3Title>
              <entity4Title>N° Colis</entity4Title>
            </titles>
            <process>DELIVERY</process>
          </routingResponseEntry>
        </routingResponseEntries>
      </ns2:routingResponse>
    </ns2:routeDeliveryCreatePreadviceResponse>
  </soap:Body>
</soap:Envelope>
```


Copyright © Evri Limited

Error Codes/Messages

Note: These are subject to change by Evri at any time. Clients should ensure their systems are able to handle changes or additions to this list.

Error Code	Error Description
10000	Request Unsuccessful
10001	Invalid Client Id
10002	Invalid Client Name
10003	Invalid Child Client Id
10004	Invalid Child Client Name
10005	Invalid Batch Number
10006	Invalid Creation Date
10007	Invalid Routing Start Date
10008	Invalid User Id
10009	Invalid Source Of Request
10010	No Customer Details Supplied
10011	No Customer Address Supplied
10012	Invalid Title
10013	Invalid First Name
10014	Invalid Last Name
10015	Invalid House Number
10016	Invalid House Name
10017	Invalid Street Name
10018	Invalid Address Line 1
10019	Invalid Address Line 2
10020	Invalid Address Line 3
10021	Invalid City
10022	Invalid Region
10023	Invalid Postcode
10024	Invalid Country Code
10025	Invalid Home Phone Number
10026	Invalid Work Phone Number
10027	Invalid Mobile Phone Number
10028	Invalid Fax Number
10029	Invalid Email Address
10030	Invalid Customer Reference 1
10031	Invalid Customer Reference 2
10032	Invalid Customer Alert Type
10033	Invalid Customer Alert Group
10034	Alert Set but no Phone Number Set
10035	Alert Set but no Email Address Set
10036	Invalid Delivery Message
10037	Invalid Special Instruction 1
10038	Invalid Special Instruction 2
10039	No Parcel Details Supplied
10040	Invalid Weight
10041	Invalid Length
10042	Invalid Width
10043	Invalid Depth
10044	Invalid Girth
10045	Invalid Combined Dimension
10046	Invalid Volume
10047	Invalid Value
10048	Invalid Number of Parts

Copyright © Evri Limited

10049	Invalid Number of Items
10050	Invalid Hanging Garment Flag
10051	Invalid Theft Risk Flag
10052	Invalid Multiple Parts Flag
10053	Invalid Catalogue Flag
10054	Invalid Description
10055	Invalid Origin Of Parcel
10056	Invalid Stated Day
10057	Invalid Stated Date
10058	Invalid Stated Time
10059	Invalid Next Day Flag
10060	Invalid Household Signature Flag
10061	Invalid Signature Flag
10062	Invalid Redirection Prohibited Flag
10063	Invalid Limited Quantity Flag
10064	Invalid Cash on Delivery Cash Value
10065	Invalid Cash on Delivery Cash Currency
10066	Invalid Cash On Delivery Bank Transfer Value
10067	Invalid Cash On Delivery Bank transfer Currency
10068	Invalid Parcelshop Id
10069	No Parcelshop Address Supplied
10070	Invalid Retail Store Id
10071	Invalid Parcel Locker Id
10072	Invalid ID Card Number
10073	Invalid ID Card Type
10074	Invalid Age Validation
10075	Invalid Date Of Birth
10076	Invalid PIN
10077	Invalid module
10078	Invalid Product Code
10079	Invalid Expected Despatch Date
10080	Invalid Required Date
10081	Invalid Country Of Origin
10082	Invalid Warehouse Number
10083	Invalid Carrier Code
10084	Invalid Delivery Method
10085	Invalid Multiple Parts Id
10086	Invalid Collection Method
10087	Invalid Barcode
10088	Invalid Number of Parcels
10089	Service Not Valid In Destination Country
10090	Country Not Supported
10091	Label Could Not be generated
10092	Invalid Client Details
10093	Alert Group Set without Alert Indicator Set
10094	Alert Indicator Set without Alert Group Set
10095	Parcel Locker and Retail Store Services Cannot be Combined
10096	Unsupported Services
10097	Invalid Service Combinations (Delivery Day
10098	Invalid Service Combinations (Proof Of Delivery
10099	Invalid Address Validation Value
10100	Invalid Currency
10101	Invalid Sender Address Line 1
10102	Invalid Sender Address Line 2
10103	Invalid Sender Address Line 3

Copyright © Evri Limited

10104	Invalid Sender Address Line 4
10105	Invalid Parcelshop Title
10106	Invalid Parcelshop First Name
10107	Invalid Parcelshop Last Name
10108	Invalid Parcelshop House Number
10109	Invalid Parcelshop House Name
10110	Invalid Parcelshop Street Name
10111	Invalid Parcelshop Address Line 1
10112	Invalid Parcelshop Address Line 2
10113	Invalid Parcelshop Address Line 3
10114	Invalid Parcelshop City
10115	Invalid Parcelshop Region
10116	Invalid Parcelshop Postcode
10117	Invalid Parcelshop Country Code
10118	Invalid Retail Store Title
10119	Invalid Retail Store First Name
10120	Invalid Retail Store Last Name
10121	Invalid Retail Store House Number
10122	Invalid Retail Store House Name
10123	Invalid Retail Store Street Name
10124	Invalid Retail Store Address Line 1
10125	Invalid Retail Store Address Line 2
10126	Invalid Retail Store Address Line 3
10127	Invalid Retail Store City
10128	Invalid Retail Store Region
10129	Invalid Retail Store Postcode
10130	Invalid Retail Store Country Code
10131	No Retail Store Address Supplied
10132	Could Not Retrieve Parcelshop Details
10133	Request Unsuccessful
10134	Request Unsuccessful
10135	Invalid Service Combination
10136	Request Unsuccessful
10137	Identity Card Number without Card Type
10138	Identity Card Type without Card Number
10139	No Cash On Delivery Details Supplied
10140	Invalid SKU Code
10141	Invalid SKU Description
10142	Invalid HS Code
10143	Invalid Duty Paid
10144	Diversion Exclusions are for UK only
10145	No Parcel Contents Supplied
10146	No Content Value Supplied
10147	Cannot Determine Routing Method
10148	Content Values do not add up to Parcel Value
10149	Diversion Exclusions are for UK only
10150	Invalid Duty Paid Value
10151	Parcelshop Deliveries Unsupported for DDU
10152	Country Does Not Support DDP
10153	No Content Weight Supplied
10154	Invalid Content Country Of Manufacture
10155	No Content Quantity Supplied
10156	Invalid VAT Value
10157	No Network that supports weights and dimensions
10158	Customs Information required for this Country/Postcode

Copyright © Evri Limited

10159	Country/Postcode is not covered
10160	Service is not available for Country/Postcode
10161	Carrier unable to route parcel - <specific error message> **
10162	Invalid EORI Number
10163	Invalid VAT Number
10164	Invalid CPC Code
10165	Invalid IOSS Number

** For International Shipments, Error Code 10161 contains more details on the specific error message to assist the client. An example response is:

<errorMessages>
<errorCode>10161</errorCode>
<errorDescription>Carrier unable to route parcel – The create parcel. parcel. consignee. Email must be a valid email address.</errorDescription>
</errorMessages>

Copyright © Evri Limited

Label Specification

Details around label design and barcode specification is available in a separate specification – **Evri Client Integration - Label Design and Barcodes**.

Copyright © Evri Limited

Appendix

Routing Method Availability by Country

Country	Methods										
	createReeturnBarcode	createReturnBarcodeAndLabel	determineDeliveryRouting	routeDeliveryCreatePreadvice	routeDeliveryCreatePreadviceAndLabel	routeDeliveryCreatePreadviceReturnBarcode	routeDeliveryCreatePreadviceReturnBarcodeAndLabel	determineCollectionRouting	routeCollectionCreatePreadvice	routeCollectionCreatePreadviceReturnBarcode	routeCollectionCreatePreadviceReturnBarcodeAndLabel
Austria	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
Belgium	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
Czech Republic	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
Denmark	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
Finland	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
France	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
Germany	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
Hungary	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
Ireland	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
Italy	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
Luxembourg	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
Monaco	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
Netherlands	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
Portugal	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
Slovakia	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
Spain	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
Sweden	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗
UK	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Other	✗	✗	✓	✓	✓	✗	✗	✗	✗	✗	✗

Copyright © Evri Limited

Service Availability by Country

Notes:

- Home Delivery to Denmark, Finland and Sweden is to the nearest ParcelShop. ParcelShop Delivery Service can be used in Finland and Sweden to override the default ParcelShop.
- The following Proof of Delivery services cannot be combined:
  Signature
  Household Signature
  PIN

Country	Services											
	Home Delivery						ParcelShop Delivery					
	Email	SMS	Signature	Household Signature	Next Day	PIN	Email	SMS	Signature	Household Signature	Next Day	PIN
Austria	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗
Belgium	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗
Czech Republic	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗
Denmark	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗
Finland	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗
France	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗
Germany	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗
Hungary	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗
Ireland	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗
Italy	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗
Luxembourg	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗
Monaco	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗
Netherlands	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗
Portugal	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗
Slovakia	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗
Spain	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗
Sweden	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗
UK	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Other Countries	✓	✗	✗	✗	✗	✗	✓	✗	✗	✗	✗	✗

Copyright © Evri Limited

ISO Country Codes

This is a list of the ISO Country Codes in both alpha-2 and alpha-3 formats:

Country	Alpha-2 Code	Alpha-3 Code
Afghanistan	AF	AFG
Albania	AL	ALB
Algeria	DZ	DZA
American Samoa	AS	ASM
Andorra	AD	AND
Angola	AO	AGO
Anguilla	AI	AIA
Antarctica	AQ	ATA
Antigua and Barbuda	AG	ATG
Argentina	AR	ARG
Armenia	AM	ARM
Aruba	AW	ABW
Australia	AU	AUS
Austria	AT	AUT
Azerbaijan	AZ	AZE
Bahamas (the)	BS	BHS
Bahrain	BH	BHR
Bangladesh	BD	BGD
Barbados	BB	BRB
Belarus	BY	BLR
Belgium	BE	BEL
Belize	BZ	BLZ
Benin	BJ	BEN
Bermuda	BM	BMU
Bhutan	BT	BTN
Bolivia (Plurinational State of)	BO	BOL
Bonaire, Sint Eustatius and Saba	BQ	BES
Bosnia and Herzegovina	BA	BIH
Botswana	BW	BWA
Bouvet Island	BV	BVT
Brazil	BR	BRA
British Indian Ocean Territory (the)	IO	IOT
Brunei Darussalam	BN	BRN
Bulgaria	BG	BGR
Burkina Faso	BF	BFA
Burundi	BI	BDI
Cabo Verde	CV	CPV
Cambodia	KH	KHM
Cameroon	CM	CMR
Canada	CA	CAN
Cayman Islands (the)	KY	CYM
Central African Republic (the)	CF	CAF
Chad	TD	TCD
Chile	CL	CHL
China	CN	CHN
Christmas Island	CX	CXR
Cocos (Keeling) Islands (the)	CC	CCK
Colombia	CO	COL
Comoros (the)	KM	COM

Copyright © Evri Limited

Congo (the Democratic Republic of the)	CD	COD
Congo (the)	CG	COG
Cook Islands (the)	CK	COK
Costa Rica	CR	CRI
Croatia	HR	HRV
Cuba	CU	CUB
Curaçao	CW	CUW
Cyprus	CY	CYP
Czechia	CZ	CZE
Côte d'Ivoire	CI	CIV
Denmark	DK	DNK
Djibouti	DJ	DJI
Dominica	DM	DMA
Dominican Republic (the)	DO	DOM
Ecuador	EC	ECU
Egypt	EG	EGY
El Salvador	SV	SLV
Equatorial Guinea	GQ	GNQ
Eritrea	ER	ERI
Estonia	EE	EST
Eswatini	SZ	SWZ
Ethiopia	ET	ETH
Falkland Islands (the) [Malvinas]	FK	FLK
Faroe Islands (the)	FO	FRO
Fiji	FJ	FJI
Finland	FI	FIN
France	FR	FRA
French Guiana	GF	GUF
French Polynesia	PF	PYF
French Southern Territories (the)	TF	ATF
Gabon	GA	GAB
Gambia (the)	GM	GMB
Georgia	GE	GEO
Germany	DE	DEU
Ghana	GH	GHA
Gibraltar	GI	GIB
Greece	GR	GRC
Greenland	GL	GRL
Grenada	GD	GRD
Guadeloupe	GP	GLP
Guam	GU	GUM
Guatemala	GT	GTM
Guernsey*	GG*	GGY
Guinea	GN	GIN
Guinea-Bissau	GW	GNB
Guyana	GY	GUY
Haiti	HT	HTI
Heard Island and McDonald Islands	HM	HMD
Holy See (the)	VA	VAT
Honduras	HN	HND
Hong Kong	HK	HKG
Hungary	HU	HUN
Iceland	IS	ISL
India	IN	IND
Indonesia	ID	IDN

Copyright © Evri Limited

Iran (Islamic Republic of)	IR	IRN
Iraq	IQ	IRQ
Ireland	IE	IRL
Isle of Man*	IM*	IMN
Israel	IL	ISR
Italy	IT	ITA
Jamaica	JM	JAM
Japan	JP	JPN
Jersey*	JE*	JEY
Jordan	JO	JOR
Kazakhstan	KZ	KAZ
Kenya	KE	KEN
Kiribati	KI	KIR
Korea (the Democratic People's Republic of)	KP	PRK
Korea (the Republic of)	KR	KOR
Kuwait	KW	KWT
Kyrgyzstan	KG	KGZ
Lao People's Democratic Republic (the)	LA	LAO
Latvia	LV	LVA
Lebanon	LB	LBN
Lesotho	LS	LSO
Liberia	LR	LBR
Libya	LY	LBY
Liechtenstein	LI	LIE
Lithuania	LT	LTU
Luxembourg	LU	LUX
Macao	MO	MAC
Madagascar	MG	MDG
Malawi	MW	MWI
Malaysia	MY	MYS
Maldives	MV	MDV
Mali	ML	MLI
Malta	MT	MLT
Marshall Islands (the)	MH	MHL
Martinique	MQ	MTQ
Mauritania	MR	MRT
Mauritius	MU	MUS
Mayotte	YT	MYT
Mexico	MX	MEX
Micronesia (Federated States of)	FM	FSM
Moldova (the Republic of)	MD	MDA
Monaco	MC	MCO
Mongolia	MN	MNG
Montenegro	ME	MNE
Montserrat	MS	MSR
Morocco	MA	MAR
Mozambique	MZ	MOZ
Myanmar	MM	MMR
Namibia	NA	NAM
Nauru	NR	NRU
Nepal	NP	NPL
Netherlands (the)	NL	NLD
New Caledonia	NC	NCL
New Zealand	NZ	NZL
Nicaragua	NI	NIC

Copyright © Evri Limited

Niger (the)	NE	NER
Nigeria	NG	NGA
Niue	NU	NIU
Norfolk Island	NF	NFK
Northern Mariana Islands (the)	MP	MNP
Norway	NO	NOR
Oman	OM	OMN
Pakistan	PK	PAK
Palau	PW	PLW
Palestine, State of	PS	PSE
Panama	PA	PAN
Papua New Guinea	PG	PNG
Paraguay	PY	PRY
Peru	PE	PER
Philippines (the)	PH	PHL
Pitcairn	PN	PCN
Poland	PL	POL
Portugal	PT	PRT
Puerto Rico	PR	PRI
Qatar	QA	QAT
Republic of North Macedonia	MK	MKD
Romania	RO	ROU
Russian Federation (the)	RU	RUS
Rwanda	RW	RWA
Réunion	RE	REU
Saint Barthélemy	BL	BLM
Saint Helena, Ascension and Tristan da Cunha	SH	SHN
Saint Kitts and Nevis	KN	KNA
Saint Lucia	LC	LCA
Saint Martin (French part)	MF	MAF
Saint Pierre and Miquelon	PM	SPM
Saint Vincent and the Grenadines	VC	VCT
Samoa	WS	WSM
San Marino	SM	SMR
Sao Tome and Principe	ST	STP
Saudi Arabia	SA	SAU
Senegal	SN	SEN
Serbia	RS	SRB
Seychelles	SC	SYC
Sierra Leone	SL	SLE
Singapore	SG	SGP
Sint Maarten (Dutch part)	SX	SXM
Slovakia	SK	SVK
Slovenia	SI	SVN
Solomon Islands	SB	SLB
Somalia	SO	SOM
South Africa	ZA	ZAF
South Georgia and the South Sandwich Islands	GS	SGS
South Sudan	SS	SSD
Spain	ES	ESP
Sri Lanka	LK	LKA
Sudan (the)	SD	SDN
Suriname	SR	SUR
Svalbard and Jan Mayen	SJ	SJM
Sweden	SE	SWE

Copyright © Evri Limited

Switzerland	CH	CHE
Syrian Arab Republic	SY	SYR
Taiwan (Province of China)	TW	TWN
Tajikistan	TJ	TJK
Tanzania, United Republic of	TZ	TZA
Thailand	TH	THA
Timor-Leste	TL	TLS
Togo	TG	TGO
Tokelau	TK	TKL
Tonga	TO	TON
Trinidad and Tobago	TT	TTO
Tunisia	TN	TUN
Turkey	TR	TUR
Turkmenistan	TM	TKM
Turks and Caicos Islands (the)	TC	TCA
Tuvalu	TV	TUV
Uganda	UG	UGA
Ukraine	UA	UKR
United Arab Emirates (the)	AE	ARE
United Kingdom of Great Britain and Northern Ireland (the)	GB	GBR
United States Minor Outlying Islands (the)	UM	UMI
United States of America (the)	US	USA
Uruguay	UY	URY
Uzbekistan	UZ	UZB
Vanuatu	VU	VUT
Venezuela (Bolivarian Republic of)	VE	VEN
Viet Nam	VN	VNM
Virgin Islands (British)	VG	VGB
Virgin Islands (U.S.)	VI	VIR
Wallis and Futuna	WF	WLF
Western Sahara	EH	ESH
Yemen	YE	YEM
Zambia	ZM	ZMB
Zimbabwe	ZW	ZWE
Åland Islands	AX	ALA

*When creating shipments to the Channel Islands and Isle of Man, the country code clients must populate in the API request is ‘GB’, rather than ‘JE’ / ’GG’ / ‘IM’.

Copyright © Evri Limited

Windsor Framework (Northern Ireland)

From 30 September 2024, a new set of arrangements for the movement of parcels under the Windsor Framework will apply, which provides a durable basis on which to enable consumers to send and receive parcels as they do today, alongside parcel operators sharing standard commercial data with HMRC.

Under the Windsor Framework, the arrangements for sending parcels from Great Britain (England, Scotland and Wales) to Northern Ireland will depend on whether they are sent to or from a private individual or a business.

Private individuals in Northern Ireland will be able to receive parcels sent by direct transport from friends, family or businesses in Great Britain as smoothly as they do now. There will be no customs declarations, tariffs, or presentation of goods to customs authorities when parcels are sent from another part of the UK to a private individual residing in Northern Ireland for personal use.

Carriers will be required to submit data on the parcel movements to HMRC based on the data that clients pass to Evri via the Routing API. It is **vital** that the data **accurately describes** the goods being transported. **The client is accountable for the data**. Evri will retrieve the data from the client via the Routing API request and use the goods descriptions to get appropriate commodity codes from HMRC, and then submit data to HMRC.

There must be a single line provided per SKU item for shipments to Northern Ireland.

Data Requirements – B2C
It is a requirement that the following API fields are populated as described in the request parameters section of this specification:

Parcel Entity – Description
Parcel Entity – Value
Parcel Entity – Weight
Parcel Entity - numberOfItems
Contents Entity – skuDescription
Contents Entity – itemQuantity

Data Requirements – C2C
It is a requirement that the following fields are populated as described in the request parameters section of this specification:

Parcel Entity – Description
Parcel Entity – numberOfItems
SenderAddress Entity – addressLine1 (Sender Name), addressLine2 (Line 1 of the Sender Address.), addressLine3, addressLine4.

Copyright © Evri Limited

Customer to Business (C2B)

Undeliverable returns back to Northern Ireland (parcel delivery from Northern Ireland to Great Britain being returned back to client due to being undeliverable) will be accepted without providing the enhanced data set.

There will be no immediate change to the current process for customer returns from Great Britain to Northern Ireland. You will be informed if this becomes a requirement.

Copyright © Evri Limited