

Integration of Stata Outputs with L^AT_EX

1 Introduction

This exercise demonstrates how to export files from Stata that can be read in L^AT_EX, ensuring automatic updates whenever you execute Stata and L^AT_EX codes.

2 Setting up a Folder Structure

Start by creating a folder named **Project**. Inside this folder, create two additional folders: **Output** and **Final**. The **Output** folder will serve as the destination for exporting tables and graphs from Stata. Later, you can import these files into your L^AT_EX document. When starting a new L^AT_EX project, ensure that the `.tex` file is saved in the **Final** folder before compiling. This step is necessary for L^AT_EX to correctly interpret the file paths specified within the document. As your project expands, it is common to add sub-folders within the **Output** folder to organize your files. For instance, you may choose to create separate folders for tables and figures. You can tailor the organization to your preferences as you find the most suitable approach.

3 Exporting Figures and Tables in Stata

All figures produced in Stata can be exported in `.png` format. The following code example demonstrates the creation of a scatterplot between car prices and mileages using Stata's `auto.dta` dataset. The resulting figure is saved as `scatter.png` in the **Output** folder.

```
clear all
global main_folder "Enter Your Folder Path Here"
sysuse auto.dta, clear
graph twoway scatter price mpg, name(scatter)
graph export "$main_folder/scatter.png", replace
```

To export regression tables, you can utilize the `esttab` command in Stata. Start by clearing any existing results from memory by typing `estimates clear`. Then, run the desired regressions whose results you wish to export. If Stata can successfully run the regression and display its results in the Stata window,

`esttab` will be able to export them to `.tex` format. This sample code demonstrates how to run multiple regressions and export their results using the `esttab` command:

```
// Running regression 1
qui reg price mpg
est sto m1

// Running regression 2
qui reg price mpg length
est sto m2

// Running regression 3
qui reg price mpg length rep78
est sto m3

// Exporting results to reg.tex using esttab
esttab m1 m2 m3 using "$main_folder/reg.tex", replace
```

4 Importing Results in \LaTeX

After exporting the figures and tables from Stata, you can add their paths to your \LaTeX file and dynamically update them whenever you make any changes to your original Stata code.

A sample code for importing a figure in \LaTeX

```
\begin{figure}
\centering
\includegraphics[width=0.7\linewidth]{D:/Project/Output/scatter.png}
\caption{Scatterplot of Car Prices and Mileage}
\end{figure}
```

A sample code for importing a table in \LaTeX

```
\begin{table}
\centering
\caption{Regression Results}
\input{D:/Project/Output/reg.tex}
\end{table}
```




Figure 1: Scatterplot of Car Prices and Mileage

| Table 1: Regression Results | | | |
|-----------------------------|----------------------|-------------------|-------------------|
| | (1) | (2) | (3) |
| | price | price | price |
| mpg | -238.9*** (-4.50) | -173.7 (-1.98) | -178.2 (-1.97) |
| length | | 21.29 (0.93) | 30.68 (1.34) |
| rep78 | | | 698.3* (2.05) |
| _cons | 11253.1*** (9.61) | 5864.3 (1.00) | 1783.9 (0.30) |
| <i>N</i> | 74 | 74 | 69 |

t statistics in parentheses

* $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$

5 Editing a .tex File in Stata After Exporting

Sometimes, after exporting figures and tables from Stata to L^AT_EX, you may need to make changes or edits to the generated .tex files. Stata provides a useful command called `filefilter` that allows you to modify the exported .tex files programmatically.

To edit a .tex file in Stata using the `filefilter` command, follow these steps:

1. Open the .tex file you want to edit in a text editor and identify the patterns or text that you want to modify.
2. In Stata, use the `filefilter` command to perform the necessary modifications. The basic syntax of the `filefilter` command is as follows:

```
filefilter [options] infile using outfile
```

- `infile` is the path to the original .tex file.
- `using` specifies the modified .tex file's output path.
- `outfile` is the modified .tex file generated by `filefilter`.

3. Define the modifications using the appropriate options and execute the `filefilter` command. Stata will apply the specified modifications and generate the modified .tex file.

Here is an example that demonstrates how to use the `filefilter` command to perform text replacements. The first line replaces all occurrences of `price` with `Price` and saves the new file as `reg_temp.tex`. The second line replaces `mpg` with `Mileage` and saves the new file as `reg_modified.tex`. Similarly, the third and fourth lines of the code perform replacements for `length` and `rep78`, respectively.

```
filefilter "$main_folder/reg.tex" "$main_folder/reg_temp.tex",  
    from("price") to("Price") replace  
filefilter "$main_folder/reg_temp.tex" "$main_folder/reg_modified.tex",  
    from("mpg") to("Mileage") replace  
filefilter "$main_folder/reg_modified.tex" "$main_folder/reg_temp.tex",  
    from("length") to("Length") replace  
filefilter "$main_folder/reg_temp.tex" "$main_folder/reg_modified.tex",  
    from("rep78") to("Repair record") replace
```

Table 2: Regression Results: Modified Table

| | (1) | (2) | (3) |
|---------------|----------------------|-------------------|-------------------|
| | Price | Price | Price |
| Mileage | -238.9*** (-4.50) | -173.7 (-1.98) | -178.2 (-1.97) |
| Length | | 21.29 (0.93) | 30.68 (1.34) |
| Repair record | | | 698.3* (2.05) |
| _cons | 11253.1*** (9.61) | 5864.3 (1.00) | 1783.9 (0.30) |
| <i>N</i> | 74 | 74 | 69 |

t statistics in parentheses

* $p < 0.05$, ** $p < 0.01$, *** $p < 0.001$