
Temporal Indicator Taxa Ranked by Random Forest Regression Importance
f__Enterococcaceae (unclassified genus)
g__Clostridium (Clostridiaceae)
Enterococcaceae; g__Incertae_Sedis
f__Lachnospiraceae (unclassified genus)
c__Actinobacteria (unclassified)
f__Erysipelotrichaceae (unclassified genus)
g__Tannockella (Erysipelatoclostridiaceae)
f__Lactobacillaceae (unclassified genus)
g__Streptococcus (Streptococcaceae)
f__Bifidobacteriaceae (unclassified genus)
g__Murimonas (Lachnospiraceae)
g__Staphylococcus (Staphylococcaceae)
g__Asaccharospora (Peptostreptococcaceae)
g__Sellimonas (Lachnospiraceae)
g__Lactococcus (Streptococcaceae)
f__Ruminococcaceae (unclassified genus)
g__Akkermansia (Akkermansiaceae)
g__Veillonella (Veillonellaceae)
g__Longicatena (Erysipelotrichaceae)
g__Escherichia-Shigella (Enterobacteriaceae)
0.124
0.109
0.089
0.087
0.077
0.061
0.054
0.047
0.046
0.037
0.036
0.035
0.035
0.033
0.029
0.026
0.023
0.018
0.017
0.015
Model performance (week-relative-to-hct):
R² = 0.319, Pearson r = 0.565
P = 2.37e-07, MSE = 4.249
Fit: y = 0.304x + 0.991
Phylum
Bacillota
Actinomycetota
Verrucomicrobiota
Pseudomonadota
0.00
0.02
0.04
0.06
0.08
0.10
0.12
0.14
Random forest feature importance (predicting week-relative-to-hct)