

▼ 1 Investigating Hybrid Strategies for Systematic Literature Review

Experiment 2

Study

A systematic review on the use of Definition of Done on agile software development projects

Silva, A., Araújo, T., Nunes, J., Perkusich, M.r, Dilozenzo, E., Almeida, H.r, Perkusich, A.


21st International Conference on Evaluation and Assessment in Software Engineering, EASE 2017

▼ 2 Strategies

▼ 2.1 Strategy 1 - Database Search (Search)

Total of selected studies = 16 (Seed Set) + 4 (Snowballing) = 20

Provenance Graph - Strategy 1 - Database Search (Search)



Report Strategy 1 - Database Search (Search)

Total of selected studies in the SLR = 20

Precision = Selected/ Visited


Recall = Selected/ Total of selected studies in the SLR

F-Measure = Harmonic Mean of Precision and Recall


Out[10]:

| Digital Library | Visited | Selected | Precision % | Recall % | F-Measure % |
|-----------------|---------|----------|-------------|----------|-------------|
| acm | 210 | 5 | 2.38 | 25.00 | 4.35 |
| elcompendex | 8 | 2 | 25.00 | 10.00 | 14.29 |
| sciencedirect | 249 | 6 | 2.41 | 30.00 | 4.46 |
| scopus | 77 | 7 | 9.09 | 35.00 | 14.43 |
| springer | 124 | 1 | 0.81 | 5.00 | 1.39 |
| webofscience | 3 | 0 | 0.00 | 0.00 | 0.00 |
| wiley | 295 | 0 | 0.00 | 0.00 | 0.00 |


Bar Chart Strategy 1




Bar Chart Strategy 1



Bar Chart Strategy 1



Bar Chart Strategy 1



Report Strategy 1 - Measures of Strategy - Union of all digital libraries (accumulated)

Out[16]:

| Strategy | Visited | Selected | Precision % | Recall % | F-Measure % |
|----------|---------|----------|-------------|----------|-------------|
| Search | 935 | 17 | 1.82 | 85.00 | 3.56 |

Report Strategy 1 - Total of papers retrieved from Excel and Duplicates.

Visited = Excel + Duplicates

Selected = Papers selected in the SLR

Excel = Papers retrieved from Excel provided by authors


Excel Selected = Papers selected in the SLR and retrieved from Excel provided by authors

Duplicated = Papers identified as duplicate


Out[17]:

| Digital Library | Visited | Selected | Excel | Excel Selected | Duplicated |
|-----------------|---------|----------|-------|----------------|------------|
| acm | 210 | 5 | 210 | 5 | 0 |
| elcompindex | 8 | 2 | 1 | 0 | 7 |
| sciencedirect | 249 | 6 | 245 | 5 | 4 |
| scopus | 77 | 7 | 68 | 7 | 9 |
| springer | 124 | 1 | 115 | 0 | 9 |
| webofscience | 3 | 0 | 3 | 0 | 0 |
| wiley | 295 | 0 | 294 | 0 | 1 |

Bar Chart Publications Type - Strategy 1




Bar Chart Publications Year - Strategy 1



▼ 2.2 Strategy 2 - Database Search + Snowballing of Wohlin Guideline (Search + SB)

Provenance Graph - Strategy 2 - Database Search + Snowballing of Wohlin Guideline (Search + SB)



Report Strategy 2 - Database Search + Snowballing of Wohlin Guideline (Search + SB)

Total of selected studies in the SLR = 20

Precision = Selected/ Visited
Recall = Selected/ Total of selected studies in the SLR
F-Measure = Harmonic Mean of Precision and Recall

Out[22]:


| Digital Library/State | Delta Visited | Delta Selected | Delta Precision% | Delta Recall% | Delta F_Measure% | Operation | Accumulated Visited | Accumulated Selected | Accumulated Precision% | Accumulated Recall% | Accumulated F_Measure% |
|-----------------------|---------------|----------------|------------------|---------------|------------------|-----------|---------------------|----------------------|------------------------|---------------------|------------------------|
| acm | 210 | 5 | 2.38 | 25.00 | 4.35 | - | 210 | 5 | 2.38 | 25.00 | 4.35 |
| elcompindex | 8 | 2 | 25.00 | 10.00 | 14.29 | - | 8 | 2 | 25.00 | 10.00 | 14.29 |
| sciencedirect | 249 | 6 | 2.41 | 30.00 | 4.46 | - | 249 | 6 | 2.41 | 30.00 | 4.46 |
| scopus | 77 | 7 | 9.09 | 35.00 | 14.43 | - | 77 | 7 | 9.09 | 35.00 | 14.43 |
| springer | 124 | 1 | 0.81 | 5.00 | 1.39 | - | 124 | 1 | 0.81 | 5.00 | 1.39 |
| webofscience | 3 | 0 | 0.00 | 0.00 | 0.00 | - | 3 | 0 | 0.00 | 0.00 | 0.00 |
| wiley | 295 | 0 | 0.00 | 0.00 | 0.00 | - | 295 | 0 | 0.00 | 0.00 | 0.00 |
| s0 | 0 | 0 | nan | 0.00 | 0.00 | union | 935 | 17 | 1.82 | 85.00 | 3.56 |
| s1 | 181 | 0 | 0.00 | 0.00 | 0.00 | forward | 1116 | 17 | 1.52 | 85.00 | 2.99 |
| s2 | 439 | 3 | 0.68 | 15.00 | 1.31 | backward | 1374 | 20 | 1.46 | 100.00 | 2.87 |
| s3 | 0 | 0 | nan | 0.00 | 0.00 | union | 1555 | 20 | 1.29 | 100.00 | 2.54 |
| s4 | 14 | 0 | 0.00 | 0.00 | 0.00 | forward | 1569 | 20 | 1.27 | 100.00 | 2.52 |
| s5 | 21 | 0 | 0.00 | 0.00 | 0.00 | backward | 1576 | 20 | 1.27 | 100.00 | 2.51 |
| s6 | 0 | 0 | nan | 0.00 | 0.00 | union | 1590 | 20 | 1.26 | 100.00 | 2.48 |

Report Strategy 2 - Measures of Strategy (accumulated)

Out[23]:

| Strategy | Visited | Selected | Precision % | Recall % | F-Measure % |
|-------------|---------|----------|-------------|----------|-------------|
| Search + SB | 1590 | 20 | 1.26 | 100.00 | 2.48 |


Diagrama de Venn - Strategy 2



Report Diagrama de Venn


Backward ['barton2009a', 'saddington2012a', 'eloranta2013a']
Forward []

Accumulated Measures - Strategy 2



▼ 2.3 Strategy 3 - Informal Search in Google Scholar + Snowballing of Wohlin Guideline = (GS + SB)

Provenance Graph - Strategy 3 - Informal Search in Google Scholar + Snowballing of Wohlin Guideline = (GS + SB)



Report Strategy 3 - Informal Search in Google Scholar + Snowballing of Wohlin Guideline = (GS + SB)

Total of selected studies in the SLR = 20

Precision = Selected/ Visited
Recall = Selected/ Total of selected studies in the SLR
F-Measure = Harmonic Mean of Precision and Recall

Out[29]:

| Scholar=s0 /State | Delta Visited | Delta Selected | Delta Precision% | Delta Recall% | Delta F_Measure% | Operation | Accumulated Visited | Accumulated Selected | Accumulated Precision% | Accumulated Recall% | Accumulated F_Measure% |
|-------------------|---------------|----------------|------------------|---------------|------------------|-----------|---------------------|----------------------|------------------------|---------------------|------------------------|
| s0: googlescholar | 20 | 0 | 0.00 | 0.00 | 0.00 | - | 20 | 0 | 0.00 | 0.00 | 0.00 |
| s1 | 0 | 0 | nan | 0.00 | 0.00 | forward | 20 | 0 | 0.00 | 0.00 | 0.00 |
| s2 | 0 | 0 | nan | 0.00 | 0.00 | backward | 20 | 0 | 0.00 | 0.00 | 0.00 |
| s3 | 0 | 0 | nan | 0.00 | 0.00 | union | 20 | 0 | 0.00 | 0.00 | 0.00 |

Report Strategy 3 - Measures of Strategy (accumulated)

Out[30]:

| Strategy | Visited | Selected | Precision % | Recall % | F-Measure % |
|----------|---------|----------|-------------|----------|-------------|
| GS + SB | 20 | 0 | 0.00 | 0.00 | 0.00 |

C:\ProgramData\Anaconda3\lib\site-packages\matplotlib_venn_venn2.py:50: UserWarning: Both circles have zero area
warnings.warn("Both circles have zero area")

Diagrama de Venn - Strategy 3

Backward


Forward

Report Diagrama de Venn

Backward []
Forward []

2.4 Strategy 4 - Scopus + Snowballing of Wohlin Guideline (Scopus + SB)

Provenance Graph - Strategy 4 - Scopus + Snowballing of Wohlin Guideline (Scopus + SB)



Report Strategy 4 - Scopus + Snowballing of Wohlin Guideline (Scopus + SB)

Total of selected studies in the SLR = 20

Precision = Selected/ Visited
Recall = Selected/ Total of selected studies in the SLR
F-Measure = Harmonic Mean of Precision and Recall

Out[35]:


| Scopus=s0 /State | Delta Visited | Delta Selected | Delta Precision% | Delta Recall% | Delta F_Measure% | Operation | Accumulated Visited | Accumulated Selected | Accumulated Precision% | Accumulated Recall% | Accumulated F_Measure% |
|------------------|---------------|----------------|------------------|---------------|------------------|-----------|---------------------|----------------------|------------------------|---------------------|------------------------|
| s0 : scopus | 77 | 7 | 9.09 | 35.00 | 14.43 | - | 77 | 7 | 9.09 | 35.00 | 14.43 |
| s1 | 118 | 1 | 0.85 | 5.00 | 1.45 | forward | 195 | 8 | 4.10 | 40.00 | 7.44 |
| s2 | 129 | 0 | 0.00 | 0.00 | 0.00 | backward | 206 | 7 | 3.40 | 35.00 | 6.19 |
| s3 | 0 | 0 | nan | 0.00 | 0.00 | union | 324 | 8 | 2.47 | 40.00 | 4.65 |
| s4 | 37 | 1 | 2.70 | 5.00 | 3.51 | forward | 361 | 9 | 2.49 | 45.00 | 4.72 |
| s5 | 65 | 0 | 0.00 | 0.00 | 0.00 | backward | 389 | 8 | 2.06 | 40.00 | 3.91 |
| s6 | 0 | 0 | nan | 0.00 | 0.00 | union | 426 | 9 | 2.11 | 45.00 | 4.04 |
| s7 | 14 | 1 | 7.14 | 5.00 | 5.88 | forward | 440 | 10 | 2.27 | 50.00 | 4.35 |
| s8 | 90 | 1 | 1.11 | 5.00 | 1.82 | backward | 516 | 10 | 1.94 | 50.00 | 3.73 |
| s9 | 0 | 0 | nan | 0.00 | 0.00 | union | 530 | 11 | 2.08 | 55.00 | 4.00 |
| s10 | 3 | 0 | 0.00 | 0.00 | 0.00 | forward | 533 | 11 | 2.06 | 55.00 | 3.98 |
| s11 | 48 | 0 | 0.00 | 0.00 | 0.00 | backward | 578 | 11 | 1.90 | 55.00 | 3.68 |
| s12 | 0 | 0 | nan | 0.00 | 0.00 | union | 581 | 11 | 1.89 | 55.00 | 3.66 |

Report Strategy 4 - Measures of Strategy (accumulated)

Out[36]:

| Strategy | Visited | Selected | Precision % | Recall % | F-Measure % |
|-------------|---------|----------|-------------|----------|-------------|
| Scopus + SB | 581 | 11 | 1.89 | 55.00 | 3.66 |

Diagrama de Venn - Strategy 4




Report Diagrama de Venn

Backward ['waardenburg2013a', 'saddington2012a', 'vlietland2015a']
Forward ['waardenburg2013a', 'vlietland2016a', 'vlietland2015a']

▼ 2.5 Strategy 5 - Scopus + Parallel Snowballing of Paper ESEM2017 (Scopus + BS // FS)

Provenance Graph - Strategy 5 - Scopus + Parallel Snowballing of Paper ESEM2017 (Scopus + BS // FS)



Report Strategy 5 - Scopus + Parallel Snowballing of Paper ESEM2017 (Scopus + BS // FS)

Total of selected studies in the SLR = 20

Precision = Selected/ Visited
Recall = Selected/ Total of selected studies in the SLR
F-Measure = Harmonic Mean of Precision and Recall

Out[41]:


| Scopus=s0 /State | Delta Visited | Delta Selected | Delta Precision% | Delta Recall% | Delta F_Measure% | Operation | Accumulated Visited | Accumulated Selected | Accumulated Precision% | Accumulated Recall% | Accumulated F_Measure% |
|------------------|---------------|----------------|------------------|---------------|------------------|-----------|---------------------|----------------------|------------------------|---------------------|------------------------|
| s0: scopus | 77 | 7 | 9.09 | 35.00 | 14.43 | - | 77 | 7 | 9.09 | 35.00 | 14.43 |
| s1 | 118 | 1 | 0.85 | 5.00 | 1.45 | forward | 195 | 8 | 4.10 | 40.00 | 7.44 |
| s2 | 37 | 1 | 2.70 | 5.00 | 3.51 | forward | 232 | 9 | 3.88 | 45.00 | 7.14 |
| s3 | 14 | 1 | 7.14 | 5.00 | 5.88 | forward | 246 | 10 | 4.07 | 50.00 | 7.52 |
| s4 | 3 | 0 | 0.00 | 0.00 | 0.00 | forward | 249 | 10 | 4.02 | 50.00 | 7.43 |
| s5 | 129 | 0 | 0.00 | 0.00 | 0.00 | backward | 206 | 7 | 3.40 | 35.00 | 6.19 |
| s6 | 0 | 0 | nan | 0.00 | 0.00 | union | 378 | 10 | 2.65 | 50.00 | 5.03 |

Report Strategy 5 - Measures of Strategy (accumulated)

Out[42]:

| Strategy | Visited | Selected | Precision % | Recall % | F-Measure % |
|-------------------|---------|----------|-------------|----------|-------------|
| Scopus + BS // FS | 378 | 10 | 2.65 | 50.00 | 5.03 |


Diagrama de Venn - Strategy 5




Report Diagrama de Venn

Backward ['waardenburg2013a', 'vlietland2015a']
Forward ['waardenburg2013a', 'vlietland2016a', 'vlietland2015a']


Bar Chart Strategy 5




Bar Chart Strategy 5



Bar Chart Strategy 5




Bar Chart Strategy 5



▼ 2.6 Strategy 6 - Scopus + Sequential Snowballing (Scopus + BS + FS)

Provenance Graph - Strategy 6 - Scopus + Sequential Snowballing (Scopus + BS + FS)



Report Strategy 6 - Scopus + Sequential Snowballing (Scopus + BS + FS)

Total of selected studies in the SLR = 20

Precision = Selected/ Visited
Recall = Selected/ Total of selected studies in the SLR
F-Measure = Harmonic Mean of Precision and Recall

Out[51]:


| Scopus=s0 /State | Delta Visited | Delta Selected | Delta Precision% | Delta Recall% | Delta F_Measure% | Operation | Accumulated Visited | Accumulated Selected | Accumulated Precision% | Accumulated Recall% | Accumulated F_Measure% |
|------------------|---------------|----------------|------------------|---------------|------------------|-----------|---------------------|----------------------|------------------------|---------------------|------------------------|
| s0: scopus | 77 | 7 | 9.09 | 35.00 | 14.43 | - | 77 | 7 | 9.09 | 35.00 | 14.43 |
| s1 | 129 | 0 | 0.00 | 0.00 | 0.00 | backward | 206 | 7 | 3.40 | 35.00 | 6.19 |
| s2 | 118 | 1 | 0.85 | 5.00 | 1.45 | forward | 324 | 8 | 2.47 | 40.00 | 4.65 |
| s3 | 37 | 1 | 2.70 | 5.00 | 3.51 | forward | 361 | 9 | 2.49 | 45.00 | 4.72 |
| s4 | 14 | 1 | 7.14 | 5.00 | 5.88 | forward | 375 | 10 | 2.67 | 50.00 | 5.06 |
| s5 | 3 | 0 | 0.00 | 0.00 | 0.00 | forward | 378 | 10 | 2.65 | 50.00 | 5.03 |

Report Strategy 6 - Measures of Strategy (accumulated)

Out[52]:

| Strategy | Visited | Selected | Precision % | Recall % | F-Measure % |
|------------------|---------|----------|-------------|----------|-------------|
| Scopus + BS + FS | 378 | 10 | 2.65 | 50.00 | 5.03 |

Diagrama de Venn - Strategy 6




Report Diagrama de Venn

Backward ['waardenburg2013a', 'vlietland2015a']
Forward ['waardenburg2013a', 'vlietland2016a', 'vlietland2015a']

2.7 Strategy 7 - Scopus + Sequential Snowballing (Scopus + FS + BS)

Provenance Graph - Strategy 7 - Scopus + Sequential Snowballing (Scopus + FS + BS)



Report Strategy 7 - Scopus + Sequential Snowballing (Scopus + FS + BS)

Total of selected studies in the SLR = 20

Precision = Selected/ Visited
Recall = Selected/ Total of selected studies in the SLR
F-Measure = Harmonic Mean of Precision and Recall


Out[57]:

| Scopus=s0 /State | Delta Visited | Delta Selected | Delta Precision% | Delta Recall% | Delta F_Measure% | Operation | Accumulated Visited | Accumulated Selected | Accumulated Precision% | Accumulated Recall% | Accumulated F_Measure% |
|------------------|---------------|----------------|------------------|---------------|------------------|-----------|---------------------|----------------------|------------------------|---------------------|------------------------|
| s0: scopus | 77 | 7 | 9.09 | 35.00 | 14.43 | - | 77 | 7 | 9.09 | 35.00 | 14.43 |
| s1 | 118 | 1 | 0.85 | 5.00 | 1.45 | forward | 195 | 8 | 4.10 | 40.00 | 7.44 |
| s2 | 37 | 1 | 2.70 | 5.00 | 3.51 | forward | 232 | 9 | 3.88 | 45.00 | 7.14 |
| s3 | 14 | 1 | 7.14 | 5.00 | 5.88 | forward | 246 | 10 | 4.07 | 50.00 | 7.52 |
| s4 | 3 | 0 | 0.00 | 0.00 | 0.00 | forward | 249 | 10 | 4.02 | 50.00 | 7.43 |
| s5 | 331 | 1 | 0.30 | 5.00 | 0.57 | backward | 580 | 11 | 1.90 | 55.00 | 3.67 |
| s6 | 1 | 0 | 0.00 | 0.00 | 0.00 | backward | 581 | 11 | 1.89 | 55.00 | 3.66 |

Report Strategy 7 - Measures of Strategy (accumulated)

Out[58]:

| Strategy | Visited | Selected | Precision % | Recall % | F-Measure % |
|------------------|---------|----------|-------------|----------|-------------|
| Scopus + FS + BS | 581 | 11 | 1.89 | 55.00 | 3.66 |



Report Diagrama de Venn


Backward ['waardenburg2013a', 'saddington2012a', 'vlietland2015a']
Forward ['waardenburg2013a', 'vlietland2016a', 'vlietland2015a']

▼ 3 Analyses


Out[62]:

| Strategy | Visited | Selected | Precision % | Recall % | F-Measure % |
|-------------------|---------|----------|-------------|----------|-------------|
| Search | 935 | 17 | 1.82 | 85.00 | 3.56 |
| Search + SB | 1590 | 20 | 1.26 | 100.00 | 2.48 |
| GS + SB | 20 | 0 | 0.00 | 0.00 | 0.00 |
| Scopus + SB | 581 | 11 | 1.89 | 55.00 | 3.66 |
| Scopus + BS // FS | 378 | 10 | 2.65 | 50.00 | 5.03 |
| Scopus + BS + FS | 378 | 10 | 2.65 | 50.00 | 5.03 |
| Scopus + FS + BS | 581 | 11 | 1.89 | 55.00 | 3.66 |


Bar Chart Strategies




Bar Chart Strategies



Bar Chart Strategies



Bar Chart Strategies



▼ 4 Research Questions

RQ1) Which of the digital libraries used in the published SLR is more efficient?

Out[69]:

| Digital Library | Visited | Selected | Precision % | Recall % | F-Measure % |
|-----------------|---------|----------|-------------|----------|-------------|
| acm | 210 | 5 | 2.38 | 25.00 | 4.35 |
| elcompendex | 8 | 2 | 25.00 | 10.00 | 14.29 |
| sciencedirect | 249 | 6 | 2.41 | 30.00 | 4.46 |
| scopus | 77 | 7 | 9.09 | 35.00 | 14.43 |
| springer | 124 | 1 | 0.81 | 5.00 | 1.39 |
| webofscience | 3 | 0 | 0.00 | 0.00 | 0.00 |
| wiley | 295 | 0 | 0.00 | 0.00 | 0.00 |

RQ2) Which of the hybrid strategies is more efficient?

Out[70]:

| Strategy | Precision % | Recall % | F-Measure % |
|-------------------|-------------|----------|-------------|
| Search + SB | 1.26 | 100.00 | 2.48 |
| GS + SB | 0.00 | 0.00 | 0.00 |
| Scopus + SB | 1.89 | 55.00 | 3.66 |
| Scopus + BS // FS | 2.65 | 50.00 | 5.03 |
| Scopus + BS + FS | 2.65 | 50.00 | 5.03 |
| Scopus + FS + BS | 1.89 | 55.00 | 3.66 |

RQ3) Which of the strategies is more efficient?

Out[71]:

| Strategy | Precision % | Recall % | F-Measure % |
|-------------------|-------------|----------|-------------|
| Search | 1.82 | 85.00 | 3.56 |
| Search + SB | 1.26 | 100.00 | 2.48 |
| GS + SB | 0.00 | 0.00 | 0.00 |
| Scopus + SB | 1.89 | 55.00 | 3.66 |
| Scopus + BS // FS | 2.65 | 50.00 | 5.03 |
| Scopus + BS + FS | 2.65 | 50.00 | 5.03 |
| Scopus + FS + BS | 1.89 | 55.00 | 3.66 |

RQ4) How many selected articles does the digital library find through the direct search for the title of the article?

Out[72]:

| Digital Library | Recall % |
|-----------------|----------|
| acm | 25.00 |
| elcompendex | 95.00 |
| sciencedirect | 30.00 |
| scopus | 95.00 |
| springer | 10.00 |
| webofscience | 55.00 |
| wiley | 0.00 |