NETGEAR

NETGEAR GS308E Managed L2/L3 Gigabit Ethernet (10/100/1000) Zwart





Merk : NETGEAR

Artikelcode: GS308E-400EUS

Productnaam : GS308E

NETGEAR GS308E. Switch type: Managed, Switch-laag: L2/L3. Type basis-switching RJ-45 Ethernet-poorten: Gigabit Ethernet (10/100/1000), Aantal basis-switching RJ-45 Ethernet-poorten: 8. Full duplex. MAC-adrestabel: 4000 entries, Switchingcapaciteit: 16 Gbit/s. Netwerkstandaard: IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x, IEEE 802.3at, IEEE 802.3af. DC voltage input: 12 V

Beheerfuncties	
Switch type *	Managed
Switch-laag	L2/L3
Quality of Service (QoS)	✔
Web-gebaseerd management	✔
MIB-ondersteuning	✔

Poorten & interfaces	
Aantal basis-switching RJ-45 Ethernet-poorten *	8
Type basis-switching RJ-45 Ethernet-poorten *	Gigabit Ethernet (10/100/1000)

Netwerk	
Netwerkstandaard *	IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x, IEEE 802.3at, IEEE 802.3af
10G support *	✘
Port mirroring	✔
Full duplex	✔
Datastroombeheer	✔
Verbindingsaggregatie	✔
Broadcast stormbeheer	✔
Ethernet LAN, data-overdrachtsnelheden	1000 Mbit/s
VLAN=ondersteuning	✔

Data-uitwisseling	
Switchingcapaciteit *	16 Gbit/s
MAC-adrestabel *	4000 entries
Jumbo Frames ondersteuning	✔
Jumbo frames	9216

Beveiliging	
DHCP-functies	DHCP client
IGMP snooping	✔
Bescherming lus	✔

Multicast-functies	
Multicast-ondersteuning	✔

Design	
Kleur van het product	Zwart

Energie	
Stroombron *	DC
Vermogenstoevoer inclusief *	✔
DC voltage input	12 V
Stroom	1.5 A
Ingangsspanning	12 V

Power over Ethernet (PoE)	
Power over Ethernet (PoE) *	✘

Overige specificaties	
Garantieperiode	5 jaar

Eisen aan de omgeving	
Bedrijfstemperatuur (T-T)	0 - 40 °C
Temperatuur bij opslag	-20 - 70 °C
Relatieve vochtigheid in bedrijf (V-V)	0 - 90 procent
Luchtvochtigheid bij opslag	0 - 95 procent
Hoogte, in bedrijf	0 - 3000 m

Gewicht en omvang	
Breedte	158 mm
Diepte	101 mm
Hoogte	29 mm
Gewicht	500 g

Inhoud van de verpakking	
Meegeleverde kabels	AC

Technische details	
(Binnenste) verzendverpakking hoogte	24,5 cm
(Binnenste) verzendverpakking breedte	34,3 cm
(Binnenste) verzendverpakking lengte	27,9 cm
Nettogewicht transportverpakking	5,72 kg
Producten per (binnenste) verzendverpakking	6 stuk(s)

Design	
LED-indicatoren	✔



0606449170061



606449170061

Catalog Object Cloud



Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-MAR-2026. Prints or copies of Information are only valid on the printed Publication date