Probabilistic Graphical Models



Acting

Decision Making

Utility Functions

Utilities and Preferences

Lotteries



$\succ$

$\sim$

$\approx$



$0.2 \cdot u(4) + 0.8 u(0)$

$0.25 u(3) + 0.75 u(0)$

Utility = Payoff?



$\succ$
$\succ$
$\approx$



$4mill × 0.8=
$3.2mill

$3mill

每次赢获 2^n 元，你愿花多少钱这个游戏一次

St. Petersburg Paradox

- Fair coin is tossed repeatedly until it comes up heads, say on the n^{th} toss
- Payoff = $\$2^n$

$\frac{1}{2} \times 2 + \frac{1}{4} \times 4 + \frac{1}{8} \times 8 + \ldots = \infty$ 理论愿花

most people value $\approx \$2$ 实际愿花

Daphne Koller



Daphne Koller

Typical Utility Curve



Daphne Koller

Multi-Attribute Utilities

- All attributes affecting preferences must be integrated into one utility function

money, time, pleasure, ..

- Human life
  - Micromorts
  - QALY (quality-adjusted life year)

Example: Prenatal diagnosis

$$U_1(T) + U_2(K) + U_3(D,L) + U_4(L,F)$$

降维方法.



Summary

- Our utility function determines our preferences about decisions that involve uncertainty
- Utility generally depends on multiple factors
  - Money, time, chances of death, …
- Relationship is usually nonlinear
  - Shape of utility curve determines attitude to risk
- Multi-attribute utilities can help decompose high-dimensional function into tractable pieces