Volume 03 - Book 03.01 Enterprise Core

Version v3 draft

README.md

Book 03.01 - Enterprise Core

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-README

Purpose

Define the Enterprise Core blueprint package and its subsystem decomposition.

Scope

Covers the Book 03.01 folder, its internal reading order, and its role as the first detailed Master Blueprint book.

Responsibilities

- Define blueprint authority for the Enterprise Core area.
- Maintain alignment with the Volume 02 Enterprise Core roadmap phase.
- Give later specifications enough structure to become implementation-ready.

Inputs

- Volume 00 Enterprise Constitution principles.
- Volume 01 Master Vision strategy.
- Volume 02 Master Roadmap phase definitions.

Outputs

- Canonical blueprint structure for Enterprise Core.
- Traceable subsystem boundaries.
- Acceptance expectations for later specifications and implementation.

Interfaces

- Volume 03 Master Blueprint index.
- Book 03.01 Enterprise Core subsystem documents.
- Future Volume 06 subsystem specifications.

Events

- BlueprintChanged
- SubsystemBoundaryDefined
- AcceptanceRuleUpdated

Storage

- Markdown source files in the architecture library.
- Generated PDF release artifacts.
- Release manifest checksums.

Security

- No secrets, credentials, private keys, or operational tokens are stored in blueprint files.
- Security-sensitive subsystem behavior is described as architecture, not executable configuration.
- Access-control decisions are deferred to approved specifications.

Metrics

- Document completeness ratio.
- Traceability coverage across roadmap and constitution sources.
- Release artifact generation success.

Tests

- Verify required sections exist in every file.
- Verify generated PDF is readable.
- Verify v3 ZIP contains Markdown, PDFs, manifest, and release notes.

Acceptance Criteria

- The document contains all required v3 sections.
- The document can guide downstream specifications without code changes.
- The document is included in generated release artifacts.

Traceability

- MAL-V00-B005
- MAL-V00-B011
- MAL-V02-B003

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

INDEX.md

Book 03.01 Index

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-INDEX

Purpose

List the canonical Enterprise Core subsystem blueprint files.

Scope

Covers Book 03.01 documents from overview through core roadmap.

Responsibilities

- Define blueprint authority for the Enterprise Core area.
- Maintain alignment with the Volume 02 Enterprise Core roadmap phase.
- Give later specifications enough structure to become implementation-ready.

Inputs

- Volume 00 Enterprise Constitution principles.
- Volume 01 Master Vision strategy.
- Volume 02 Master Roadmap phase definitions.

Outputs

- Canonical blueprint structure for Enterprise Core.
- Traceable subsystem boundaries.
- Acceptance expectations for later specifications and implementation.

Interfaces

- Volume 03 Master Blueprint index.
- Book 03.01 Enterprise Core subsystem documents.
- Future Volume 06 subsystem specifications.

Events

- BlueprintChanged
- SubsystemBoundaryDefined
- AcceptanceRuleUpdated

Storage

- Markdown source files in the architecture library.
- Generated PDF release artifacts.

- Release manifest checksums.

Security

- No secrets, credentials, private keys, or operational tokens are stored in blueprint files.
- Security-sensitive subsystem behavior is described as architecture, not executable configuration.
- Access-control decisions are deferred to approved specifications.

Metrics

- Document completeness ratio.
- Traceability coverage across roadmap and constitution sources.
- Release artifact generation success.

Tests

- Verify required sections exist in every file.
- Verify generated PDF is readable.
- Verify v3 ZIP contains Markdown, PDFs, manifest, and release notes.

Acceptance Criteria

- The document contains all required v3 sections.
- The document can guide downstream specifications without code changes.
- The document is included in generated release artifacts.

Traceability

- MAL-V00-B005
- MAL-V00-B011
- MAL-V02-B003

Book Files

1. book-03-01-01-enterprise-core-overview.md
2. book-03-01-02-kernel.md
3. book-03-01-03-lifecycle.md
4. book-03-01-04-runtime-manager.md
5. book-03-01-05-runtime-registry.md
6. book-03-01-06-event-bus.md
7. book-03-01-07-service-container.md
8. book-03-01-08-configuration.md
9. book-03-01-09-identity-access.md
10. book-03-01-10-state-manager.md
11. book-03-01-11-resource-manager.md
12. book-03-01-12-object-manager.md

13. book-03-01-13-health-manager.md
14. book-03-01-14-core-events.md
15. book-03-01-15-core-storage.md
16. book-03-01-16-core-security.md
17. book-03-01-17-core-observability.md
18. book-03-01-18-core-testing.md
19. book-03-01-19-core-acceptance.md
20. book-03-01-20-core-roadmap.md

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

book-03-01-01-enterprise-core-overview.md

Book 03.01.01 - Enterprise Core Overview

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-001

Purpose

Define the Enterprise Core as the foundational execution substrate for Mariam AI Enterprise OS.

Scope

Covers core boundaries, subsystem map, operational expectations, and how Enterprise Core supports all later platform layers.

Responsibilities

- Define the kernel-centered core architecture.
- Separate enterprise primitives from domain modules.
- Establish subsystem ownership for lifecycle, runtime, identity, state, resources, objects, health, storage, security, observability, and testing.

Inputs

- Enterprise roadmap phase from MAL-V02-B003.
- Constitutional enterprise, security, quality, and engineering principles.
- Master Vision enterprise objectives.

Outputs

- Enterprise Core subsystem map.
- Blueprint boundaries for core services.
- Implementation-ready decomposition for future specifications.

Interfaces

- Kernel API boundary.
- Runtime manager contract.
- Identity and access boundary.
- Core event and storage contracts.

Events

- EnterpriseCoreInitialized
- EnterpriseCoreStarted
- EnterpriseCoreDegraded
- EnterpriseCoreStopped

Storage

- Core configuration records.
- Subsystem registry records.
- Audit event references.
- Health snapshots.

Security

- Apply least privilege across core services.
- Keep tenant and role context explicit.
- Audit protected core actions.

Metrics

- Core startup time.
- Subsystem readiness coverage.
- Core error rate.
- Audit event completeness.

Tests

- Blueprint section validation.
- Subsystem dependency review.
- PDF readability verification.

Acceptance Criteria

- All Enterprise Core subsystems are named and scoped.
- Downstream specifications can reference stable subsystem boundaries.
- No domain feature bypasses the core governance layer.

Traceability

- MAL-V00-B005
- MAL-V00-B012
- MAL-V01-B002
- MAL-V02-B003

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

book-03-01-02-kernel.md

Book 03.01.02 - Kernel

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-002

Purpose

Define the Mariam Kernel as the minimal trusted coordinator for core boot, service access, and platform invariants.

Scope

Covers kernel responsibilities, allowed dependencies, startup responsibilities, core service exposure, and failure boundaries.

Responsibilities

- Own the platform boot sequence.
- Expose stable access to core services.
- Enforce core invariants before subsystem startup.
- Prevent domain modules from coupling directly to infrastructure details.

Inputs

- Boot configuration.
- Runtime registry definitions.
- Service container bindings.
- Identity and security policy handles.

Outputs

- Kernel readiness state.
- Core service handles.
- Kernel lifecycle events.
- Boot diagnostics.

Interfaces

- Kernel boot API.
- Service container interface.
- Runtime manager interface.
- Health manager interface.

Events

- KernelBootRequested
- KernelBooted

- KernelInvariantFailed
- KernelShutdownRequested

Storage

- Kernel boot log.
- Core invariant registry.
- Kernel state snapshot.

Security

- Only trusted boot code can mutate kernel state.
- Kernel APIs must validate caller context.
- Boot diagnostics must not expose secrets.

Metrics

- Boot duration.
- Invariant failure count.
- Kernel panic count.
- Service resolution latency.

Tests

- Kernel boot unit tests.
- Invariant failure tests.
- Unauthorized service access tests.
- Shutdown sequence tests.

Acceptance Criteria

- Kernel boots with required services available.
- Kernel refuses unsafe startup state.
- Kernel shutdown is orderly and observable.

Traceability

- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B003

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

book-03-01-03-lifecycle.md

Book 03.01.03 - Lifecycle

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-003

Purpose

Define lifecycle states and transitions for Enterprise Core startup, operation, degradation, maintenance, and shutdown.

Scope

Covers lifecycle state machines for the core platform and subsystem readiness.

Responsibilities

- Define canonical lifecycle states.
- Coordinate subsystem startup and shutdown.
- Expose degradation and maintenance modes.
- Prevent invalid state transitions.

Inputs

- Kernel state.
- Subsystem readiness reports.
- Runtime manager commands.
- Health manager signals.

Outputs

- Lifecycle transition records.
- Readiness decisions.
- Maintenance mode state.
- Shutdown completion signals.

Interfaces

- Kernel lifecycle hooks.
- Runtime manager lifecycle API.
- Event bus lifecycle topics.
- Health manager readiness API.

Events

- LifecycleTransitionRequested
- LifecycleTransitionAccepted

- LifecycleTransitionRejected
- LifecycleStateChanged

Storage

- Lifecycle transition journal.
- Readiness snapshots.
- Maintenance window records.

Security

- Lifecycle transitions require authorized caller context.
- Rejected transitions must be auditable.
- Maintenance mode must preserve access-control boundaries.

Metrics

- Transition success rate.
- Average startup time.
- Shutdown completion time.
- Invalid transition attempts.

Tests

- State machine transition tests.
- Unauthorized transition tests.
- Degraded mode tests.
- Recovery transition tests.

Acceptance Criteria

- All lifecycle states are defined.
- Invalid transitions are rejected and logged.
- Subsystem readiness gates core availability.

Traceability

- MAL-V00-B010
- MAL-V00-B014
- MAL-V02-B009

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

book-03-01-04-runtime-manager.md

Book 03.01.04 - Runtime Manager

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-004

Purpose

Define the Runtime Manager that supervises executable runtimes inside the Enterprise Core.

Scope

Covers runtime creation, supervision, registration, isolation expectations, restart policy, and lifecycle integration.

Responsibilities

- Start and stop approved runtimes.
- Coordinate runtime lifecycle with kernel state.
- Enforce runtime registration rules.
- Surface runtime health and failure events.

Inputs

- Runtime definitions.
- Kernel lifecycle state.
- Configuration values.
- Runtime registry entries.

Outputs

- Runtime instances.
- Runtime status records.
- Runtime failure events.
- Restart decisions.

Interfaces

- Runtime registry API.
- Lifecycle manager API.
- Health manager API.
- Event bus topics.

Events

- RuntimeStartRequested
- RuntimeStarted

- RuntimeFailed
- RuntimeRestarted
- RuntimeStopped

Storage

- Runtime instance records.
- Runtime status journal.
- Restart history.

Security

- Runtime actions require explicit permission.
- Runtime isolation boundaries must be documented.
- Runtime errors must not leak sensitive payloads.

Metrics

- Runtime uptime.
- Restart count.
- Runtime startup latency.
- Failure recovery time.

Tests

- Runtime startup tests.
- Restart policy tests.
- Unauthorized runtime action tests.
- Failure event tests.

Acceptance Criteria

- Runtime manager supervises approved runtimes only.
- Runtime failures are observable.
- Restart policy is bounded and documented.

Traceability

- MAL-V00-B012
- MAL-V02-B009
- MAL-V02-B010

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

book-03-01-05-runtime-registry.md

Book 03.01.05 - Runtime Registry

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-005

Purpose

Define the Runtime Registry as the canonical inventory of runtimes available to the Enterprise Core.

Scope

Covers runtime metadata, allowed states, versioning, capability declarations, ownership, and compatibility rules.

Responsibilities

- Store approved runtime definitions.
- Expose runtime lookup and compatibility metadata.
- Track runtime lifecycle status.
- Prevent unregistered runtime execution.

Inputs

- Runtime manifests.
- Provider metadata.
- Compatibility requirements.
- Security classifications.

Outputs

- Runtime catalog entries.
- Compatibility decisions.
- Runtime availability state.
- Registry change events.

Interfaces

- Runtime manager lookup API.
- Configuration interface.
- Security policy interface.
- Manifest validation interface.

Events

- RuntimeRegistered
- RuntimeUpdated

- RuntimeDeprecated
- RuntimeRejected

Storage

- Runtime manifest store.
- Registry version history.
- Compatibility metadata records.

Security

- Registry writes require administrative authority.
- Runtime manifests must be validated.
- Deprecated runtimes must remain traceable.

Metrics

- Registry lookup latency.
- Manifest validation failure count.
- Deprecated runtime usage.
- Runtime catalog coverage.

Tests

- Manifest validation tests.
- Registry permission tests.
- Compatibility lookup tests.
- Deprecation tests.

Acceptance Criteria

- Every runtime has owner, version, status, and security classification.
- Runtime manager cannot start unknown runtimes.
- Registry changes are auditable.

Traceability

- MAL-V00-B009
- MAL-V02-B009
- MAL-V02-B010

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

book-03-01-06-event-bus.md

Book 03.01.06 - Event Bus

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-006

Purpose

Define the core Event Bus used by Enterprise Core subsystems to publish and consume governed events.

Scope

Covers event topics, envelopes, delivery expectations, ordering assumptions, auditing, and failure handling.

Responsibilities

- Provide core event transport semantics.
- Standardize event envelope metadata.
- Route subsystem events without hidden coupling.
- Support audit and observability requirements.

Inputs

- Event envelopes.
- Publisher identity.
- Subscriber registrations.
- Delivery configuration.

Outputs

- Delivered events.
- Dead-letter records.
- Event metrics.
- Audit references.

Interfaces

- Publisher API.
- Subscriber API.
- Dead-letter interface.
- Observability interface.

Events

- EventPublished
- EventDelivered

- EventDeliveryFailed
- EventDeadLettered

Storage

- Event journal metadata.
- Dead-letter queue records.
- Subscriber registry.

Security

- Events must include caller and tenant context when relevant.
- Sensitive payloads require classification.
- Subscribers must be authorized for protected topics.

Metrics

- Event throughput.
- Delivery latency.
- Dead-letter count.
- Unauthorized subscription attempts.

Tests

- Envelope validation tests.
- Subscription authorization tests.
- Delivery failure tests.
- Dead-letter handling tests.

Acceptance Criteria

- Core events use a consistent envelope.
- Failed delivery is observable.
- Protected topics enforce authorization.

Traceability

- MAL-V00-B010
- MAL-V00-B011
- MAL-V02-B011

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

book-03-01-07-service-container.md

Book 03.01.07 - Service Container

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-007

Purpose

Define the Service Container that binds and resolves Enterprise Core services.

Scope

Covers service registration, dependency resolution, scope, lifecycle hooks, and replacement rules.

Responsibilities

- Register core services with explicit contracts.
- Resolve dependencies safely.
- Support service lifecycle hooks.
- Prevent circular or hidden dependencies.

Inputs

- Service definitions.
- Dependency declarations.
- Kernel boot context.
- Configuration values.

Outputs

- Service instances.
- Resolution diagnostics.
- Dependency graph.
- Service lifecycle events.

Interfaces

- Kernel service lookup.
- Configuration provider.
- Lifecycle hooks.
- Health checks.

Events

- ServiceRegistered
- ServiceResolved

- ServiceResolutionFailed
- ServiceDisposed

Storage

- Service registry.
- Dependency graph snapshot.
- Resolution logs.

Security

- Service resolution must respect caller authority where needed.
- Sensitive service configuration must not be logged.
- Privileged services must be explicitly marked.

Metrics

- Resolution latency.
- Circular dependency count.
- Service startup failures.
- Privileged service access attempts.

Tests

- Dependency graph tests.
- Circular dependency tests.
- Privileged resolution tests.
- Service disposal tests.

Acceptance Criteria

- Core services have explicit interfaces.
- Invalid dependency graphs fail fast.
- Service lifecycle is observable.

Traceability

- MAL-V00-B012
- MAL-V02-B003
- MAL-V02-B018

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

book-03-01-08-configuration.md

Book 03.01.08 - Configuration

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-008

Purpose

Define configuration management for Enterprise Core services and runtimes.

Scope

Covers configuration sources, validation, environment scope, defaults, secrets separation, and change events.

Responsibilities

- Load configuration from approved sources.
- Validate required settings before startup.
- Separate secrets from ordinary configuration.
- Expose configuration changes to dependent subsystems.

Inputs

- Environment values.
- Configuration files.
- Runtime manifests.
- Policy defaults.

Outputs

- Validated configuration objects.
- Configuration error reports.
- Configuration change events.
- Effective configuration snapshots.

Interfaces

- Kernel configuration API.
- Runtime manager configuration interface.
- Security secret provider interface.
- Observability reporting.

Events

- ConfigurationLoaded
- ConfigurationValidated

- ConfigurationRejected
- ConfigurationChanged

Storage

- Effective configuration snapshot.
- Configuration validation report.
- Non-secret configuration history.

Security

- Secrets must never be stored in plaintext Markdown or release artifacts.
- Configuration reads must respect environment boundaries.
- Sensitive values must be redacted from logs.

Metrics

- Configuration validation failure count.
- Startup blocked by configuration.
- Configuration reload time.
- Secret access audit count.

Tests

- Missing configuration tests.
- Invalid type tests.
- Secret redaction tests.
- Environment override tests.

Acceptance Criteria

- Core cannot start with invalid required configuration.
- Secrets are handled through a separate provider.
- Effective configuration can be inspected safely.

Traceability

- MAL-V00-B011
- MAL-V02-B018
- MAL-V03-B03-01-002

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

book-03-01-09-identity-access.md

Book 03.01.09 - Identity Access

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-009

Purpose

Define identity and access primitives required by the Enterprise Core.

Scope

Covers users, service identities, tenant context, roles, permissions, authorization checks, and audit decisions.

Responsibilities

- Represent human and service identities.
- Resolve tenant and organization context.
- Authorize protected core actions.
- Emit audit evidence for access decisions.

Inputs

- Authentication assertions.
- Tenant context.
- Role assignments.
- Permission policies.
- Service identity manifests.

Outputs

- Authorization decisions.
- Identity context objects.
- Access audit events.
- Denied action records.

Interfaces

- Kernel authorization guard.
- Service container privileged resolution.
- Event bus topic authorization.
- Audit event interface.

Events

- IdentityContextResolved

- AuthorizationGranted
- AuthorizationDenied
- RoleBindingChanged

Storage

- Identity records references.
- Role binding records.
- Permission policy versions.
- Access audit log.

Security

- Use least privilege for humans and services.
- Deny by default for protected actions.
- Audit denied and privileged actions.

Metrics

- Authorization latency.
- Denied action count.
- Privileged action count.
- Role binding change rate.

Tests

- Permission matrix tests.
- Tenant isolation tests.
- Service identity tests.
- Denied action audit tests.

Acceptance Criteria

- Protected core actions require authorization.
- Tenant context is explicit.
- Access decisions are auditable.

Traceability

- MAL-V00-B005
- MAL-V00-B011
- MAL-V02-B003

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

book-03-01-10-state-manager.md

Book 03.01.10 - State Manager

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-010

Purpose

Define the State Manager responsible for controlled state transitions inside the Enterprise Core.

Scope

Covers state ownership, transition validation, persistence expectations, consistency, and recovery.

Responsibilities

- Own canonical core state transitions.
- Validate state changes against lifecycle rules.
- Expose state snapshots to authorized services.
- Support recovery after failure.

Inputs

- State transition commands.
- Current state snapshots.
- Lifecycle constraints.
- Caller context.

Outputs

- Accepted state changes.
- Rejected transition records.
- State snapshots.
- Recovery checkpoints.

Interfaces

- Lifecycle manager interface.
- Storage interface.
- Event bus state events.
- Health manager state checks.

Events

- StateChangeRequested
- StateChanged

- StateChangeRejected
- StateRecovered

Storage

- State snapshot store.
- Transition journal.
- Recovery checkpoints.

Security

- State mutations require authorized callers.
- Sensitive state values must be classified.
- Recovery data must preserve tenant boundaries.

Metrics

- Transition success rate.
- Rejected transition count.
- State recovery time.
- Snapshot write latency.

Tests

- State transition tests.
- Invalid mutation tests.
- Recovery tests.
- Concurrent state update tests.

Acceptance Criteria

- State transitions are validated and observable.
- Invalid mutations are rejected.
- Recovery restores a consistent state.

Traceability

- MAL-V00-B010
- MAL-V02-B009
- MAL-V02-B011

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

book-03-01-11-resource-manager.md

Book 03.01.11 - Resource Manager

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-011

Purpose

Define management of core resources such as compute slots, quotas, handles, and shared platform limits.

Scope

Covers resource allocation, quota enforcement, release, contention handling, and observability.

Responsibilities

- Track resource availability.
- Allocate resources to approved runtimes and services.
- Enforce quotas and limits.
- Release resources reliably.

Inputs

- Resource requests.
- Quota policies.
- Runtime identity.
- Current utilization signals.

Outputs

- Resource grants.
- Resource denial events.
- Utilization metrics.
- Quota breach records.

Interfaces

- Runtime manager allocation API.
- Configuration quota provider.
- Observability metrics interface.
- Event bus resource topics.

Events

- ResourceRequested
- ResourceGranted

- ResourceDenied
- ResourceReleased
- QuotaExceeded

Storage

- Resource allocation ledger.
- Quota policy records.
- Utilization snapshots.

Security

- Resource grants must respect tenant and service permissions.
- Quota bypass requires explicit privileged authority.
- Resource metrics must avoid exposing sensitive workload payloads.

Metrics

- Resource utilization.
- Quota denial count.
- Allocation latency.
- Resource leak count.

Tests

- Quota enforcement tests.
- Resource release tests.
- Unauthorized allocation tests.
- Contention handling tests.

Acceptance Criteria

- Resources are allocated only through the manager.
- Quota breaches are visible.
- Released resources are reclaimed.

Traceability

- MAL-V00-B005
- MAL-V02-B018
- MAL-V03-B03-01-004

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

book-03-01-12-object-manager.md

Book 03.01.12 - Object Manager

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-012

Purpose

Define the Object Manager for canonical enterprise objects managed by the core.

Scope

Covers object identity, ownership, lifecycle, relationships, validation, and event emission.

Responsibilities

- Assign stable object identity.
- Validate object lifecycle transitions.
- Track ownership and relationship metadata.
- Emit object change events.

Inputs

- Object creation commands.
- Object update commands.
- Ownership context.
- Relationship definitions.

Outputs

- Canonical object records.
- Object lifecycle events.
- Validation errors.
- Relationship indexes.

Interfaces

- State manager interface.
- Storage interface.
- Identity access interface.
- Event bus object topics.

Events

- ObjectCreated
- ObjectUpdated

- ObjectArchived
- ObjectValidationFailed

Storage

- Object store.
- Object relationship index.
- Object lifecycle journal.

Security

- Object access follows identity and tenant rules.
- Protected object changes are audited.
- Archived objects retain governance metadata.

Metrics

- Object creation rate.
- Validation failure count.
- Object lookup latency.
- Archived object count.

Tests

- Object lifecycle tests.
- Ownership authorization tests.
- Relationship integrity tests.
- Archive and recovery tests.

Acceptance Criteria

- Objects have stable IDs and owners.
- Invalid object changes are rejected.
- Object changes emit traceable events.

Traceability

- MAL-V00-B005
- MAL-V01-B004
- MAL-V02-B003

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

book-03-01-13-health-manager.md

Book 03.01.13 - Health Manager

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-013

Purpose

Define health management for Enterprise Core subsystems, services, and runtimes.

Scope

Covers readiness, liveness, degradation, dependency checks, incident signals, and health reporting.

Responsibilities

- Collect health checks from core subsystems.
- Determine readiness and liveness state.
- Surface degradation and incidents.
- Feed lifecycle decisions.

Inputs

- Subsystem health reports.
- Runtime status.
- Dependency check results.
- Configuration thresholds.

Outputs

- Health status records.
- Readiness decisions.
- Incident signals.
- Health dashboards data.

Interfaces

- Kernel readiness API.
- Runtime manager health API.
- Observability metrics interface.
- Event bus health topics.

Events

- HealthCheckReported
- CoreReady

- CoreDegraded
- CoreUnhealthy
- IncidentSignalRaised

Storage

- Health snapshots.
- Dependency check history.
- Incident signal records.

Security

- Health checks must not expose secrets.
- Administrative health detail requires authorization.
- Incident signals must preserve tenant boundaries.

Metrics

- Readiness pass rate.
- Health check latency.
- Degradation duration.
- Incident signal count.

Tests

- Readiness tests.
- Dependency failure tests.
- Health authorization tests.
- Degradation event tests.

Acceptance Criteria

- Core readiness reflects subsystem health.
- Degradation is observable.
- Health data is safe to expose at each authorization level.

Traceability

- MAL-V00-B010
- MAL-V02-B018
- MAL-V03-B03-01-003

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

book-03-01-14-core-events.md

Book 03.01.14 - Core Events

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-014

Purpose

Define the canonical event taxonomy for Enterprise Core.

Scope

Covers event naming, envelopes, categories, severity, correlation, causation, and retention expectations.

Responsibilities

- Standardize core event names.
- Define required event envelope fields.
- Classify event severity and category.
- Support traceability across subsystem boundaries.

Inputs

- Subsystem event proposals.
- Event bus envelope requirements.
- Audit and observability needs.
- Security classification rules.

Outputs

- Core event catalog.
- Event envelope standard.
- Retention guidance.
- Correlation and causation rules.

Interfaces

- Event bus publisher interface.
- Audit log interface.
- Observability trace interface.
- Storage retention interface.

Events

- CoreEventDefined
- CoreEventDeprecated

- CoreEventEmitted
- CoreEventRejected

Storage

- Event catalog.
- Event schema history.
- Event retention metadata.

Security

- Event payloads must be classified.
- Protected event streams require authorization.
- Event retention must respect data policy.

Metrics

- Event schema coverage.
- Malformed event count.
- Correlation coverage.
- Protected stream access denial count.

Tests

- Event schema validation tests.
- Correlation propagation tests.
- Protected event access tests.
- Deprecated event tests.

Acceptance Criteria

- Core events follow naming and envelope rules.
- Events can be correlated across subsystems.
- Sensitive events are protected.

Traceability

- MAL-V00-B009
- MAL-V00-B011
- MAL-V02-B011

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

book-03-01-15-core-storage.md

Book 03.01.15 - Core Storage

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-015

Purpose

Define core storage responsibilities for Enterprise Core records and operational metadata.

Scope

Covers logical stores, record ownership, retention, backup expectations, migration posture, and consistency.

Responsibilities

- Define logical stores for core records.
- Support persistence for state, registry, audit, health, and configuration metadata.
- Declare retention and backup expectations.
- Avoid binding blueprint to one database product.

Inputs

- Core record schemas.
- Retention policy inputs.
- Backup requirements.
- Storage classification.

Outputs

- Logical storage map.
- Persistence requirements.
- Retention rules.
- Migration guidance.

Interfaces

- State manager storage API.
- Object manager storage API.
- Audit store interface.
- Backup and recovery interface.

Events

- StorageWriteRequested
- StorageWriteCommitted

- StorageReadDenied
- StorageRecoveryStarted

Storage

- State snapshots.
- Runtime registry records.
- Object records.
- Audit references.
- Health snapshots.

Security

- Encrypt sensitive storage where required.
- Authorize protected reads and writes.
- Keep tenant data isolated.

Metrics

- Storage write latency.
- Read denial count.
- Backup success rate.
- Migration failure count.

Tests

- Persistence tests.
- Tenant isolation storage tests.
- Backup restore tests.
- Migration compatibility tests.

Acceptance Criteria

- Core storage map is documented.
- Protected records enforce access rules.
- Recovery expectations are explicit.

Traceability

- MAL-V00-B011
- MAL-V02-B018
- MAL-V03-B03-01-010

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

book-03-01-16-core-security.md

Book 03.01.16 - Core Security

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-016

Purpose

Define security controls that every Enterprise Core subsystem must respect.

Scope

Covers least privilege, tenant isolation, secrets, audit, policy enforcement, secure defaults, and threat- aware design.

Responsibilities

- Set mandatory core security controls.
- Define protected action handling.
- Separate secrets from configuration.
- Ensure auditability of privileged operations.

Inputs

- Security principles.
- Identity and access decisions.
- Configuration and secret provider data.
- Threat and risk assumptions.

Outputs

- Core security control baseline.
- Protected action catalog.
- Audit requirements.
- Security acceptance checklist.

Interfaces

- Identity access interface.
- Configuration secret provider.
- Audit event bus topics.
- Storage security hooks.

Events

- ProtectedActionRequested
- ProtectedActionDenied

- SecretAccessed
- SecurityPolicyChanged

Storage

- Protected action records.
- Security policy versions.
- Audit event store.
- Secret access metadata.

Security

- Deny by default.
- Never store secrets in release artifacts.
- Audit privileged and denied actions.
- Keep tenant isolation explicit.

Metrics

- Denied protected action count.
- Secret access count.
- Policy change count.
- Security test pass rate.

Tests

- Least privilege tests.
- Secret redaction tests.
- Tenant isolation tests.
- Protected action audit tests.

Acceptance Criteria

- Every core subsystem states security behavior.
- Protected actions are known and auditable.
- Secrets are separated from ordinary configuration.

Traceability

- MAL-V00-B011
- MAL-V02-B016
- MAL-V02-B018

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

book-03-01-17-core-observability.md

Book 03.01.17 - Core Observability

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-017

Purpose

Define observability for Enterprise Core operations, health, performance, security, and user-impacting failures.

Scope

Covers metrics, logs, traces, audit correlation, dashboards, alerts, and incident evidence.

Responsibilities

- Standardize core metrics and logs.
- Propagate correlation IDs.
- Expose health and performance indicators.
- Support incident analysis.

Inputs

- Subsystem metrics.
- Event bus correlation data.
- Health snapshots.
- Runtime status.
- Security audit metadata.

Outputs

- Metrics streams.
- Structured logs.
- Trace spans.
- Operational dashboards.
- Alert signals.

Interfaces

- Health manager metrics API.
- Event bus observability hooks.
- Runtime manager telemetry.
- Storage telemetry interface.

Events

- MetricEmitted
- TraceStarted
- TraceCompleted
- AlertRaised
- ObservationDropped

Storage

- Metrics time series.
- Structured log store.
- Trace metadata.
- Alert history.

Security

- Logs and traces must redact secrets.
- Sensitive observations require access controls.
- Audit evidence must remain tamper-resistant.

Metrics

- Metric coverage.
- Log error rate.
- Trace correlation coverage.
- Alert precision.

Tests

- Redaction tests.
- Metric emission tests.
- Trace propagation tests.
- Alert threshold tests.

Acceptance Criteria

- Critical core paths emit useful telemetry.
- Sensitive data is not exposed in observations.
- Incidents can be reconstructed from approved signals.

Traceability

- MAL-V00-B010
- MAL-V02-B018
- MAL-V03-B03-01-013

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

book-03-01-18-core-testing.md

Book 03.01.18 - Core Testing

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-018

Purpose

Define the testing blueprint for Enterprise Core subsystems.

Scope

Covers unit, integration, system, security, performance, recovery, and acceptance testing for the core.

Responsibilities

- Define test layers for core services.
- Map subsystem risks to test types.
- Establish release gating expectations.
- Prepare inputs for Volume 09 Testing Guide.

Inputs

- Subsystem blueprints.
- Acceptance criteria.
- Security controls.
- Runtime and lifecycle states.

Outputs

- Core test matrix.
- Acceptance test scenarios.
- Security test requirements.
- Performance and recovery test targets.

Interfaces

- CI test runner interface.
- Runtime test harness.
- Security test hooks.
- Observability verification.

Events

- TestPlanCreated
- CoreTestStarted

- CoreTestFailed
- CoreAcceptancePassed

Storage

- Test result records.
- Coverage reports.
- Failure evidence.
- Acceptance signoff records.

Security

- Security tests must avoid real secrets.
- Test fixtures must isolate tenant data.
- Privileged test paths must be explicit.

Metrics

- Test pass rate.
- Coverage by subsystem.
- Flaky test rate.
- Mean time to diagnose failures.

Tests

- Unit tests for service logic.
- Integration tests for subsystem contracts.
- Security tests for protected actions.
- Recovery tests for lifecycle and storage.

Acceptance Criteria

- Every core subsystem has named test expectations.
- Acceptance tests map to blueprint criteria.
- Build verification includes PDF and ZIP checks.

Traceability

- MAL-V00-B010
- MAL-V00-B012
- MAL-V02-B003

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

book-03-01-19-core-acceptance.md

Book 03.01.19 - Core Acceptance

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-019

Purpose

Define acceptance gates for the Enterprise Core blueprint and future implementation.

Scope

Covers blueprint completeness, subsystem contracts, security readiness, runtime readiness, test readiness, and release evidence.

Responsibilities

- Define acceptance gates for core design.
- Connect subsystem criteria into a single review model.
- Clarify what is required before implementation can be considered ready.

Inputs

- Subsystem acceptance criteria.
- Traceability records.
- Security baseline.
- Testing blueprint.
- Release artifact evidence.

Outputs

- Core acceptance checklist.
- Readiness decision model.
- Release evidence requirements.
- Gap register.

Interfaces

- Blueprint index.
- Testing guide inputs.
- Manifest and release notes.
- Future specification references.

Events

- CoreAcceptanceReviewStarted
- CoreAcceptanceGapFound

- CoreAcceptanceApproved
- CoreAcceptanceRejected

Storage

- Acceptance checklist records.
- Gap register.
- Review notes.
- Release evidence links.

Security

- Acceptance evidence must not contain secrets.
- Security gaps block approval.
- Review authority must be explicit.

Metrics

- Acceptance checklist completion.
- Open critical gap count.
- Traceability coverage.
- Security gate pass rate.

Tests

- Document section validation.
- Traceability validation.
- Security checklist validation.
- Release artifact validation.

Acceptance Criteria

- All Enterprise Core documents exist.
- Required sections are present.
- PDF and ZIP artifacts include the core blueprint.
- Critical security gaps are recorded or resolved.

Traceability

- MAL-V00-B009
- MAL-V00-B014
- MAL-V02-B003

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.

book-03-01-20-core-roadmap.md

Book 03.01.20 - Core Roadmap

Version: v3 draft

Status: Draft

Document ID: MAL-V03-B03-01-020

Purpose

Define the implementation-facing roadmap for moving Enterprise Core from blueprint to specification and code.

Scope

Covers sequencing, specification priorities, implementation slices, dependencies, migration concerns, and future expansion.

Responsibilities

- Translate blueprint into build-ready phases.
- Identify first specifications to write.
- Sequence implementation around kernel, identity, lifecycle, runtime, storage, security, and observability.
- Preserve alignment with Volume 02 roadmap.

Inputs

- Enterprise Core blueprint documents.
- Master Roadmap phase 01.
- Engineering standards backlog.
- Testing and operations guide needs.

Outputs

- Core specification backlog.
- Implementation sequence proposal.
- Dependency map.
- Risk and migration notes.

Interfaces

- Volume 06 specification queue.
- Volume 05 engineering standards.
- Volume 09 testing guide.
- System repository implementation issues.

Events

- CoreRoadmapUpdated
- CoreSpecificationQueued

- CoreImplementationGateOpened
- CoreImplementationGateBlocked

Storage

- Roadmap decision records.
- Specification backlog.
- Implementation gate evidence.

Security

- Implementation must not begin without security and identity specifications.
- Roadmap records must avoid secrets.
- Code repository references must remain traceable to document IDs.

Metrics

- Specification readiness count.
- Blocked dependency count.
- Implementation gate completion.
- Roadmap change frequency.

Tests

- Roadmap consistency tests.
- Dependency completeness review.
- Traceability review.
- Implementation readiness checklist.

Acceptance Criteria

- The roadmap identifies specification order.
- The roadmap blocks premature autonomy or marketplace work before core foundations.
- Implementation gates are traceable to blueprint acceptance.

Traceability

- MAL-V00-B014
- MAL-V02-B003
- MAL-V03-B03-01-019

Version History

Version	Date	Status	Notes
v3 draft	2026-06-29	Draft	Initial Enterprise Core blueprint content for Mariam Architecture Library v3.