

Volume 03 - Book 03.08 Workflow System

Version v10 draft

README.md

Book 03.08 - Workflow System

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-README

Purpose

Define the Workflow System blueprint package and its subsystem decomposition as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for the Workflow System blueprint package and its subsystem decomposition. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for the Workflow System blueprint package and its subsystem decomposition.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for the Workflow System blueprint package and its subsystem decomposition.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.

- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.
- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- WorkflowSystemDefined
- WorkflowSystemRegistered
- WorkflowSystemStateChanged
- WorkflowSystemReviewRequested
- WorkflowSystemGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.

- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.
- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Workflow System has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08 - Workflow System

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-INDEX

Purpose

Define the Workflow System blueprint package and its subsystem decomposition as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for the Workflow System blueprint package and its subsystem decomposition. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for the Workflow System blueprint package and its subsystem decomposition.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for the Workflow System blueprint package and its subsystem decomposition.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.
- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- WorkflowSystemDefined
- WorkflowSystemRegistered
- WorkflowSystemStateChanged
- WorkflowSystemReviewRequested
- WorkflowSystemGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.

- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.
- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Workflow System has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08.01 - Workflow System Overview

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-001

Purpose

Define Workflow System Overview within the Workflow System blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Workflow System Overview within the Workflow System blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Workflow System Overview within the Workflow System blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Workflow System Overview within the Workflow System blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.
- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- WorkflowSystemOverviewDefined
- WorkflowSystemOverviewRegistered
- WorkflowSystemOverviewStateChanged
- WorkflowSystemOverviewReviewRequested
- WorkflowSystemOverviewGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.

- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.
- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Workflow System Overview has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08.02 - Workflow Engine

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-002

Purpose

Define Workflow Engine within the Workflow System blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Workflow Engine within the Workflow System blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Workflow Engine within the Workflow System blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Workflow Engine within the Workflow System blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- WorkflowEngineDefined
- WorkflowEngineRegistered
- WorkflowEngineStateChanged
- WorkflowEngineReviewRequested
- WorkflowEngineGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Workflow Engine has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08.03 - Mission Graph

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-003

Purpose

Define Mission Graph within the Workflow System blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Mission Graph within the Workflow System blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Mission Graph within the Workflow System blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Mission Graph within the Workflow System blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- MissionGraphDefined
- MissionGraphRegistered
- MissionGraphStateChanged
- MissionGraphReviewRequested
- MissionGraphGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Mission Graph has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08.04 - Task Graph

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-004

Purpose

Define Task Graph within the Workflow System blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Task Graph within the Workflow System blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Task Graph within the Workflow System blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Task Graph within the Workflow System blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- TaskGraphDefined
- TaskGraphRegistered
- TaskGraphStateChanged
- TaskGraphReviewRequested
- TaskGraphGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Task Graph has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08.05 - Planner

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-005

Purpose

Define Planner within the Workflow System blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Planner within the Workflow System blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Planner within the Workflow System blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Planner within the Workflow System blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- PlannerDefined
- PlannerRegistered
- PlannerStateChanged
- PlannerReviewRequested
- PlannerGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Planner has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08.06 - Scheduler

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-006

Purpose

Define Scheduler within the Workflow System blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Scheduler within the Workflow System blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Scheduler within the Workflow System blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Scheduler within the Workflow System blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- SchedulerDefined
- SchedulerRegistered
- SchedulerStateChanged
- SchedulerReviewRequested
- SchedulerGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Scheduler has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08.07 - Executor

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-007

Purpose

Define Executor within the Workflow System blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Executor within the Workflow System blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Executor within the Workflow System blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Executor within the Workflow System blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- ExecutorDefined
- ExecutorRegistered
- ExecutorStateChanged
- ExecutorReviewRequested
- ExecutorGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Executor has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08.08 - Recovery

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-008

Purpose

Define Recovery within the Workflow System blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Recovery within the Workflow System blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Recovery within the Workflow System blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Recovery within the Workflow System blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- RecoveryDefined
- RecoveryRegistered
- RecoveryStateChanged
- RecoveryReviewRequested
- RecoveryGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Recovery has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08.09 - Self Healing

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-009

Purpose

Define Self Healing within the Workflow System blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Self Healing within the Workflow System blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Self Healing within the Workflow System blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Self Healing within the Workflow System blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- SelfHealingDefined
- SelfHealingRegistered
- SelfHealingStateChanged
- SelfHealingReviewRequested
- SelfHealingGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Self Healing has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08.10 - Approval Gates

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-010

Purpose

Define Approval Gates within the Workflow System blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Approval Gates within the Workflow System blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Approval Gates within the Workflow System blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Approval Gates within the Workflow System blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- ApprovalGatesDefined
- ApprovalGatesRegistered
- ApprovalGatesStateChanged
- ApprovalGatesReviewRequested
- ApprovalGatesGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Approval Gates has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08.11 - Workflow State

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-011

Purpose

Define Workflow State within the Workflow System blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Workflow State within the Workflow System blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Workflow State within the Workflow System blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Workflow State within the Workflow System blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- WorkflowStateDefined
- WorkflowStateRegistered
- WorkflowStateStateChanged
- WorkflowStateReviewRequested
- WorkflowStateGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Workflow State has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08.12 - Workflow Templates

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-012

Purpose

Define Workflow Templates within the Workflow System blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Workflow Templates within the Workflow System blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Workflow Templates within the Workflow System blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Workflow Templates within the Workflow System blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- WorkflowTemplatesDefined
- WorkflowTemplatesRegistered
- WorkflowTemplatesStateChanged
- WorkflowTemplatesReviewRequested
- WorkflowTemplatesGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Workflow Templates has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08.13 - Workflow Routing

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-013

Purpose

Define Workflow Routing within the Workflow System blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Workflow Routing within the Workflow System blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Workflow Routing within the Workflow System blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Workflow Routing within the Workflow System blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- WorkflowRoutingDefined
- WorkflowRoutingRegistered
- WorkflowRoutingStateChanged
- WorkflowRoutingReviewRequested
- WorkflowRoutingGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Workflow Routing has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08.14 - Workflow Observability

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-014

Purpose

Define Workflow Observability within the Workflow System blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Workflow Observability within the Workflow System blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Workflow Observability within the Workflow System blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Workflow Observability within the Workflow System blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.
- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- WorkflowObservabilityDefined
- WorkflowObservabilityRegistered
- WorkflowObservabilityStateChanged
- WorkflowObservabilityReviewRequested
- WorkflowObservabilityGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.

- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.
- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Workflow Observability has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08.15 - Workflow Governance

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-015

Purpose

Define Workflow Governance within the Workflow System blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Workflow Governance within the Workflow System blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Workflow Governance within the Workflow System blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Workflow Governance within the Workflow System blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.
- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- WorkflowGovernanceDefined
- WorkflowGovernanceRegistered
- WorkflowGovernanceStateChanged
- WorkflowGovernanceReviewRequested
- WorkflowGovernanceGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.

- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.
- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Workflow Governance has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08.16 - Workflow Events

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-016

Purpose

Define Workflow Events within the Workflow System blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Workflow Events within the Workflow System blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Workflow Events within the Workflow System blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Workflow Events within the Workflow System blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- WorkflowEventsDefined
- WorkflowEventsRegistered
- WorkflowEventsStateChanged
- WorkflowEventsReviewRequested
- WorkflowEventsGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Workflow Events has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08.17 - Workflow Storage

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-017

Purpose

Define Workflow Storage within the Workflow System blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Workflow Storage within the Workflow System blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Workflow Storage within the Workflow System blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Workflow Storage within the Workflow System blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- WorkflowStorageDefined
- WorkflowStorageRegistered
- WorkflowStorageStateChanged
- WorkflowStorageReviewRequested
- WorkflowStorageGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Workflow Storage has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08.18 - Workflow Security

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-018

Purpose

Define Workflow Security within the Workflow System blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Workflow Security within the Workflow System blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Workflow Security within the Workflow System blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Workflow Security within the Workflow System blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- WorkflowSecurityDefined
- WorkflowSecurityRegistered
- WorkflowSecurityStateChanged
- WorkflowSecurityReviewRequested
- WorkflowSecurityGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Workflow Security has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08.19 - Workflow Testing

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-019

Purpose

Define Workflow Testing within the Workflow System blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Workflow Testing within the Workflow System blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Workflow Testing within the Workflow System blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Workflow Testing within the Workflow System blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- WorkflowTestingDefined
- WorkflowTestingRegistered
- WorkflowTestingStateChanged
- WorkflowTestingReviewRequested
- WorkflowTestingGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Workflow Testing has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.

Book 03.08.20 - Workflow Roadmap

Version: v10 draft

Status: Draft

Document ID: MAL-V03-B03-08-020

Purpose

Define Workflow Roadmap within the Workflow System blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Workflow Roadmap within the Workflow System blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Workflow Roadmap within the Workflow System blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Workflow System.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Workflow Roadmap within the Workflow System blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- WorkflowRoadmapDefined
- WorkflowRoadmapRegistered
- WorkflowRoadmapStateChanged
- WorkflowRoadmapReviewRequested
- WorkflowRoadmapGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Workflow Roadmap has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B008
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v10 draft	2026-06-29	Draft	Initial Workflow System blueprint content for Mariam Architecture Library v10.