

Volume 03 - Book 03.16 Freelance Automation

Version v18 draft

README.md

Book 03.16 - Freelance Automation

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-README

Purpose

Define the Freelance Automation blueprint package and its subsystem decomposition as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for the Freelance Automation blueprint package and its subsystem decomposition. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for the Freelance Automation blueprint package and its subsystem decomposition.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for the Freelance Automation blueprint package and its subsystem decomposition.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.

- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.
- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- FreelanceAutomationDefined
- FreelanceAutomationRegistered
- FreelanceAutomationStateChanged
- FreelanceAutomationReviewRequested
- FreelanceAutomationGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.

- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.
- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Freelance Automation has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16 - Freelance Automation

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-INDEX

Purpose

Define the Freelance Automation blueprint package and its subsystem decomposition as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for the Freelance Automation blueprint package and its subsystem decomposition. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for the Freelance Automation blueprint package and its subsystem decomposition.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for the Freelance Automation blueprint package and its subsystem decomposition.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.
- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- FreelanceAutomationDefined
- FreelanceAutomationRegistered
- FreelanceAutomationStateChanged
- FreelanceAutomationReviewRequested
- FreelanceAutomationGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.

- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.
- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Freelance Automation has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16.01 - Freelance Automation Overview

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-001

Purpose

Define Freelance Automation Overview within the Freelance Automation blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Freelance Automation Overview within the Freelance Automation blueprint. It does not implement product code or bypass the documentation- first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Freelance Automation Overview within the Freelance Automation blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Freelance Automation Overview within the Freelance Automation blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.
- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- FreelanceAutomationOverviewDefined
- FreelanceAutomationOverviewRegistered
- FreelanceAutomationOverviewStateChanged
- FreelanceAutomationOverviewReviewRequested
- FreelanceAutomationOverviewGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.

- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.
- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Freelance Automation Overview has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16.02 - Freelancer Profile

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-002

Purpose

Define Freelancer Profile within the Freelance Automation blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Freelancer Profile within the Freelance Automation blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Freelancer Profile within the Freelance Automation blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Freelancer Profile within the Freelance Automation blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- FreelancerProfileDefined
- FreelancerProfileRegistered
- FreelancerProfileStateChanged
- FreelancerProfileReviewRequested
- FreelancerProfileGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Freelancer Profile has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16.03 - Opportunity Monitoring

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-003

Purpose

Define Opportunity Monitoring within the Freelance Automation blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Opportunity Monitoring within the Freelance Automation blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Opportunity Monitoring within the Freelance Automation blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Opportunity Monitoring within the Freelance Automation blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.
- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- OpportunityMonitoringDefined
- OpportunityMonitoringRegistered
- OpportunityMonitoringStateChanged
- OpportunityMonitoringReviewRequested
- OpportunityMonitoringGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.

- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.
- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Opportunity Monitoring has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16.04 - Proposal Engine

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-004

Purpose

Define Proposal Engine within the Freelance Automation blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Proposal Engine within the Freelance Automation blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Proposal Engine within the Freelance Automation blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Proposal Engine within the Freelance Automation blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- ProposalEngineDefined
- ProposalEngineRegistered
- ProposalEngineStateChanged
- ProposalEngineReviewRequested
- ProposalEngineGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Proposal Engine has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16.05 - Portfolio Memory

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-005

Purpose

Define Portfolio Memory within the Freelance Automation blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Portfolio Memory within the Freelance Automation blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Portfolio Memory within the Freelance Automation blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Portfolio Memory within the Freelance Automation blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- PortfolioMemoryDefined
- PortfolioMemoryRegistered
- PortfolioMemoryStateChanged
- PortfolioMemoryReviewRequested
- PortfolioMemoryGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Portfolio Memory has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16.06 - Client Communication

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-006

Purpose

Define Client Communication within the Freelance Automation blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Client Communication within the Freelance Automation blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Client Communication within the Freelance Automation blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Client Communication within the Freelance Automation blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.
- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- ClientCommunicationDefined
- ClientCommunicationRegistered
- ClientCommunicationStateChanged
- ClientCommunicationReviewRequested
- ClientCommunicationGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.

- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.
- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Client Communication has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16.07 - Pricing Support

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-007

Purpose

Define Pricing Support within the Freelance Automation blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Pricing Support within the Freelance Automation blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Pricing Support within the Freelance Automation blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Pricing Support within the Freelance Automation blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- PricingSupportDefined
- PricingSupportRegistered
- PricingSupportStateChanged
- PricingSupportReviewRequested
- PricingSupportGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Pricing Support has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16.08 - Delivery Workflows

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-008

Purpose

Define Delivery Workflows within the Freelance Automation blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Delivery Workflows within the Freelance Automation blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Delivery Workflows within the Freelance Automation blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Delivery Workflows within the Freelance Automation blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- DeliveryWorkflowsDefined
- DeliveryWorkflowsRegistered
- DeliveryWorkflowsStateChanged
- DeliveryWorkflowsReviewRequested
- DeliveryWorkflowsGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Delivery Workflows has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16.09 - Contract Support

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-009

Purpose

Define Contract Support within the Freelance Automation blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Contract Support within the Freelance Automation blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Contract Support within the Freelance Automation blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Contract Support within the Freelance Automation blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- ContractSupportDefined
- ContractSupportRegistered
- ContractSupportStateChanged
- ContractSupportReviewRequested
- ContractSupportGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Contract Support has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16.10 - Invoice Support

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-010

Purpose

Define Invoice Support within the Freelance Automation blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Invoice Support within the Freelance Automation blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Invoice Support within the Freelance Automation blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Invoice Support within the Freelance Automation blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- InvoiceSupportDefined
- InvoiceSupportRegistered
- InvoiceSupportStateChanged
- InvoiceSupportReviewRequested
- InvoiceSupportGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Invoice Support has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16.11 - Client Success

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-011

Purpose

Define Client Success within the Freelance Automation blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Client Success within the Freelance Automation blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Client Success within the Freelance Automation blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Client Success within the Freelance Automation blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- ClientSuccessDefined
- ClientSuccessRegistered
- ClientSuccessStateChanged
- ClientSuccessReviewRequested
- ClientSuccessGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Client Success has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16.12 - Reputation Growth

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-012

Purpose

Define Reputation Growth within the Freelance Automation blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Reputation Growth within the Freelance Automation blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Reputation Growth within the Freelance Automation blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Reputation Growth within the Freelance Automation blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- ReputationGrowthDefined
- ReputationGrowthRegistered
- ReputationGrowthStateChanged
- ReputationGrowthReviewRequested
- ReputationGrowthGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Reputation Growth has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16.13 - Freelance Governance

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-013

Purpose

Define Freelance Governance within the Freelance Automation blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Freelance Governance within the Freelance Automation blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Freelance Governance within the Freelance Automation blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Freelance Governance within the Freelance Automation blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.
- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- FreelanceGovernanceDefined
- FreelanceGovernanceRegistered
- FreelanceGovernanceStateChanged
- FreelanceGovernanceReviewRequested
- FreelanceGovernanceGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.

- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.
- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Freelance Governance has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16.14 - Freelance Quality

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-014

Purpose

Define Freelance Quality within the Freelance Automation blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Freelance Quality within the Freelance Automation blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Freelance Quality within the Freelance Automation blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Freelance Quality within the Freelance Automation blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- FreelanceQualityDefined
- FreelanceQualityRegistered
- FreelanceQualityStateChanged
- FreelanceQualityReviewRequested
- FreelanceQualityGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Freelance Quality has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16.15 - Freelance Observability

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-015

Purpose

Define Freelance Observability within the Freelance Automation blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Freelance Observability within the Freelance Automation blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Freelance Observability within the Freelance Automation blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Freelance Observability within the Freelance Automation blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.
- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- FreelanceObservabilityDefined
- FreelanceObservabilityRegistered
- FreelanceObservabilityStateChanged
- FreelanceObservabilityReviewRequested
- FreelanceObservabilityGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.

- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.
- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Freelance Observability has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16.16 - Freelance Events

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-016

Purpose

Define Freelance Events within the Freelance Automation blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Freelance Events within the Freelance Automation blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Freelance Events within the Freelance Automation blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Freelance Events within the Freelance Automation blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- FreelanceEventsDefined
- FreelanceEventsRegistered
- FreelanceEventsStateChanged
- FreelanceEventsReviewRequested
- FreelanceEventsGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Freelance Events has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16.17 - Freelance Storage

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-017

Purpose

Define Freelance Storage within the Freelance Automation blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Freelance Storage within the Freelance Automation blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Freelance Storage within the Freelance Automation blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Freelance Storage within the Freelance Automation blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- FreelanceStorageDefined
- FreelanceStorageRegistered
- FreelanceStorageStateChanged
- FreelanceStorageReviewRequested
- FreelanceStorageGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Freelance Storage has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16.18 - Freelance Security

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-018

Purpose

Define Freelance Security within the Freelance Automation blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Freelance Security within the Freelance Automation blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Freelance Security within the Freelance Automation blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Freelance Security within the Freelance Automation blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- FreelanceSecurityDefined
- FreelanceSecurityRegistered
- FreelanceSecurityStateChanged
- FreelanceSecurityReviewRequested
- FreelanceSecurityGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Freelance Security has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16.19 - Freelance Testing

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-019

Purpose

Define Freelance Testing within the Freelance Automation blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Freelance Testing within the Freelance Automation blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Freelance Testing within the Freelance Automation blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Freelance Testing within the Freelance Automation blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- FreelanceTestingDefined
- FreelanceTestingRegistered
- FreelanceTestingStateChanged
- FreelanceTestingReviewRequested
- FreelanceTestingGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Freelance Testing has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.

Book 03.16.20 - Freelance Roadmap

Version: v18 draft

Status: Draft

Document ID: MAL-V03-B03-16-020

Purpose

Define Freelance Roadmap within the Freelance Automation blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Freelance Roadmap within the Freelance Automation blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Freelance Roadmap within the Freelance Automation blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Freelance Automation.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Freelance Roadmap within the Freelance Automation blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- FreelanceRoadmapDefined
- FreelanceRoadmapRegistered
- FreelanceRoadmapStateChanged
- FreelanceRoadmapReviewRequested
- FreelanceRoadmapGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Freelance Roadmap has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B016
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v18 draft	2026-06-29	Draft	Initial Freelance Automation blueprint content for Mariam Architecture Library v18.