

Volume 04 - Canonical Dictionary

Version v23 draft

README.md

Volume 04 - Canonical Dictionary

Version: v23 draft

Status: Draft

Document ID: MAL-V04-README

Purpose

Establish Volume 04 as the canonical vocabulary source for Mariam AI Enterprise OS.

Scope

Volume 04 covers canonical terms used across Mariam AI Enterprise OS documentation, architecture, specifications, implementation planning, testing, operations, and release evidence.

Responsibilities

- Maintain one official vocabulary for Mariam.
- Resolve naming conflicts before implementation.
- Keep dictionary entries traceable to constitutional, roadmap, and blueprint documents.

Inputs

- Volume 00 Enterprise Constitution.
- Volume 01 Master Vision.
- Volume 02 Master Roadmap.
- Volume 03 Master Blueprint.

Outputs

- Dictionary files grouped by domain.
- Standard terms for specifications, tests, dashboards, APIs, MCP tools, events, and storage schemas.
- Traceable vocabulary for future releases.

Interfaces

- Architecture blueprints.
- Future specifications.
- Release notes and manifests.
- Engineering, operations, and testing guides.

Events

- DictionaryTermAdded

- DictionaryTermUpdated
- DictionaryTermDeprecated
- DictionaryReleased

Storage

- Markdown source files in Volume 04.
- Generated PDF release artifact.
- Manifest checksum records.

Security

- Do not store secrets, credentials, or private operational data in dictionary entries.
- Classify security-sensitive terms clearly.
- Treat terminology changes as governance-relevant when they affect access, data, or authority.

Metrics

- Dictionary coverage by domain.
- Duplicate or conflicting term count.
- Traceability coverage.
- Release artifact generation success.

Testing

- Validate required dictionary files exist.
- Validate every term has the required fields.
- Validate PDF and ZIP generation.

Acceptance Criteria

- Volume 04 contains administrative files and all 25 dictionary files.
- Each dictionary file contains a meaningful list of domain terms.
- Each term follows the required canonical structure.

Traceability

- MAL-V00-B004
- MAL-V00-B009
- MAL-V02-B004
- MAL-V03-B03-20-020

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial Volume 04 administrative document.

Volume 04 Index

Version: v23 draft

Status: Draft

Document ID: MAL-V04-INDEX

Purpose

List the canonical dictionary files and their document IDs.

Scope

Volume 04 covers canonical terms used across Mariam AI Enterprise OS documentation, architecture, specifications, implementation planning, testing, operations, and release evidence.

Responsibilities

- Maintain one official vocabulary for Mariam.
- Resolve naming conflicts before implementation.
- Keep dictionary entries traceable to constitutional, roadmap, and blueprint documents.

Inputs

- Volume 00 Enterprise Constitution.
- Volume 01 Master Vision.
- Volume 02 Master Roadmap.
- Volume 03 Master Blueprint.

Outputs

- Dictionary files grouped by domain.
- Standard terms for specifications, tests, dashboards, APIs, MCP tools, events, and storage schemas.
- Traceable vocabulary for future releases.

Interfaces

- Architecture blueprints.
- Future specifications.
- Release notes and manifests.
- Engineering, operations, and testing guides.

Events

- DictionaryTermAdded
- DictionaryTermUpdated
- DictionaryTermDeprecated
- DictionaryReleased

Storage

- Markdown source files in Volume 04.
- Generated PDF release artifact.
- Manifest checksum records.

Security

- Do not store secrets, credentials, or private operational data in dictionary entries.
- Classify security-sensitive terms clearly.
- Treat terminology changes as governance-relevant when they affect access, data, or authority.

Metrics

- Dictionary coverage by domain.
- Duplicate or conflicting term count.
- Traceability coverage.
- Release artifact generation success.

Testing

- Validate required dictionary files exist.
- Validate every term has the required fields.
- Validate PDF and ZIP generation.

Acceptance Criteria

- Volume 04 contains administrative files and all 25 dictionary files.
- Each dictionary file contains a meaningful list of domain terms.
- Each term follows the required canonical structure.

Traceability

- MAL-V00-B004
- MAL-V00-B009
- MAL-V02-B004
- MAL-V03-B03-20-020

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial Volume 04 administrative document.

Dictionary Files

- MAL-V04-DICT-001 - dictionary-04-01-enterprise-terms.md
- MAL-V04-DICT-002 - dictionary-04-02-organization-terms.md

- MAL-V04-DICT-003 - dictionary-04-03-ai-society-terms.md
- MAL-V04-DICT-004 - dictionary-04-04-agent-terms.md
- MAL-V04-DICT-005 - dictionary-04-05-swarm-terms.md
- MAL-V04-DICT-006 - dictionary-04-06-dna-terms.md
- MAL-V04-DICT-007 - dictionary-04-07-knowledge-terms.md
- MAL-V04-DICT-008 - dictionary-04-08-capability-terms.md
- MAL-V04-DICT-009 - dictionary-04-09-workflow-terms.md
- MAL-V04-DICT-010 - dictionary-04-10-runtime-terms.md
- MAL-V04-DICT-011 - dictionary-04-11-model-terms.md
- MAL-V04-DICT-012 - dictionary-04-12-provider-terms.md
- MAL-V04-DICT-013 - dictionary-04-13-plugin-terms.md
- MAL-V04-DICT-014 - dictionary-04-14-connector-terms.md
- MAL-V04-DICT-015 - dictionary-04-15-marketplace-terms.md
- MAL-V04-DICT-016 - dictionary-04-16-governance-terms.md
- MAL-V04-DICT-017 - dictionary-04-17-security-terms.md
- MAL-V04-DICT-018 - dictionary-04-18-infrastructure-terms.md
- MAL-V04-DICT-019 - dictionary-04-19-freelance-terms.md
- MAL-V04-DICT-020 - dictionary-04-20-remote-work-terms.md
- MAL-V04-DICT-021 - dictionary-04-21-evolution-terms.md
- MAL-V04-DICT-022 - dictionary-04-22-monitoring-terms.md
- MAL-V04-DICT-023 - dictionary-04-23-storage-terms.md
- MAL-V04-DICT-024 - dictionary-04-24-ui-dashboard-terms.md
- MAL-V04-DICT-025 - dictionary-04-25-integration-api-mcp-terms.md

Volume 04 Changelog

Version: v23 draft

Status: Draft

Document ID: MAL-V04-CHANGELOG

Purpose

Record vocabulary additions, revisions, deprecations, and release history.

Scope

Volume 04 covers canonical terms used across Mariam AI Enterprise OS documentation, architecture, specifications, implementation planning, testing, operations, and release evidence.

Responsibilities

- Maintain one official vocabulary for Mariam.
- Resolve naming conflicts before implementation.
- Keep dictionary entries traceable to constitutional, roadmap, and blueprint documents.

Inputs

- Volume 00 Enterprise Constitution.
- Volume 01 Master Vision.
- Volume 02 Master Roadmap.
- Volume 03 Master Blueprint.

Outputs

- Dictionary files grouped by domain.
- Standard terms for specifications, tests, dashboards, APIs, MCP tools, events, and storage schemas.
- Traceable vocabulary for future releases.

Interfaces

- Architecture blueprints.
- Future specifications.
- Release notes and manifests.
- Engineering, operations, and testing guides.

Events

- DictionaryTermAdded
- DictionaryTermUpdated
- DictionaryTermDeprecated
- DictionaryReleased

Storage

- Markdown source files in Volume 04.
- Generated PDF release artifact.
- Manifest checksum records.

Security

- Do not store secrets, credentials, or private operational data in dictionary entries.
- Classify security-sensitive terms clearly.
- Treat terminology changes as governance-relevant when they affect access, data, or authority.

Metrics

- Dictionary coverage by domain.
- Duplicate or conflicting term count.
- Traceability coverage.
- Release artifact generation success.

Testing

- Validate required dictionary files exist.
- Validate every term has the required fields.
- Validate PDF and ZIP generation.

Acceptance Criteria

- Volume 04 contains administrative files and all 25 dictionary files.
- Each dictionary file contains a meaningful list of domain terms.
- Each term follows the required canonical structure.

Traceability

- MAL-V00-B004
- MAL-V00-B009
- MAL-V02-B004
- MAL-V03-B03-20-020

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial Volume 04 administrative document.

Volume 04 Traceability

Version: v23 draft

Status: Draft

Document ID: MAL-V04-TRACEABILITY

Purpose

Map dictionary domains to constitutional, roadmap, and blueprint sources.

Scope

Volume 04 covers canonical terms used across Mariam AI Enterprise OS documentation, architecture, specifications, implementation planning, testing, operations, and release evidence.

Responsibilities

- Maintain one official vocabulary for Mariam.
- Resolve naming conflicts before implementation.
- Keep dictionary entries traceable to constitutional, roadmap, and blueprint documents.

Inputs

- Volume 00 Enterprise Constitution.
- Volume 01 Master Vision.
- Volume 02 Master Roadmap.
- Volume 03 Master Blueprint.

Outputs

- Dictionary files grouped by domain.
- Standard terms for specifications, tests, dashboards, APIs, MCP tools, events, and storage schemas.
- Traceable vocabulary for future releases.

Interfaces

- Architecture blueprints.
- Future specifications.
- Release notes and manifests.
- Engineering, operations, and testing guides.

Events

- DictionaryTermAdded
- DictionaryTermUpdated
- DictionaryTermDeprecated
- DictionaryReleased

Storage

- Markdown source files in Volume 04.
- Generated PDF release artifact.
- Manifest checksum records.

Security

- Do not store secrets, credentials, or private operational data in dictionary entries.
- Classify security-sensitive terms clearly.
- Treat terminology changes as governance-relevant when they affect access, data, or authority.

Metrics

- Dictionary coverage by domain.
- Duplicate or conflicting term count.
- Traceability coverage.
- Release artifact generation success.

Testing

- Validate required dictionary files exist.
- Validate every term has the required fields.
- Validate PDF and ZIP generation.

Acceptance Criteria

- Volume 04 contains administrative files and all 25 dictionary files.
- Each dictionary file contains a meaningful list of domain terms.
- Each term follows the required canonical structure.

Traceability

- MAL-V00-B004
- MAL-V00-B009
- MAL-V02-B004
- MAL-V03-B03-20-020

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial Volume 04 administrative document.

Volume 04 Acceptance

Version: v23 draft

Status: Draft

Document ID: MAL-V04-ACCEPTANCE

Purpose

Define acceptance rules for the v23 canonical dictionary baseline.

Scope

Volume 04 covers canonical terms used across Mariam AI Enterprise OS documentation, architecture, specifications, implementation planning, testing, operations, and release evidence.

Responsibilities

- Maintain one official vocabulary for Mariam.
- Resolve naming conflicts before implementation.
- Keep dictionary entries traceable to constitutional, roadmap, and blueprint documents.

Inputs

- Volume 00 Enterprise Constitution.
- Volume 01 Master Vision.
- Volume 02 Master Roadmap.
- Volume 03 Master Blueprint.

Outputs

- Dictionary files grouped by domain.
- Standard terms for specifications, tests, dashboards, APIs, MCP tools, events, and storage schemas.
- Traceable vocabulary for future releases.

Interfaces

- Architecture blueprints.
- Future specifications.
- Release notes and manifests.
- Engineering, operations, and testing guides.

Events

- DictionaryTermAdded
- DictionaryTermUpdated
- DictionaryTermDeprecated
- DictionaryReleased

Storage

- Markdown source files in Volume 04.
- Generated PDF release artifact.
- Manifest checksum records.

Security

- Do not store secrets, credentials, or private operational data in dictionary entries.
- Classify security-sensitive terms clearly.
- Treat terminology changes as governance-relevant when they affect access, data, or authority.

Metrics

- Dictionary coverage by domain.
- Duplicate or conflicting term count.
- Traceability coverage.
- Release artifact generation success.

Testing

- Validate required dictionary files exist.
- Validate every term has the required fields.
- Validate PDF and ZIP generation.

Acceptance Criteria

- Volume 04 contains administrative files and all 25 dictionary files.
- Each dictionary file contains a meaningful list of domain terms.
- Each term follows the required canonical structure.

Traceability

- MAL-V00-B004
- MAL-V00-B009
- MAL-V02-B004
- MAL-V03-B03-20-020

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial Volume 04 administrative document.

Enterprise Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-001

Purpose

Define the official enterprise terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Enterprise OS

- Term: Enterprise OS
- Official Definition: Enterprise OS is the canonical enterprise terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing enterprise terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: enterprise-os may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-001; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Tenant

- Term: Tenant
- Official Definition: Tenant is the canonical enterprise terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing enterprise terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: tenant may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-001; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Workspace

- Term: Workspace
- Official Definition: Workspace is the canonical enterprise terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing enterprise terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: workspace may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-001; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Business Unit

- Term: Business Unit
- Official Definition: Business Unit is the canonical enterprise terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing enterprise terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: business-unit may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-001; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Operating Model

- Term: Operating Model
- Official Definition: Operating Model is the canonical enterprise terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing enterprise terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: operating-model may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-001; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Service Catalog

- Term: Service Catalog
- Official Definition: Service Catalog is the canonical enterprise terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing enterprise terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: service-catalog may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-001; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Enterprise Object

- Term: Enterprise Object
- Official Definition: Enterprise Object is the canonical enterprise terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing enterprise terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: enterprise-object may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-001; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Authority Boundary

- Term: Authority Boundary
- Official Definition: Authority Boundary is the canonical enterprise terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing enterprise terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: authority-boundary may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-001; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Accountability Record

- Term: Accountability Record
- Official Definition: Accountability Record is the canonical enterprise terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing enterprise terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: accountability-record may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-001; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Execution Context

- Term: Execution Context
- Official Definition: Execution Context is the canonical enterprise terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing enterprise terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: execution-context may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-001; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Operating Evidence

- Term: Operating Evidence
- Official Definition: Operating Evidence is the canonical enterprise terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing enterprise terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: operating-evidence may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-001; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Enterprise Outcome

- Term: Enterprise Outcome
- Official Definition: Enterprise Outcome is the canonical enterprise terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing enterprise terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: enterprise-outcome may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-001; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Enterprise Terms.

Organization Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-002

Purpose

Define the official organization terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Organization Graph

- Term: Organization Graph
- Official Definition: Organization Graph is the canonical organization terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing organization terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: organization-graph may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-002; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Department

- Term: Department
- Official Definition: Department is the canonical organization terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing organization terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: department may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-002; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Team

- Term: Team
- Official Definition: Team is the canonical organization terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing organization terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: team may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-002; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Board

- Term: Board
- Official Definition: Board is the canonical organization terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing organization terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: board may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-002; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Chief Office

- Term: Chief Office
- Official Definition: Chief Office is the canonical organization terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing organization terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: chief-office may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-002; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Role

- Term: Role
- Official Definition: Role is the canonical organization terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing organization terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: role may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-002; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Responsibility

- Term: Responsibility
- Official Definition: Responsibility is the canonical organization terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing organization terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: responsibility may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-002; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Mandate

- Term: Mandate
- Official Definition: Mandate is the canonical organization terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing organization terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: mandate may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-002; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Decision Route

- Term: Decision Route
- Official Definition: Decision Route is the canonical organization terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing organization terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: decision-route may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-002; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Escalation Path

- Term: Escalation Path
- Official Definition: Escalation Path is the canonical organization terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing organization terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: escalation-path may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-002; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Approval Line

- Term: Approval Line
- Official Definition: Approval Line is the canonical organization terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing organization terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: approval-line may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-002; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Operating Rhythm

- Term: Operating Rhythm
- Official Definition: Operating Rhythm is the canonical organization terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing organization terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: operating-rhythm may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-002; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Organization Terms.

AI Society Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-003

Purpose

Define the official ai society terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

AI Society

- Term: AI Society
- Official Definition: AI Society is the canonical ai society terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ai society terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: ai-society may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-003; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

AI Chief

- Term: AI Chief
- Official Definition: AI Chief is the canonical ai society terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ai society terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: ai-chief may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-003; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Mission Manager

- Term: Mission Manager
- Official Definition: Mission Manager is the canonical ai society terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ai society terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: mission-manager may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-003; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Department Manager

- Term: Department Manager
- Official Definition: Department Manager is the canonical ai society terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ai society terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: department-manager may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-003; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Team Leader

- Term: Team Leader
- Official Definition: Team Leader is the canonical ai society terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ai society terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: team-leader may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-003; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Agent Role

- Term: Agent Role
- Official Definition: Agent Role is the canonical ai society terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ai society terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: agent-role may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-003; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Society Contract

- Term: Society Contract
- Official Definition: Society Contract is the canonical ai society terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ai society terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: society-contract may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-003; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Agent Review

- Term: Agent Review
- Official Definition: Agent Review is the canonical ai society terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ai society terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: agent-review may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-003; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Agent Validation

- Term: Agent Validation
- Official Definition: Agent Validation is the canonical ai society terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ai society terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: agent-validation may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-003; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Agent Governance

- Term: Agent Governance
- Official Definition: Agent Governance is the canonical ai society terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ai society terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: agent-governance may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-003; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Agent Memory

- Term: Agent Memory
- Official Definition: Agent Memory is the canonical ai society terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ai society terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: agent-memory may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-003; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Agent DNA

- Term: Agent DNA
- Official Definition: Agent DNA is the canonical ai society terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ai society terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: agent-dna may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-003; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for AI Society Terms.

Agent Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-004

Purpose

Define the official agent terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Agent

- Term: Agent
- Official Definition: Agent is the canonical agent terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing agent terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: agent may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-004; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Agent Identity

- Term: Agent Identity
- Official Definition: Agent Identity is the canonical agent terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing agent terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: agent-identity may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-004; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Agent Contract

- Term: Agent Contract
- Official Definition: Agent Contract is the canonical agent terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing agent terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: agent-contract may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-004; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Tool Use

- Term: Tool Use
- Official Definition: Tool Use is the canonical agent terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing agent terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: tool-use may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-004; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Prompt Context

- Term: Prompt Context
- Official Definition: Prompt Context is the canonical agent terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing agent terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: prompt-context may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-004; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Agent State

- Term: Agent State
- Official Definition: Agent State is the canonical agent terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing agent terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: agent-state may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-004; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Agent Plan

- Term: Agent Plan
- Official Definition: Agent Plan is the canonical agent terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing agent terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: agent-plan may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-004; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Agent Action

- Term: Agent Action
- Official Definition: Agent Action is the canonical agent terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing agent terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: agent-action may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-004; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Agent Output

- Term: Agent Output
- Official Definition: Agent Output is the canonical agent terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing agent terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: agent-output may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-004; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Agent Handoff

- Term: Agent Handoff
- Official Definition: Agent Handoff is the canonical agent terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing agent terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: agent-handoff may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-004; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Agent Failure

- Term: Agent Failure
- Official Definition: Agent Failure is the canonical agent terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing agent terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: agent-failure may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-004; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Agent Evaluation

- Term: Agent Evaluation
- Official Definition: Agent Evaluation is the canonical agent terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing agent terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: agent-evaluation may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-004; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Agent Terms.

Swarm Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-005

Purpose

Define the official swarm terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Swarm

- Term: Swarm
- Official Definition: Swarm is the canonical swarm terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing swarm terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: swarm may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-005; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Coordinator

- Term: Coordinator
- Official Definition: Coordinator is the canonical swarm terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing swarm terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: coordinator may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-005; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Dynamic Swarm

- Term: Dynamic Swarm
- Official Definition: Dynamic Swarm is the canonical swarm terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing swarm terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: dynamic-swarm may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-005; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Parallel Execution

- Term: Parallel Execution
- Official Definition: Parallel Execution is the canonical swarm terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing swarm terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: parallel-execution may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-005; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Consensus

- Term: Consensus
- Official Definition: Consensus is the canonical swarm terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing swarm terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: consensus may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-005; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Critique Loop

- Term: Critique Loop
- Official Definition: Critique Loop is the canonical swarm terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing swarm terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: critique-loop may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-005; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Conflict Resolution

- Term: Conflict Resolution
- Official Definition: Conflict Resolution is the canonical swarm terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing swarm terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: conflict-resolution may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-005; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Task Allocation

- Term: Task Allocation
- Official Definition: Task Allocation is the canonical swarm terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing swarm terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: task-allocation may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-005; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Swarm Memory

- Term: Swarm Memory
- Official Definition: Swarm Memory is the canonical swarm terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing swarm terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: swarm-memory may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-005; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Swarm Recovery

- Term: Swarm Recovery
- Official Definition: Swarm Recovery is the canonical swarm terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing swarm terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: swarm-recovery may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-005; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Swarm Optimization

- Term: Swarm Optimization
- Official Definition: Swarm Optimization is the canonical swarm terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing swarm terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: swarm-optimization may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-005; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Swarm Event

- Term: Swarm Event
- Official Definition: Swarm Event is the canonical swarm terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing swarm terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: swarm-event may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-005; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Swarm Terms.

DNA Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-006

Purpose

Define the official dna terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

DNA Package

- Term: DNA Package
- Official Definition: DNA Package is the canonical dna terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing dna terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: dna-package may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-006; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

DNA Graph

- Term: DNA Graph
- Official Definition: DNA Graph is the canonical dna terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing dna terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: dna-graph may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-006; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

DNA Runtime Store

- Term: DNA Runtime Store
- Official Definition: DNA Runtime Store is the canonical dna terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing dna terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: dna-runtime-store may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-006; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

DNA Mount

- Term: DNA Mount
- Official Definition: DNA Mount is the canonical dna terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing dna terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: dna-mount may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-006; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

DNA Extractor

- Term: DNA Extractor
- Official Definition: DNA Extractor is the canonical dna terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing dna terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: dna-extractor may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-006; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

DNA Federation

- Term: DNA Federation
- Official Definition: DNA Federation is the canonical dna terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing dna terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: dna-federation may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-006; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

DNA Export

- Term: DNA Export
- Official Definition: DNA Export is the canonical dna terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing dna terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: dna-export may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-006; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

DNA Import

- Term: DNA Import
- Official Definition: DNA Import is the canonical dna terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing dna terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: dna-import may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-006; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

DNA Version

- Term: DNA Version
- Official Definition: DNA Version is the canonical dna terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing dna terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: dna-version may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-006; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

DNA Dependency

- Term: DNA Dependency
- Official Definition: DNA Dependency is the canonical dna terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing dna terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: dna-dependency may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-006; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

DNA Mutation

- Term: DNA Mutation
- Official Definition: DNA Mutation is the canonical dna terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing dna terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: dna-mutation may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-006; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

DNA Governance

- Term: DNA Governance
- Official Definition: DNA Governance is the canonical dna terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing dna terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: dna-governance may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-006; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for DNA Terms.

Knowledge Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-007

Purpose

Define the official knowledge terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Knowledge Object

- Term: Knowledge Object
- Official Definition: Knowledge Object is the canonical knowledge terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing knowledge terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: knowledge-object may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-007; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Knowledge Graph

- Term: Knowledge Graph
- Official Definition: Knowledge Graph is the canonical knowledge terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing knowledge terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: knowledge-graph may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-007; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Knowledge Store

- Term: Knowledge Store
- Official Definition: Knowledge Store is the canonical knowledge terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing knowledge terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: knowledge-store may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-007; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Document Intelligence

- Term: Document Intelligence
- Official Definition: Document Intelligence is the canonical knowledge terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing knowledge terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: document-intelligence may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-007; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Memory

- Term: Memory
- Official Definition: Memory is the canonical knowledge terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing knowledge terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: memory may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-007; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Vector Store

- Term: Vector Store
- Official Definition: Vector Store is the canonical knowledge terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing knowledge terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: vector-store may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-007; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Embedding

- Term: Embedding
- Official Definition: Embedding is the canonical knowledge terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing knowledge terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: embedding may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-007; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Semantic Search

- Term: Semantic Search
- Official Definition: Semantic Search is the canonical knowledge terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing knowledge terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: semantic-search may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-007; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Knowledge Index

- Term: Knowledge Index
- Official Definition: Knowledge Index is the canonical knowledge terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing knowledge terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: knowledge-index may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-007; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Provenance

- Term: Provenance
- Official Definition: Provenance is the canonical knowledge terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing knowledge terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: provenance may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-007; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Supersession

- Term: Supersession
- Official Definition: Supersession is the canonical knowledge terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing knowledge terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: supersession may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-007; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Knowledge Quality

- Term: Knowledge Quality
- Official Definition: Knowledge Quality is the canonical knowledge terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing knowledge terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: knowledge-quality may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-007; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Knowledge Terms.

Capability Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-008

Purpose

Define the official capability terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Capability

- Term: Capability
- Official Definition: Capability is the canonical capability terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing capability terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: capability may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-008; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Capability Graph

- Term: Capability Graph
- Official Definition: Capability Graph is the canonical capability terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing capability terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: capability-graph may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-008; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Capability Registry

- Term: Capability Registry
- Official Definition: Capability Registry is the canonical capability terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing capability terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: capability-registry may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-008; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Capability Discovery

- Term: Capability Discovery
- Official Definition: Capability Discovery is the canonical capability terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing capability terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: capability-discovery may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-008; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Capability Matching

- Term: Capability Matching
- Official Definition: Capability Matching is the canonical capability terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing capability terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: capability-matching may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-008; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Capability Ranking

- Term: Capability Ranking
- Official Definition: Capability Ranking is the canonical capability terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing capability terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: capability-ranking may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-008; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Capability Requirement

- Term: Capability Requirement
- Official Definition: Capability Requirement is the canonical capability terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing capability terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: capability-requirement may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-008; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Capability Dependency

- Term: Capability Dependency
- Official Definition: Capability Dependency is the canonical capability terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing capability terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: capability-dependency may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-008; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Capability Lifecycle

- Term: Capability Lifecycle
- Official Definition: Capability Lifecycle is the canonical capability terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing capability terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: capability-lifecycle may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-008; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Capability DNA

- Term: Capability DNA
- Official Definition: Capability DNA is the canonical capability terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing capability terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: capability-dna may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-008; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Capability Benchmark

- Term: Capability Benchmark
- Official Definition: Capability Benchmark is the canonical capability terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing capability terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: capability-benchmark may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-008; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Capability Acceptance

- Term: Capability Acceptance
- Official Definition: Capability Acceptance is the canonical capability terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing capability terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: capability-acceptance may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-008; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Capability Terms.

Workflow Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-009

Purpose

Define the official workflow terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Workflow

- Term: Workflow
- Official Definition: Workflow is the canonical workflow terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing workflow terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: workflow may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-009; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Workflow Engine

- Term: Workflow Engine
- Official Definition: Workflow Engine is the canonical workflow terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing workflow terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: workflow-engine may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-009; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Mission Graph

- Term: Mission Graph
- Official Definition: Mission Graph is the canonical workflow terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing workflow terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: mission-graph may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-009; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Task Graph

- Term: Task Graph
- Official Definition: Task Graph is the canonical workflow terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing workflow terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: task-graph may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-009; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Planner

- Term: Planner
- Official Definition: Planner is the canonical workflow terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing workflow terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: planner may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-009; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Scheduler

- Term: Scheduler
- Official Definition: Scheduler is the canonical workflow terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing workflow terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: scheduler may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-009; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Executor

- Term: Executor
- Official Definition: Executor is the canonical workflow terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing workflow terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: executor may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-009; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Workflow State

- Term: Workflow State
- Official Definition: Workflow State is the canonical workflow terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing workflow terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: workflow-state may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-009; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Approval Gate

- Term: Approval Gate
- Official Definition: Approval Gate is the canonical workflow terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing workflow terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: approval-gate may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-009; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Recovery Path

- Term: Recovery Path
- Official Definition: Recovery Path is the canonical workflow terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing workflow terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: recovery-path may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-009; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Self Healing

- Term: Self Healing
- Official Definition: Self Healing is the canonical workflow terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing workflow terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: self-healing may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-009; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Workflow Template

- Term: Workflow Template
- Official Definition: Workflow Template is the canonical workflow terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing workflow terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: workflow-template may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-009; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Workflow Terms.

Runtime Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-010

Purpose

Define the official runtime terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Runtime

- Term: Runtime
- Official Definition: Runtime is the canonical runtime terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing runtime terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: runtime may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-010; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Runtime Kernel

- Term: Runtime Kernel
- Official Definition: Runtime Kernel is the canonical runtime terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing runtime terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: runtime-kernel may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-010; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Runtime Manager

- Term: Runtime Manager
- Official Definition: Runtime Manager is the canonical runtime terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing runtime terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: runtime-manager may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-010; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Runtime Registry

- Term: Runtime Registry
- Official Definition: Runtime Registry is the canonical runtime terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing runtime terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: runtime-registry may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-010; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Runtime Isolation

- Term: Runtime Isolation
- Official Definition: Runtime Isolation is the canonical runtime terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing runtime terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: runtime-isolation may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-010; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Runtime Policy

- Term: Runtime Policy
- Official Definition: Runtime Policy is the canonical runtime terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing runtime terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: runtime-policy may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-010; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Runtime Scheduler

- Term: Runtime Scheduler
- Official Definition: Runtime Scheduler is the canonical runtime terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing runtime terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: runtime-scheduler may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-010; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Service Runtime

- Term: Service Runtime
- Official Definition: Service Runtime is the canonical runtime terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing runtime terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: service-runtime may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-010; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Mission Runtime

- Term: Mission Runtime
- Official Definition: Mission Runtime is the canonical runtime terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing runtime terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: mission-runtime may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-010; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Workflow Runtime

- Term: Workflow Runtime
- Official Definition: Workflow Runtime is the canonical runtime terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing runtime terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: workflow-runtime may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-010; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Runtime Recovery

- Term: Runtime Recovery
- Official Definition: Runtime Recovery is the canonical runtime terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing runtime terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: runtime-recovery may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-010; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Runtime Observability

- Term: Runtime Observability
- Official Definition: Runtime Observability is the canonical runtime terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing runtime terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: runtime-observability may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-010; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Runtime Terms.

Model Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-011

Purpose

Define the official model terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Model

- Term: Model
- Official Definition: Model is the canonical model terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing model terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: model may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-011; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Model Registry

- Term: Model Registry
- Official Definition: Model Registry is the canonical model terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing model terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: model-registry may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-011; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Model Router

- Term: Model Router
- Official Definition: Model Router is the canonical model terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing model terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: model-router may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-011; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Model Runtime

- Term: Model Runtime
- Official Definition: Model Runtime is the canonical model terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing model terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: model-runtime may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-011; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

GGUF

- Term: GGUF
- Official Definition: GGUF is the canonical model terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing model terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: gguf may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-011; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

ONNX

- Term: ONNX
- Official Definition: ONNX is the canonical model terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing model terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: onnx may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-011; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

SafeTensors

- Term: SafeTensors
- Official Definition: SafeTensors is the canonical model terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing model terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: safetensors may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-011; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Transformers

- Term: Transformers
- Official Definition: Transformers is the canonical model terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing model terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: transformers may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-011; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Model Evaluation

- Term: Model Evaluation
- Official Definition: Model Evaluation is the canonical model terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing model terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: model-evaluation may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-011; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Model Fallback

- Term: Model Fallback
- Official Definition: Model Fallback is the canonical model terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing model terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: model-fallback may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-011; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Model Cost Control

- Term: Model Cost Control
- Official Definition: Model Cost Control is the canonical model terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing model terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: model-cost-control may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-011; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Model Safety

- Term: Model Safety
- Official Definition: Model Safety is the canonical model terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing model terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: model-safety may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-011; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Model Terms.

Provider Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-012

Purpose

Define the official provider terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Provider

- Term: Provider
- Official Definition: Provider is the canonical provider terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing provider terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: provider may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-012; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Provider Registry

- Term: Provider Registry
- Official Definition: Provider Registry is the canonical provider terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing provider terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: provider-registry may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-012; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Provider Adapter

- Term: Provider Adapter
- Official Definition: Provider Adapter is the canonical provider terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing provider terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: provider-adapter may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-012; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Provider Credential

- Term: Provider Credential
- Official Definition: Provider Credential is the canonical provider terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing provider terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: provider-credential may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-012; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Provider Quota

- Term: Provider Quota
- Official Definition: Provider Quota is the canonical provider terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing provider terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: provider-quota may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-012; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Provider Health

- Term: Provider Health
- Official Definition: Provider Health is the canonical provider terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing provider terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: provider-health may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-012; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Provider Routing

- Term: Provider Routing
- Official Definition: Provider Routing is the canonical provider terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing provider terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: provider-routing may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-012; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Provider Fallback

- Term: Provider Fallback
- Official Definition: Provider Fallback is the canonical provider terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing provider terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: provider-fallback may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-012; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Provider Billing

- Term: Provider Billing
- Official Definition: Provider Billing is the canonical provider terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing provider terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: provider-billing may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-012; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Provider Compliance

- Term: Provider Compliance
- Official Definition: Provider Compliance is the canonical provider terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing provider terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: provider-compliance may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-012; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Provider Onboarding

- Term: Provider Onboarding
- Official Definition: Provider Onboarding is the canonical provider terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing provider terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: provider-onboarding may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-012; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Provider Deprecation

- Term: Provider Deprecation
- Official Definition: Provider Deprecation is the canonical provider terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing provider terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: provider-deprecation may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-012; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Provider Terms.

Plugin Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-013

Purpose

Define the official plugin terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Plugin

- Term: Plugin
- Official Definition: Plugin is the canonical plugin terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing plugin terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: plugin may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-013; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Plugin Manifest

- Term: Plugin Manifest
- Official Definition: Plugin Manifest is the canonical plugin terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing plugin terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: plugin-manifest may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-013; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Plugin Loader

- Term: Plugin Loader
- Official Definition: Plugin Loader is the canonical plugin terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing plugin terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: plugin-loader may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-013; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Plugin Sandbox

- Term: Plugin Sandbox
- Official Definition: Plugin Sandbox is the canonical plugin terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing plugin terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: plugin-sandbox may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-013; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Plugin Permission

- Term: Plugin Permission
- Official Definition: Plugin Permission is the canonical plugin terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing plugin terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: plugin-permission may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-013; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Plugin API

- Term: Plugin API
- Official Definition: Plugin API is the canonical plugin terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing plugin terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: plugin-api may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-013; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Plugin Lifecycle

- Term: Plugin Lifecycle
- Official Definition: Plugin Lifecycle is the canonical plugin terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing plugin terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: plugin-lifecycle may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-013; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Plugin Dependency

- Term: Plugin Dependency
- Official Definition: Plugin Dependency is the canonical plugin terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing plugin terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: plugin-dependency may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-013; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Plugin Configuration

- Term: Plugin Configuration
- Official Definition: Plugin Configuration is the canonical plugin terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing plugin terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: plugin-configuration may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-013; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Plugin Compatibility

- Term: Plugin Compatibility
- Official Definition: Plugin Compatibility is the canonical plugin terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing plugin terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: plugin-compatibility may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-013; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Plugin Marketplace

- Term: Plugin Marketplace
- Official Definition: Plugin Marketplace is the canonical plugin terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing plugin terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: plugin-marketplace may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-013; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Plugin Governance

- Term: Plugin Governance
- Official Definition: Plugin Governance is the canonical plugin terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing plugin terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: plugin-governance may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-013; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Plugin Terms.

Connector Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-014

Purpose

Define the official connector terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Connector

- Term: Connector
- Official Definition: Connector is the canonical connector terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing connector terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: connector may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-014; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Connector Manifest

- Term: Connector Manifest
- Official Definition: Connector Manifest is the canonical connector terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing connector terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: connector-manifest may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-014; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Connector Loader

- Term: Connector Loader
- Official Definition: Connector Loader is the canonical connector terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing connector terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: connector-loader may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-014; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Connector Auth

- Term: Connector Auth
- Official Definition: Connector Auth is the canonical connector terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing connector terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: connector-auth may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-014; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Connector Permission

- Term: Connector Permission
- Official Definition: Connector Permission is the canonical connector terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing connector terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: connector-permission may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-014; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Connector API

- Term: Connector API
- Official Definition: Connector API is the canonical connector terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing connector terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: connector-api may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-014; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Connector Sync

- Term: Connector Sync
- Official Definition: Connector Sync is the canonical connector terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing connector terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: connector-sync may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-014; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Webhook

- Term: Webhook
- Official Definition: Webhook is the canonical connector terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing connector terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: webhook may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-014; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Rate Limit

- Term: Rate Limit
- Official Definition: Rate Limit is the canonical connector terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing connector terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: rate-limit may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-014; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Connector Mapping

- Term: Connector Mapping
- Official Definition: Connector Mapping is the canonical connector terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing connector terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: connector-mapping may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-014; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Connector Retry

- Term: Connector Retry
- Official Definition: Connector Retry is the canonical connector terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing connector terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: connector-retry may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-014; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Connector Observability

- Term: Connector Observability
- Official Definition: Connector Observability is the canonical connector terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing connector terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: connector-observability may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-014; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Connector Terms.

Marketplace Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-015

Purpose

Define the official marketplace terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Marketplace

- Term: Marketplace
- Official Definition: Marketplace is the canonical marketplace terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing marketplace terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: marketplace may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-015; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Catalog

- Term: Catalog
- Official Definition: Catalog is the canonical marketplace terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing marketplace terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: catalog may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-015; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Listing

- Term: Listing
- Official Definition: Listing is the canonical marketplace terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing marketplace terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: listing may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-015; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Offer

- Term: Offer
- Official Definition: Offer is the canonical marketplace terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing marketplace terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: offer may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-015; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Profile

- Term: Profile
- Official Definition: Profile is the canonical marketplace terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing marketplace terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: profile may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-015; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Match

- Term: Match
- Official Definition: Match is the canonical marketplace terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing marketplace terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: match may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-015; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Ranking

- Term: Ranking
- Official Definition: Ranking is the canonical marketplace terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing marketplace terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: ranking may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-015; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Reputation

- Term: Reputation
- Official Definition: Reputation is the canonical marketplace terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing marketplace terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: reputation may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-015; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Transaction

- Term: Transaction
- Official Definition: Transaction is the canonical marketplace terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing marketplace terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: transaction may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-015; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Fulfillment

- Term: Fulfillment
- Official Definition: Fulfillment is the canonical marketplace terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing marketplace terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: fulfillment may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-015; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Dispute

- Term: Dispute
- Official Definition: Dispute is the canonical marketplace terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing marketplace terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: dispute may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-015; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Review

- Term: Review
- Official Definition: Review is the canonical marketplace terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing marketplace terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: review may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-015; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Marketplace Terms.

Governance Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-016

Purpose

Define the official governance terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Governance

- Term: Governance
- Official Definition: Governance is the canonical governance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing governance terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: governance may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-016; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Policy

- Term: Policy
- Official Definition: Policy is the canonical governance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing governance terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: policy may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-016; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Approval

- Term: Approval
- Official Definition: Approval is the canonical governance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing governance terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: approval may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-016; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Exception

- Term: Exception
- Official Definition: Exception is the canonical governance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing governance terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: exception may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- **Governance Notes:** Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- **Traceability:** MAL-V04-DICT-016; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Audit

- **Term:** Audit
- **Official Definition:** Audit is the canonical governance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- **Role in Mariam:** It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing governance terms behavior.
- **Related Systems:** Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- **Related DNA:** Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- **Interfaces:** Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- **Examples:** audit may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- **Governance Notes:** Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- **Traceability:** MAL-V04-DICT-016; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Risk Register

- **Term:** Risk Register
- **Official Definition:** Risk Register is the canonical governance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- **Role in Mariam:** It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing governance terms behavior.
- **Related Systems:** Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- **Related DNA:** Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- **Interfaces:** Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- **Examples:** risk-register may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- **Governance Notes:** Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- **Traceability:** MAL-V04-DICT-016; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Compliance Evidence

- Term: Compliance Evidence
- Official Definition: Compliance Evidence is the canonical governance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing governance terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: compliance-evidence may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-016; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Legal Control

- Term: Legal Control
- Official Definition: Legal Control is the canonical governance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing governance terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: legal-control may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-016; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Quality Gate

- Term: Quality Gate
- Official Definition: Quality Gate is the canonical governance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing governance terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: quality-gate may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-016; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Decision Record

- Term: Decision Record
- Official Definition: Decision Record is the canonical governance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing governance terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: decision-record may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-016; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Review Board

- Term: Review Board
- Official Definition: Review Board is the canonical governance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing governance terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: review-board may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-016; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Governance Checkpoint

- Term: Governance Checkpoint
- Official Definition: Governance Checkpoint is the canonical governance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing governance terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: governance-checkpoint may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-016; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Governance Terms.

Security Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-017

Purpose

Define the official security terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Security Boundary

- Term: Security Boundary
- Official Definition: Security Boundary is the canonical security terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing security terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: security-boundary may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-017; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Least Privilege

- Term: Least Privilege
- Official Definition: Least Privilege is the canonical security terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing security terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: least-privilege may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-017; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Tenant Isolation

- Term: Tenant Isolation
- Official Definition: Tenant Isolation is the canonical security terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing security terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: tenant-isolation may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-017; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Protected Action

- Term: Protected Action
- Official Definition: Protected Action is the canonical security terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing security terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: protected-action may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-017; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Secret

- Term: Secret
- Official Definition: Secret is the canonical security terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing security terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: secret may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-017; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Credential

- Term: Credential
- Official Definition: Credential is the canonical security terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing security terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: credential may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-017; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Redaction

- Term: Redaction
- Official Definition: Redaction is the canonical security terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing security terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: redaction may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-017; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Classification

- Term: Classification
- Official Definition: Classification is the canonical security terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing security terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: classification may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-017; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Access Decision

- Term: Access Decision
- Official Definition: Access Decision is the canonical security terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing security terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: access-decision may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-017; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Audit Trail

- Term: Audit Trail
- Official Definition: Audit Trail is the canonical security terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing security terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: audit-trail may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-017; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Threat Model

- Term: Threat Model
- Official Definition: Threat Model is the canonical security terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing security terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: threat-model may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-017; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Security Gate

- Term: Security Gate
- Official Definition: Security Gate is the canonical security terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing security terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: security-gate may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-017; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Security Terms.

Infrastructure Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-018

Purpose

Define the official infrastructure terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Environment

- Term: Environment
- Official Definition: Environment is the canonical infrastructure terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing infrastructure terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: environment may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-018; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Deployment Pipeline

- Term: Deployment Pipeline
- Official Definition: Deployment Pipeline is the canonical infrastructure terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing infrastructure terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: deployment-pipeline may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-018; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Storage Layer

- Term: Storage Layer
- Official Definition: Storage Layer is the canonical infrastructure terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing infrastructure terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: storage-layer may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-018; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Cache Layer

- Term: Cache Layer
- Official Definition: Cache Layer is the canonical infrastructure terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing infrastructure terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: cache-layer may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-018; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Network Boundary

- Term: Network Boundary
- Official Definition: Network Boundary is the canonical infrastructure terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing infrastructure terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: network-boundary may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-018; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Sandbox

- Term: Sandbox
- Official Definition: Sandbox is the canonical infrastructure terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing infrastructure terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: sandbox may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-018; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Metrics Pipeline

- Term: Metrics Pipeline
- Official Definition: Metrics Pipeline is the canonical infrastructure terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing infrastructure terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: metrics-pipeline may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-018; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Tracing

- Term: Tracing
- Official Definition: Tracing is the canonical infrastructure terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing infrastructure terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: tracing may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-018; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Logging

- Term: Logging
- Official Definition: Logging is the canonical infrastructure terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing infrastructure terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: logging may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-018; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Monitoring

- Term: Monitoring
- Official Definition: Monitoring is the canonical infrastructure terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing infrastructure terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: monitoring may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-018; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Backup

- Term: Backup
- Official Definition: Backup is the canonical infrastructure terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing infrastructure terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: backup may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-018; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Recovery Objective

- Term: Recovery Objective
- Official Definition: Recovery Objective is the canonical infrastructure terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing infrastructure terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: recovery-objective may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-018; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Infrastructure Terms.

Freelance Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-019

Purpose

Define the official freelance terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Freelancer Profile

- Term: Freelancer Profile
- Official Definition: Freelancer Profile is the canonical freelance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing freelance terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: freelancer-profile may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-019; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Opportunity Monitor

- Term: Opportunity Monitor
- Official Definition: Opportunity Monitor is the canonical freelance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing freelance terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: opportunity-monitor may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-019; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Proposal Engine

- Term: Proposal Engine
- Official Definition: Proposal Engine is the canonical freelance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing freelance terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: proposal-engine may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-019; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Portfolio Memory

- Term: Portfolio Memory
- Official Definition: Portfolio Memory is the canonical freelance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing freelance terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: portfolio-memory may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-019; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Client Communication

- Term: Client Communication
- Official Definition: Client Communication is the canonical freelance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing freelance terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: client-communication may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-019; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Pricing Support

- Term: Pricing Support
- Official Definition: Pricing Support is the canonical freelance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing freelance terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: pricing-support may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-019; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Delivery Workflow

- Term: Delivery Workflow
- Official Definition: Delivery Workflow is the canonical freelance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing freelance terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: delivery-workflow may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-019; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Contract Support

- Term: Contract Support
- Official Definition: Contract Support is the canonical freelance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing freelance terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: contract-support may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-019; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Invoice Support

- Term: Invoice Support
- Official Definition: Invoice Support is the canonical freelance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing freelance terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: invoice-support may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-019; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Client Success

- Term: Client Success
- Official Definition: Client Success is the canonical freelance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing freelance terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: client-success may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-019; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Reputation Growth

- Term: Reputation Growth
- Official Definition: Reputation Growth is the canonical freelance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing freelance terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: reputation-growth may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-019; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Freelance Automation

- Term: Freelance Automation
- Official Definition: Freelance Automation is the canonical freelance terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing freelance terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: freelance-automation may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-019; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Freelance Terms.

Remote Work Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-020

Purpose

Define the official remote work terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Async Update

- Term: Async Update
- Official Definition: Async Update is the canonical remote work terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing remote work terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: async-update may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-020; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Decision Record

- Term: Decision Record
- Official Definition: Decision Record is the canonical remote work terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing remote work terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: decision-record may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-020; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Meeting Intelligence

- Term: Meeting Intelligence
- Official Definition: Meeting Intelligence is the canonical remote work terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing remote work terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: meeting-intelligence may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-020; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Handoff

- Term: Handoff
- Official Definition: Handoff is the canonical remote work terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing remote work terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: handoff may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-020; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Blocker

- Term: Blocker
- Official Definition: Blocker is the canonical remote work terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing remote work terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: blocker may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-020; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Team Rhythm

- Term: Team Rhythm
- Official Definition: Team Rhythm is the canonical remote work terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing remote work terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: team-rhythm may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-020; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Timezone Coordination

- Term: Timezone Coordination
- Official Definition: Timezone Coordination is the canonical remote work terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing remote work terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: timezone-coordination may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-020; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Remote Dashboard

- Term: Remote Dashboard
- Official Definition: Remote Dashboard is the canonical remote work terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing remote work terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: remote-dashboard may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-020; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Knowledge Continuity

- Term: Knowledge Continuity
- Official Definition: Knowledge Continuity is the canonical remote work terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing remote work terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: knowledge-continuity may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-020; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Accountability Signal

- Term: Accountability Signal
- Official Definition: Accountability Signal is the canonical remote work terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing remote work terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: accountability-signal may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-020; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Remote Workflow

- Term: Remote Workflow
- Official Definition: Remote Workflow is the canonical remote work terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing remote work terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: remote-workflow may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-020; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Distributed Review

- Term: Distributed Review
- Official Definition: Distributed Review is the canonical remote work terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing remote work terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: distributed-review may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-020; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Remote Work Terms.

Evolution Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-021

Purpose

Define the official evolution terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Evolution System

- Term: Evolution System
- Official Definition: Evolution System is the canonical evolution terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing evolution terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: evolution-system may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-021; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Feedback Loop

- Term: Feedback Loop
- Official Definition: Feedback Loop is the canonical evolution terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing evolution terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: feedback-loop may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-021; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Telemetry

- Term: Telemetry
- Official Definition: Telemetry is the canonical evolution terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing evolution terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: telemetry may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-021; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Deprecation

- Term: Deprecation
- Official Definition: Deprecation is the canonical evolution terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing evolution terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: deprecation may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-021; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Migration

- Term: Migration
- Official Definition: Migration is the canonical evolution terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing evolution terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: migration may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-021; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Mutation

- Term: Mutation
- Official Definition: Mutation is the canonical evolution terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing evolution terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: mutation may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-021; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Optimization

- Term: Optimization
- Official Definition: Optimization is the canonical evolution terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing evolution terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: optimization may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-021; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Learning Signal

- Term: Learning Signal
- Official Definition: Learning Signal is the canonical evolution terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing evolution terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: learning-signal may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-021; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Roadmap Revision

- Term: Roadmap Revision
- Official Definition: Roadmap Revision is the canonical evolution terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing evolution terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: roadmap-revision may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-021; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Compatibility

- Term: Compatibility
- Official Definition: Compatibility is the canonical evolution terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing evolution terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: compatibility may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-021; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Release Evidence

- Term: Release Evidence
- Official Definition: Release Evidence is the canonical evolution terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing evolution terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: release-evidence may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-021; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Continuous Improvement

- Term: Continuous Improvement
- Official Definition: Continuous Improvement is the canonical evolution terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing evolution terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: continuous-improvement may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-021; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Evolution Terms.

Monitoring Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-022

Purpose

Define the official monitoring terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Metric

- Term: Metric
- Official Definition: Metric is the canonical monitoring terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing monitoring terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: metric may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-022; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Log

- Term: Log
- Official Definition: Log is the canonical monitoring terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing monitoring terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: log may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-022; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Trace

- Term: Trace
- Official Definition: Trace is the canonical monitoring terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing monitoring terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: trace may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-022; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Alert

- Term: Alert
- Official Definition: Alert is the canonical monitoring terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing monitoring terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: alert may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-022; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Dashboard

- Term: Dashboard
- Official Definition: Dashboard is the canonical monitoring terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing monitoring terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: dashboard may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-022; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Health Check

- Term: Health Check
- Official Definition: Health Check is the canonical monitoring terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing monitoring terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: health-check may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-022; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Readiness

- Term: Readiness
- Official Definition: Readiness is the canonical monitoring terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing monitoring terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: readiness may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-022; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Liveness

- Term: Liveness
- Official Definition: Liveness is the canonical monitoring terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing monitoring terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: liveness may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-022; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Incident

- Term: Incident
- Official Definition: Incident is the canonical monitoring terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing monitoring terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: incident may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-022; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

SLO

- Term: SLO
- Official Definition: SLO is the canonical monitoring terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing monitoring terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: slo may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-022; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Error Budget

- Term: Error Budget
- Official Definition: Error Budget is the canonical monitoring terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing monitoring terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: error-budget may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-022; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Observation

- Term: Observation
- Official Definition: Observation is the canonical monitoring terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing monitoring terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: observation may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-022; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Monitoring Terms.

Storage Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-023

Purpose

Define the official storage terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Record

- Term: Record
- Official Definition: Record is the canonical storage terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing storage terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: record may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-023; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Object Store

- Term: Object Store
- Official Definition: Object Store is the canonical storage terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing storage terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: object-store may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-023; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Ledger

- Term: Ledger
- Official Definition: Ledger is the canonical storage terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing storage terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: ledger may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-023; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Snapshot

- Term: Snapshot
- Official Definition: Snapshot is the canonical storage terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing storage terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: snapshot may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-023; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Index

- Term: Index
- Official Definition: Index is the canonical storage terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing storage terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: index may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-023; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Vector Index

- Term: Vector Index
- Official Definition: Vector Index is the canonical storage terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing storage terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: vector-index may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-023; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Retention

- Term: Retention
- Official Definition: Retention is the canonical storage terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing storage terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: retention may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-023; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Archive

- Term: Archive
- Official Definition: Archive is the canonical storage terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing storage terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: archive may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-023; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Backup

- Term: Backup
- Official Definition: Backup is the canonical storage terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing storage terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: backup may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-023; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Restore

- Term: Restore
- Official Definition: Restore is the canonical storage terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing storage terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: restore may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-023; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Migration

- Term: Migration
- Official Definition: Migration is the canonical storage terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing storage terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: migration may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-023; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Data Classification

- Term: Data Classification
- Official Definition: Data Classification is the canonical storage terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing storage terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: data-classification may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-023; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Storage Terms.

UI Dashboard Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-024

Purpose

Define the official ui dashboard terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Dashboard

- Term: Dashboard
- Official Definition: Dashboard is the canonical ui dashboard terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ui dashboard terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: dashboard may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-024; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Command Center

- Term: Command Center
- Official Definition: Command Center is the canonical ui dashboard terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ui dashboard terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: command-center may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-024; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Executive Center

- Term: Executive Center
- Official Definition: Executive Center is the canonical ui dashboard terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ui dashboard terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: executive-center may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-024; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Operations View

- Term: Operations View
- Official Definition: Operations View is the canonical ui dashboard terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ui dashboard terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: operations-view may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-024; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Knowledge View

- Term: Knowledge View
- Official Definition: Knowledge View is the canonical ui dashboard terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ui dashboard terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: knowledge-view may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-024; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Engineering View

- Term: Engineering View
- Official Definition: Engineering View is the canonical ui dashboard terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ui dashboard terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: engineering-view may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-024; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Marketplace View

- Term: Marketplace View
- Official Definition: Marketplace View is the canonical ui dashboard terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ui dashboard terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: marketplace-view may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-024; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Analytics View

- Term: Analytics View
- Official Definition: Analytics View is the canonical ui dashboard terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ui dashboard terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: analytics-view may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-024; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Review Surface

- Term: Review Surface
- Official Definition: Review Surface is the canonical ui dashboard terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ui dashboard terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: review-surface may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-024; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Notification

- Term: Notification
- Official Definition: Notification is the canonical ui dashboard terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ui dashboard terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: notification may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-024; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Work Queue

- Term: Work Queue
- Official Definition: Work Queue is the canonical ui dashboard terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ui dashboard terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: work-queue may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-024; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Status Panel

- Term: Status Panel
- Official Definition: Status Panel is the canonical ui dashboard terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing ui dashboard terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: status-panel may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-024; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for UI Dashboard Terms.

Integration API MCP Terms

Version: v23 draft

Status: Draft

Document ID: MAL-V04-DICT-025

Purpose

Define the official integration api mcp terms vocabulary for Mariam AI Enterprise OS.

Scope

This dictionary file standardizes core terminology used across architecture, roadmap, specifications, testing, operations, dashboards, APIs, agents, and release artifacts.

Terms

Integration

- Term: Integration
- Official Definition: Integration is the canonical integration api mcp terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing integration api mcp terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: integration may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-025; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

API

- Term: API
- Official Definition: API is the canonical integration api mcp terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing integration api mcp terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.

- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: api may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-025; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

MCP Server

- Term: MCP Server
- Official Definition: MCP Server is the canonical integration api mcp terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing integration api mcp terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: mcp-server may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-025; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

MCP Tool

- Term: MCP Tool
- Official Definition: MCP Tool is the canonical integration api mcp terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing integration api mcp terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: mcp-tool may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.

- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-025; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

MCP Resource

- Term: MCP Resource
- Official Definition: MCP Resource is the canonical integration api mcp terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing integration api mcp terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: mcp-resource may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-025; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Connector Adapter

- Term: Connector Adapter
- Official Definition: Connector Adapter is the canonical integration api mcp terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing integration api mcp terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: connector-adapter may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-025; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Webhook Endpoint

- Term: Webhook Endpoint
- Official Definition: Webhook Endpoint is the canonical integration api mcp terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing integration api mcp terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: webhook-endpoint may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-025; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

OAuth Flow

- Term: OAuth Flow
- Official Definition: OAuth Flow is the canonical integration api mcp terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing integration api mcp terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: oauth-flow may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-025; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

API Key

- Term: API Key
- Official Definition: API Key is the canonical integration api mcp terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing integration api mcp terms behavior.

- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: api-key may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-025; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Schema Contract

- Term: Schema Contract
- Official Definition: Schema Contract is the canonical integration api mcp terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing integration api mcp terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: schema-contract may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-025; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Rate Limit Policy

- Term: Rate Limit Policy
- Official Definition: Rate Limit Policy is the canonical integration api mcp terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing integration api mcp terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.

- Examples: rate-limit-policy may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-025; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Integration Audit

- Term: Integration Audit
- Official Definition: Integration Audit is the canonical integration api mcp terms concept used by Mariam AI Enterprise OS to describe a stable architecture, operating, or governance object.
- Role in Mariam: It gives product, architecture, implementation, testing, and operations teams one shared meaning when designing or reviewing integration api mcp terms behavior.
- Related Systems: Volume 03 Master Blueprint, Enterprise Core, AI Society, Knowledge System, Capability System, Workflow System, Governance, Infrastructure.
- Related DNA: Enterprise DNA, Team DNA, Agent DNA, Capability DNA, Knowledge DNA, Runtime DNA where the term affects memory, behavior, preferences, or reusable execution patterns.
- Interfaces: Dictionary references, blueprint document IDs, future specifications, event envelopes, storage schemas, dashboards, APIs, MCP tools, and release manifests.
- Examples: integration-audit may appear in a blueprint heading, a future specification field, an event name, a storage record, a dashboard label, or an acceptance test.
- Governance Notes: Use this term consistently. If a future document needs a different meaning, update Volume 04 first and record the change in the changelog.
- Traceability: MAL-V04-DICT-025; MAL-V00-B004; MAL-V00-B009; MAL-V03-B03-01-001; MAL-V03-B03-20-020.

Version History

Version	Date	Status	Notes
v23 draft	2026-06-29	Draft	Initial canonical dictionary entries for Integration API MCP Terms.