

Volume 03 - Book 03.14 Marketplace

Version v16 draft

README.md

Book 03.14 - Marketplace

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-README

Purpose

Define the Marketplace blueprint package and its subsystem decomposition as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for the Marketplace blueprint package and its subsystem decomposition. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for the Marketplace blueprint package and its subsystem decomposition.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for the Marketplace blueprint package and its subsystem decomposition.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.

- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.
- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- MarketplaceDefined
- MarketplaceRegistered
- MarketplaceStateChanged
- MarketplaceReviewRequested
- MarketplaceGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.

- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.
- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Marketplace has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14 - Marketplace

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-INDEX

Purpose

Define the Marketplace blueprint package and its subsystem decomposition as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for the Marketplace blueprint package and its subsystem decomposition. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for the Marketplace blueprint package and its subsystem decomposition.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for the Marketplace blueprint package and its subsystem decomposition.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.
- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- MarketplaceDefined
- MarketplaceRegistered
- MarketplaceStateChanged
- MarketplaceReviewRequested
- MarketplaceGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.

- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.
- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Marketplace has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14.01 - Marketplace Overview

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-001

Purpose

Define Marketplace Overview within the Marketplace blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Marketplace Overview within the Marketplace blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Marketplace Overview within the Marketplace blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Marketplace Overview within the Marketplace blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- MarketplaceOverviewDefined
- MarketplaceOverviewRegistered
- MarketplaceOverviewStateChanged
- MarketplaceOverviewReviewRequested
- MarketplaceOverviewGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Marketplace Overview has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14.02 - Catalog

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-002

Purpose

Define Catalog within the Marketplace blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Catalog within the Marketplace blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Catalog within the Marketplace blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Catalog within the Marketplace blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- CatalogDefined
- CatalogRegistered
- CatalogStateChanged
- CatalogReviewRequested
- CatalogGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Catalog has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14.03 - Listings

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-003

Purpose

Define Listings within the Marketplace blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Listings within the Marketplace blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Listings within the Marketplace blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Listings within the Marketplace blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- ListingsDefined
- ListingsRegistered
- ListingsStateChanged
- ListingsReviewRequested
- ListingsGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Listings has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14.04 - Profiles

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-004

Purpose

Define Profiles within the Marketplace blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Profiles within the Marketplace blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Profiles within the Marketplace blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Profiles within the Marketplace blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- ProfilesDefined
- ProfilesRegistered
- ProfilesStateChanged
- ProfilesReviewRequested
- ProfilesGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Profiles has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14.05 - Search Discovery

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-005

Purpose

Define Search Discovery within the Marketplace blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Search Discovery within the Marketplace blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Search Discovery within the Marketplace blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Search Discovery within the Marketplace blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- SearchDiscoveryDefined
- SearchDiscoveryRegistered
- SearchDiscoveryStateChanged
- SearchDiscoveryReviewRequested
- SearchDiscoveryGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Search Discovery has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14.06 - Matching

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-006

Purpose

Define Matching within the Marketplace blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Matching within the Marketplace blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Matching within the Marketplace blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Matching within the Marketplace blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- MatchingDefined
- MatchingRegistered
- MatchingStateChanged
- MatchingReviewRequested
- MatchingGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Matching has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14.07 - Ranking

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-007

Purpose

Define Ranking within the Marketplace blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Ranking within the Marketplace blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Ranking within the Marketplace blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Ranking within the Marketplace blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- RankingDefined
- RankingRegistered
- RankingStateChanged
- RankingReviewRequested
- RankingGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Ranking has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14.08 - Reputation

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-008

Purpose

Define Reputation within the Marketplace blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Reputation within the Marketplace blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Reputation within the Marketplace blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Reputation within the Marketplace blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- ReputationDefined
- ReputationRegistered
- ReputationStateChanged
- ReputationReviewRequested
- ReputationGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Reputation has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14.09 - Transactions

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-009

Purpose

Define Transactions within the Marketplace blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Transactions within the Marketplace blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Transactions within the Marketplace blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Transactions within the Marketplace blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- TransactionsDefined
- TransactionsRegistered
- TransactionsStateChanged
- TransactionsReviewRequested
- TransactionsGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Transactions has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14.10 - Fulfillment

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-010

Purpose

Define Fulfillment within the Marketplace blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Fulfillment within the Marketplace blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Fulfillment within the Marketplace blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Fulfillment within the Marketplace blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- FulfillmentDefined
- FulfillmentRegistered
- FulfillmentStateChanged
- FulfillmentReviewRequested
- FulfillmentGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Fulfillment has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14.11 - Reviews

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-011

Purpose

Define Reviews within the Marketplace blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Reviews within the Marketplace blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Reviews within the Marketplace blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Reviews within the Marketplace blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- ReviewsDefined
- ReviewsRegistered
- ReviewsStateChanged
- ReviewsReviewRequested
- ReviewsGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Reviews has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14.12 - Disputes

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-012

Purpose

Define Disputes within the Marketplace blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Disputes within the Marketplace blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Disputes within the Marketplace blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Disputes within the Marketplace blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- DisputesDefined
- DisputesRegistered
- DisputesStateChanged
- DisputesReviewRequested
- DisputesGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Disputes has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14.13 - Marketplace Governance

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-013

Purpose

Define Marketplace Governance within the Marketplace blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Marketplace Governance within the Marketplace blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Marketplace Governance within the Marketplace blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Marketplace Governance within the Marketplace blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- MarketplaceGovernanceDefined
- MarketplaceGovernanceRegistered
- MarketplaceGovernanceStateChanged
- MarketplaceGovernanceReviewRequested
- MarketplaceGovernanceGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Marketplace Governance has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14.14 - Marketplace Quality

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-014

Purpose

Define Marketplace Quality within the Marketplace blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Marketplace Quality within the Marketplace blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Marketplace Quality within the Marketplace blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Marketplace Quality within the Marketplace blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- MarketplaceQualityDefined
- MarketplaceQualityRegistered
- MarketplaceQualityStateChanged
- MarketplaceQualityReviewRequested
- MarketplaceQualityGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Marketplace Quality has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14.15 - Marketplace Analytics

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-015

Purpose

Define Marketplace Analytics within the Marketplace blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Marketplace Analytics within the Marketplace blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Marketplace Analytics within the Marketplace blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Marketplace Analytics within the Marketplace blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- MarketplaceAnalyticsDefined
- MarketplaceAnalyticsRegistered
- MarketplaceAnalyticsStateChanged
- MarketplaceAnalyticsReviewRequested
- MarketplaceAnalyticsGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Marketplace Analytics has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14.16 - Marketplace Events

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-016

Purpose

Define Marketplace Events within the Marketplace blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Marketplace Events within the Marketplace blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Marketplace Events within the Marketplace blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Marketplace Events within the Marketplace blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- MarketplaceEventsDefined
- MarketplaceEventsRegistered
- MarketplaceEventsStateChanged
- MarketplaceEventsReviewRequested
- MarketplaceEventsGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Marketplace Events has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14.17 - Marketplace Storage

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-017

Purpose

Define Marketplace Storage within the Marketplace blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Marketplace Storage within the Marketplace blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Marketplace Storage within the Marketplace blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Marketplace Storage within the Marketplace blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- MarketplaceStorageDefined
- MarketplaceStorageRegistered
- MarketplaceStorageStateChanged
- MarketplaceStorageReviewRequested
- MarketplaceStorageGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Marketplace Storage has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14.18 - Marketplace Security

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-018

Purpose

Define Marketplace Security within the Marketplace blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Marketplace Security within the Marketplace blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Marketplace Security within the Marketplace blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Marketplace Security within the Marketplace blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- MarketplaceSecurityDefined
- MarketplaceSecurityRegistered
- MarketplaceSecurityStateChanged
- MarketplaceSecurityReviewRequested
- MarketplaceSecurityGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Marketplace Security has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14.19 - Marketplace Testing

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-019

Purpose

Define Marketplace Testing within the Marketplace blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Marketplace Testing within the Marketplace blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Marketplace Testing within the Marketplace blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Marketplace Testing within the Marketplace blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- MarketplaceTestingDefined
- MarketplaceTestingRegistered
- MarketplaceTestingStateChanged
- MarketplaceTestingReviewRequested
- MarketplaceTestingGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Marketplace Testing has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.

Book 03.14.20 - Marketplace Roadmap

Version: v16 draft

Status: Draft

Document ID: MAL-V03-B03-14-020

Purpose

Define Marketplace Roadmap within the Marketplace blueprint as part of Volume 03 Master Blueprint for Mariam AI Enterprise OS.

Scope

This document covers architecture-level responsibilities, contracts, interfaces, events, storage expectations, security controls, metrics, testing, acceptance criteria, and traceability for Marketplace Roadmap within the Marketplace blueprint. It does not implement product code or bypass the documentation-first governance model.

Responsibilities

- Establish a canonical blueprint boundary for Marketplace Roadmap within the Marketplace blueprint.
- Convert strategic roadmap intent into implementation-ready subsystem contracts.
- Coordinate with Enterprise Core identity, runtime, event, storage, security, and observability services.
- Preserve governance, traceability, reviewability, and rollback expectations for high-impact behavior.
- Provide enough detail for future specifications, testing guides, operations guides, and implementation issues.

Inputs

- Volume 00 Enterprise Constitution principles for governance, security, quality, engineering, AI, DNA, swarm, and evolution.
- Volume 01 Master Vision strategy for enterprise outcomes, knowledge leverage, marketplace expansion, and autonomous work.
- Volume 02 Master Roadmap phase guidance corresponding to Marketplace.
- Earlier Volume 03 blueprint books for Enterprise Core, Enterprise Organization, AI Society, Knowledge System, and Capability System where dependencies apply.
- Domain requirements, user intent, policy context, runtime constraints, and release acceptance evidence.

Outputs

- Blueprint contract and subsystem boundaries for Marketplace Roadmap within the Marketplace blueprint.
- Canonical records, events, metrics, storage expectations, and security controls.
- Traceable inputs for Volume 06 specifications and later specialist volumes.
- Acceptance evidence that downstream implementation can use before writing system code.

Interfaces

- Enterprise Core kernel, runtime manager, event bus, object manager, identity access, storage, security, and observability interfaces.

- Enterprise Organization decision, approval, escalation, KPI, and operating rhythm interfaces.
- AI Society agent, planning, execution, review, validation, and governance interfaces.
- Knowledge System graph, store, search, indexing, provenance, and quality interfaces.
- Capability System registry, matching, lifecycle, benchmark, governance, and execution interfaces.

Events

- MarketplaceRoadmapDefined
- MarketplaceRoadmapRegistered
- MarketplaceRoadmapStateChanged
- MarketplaceRoadmapReviewRequested
- MarketplaceRoadmapGovernanceBlocked

Storage

- Canonical records for definitions, versions, owners, state, policy classification, and dependency metadata.
- Operational journals for lifecycle changes, execution evidence, review outcomes, exceptions, and acceptance decisions.
- Audit metadata linking user intent, agent or service identity, source context, runtime, model or provider choice, and policy status.
- Retention metadata that separates draft, active, archived, deprecated, and superseded records.

Security

- Apply least privilege to users, agents, services, providers, plugins, connectors, runtimes, and storage records.
- Deny protected actions when required permissions, policy checks, evidence, or human review gates are missing.
- Classify inputs, outputs, events, logs, metrics, memory, and exported artifacts before sharing or persistence.
- Audit privileged actions, denied actions, governance exceptions, configuration changes, and lifecycle transitions.
- Prevent generated or inferred outputs from becoming authoritative without explicit acceptance rules.

Metrics

- Adoption rate, successful completion rate, rejection rate, rework count, and user trust indicators.
- Latency, cost, throughput, availability, error rate, fallback rate, and recovery time.
- Quality score, benchmark pass rate, validation pass rate, review backlog, and stale-record count.
- Security denial count, governance exception count, policy violation count, and audit completeness.

Testing

- Contract tests for required inputs, outputs, interfaces, event envelopes, storage records, and lifecycle states.
- Security tests for tenant isolation, least privilege, protected action denial, redaction, and audit integrity.
- Quality tests for correctness, repeatability, ranking or routing behavior, recovery paths, and acceptance evidence.
- Integration tests across Enterprise Core, Organization, AI Society, Knowledge System, and Capability System dependencies.

- Release tests verifying Markdown inclusion, PDF generation, ZIP packaging, manifest checksums, and release notes.

Acceptance Criteria

- Marketplace Roadmap has explicit ownership, lifecycle, interfaces, events, storage, security, metrics, and testing expectations.
- The blueprint is detailed enough for downstream specifications without requiring implementation code in this repository.
- Governance, security, and review controls are visible and traceable.
- Release artifacts include this Markdown file, the book PDF, MANIFEST.json, release notes, and the versioned ZIP.

Traceability

- MAL-V00-B009
- MAL-V00-B010
- MAL-V00-B011
- MAL-V00-B012
- MAL-V02-B014
- MAL-V03-B03-01-004
- MAL-V03-B03-05-003

Version History

Version	Date	Status	Notes
v16 draft	2026-06-29	Draft	Initial Marketplace blueprint content for Mariam Architecture Library v16.