

Volume 26 - Experience & Interface Design

Version v127 draft

README.md

Volume 26 - Experience & Interface Design

Title: Volume 26 - Experience & Interface Design

Version: v127 draft

Status: Draft

Document ID: MAL-V26-README

Purpose

Volume 26 defines the real product interface for Mariam AI Enterprise OS Dashboard / Command Center. It is a UI and experience design volume, not an architecture diagram volume.

Scope

- Command Center dashboard.
- Chief and swarm chat panels.
- Mission, task, jobs, reports, communications, integrations, marketplace, knowledge, DNA, monitoring, governance, settings, and responsive behavior.
- Independent scraping and crawling interface with source management, five crawl levels, queues, crawl jobs, extraction, deduplication, ranking, scoring, alerts, failed crawl handling, manual review, and approval before proposal generation.

Official Design Tokens

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Operating Rule

All future interface implementation must follow this volume and must preserve the token values adopted from index(2).html.

Volume 26 - Experience & Interface Design Index

- MAL-V26-EXP-01 - interface-26-01-design-tokens.md - Design Tokens
- MAL-V26-EXP-02 - interface-26-02-layout-system.md - Layout System
- MAL-V26-EXP-03 - interface-26-03-command-center-dashboard.md - Command Center Dashboard
- MAL-V26-EXP-04 - interface-26-04-chief-chat-panel.md - Chief Chat Panel
- MAL-V26-EXP-05 - interface-26-05-swarm-agents-chat.md - Swarm Agents Chat
- MAL-V26-EXP-06 - interface-26-06-mission-center.md - Mission Center
- MAL-V26-EXP-07 - interface-26-07-task-jobs-center.md - Task & Jobs Center
- MAL-V26-EXP-08 - interface-26-08-reports-approval-center.md - Reports Approval Center
- MAL-V26-EXP-09 - interface-26-09-pdf-word-powerpoint-review-flow.md - PDF / Word / PowerPoint Review Flow
- MAL-V26-EXP-10 - interface-26-10-communications-hub.md - Communications Hub
- MAL-V26-EXP-11 - interface-26-11-whatsapp-integration-ui.md - WhatsApp Integration UI
- MAL-V26-EXP-12 - interface-26-12-telegram-integration-ui.md - Telegram Integration UI
- MAL-V26-EXP-13 - interface-26-13-email-integration-ui.md - Email Integration UI
- MAL-V26-EXP-14 - interface-26-14-sms-calls-contacts-ui.md - SMS / Calls / Contacts UI
- MAL-V26-EXP-15 - interface-26-15-calendar-scheduler.md - Calendar & Scheduler
- MAL-V26-EXP-16 - interface-26-16-freelance-workspace.md - Freelance Workspace
- MAL-V26-EXP-17 - interface-26-17-remote-work-workspace.md - Remote Work Workspace
- MAL-V26-EXP-18 - interface-26-18-deep-scraping-crawling-center.md - Deep Scraping / Crawling Center
- MAL-V26-EXP-19 - interface-26-19-opportunity-intelligence-dashboard.md - Opportunity Intelligence Dashboard
- MAL-V26-EXP-20 - interface-26-20-scraping-sources-settings.md - Scraping Sources Settings
- MAL-V26-EXP-21 - interface-26-21-scraping-levels-1-5.md - Scraping Levels 1-5
- MAL-V26-EXP-22 - interface-26-22-scraping-jobs-monitor.md - Scraping Jobs Monitor
- MAL-V26-EXP-23 - interface-26-23-client-conversation-workspace.md - Client Conversation Workspace
- MAL-V26-EXP-24 - interface-26-24-marketplace-ui.md - Marketplace UI
- MAL-V26-EXP-25 - interface-26-25-knowledge-center.md - Knowledge Center
- MAL-V26-EXP-26 - interface-26-26-dna-packages-ui.md - DNA Packages UI
- MAL-V26-EXP-27 - interface-26-27-monitoring-center.md - Monitoring Center
- MAL-V26-EXP-28 - interface-26-28-governance-approvals-ui.md - Governance & Approvals UI
- MAL-V26-EXP-29 - interface-26-29-settings.md - Settings
- MAL-V26-EXP-30 - interface-26-30-responsive-desktop-tablet-mobile.md - Responsive Desktop / Tablet / Mobile

Volume 26 - Experience & Interface Design Changelog

v127 Entries

Date	Version	Status	Summary
2026-06-30	v127 draft	Draft	Added Volume 26 with 30 interface design documents, official design tokens, command center UI, and independent scraping

Volume 26 - Experience & Interface Design Traceability

v127 Trace Map

Interface Area	Primary Sources
Design tokens	index(2).html color token set
Dashboard / Command Center	Volume 22 Experience Layer, Volume 03 Master Blueprint
Scraping / Crawling Center	Volume 19 Opportunity Intelligence, Volume 06 Specifications
Communications and integrations	Volume 06 Integration, API, MCP, Notification Specifications
Governance and approvals	Volume 20 Enterprise Governance, Volume 05 Engineering Standards
Monitoring and operations	Volume 21 Infrastructure, Volume 08 Operations Guide

Document Coverage

- MAL-V26-EXP-01 - Design Tokens
- MAL-V26-EXP-02 - Layout System
- MAL-V26-EXP-03 - Command Center Dashboard
- MAL-V26-EXP-04 - Chief Chat Panel
- MAL-V26-EXP-05 - Swarm Agents Chat
- MAL-V26-EXP-06 - Mission Center
- MAL-V26-EXP-07 - Task & Jobs Center
- MAL-V26-EXP-08 - Reports Approval Center
- MAL-V26-EXP-09 - PDF / Word / PowerPoint Review Flow
- MAL-V26-EXP-10 - Communications Hub
- MAL-V26-EXP-11 - WhatsApp Integration UI
- MAL-V26-EXP-12 - Telegram Integration UI
- MAL-V26-EXP-13 - Email Integration UI
- MAL-V26-EXP-14 - SMS / Calls / Contacts UI
- MAL-V26-EXP-15 - Calendar & Scheduler
- MAL-V26-EXP-16 - Freelance Workspace
- MAL-V26-EXP-17 - Remote Work Workspace
- MAL-V26-EXP-18 - Deep Scraping / Crawling Center
- MAL-V26-EXP-19 - Opportunity Intelligence Dashboard
- MAL-V26-EXP-20 - Scraping Sources Settings
- MAL-V26-EXP-21 - Scraping Levels 1-5
- MAL-V26-EXP-22 - Scraping Jobs Monitor
- MAL-V26-EXP-23 - Client Conversation Workspace
- MAL-V26-EXP-24 - Marketplace UI
- MAL-V26-EXP-25 - Knowledge Center

- MAL-V26-EXP-26 - DNA Packages UI
- MAL-V26-EXP-27 - Monitoring Center
- MAL-V26-EXP-28 - Governance & Approvals UI
- MAL-V26-EXP-29 - Settings
- MAL-V26-EXP-30 - Responsive Desktop / Tablet / Mobile

Volume 26 - Experience & Interface Design Acceptance

v127 Acceptance Checklist

- Volume 26 contains 30 interface design documents plus README, INDEX, CHANGELOG, TRACEABILITY, and ACCEPTANCE.
- Official Design Tokens exactly match the index(2).html values supplied for --bg, --card, --card2, --border, --text, --green, --yellow, --red, --blue, and --purple.
- Command Center Dashboard is documented as a real UI with navigation, command bar, KPI strip, panels, tables, chat, approvals, and monitoring.
- Scraping is documented as an independent visible interface, not a hidden backend service.
- Scraping coverage includes Source Manager, Deep Crawling Levels 1-5, Queue, Crawl Jobs, Extracted Opportunities, Deduplication, Ranking, Scoring, Alerts, Failed Crawls, Manual Review, and Approval before proposal generation.
- PDF Volume_26_Experience_Interface_Design_v127_draft.pdf is generated and readable.
- ZIP Mariam_Architecture_Library_v127_draft.zip includes Markdown, PDFs, MANIFEST, and RELEASE_NOTES_v127_draft.md.

Design Tokens

Title: Design Tokens

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-01

Purpose

Defines the official visual token set adopted from index(2).html for the Mariam dashboard and command center interface. This document makes the index(2).html colors official design tokens for Mariam AI Enterprise OS interface work.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Token table showing exact CSS custom property names and values.
- Semantic state mapping for success, warning, failure, primary action, and AI-intelligence accents.
- Contrast guidance for dense dark enterprise dashboards.
- Usage rules for panels, tables, chat, queues, alerts, and approval flows.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-01	Defines v127 Experience & Interface Design for Design Tokens.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Design Tokens interface design documentation.

Layout System

Title: Layout System

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-02

Purpose

Defines desktop, tablet, and mobile layout behavior for navigation, panels, workspaces, density, resizing, and persistent command surfaces. The screen must support repeated enterprise work, dense scanning, fast decisions, and clear state transitions.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Header with current object, status, owner, and primary actions.
- Filterable table or board view with saved views and state chips.
- Detail inspector for selected item, history, evidence, risks, and next actions.
- Empty, loading, error, blocked, review, approved, and completed states.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-02	Defines v127 Experience & Interface Design for Layout System.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Layout System interface design documentation.

Command Center Dashboard

Title: Command Center Dashboard

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-03

Purpose

Defines the main operational dashboard where executives, chiefs, operators, and agents see missions, jobs, opportunities, alerts, and approvals. The Command Center is the first real screen of the product and must prioritize operational control over marketing or diagrammatic presentation.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses `--bg` for the application background with high-density panels using `--card` and `--card2`.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Left navigation rail for Mission Center, Scraping, Opportunities, Communications, Knowledge, Marketplace, Monitoring, Governance, and Settings.
- Top command bar with search, global status, active workspace, notifications, and account controls.
- Main KPI strip for missions, active jobs, crawl queue, approvals, opportunity score, and incidents.
- Resizable work panels for Chief chat, job monitor, opportunity intelligence, and approval queue.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using `--text`, `--card`, and `--border`.
- Active/selected state: `--blue` for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: `--purple` for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: `--green` for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: `--yellow` for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: `--red` for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-03	Defines v127 Experience & Interface Design for Command Center Dashboard.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Command Center Dashboard interface design documentation.

Chief Chat Panel

Title: Chief Chat Panel

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-04

Purpose

Defines the primary chief conversation panel used for executive instruction, mission creation, status review, approvals, and intervention. Chat is an execution surface connected to missions, evidence, approvals, and agent state, not a casual messaging widget.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses `--bg` for the application background with high-density panels using `--card` and `--card2`.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Conversation timeline with message source, role, confidence, action links, and evidence chips.
- Composer with command mode, attachment mode, approval request mode, and mission reference mode.
- Side inspector for agent state, mission context, risks, pending approvals, and related documents.
- Escalation controls for review, pause, retry, delegate, and approve.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using `--text`, `--card`, and `--border`.
- Active/selected state: `--blue` for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: `--purple` for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: `--green` for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: `--yellow` for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: `--red` for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-04	Defines v127 Experience & Interface Design for Chief Chat Panel.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Chief Chat Panel interface design documentation.

Swarm Agents Chat

Title: Swarm Agents Chat

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-05

Purpose

Defines multi-agent chat surfaces for swarm coordination, agent state, handoffs, review comments, and execution telemetry. Chat is an execution surface connected to missions, evidence, approvals, and agent state, not a casual messaging widget.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses `--bg` for the application background with high-density panels using `--card` and `--card2`.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Conversation timeline with message source, role, confidence, action links, and evidence chips.
- Composer with command mode, attachment mode, approval request mode, and mission reference mode.
- Side inspector for agent state, mission context, risks, pending approvals, and related documents.
- Escalation controls for review, pause, retry, delegate, and approve.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using `--text`, `--card`, and `--border`.
- Active/selected state: `--blue` for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: `--purple` for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: `--green` for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: `--yellow` for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: `--red` for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-05	Defines v127 Experience & Interface Design for Swarm Agents Chat.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Swarm Agents Chat interface design documentation.

Mission Center

Title: Mission Center

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-06

Purpose

Defines the mission workspace for intake, planning, phase tracking, task graph progress, evidence, and acceptance state. The screen must support repeated enterprise work, dense scanning, fast decisions, and clear state transitions.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Header with current object, status, owner, and primary actions.
- Filterable table or board view with saved views and state chips.
- Detail inspector for selected item, history, evidence, risks, and next actions.
- Empty, loading, error, blocked, review, approved, and completed states.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-06	Defines v127 Experience & Interface Design for Mission Center.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Mission Center interface design documentation.

Task & Jobs Center

Title: Task & Jobs Center

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-07

Purpose

Defines the interface for task queues, running jobs, retries, scheduled work, ownership, dependencies, and completion evidence. The screen must support repeated enterprise work, dense scanning, fast decisions, and clear state transitions.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Header with current object, status, owner, and primary actions.
- Filterable table or board view with saved views and state chips.
- Detail inspector for selected item, history, evidence, risks, and next actions.
- Empty, loading, error, blocked, review, approved, and completed states.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-07	Defines v127 Experience & Interface Design for Task & Jobs Center.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Task & Jobs Center interface design documentation.

Reports Approval Center

Title: Reports Approval Center

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-08

Purpose

Defines report review, signoff, escalation, rejection, revision, and executive approval surfaces. Approval screens must make risk, evidence, reviewer authority, and final decision state unmistakable.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses `--bg` for the application background with high-density panels using `--card` and `--card2`.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Approval queue with priority, risk, owner, deadline, linked mission, and evidence status.
- Decision panel with approve, reject, request changes, escalate, and hold actions.
- Audit trail showing policy, reviewer, timestamp, decision reason, and artifact version.
- Risk badges using yellow, red, blue, green, and purple tokens consistently.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using `--text`, `--card`, and `--border`.
- Active/selected state: `--blue` for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: `--purple` for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: `--green` for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: `--yellow` for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: `--red` for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-08	Defines v127 Experience & Interface Design for Reports Approval Center.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Reports Approval Center interface design documentation.

PDF / Word / PowerPoint Review Flow

Title: PDF / Word / PowerPoint Review Flow

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-09

Purpose

Defines document preview, annotation, revision, evidence, export, and approval workflows for generated business artifacts. The screen must support repeated enterprise work, dense scanning, fast decisions, and clear state transitions.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Header with current object, status, owner, and primary actions.
- Filterable table or board view with saved views and state chips.
- Detail inspector for selected item, history, evidence, risks, and next actions.
- Empty, loading, error, blocked, review, approved, and completed states.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-09	Defines v127 Experience & Interface Design for PDF / Word / PowerPoint Review Flow.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added PDF / Word / PowerPoint Review Flow interface design documentation.

Communications Hub

Title: Communications Hub

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-10

Purpose

Defines the unified communications inbox and outbound control surface for client, marketplace, and internal conversations. The screen must support repeated enterprise work, dense scanning, fast decisions, and clear state transitions.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Header with current object, status, owner, and primary actions.
- Filterable table or board view with saved views and state chips.
- Detail inspector for selected item, history, evidence, risks, and next actions.
- Empty, loading, error, blocked, review, approved, and completed states.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-10	Defines v127 Experience & Interface Design for Communications Hub.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Communications Hub interface design documentation.

WhatsApp Integration UI

Title: WhatsApp Integration UI

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-11

Purpose

Defines WhatsApp account, thread, consent, template, attachment, delivery, and approval interfaces. The screen must support repeated enterprise work, dense scanning, fast decisions, and clear state transitions.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Header with current object, status, owner, and primary actions.
- Filterable table or board view with saved views and state chips.
- Detail inspector for selected item, history, evidence, risks, and next actions.
- Empty, loading, error, blocked, review, approved, and completed states.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-11	Defines v127 Experience & Interface Design for WhatsApp Integration UI.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added WhatsApp Integration UI interface design documentation.

Telegram Integration UI

Title: Telegram Integration UI

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-12

Purpose

Defines Telegram channel, bot, chat, approval, notification, and operational controls. The screen must support repeated enterprise work, dense scanning, fast decisions, and clear state transitions.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Header with current object, status, owner, and primary actions.
- Filterable table or board view with saved views and state chips.
- Detail inspector for selected item, history, evidence, risks, and next actions.
- Empty, loading, error, blocked, review, approved, and completed states.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-12	Defines v127 Experience & Interface Design for Telegram Integration UI.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Telegram Integration UI interface design documentation.

Email Integration UI

Title: Email Integration UI

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-13

Purpose

Defines email inbox, outbound draft, thread, attachment, signature, template, and approval interfaces. The screen must support repeated enterprise work, dense scanning, fast decisions, and clear state transitions.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Header with current object, status, owner, and primary actions.
- Filterable table or board view with saved views and state chips.
- Detail inspector for selected item, history, evidence, risks, and next actions.
- Empty, loading, error, blocked, review, approved, and completed states.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-13	Defines v127 Experience & Interface Design for Email Integration UI.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Email Integration UI interface design documentation.

SMS / Calls / Contacts UI

Title: SMS / Calls / Contacts UI

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-14

Purpose

Defines SMS, call log, callback, contact profile, consent, and outreach tracking interfaces. The screen must support repeated enterprise work, dense scanning, fast decisions, and clear state transitions.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Header with current object, status, owner, and primary actions.
- Filterable table or board view with saved views and state chips.
- Detail inspector for selected item, history, evidence, risks, and next actions.
- Empty, loading, error, blocked, review, approved, and completed states.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-14	Defines v127 Experience & Interface Design for SMS / Calls / Contacts UI.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added SMS / Calls / Contacts UI interface design documentation.

Calendar & Scheduler

Title: Calendar & Scheduler

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-15

Purpose

Defines calendar, scheduling, reminders, mission deadlines, interviews, client meetings, and automation windows. The screen must support repeated enterprise work, dense scanning, fast decisions, and clear state transitions.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Header with current object, status, owner, and primary actions.
- Filterable table or board view with saved views and state chips.
- Detail inspector for selected item, history, evidence, risks, and next actions.
- Empty, loading, error, blocked, review, approved, and completed states.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-15	Defines v127 Experience & Interface Design for Calendar & Scheduler.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Calendar & Scheduler interface design documentation.

Freelance Workspace

Title: Freelance Workspace

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-16

Purpose

Defines freelance profile, opportunities, proposals, conversations, delivery, milestone, and payment tracking interfaces. The screen must support repeated enterprise work, dense scanning, fast decisions, and clear state transitions.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Header with current object, status, owner, and primary actions.
- Filterable table or board view with saved views and state chips.
- Detail inspector for selected item, history, evidence, risks, and next actions.
- Empty, loading, error, blocked, review, approved, and completed states.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-16	Defines v127 Experience & Interface Design for Freelance Workspace.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Freelance Workspace interface design documentation.

Remote Work Workspace

Title: Remote Work Workspace

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-17

Purpose

Defines remote job discovery, applications, interviews, employer conversations, and work pipeline interfaces. The screen must support repeated enterprise work, dense scanning, fast decisions, and clear state transitions.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Header with current object, status, owner, and primary actions.
- Filterable table or board view with saved views and state chips.
- Detail inspector for selected item, history, evidence, risks, and next actions.
- Empty, loading, error, blocked, review, approved, and completed states.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-17	Defines v127 Experience & Interface Design for Remote Work Workspace.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Remote Work Workspace interface design documentation.

Deep Scraping / Crawling Center

Title: Deep Scraping / Crawling Center

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-18

Purpose

Defines the independent scraping interface for source management, deep crawling, queues, jobs, extraction, review, and approval. Scraping is a visible standalone operations system for discovering and validating external opportunities before proposal generation.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Source Manager for web sources, freelance marketplaces, remote job boards, social channels, and allow/deny scope.
- Five-level crawl depth selector with warnings, expected cost, expected runtime, and extraction breadth.
- Queue and job monitor with state, progress, failures, retries, deduplication, ranking, scoring, and alerts.
- Manual review and approval panel before any proposal, outreach, or client-facing artifact is generated.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Scraping Interface Independence

- Scraping MUST appear as a dedicated top-level workspace named Deep Scraping / Crawling Center, not as a hidden setting or background service.
- The interface MUST expose Source Manager, Deep Crawling Levels 1-5, Queue, Crawl Jobs, Extracted Opportunities, Deduplication, Ranking, Scoring, Alerts, Failed Crawls, Manual Review, and Approval before proposal generation.
- Scraping results MUST NOT automatically generate proposals. A human, Chief, or authorized governance role must approve proposal generation after ranking, scoring, deduplication, and manual review evidence is visible.
- Crawl jobs MUST show source, level, queue state, started time, runtime, extracted count, duplicate count, failed count, alert count, owner, and next action.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-18	Defines v127 Experience & Interface Design for Deep Scraping / Crawling Center.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Deep Scraping / Crawling Center interface design documentation.

Opportunity Intelligence Dashboard

Title: Opportunity Intelligence Dashboard

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-19

Purpose

Defines scoring, ranking, fit, freshness, competition, profitability, and readiness dashboards for extracted opportunities. The screen must support repeated enterprise work, dense scanning, fast decisions, and clear state transitions.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Header with current object, status, owner, and primary actions.
- Filterable table or board view with saved views and state chips.
- Detail inspector for selected item, history, evidence, risks, and next actions.
- Empty, loading, error, blocked, review, approved, and completed states.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Scraping Interface Independence

- Scraping MUST appear as a dedicated top-level workspace named Deep Scraping / Crawling Center, not as a hidden setting or background service.
- The interface MUST expose Source Manager, Deep Crawling Levels 1-5, Queue, Crawl Jobs, Extracted Opportunities, Deduplication, Ranking, Scoring, Alerts, Failed Crawls, Manual Review, and Approval before proposal generation.
- Scraping results MUST NOT automatically generate proposals. A human, Chief, or authorized governance role must approve proposal generation after ranking, scoring, deduplication, and manual review evidence is visible.
- Crawl jobs MUST show source, level, queue state, started time, runtime, extracted count, duplicate count, failed count, alert count, owner, and next action.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-19	Defines v127 Experience & Interface Design for Opportunity Intelligence Dashboard.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Opportunity Intelligence Dashboard interface design documentation.

Scraping Sources Settings

Title: Scraping Sources Settings

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-20

Purpose

Defines source manager settings for websites, marketplaces, remote boards, social channels, credentials references, scope, and frequency. Scraping is a visible standalone operations system for discovering and validating external opportunities before proposal generation.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Source Manager for web sources, freelance marketplaces, remote job boards, social channels, and allow/deny scope.
- Five-level crawl depth selector with warnings, expected cost, expected runtime, and extraction breadth.
- Queue and job monitor with state, progress, failures, retries, deduplication, ranking, scoring, and alerts.
- Manual review and approval panel before any proposal, outreach, or client-facing artifact is generated.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Scraping Interface Independence

- Scraping MUST appear as a dedicated top-level workspace named Deep Scraping / Crawling Center, not as a hidden setting or background service.
- The interface MUST expose Source Manager, Deep Crawling Levels 1-5, Queue, Crawl Jobs, Extracted Opportunities, Deduplication, Ranking, Scoring, Alerts, Failed Crawls, Manual Review, and Approval before proposal generation.
- Scraping results MUST NOT automatically generate proposals. A human, Chief, or authorized governance role must approve proposal generation after ranking, scoring, deduplication, and manual review evidence is visible.
- Crawl jobs MUST show source, level, queue state, started time, runtime, extracted count, duplicate count, failed count, alert count, owner, and next action.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-20	Defines v127 Experience & Interface Design for Scraping Sources Settings.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Scraping Sources Settings interface design documentation.

Scraping Levels 1-5

Title: Scraping Levels 1-5

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-21

Purpose

Defines visible controls and explanations for five crawl depths, crawl policies, extraction breadth, and risk boundaries. Scraping is a visible standalone operations system for discovering and validating external opportunities before proposal generation.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses `--bg` for the application background with high-density panels using `--card` and `--card2`.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Source Manager for web sources, freelance marketplaces, remote job boards, social channels, and allow/deny scope.
- Five-level crawl depth selector with warnings, expected cost, expected runtime, and extraction breadth.
- Queue and job monitor with state, progress, failures, retries, deduplication, ranking, scoring, and alerts.
- Manual review and approval panel before any proposal, outreach, or client-facing artifact is generated.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using `--text`, `--card`, and `--border`.
- Active/selected state: `--blue` for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: `--purple` for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: `--green` for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: `--yellow` for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: `--red` for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Scraping Interface Independence

- Scraping MUST appear as a dedicated top-level workspace named Deep Scraping / Crawling Center, not as a hidden setting or background service.
- The interface MUST expose Source Manager, Deep Crawling Levels 1-5, Queue, Crawl Jobs, Extracted Opportunities, Deduplication, Ranking, Scoring, Alerts, Failed Crawls, Manual Review, and Approval before proposal generation.
- Scraping results MUST NOT automatically generate proposals. A human, Chief, or authorized governance role must approve proposal generation after ranking, scoring, deduplication, and manual review evidence is visible.
- Crawl jobs MUST show source, level, queue state, started time, runtime, extracted count, duplicate count, failed count, alert count, owner, and next action.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-21	Defines v127 Experience & Interface Design for Scraping Levels 1-5.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Scraping Levels 1-5 interface design documentation.

Scraping Jobs Monitor

Title: Scraping Jobs Monitor

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-22

Purpose

Defines crawl job observability, queue progress, failed crawls, retries, deduplication, alerts, and manual review surfaces. Scraping is a visible standalone operations system for discovering and validating external opportunities before proposal generation.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Source Manager for web sources, freelance marketplaces, remote job boards, social channels, and allow/deny scope.
- Five-level crawl depth selector with warnings, expected cost, expected runtime, and extraction breadth.
- Queue and job monitor with state, progress, failures, retries, deduplication, ranking, scoring, and alerts.
- Manual review and approval panel before any proposal, outreach, or client-facing artifact is generated.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Scraping Interface Independence

- Scraping MUST appear as a dedicated top-level workspace named Deep Scraping / Crawling Center, not as a hidden setting or background service.
- The interface MUST expose Source Manager, Deep Crawling Levels 1-5, Queue, Crawl Jobs, Extracted Opportunities, Deduplication, Ranking, Scoring, Alerts, Failed Crawls, Manual Review, and Approval before proposal generation.
- Scraping results MUST NOT automatically generate proposals. A human, Chief, or authorized governance role must approve proposal generation after ranking, scoring, deduplication, and manual review evidence is visible.
- Crawl jobs MUST show source, level, queue state, started time, runtime, extracted count, duplicate count, failed count, alert count, owner, and next action.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-22	Defines v127 Experience & Interface Design for Scraping Jobs Monitor.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Scraping Jobs Monitor interface design documentation.

Client Conversation Workspace

Title: Client Conversation Workspace

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-23

Purpose

Defines client context, conversation history, proposal readiness, attachments, approval, and follow-up UI. The screen must support repeated enterprise work, dense scanning, fast decisions, and clear state transitions.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Header with current object, status, owner, and primary actions.
- Filterable table or board view with saved views and state chips.
- Detail inspector for selected item, history, evidence, risks, and next actions.
- Empty, loading, error, blocked, review, approved, and completed states.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-23	Defines v127 Experience & Interface Design for Client Conversation Workspace.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Client Conversation Workspace interface design documentation.

Marketplace UI

Title: Marketplace UI

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-24

Purpose

Defines marketplace browsing, package cards, provider listings, plugins, templates, assets, install state, and governance badges. The screen must support repeated enterprise work, dense scanning, fast decisions, and clear state transitions.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Header with current object, status, owner, and primary actions.
- Filterable table or board view with saved views and state chips.
- Detail inspector for selected item, history, evidence, risks, and next actions.
- Empty, loading, error, blocked, review, approved, and completed states.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-24	Defines v127 Experience & Interface Design for Marketplace UI.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Marketplace UI interface design documentation.

Knowledge Center

Title: Knowledge Center

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-25

Purpose

Defines knowledge search, documents, memory, citations, source freshness, review status, and knowledge graph navigation. The screen must support repeated enterprise work, dense scanning, fast decisions, and clear state transitions.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Header with current object, status, owner, and primary actions.
- Filterable table or board view with saved views and state chips.
- Detail inspector for selected item, history, evidence, risks, and next actions.
- Empty, loading, error, blocked, review, approved, and completed states.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-25	Defines v127 Experience & Interface Design for Knowledge Center.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Knowledge Center interface design documentation.

DNA Packages UI

Title: DNA Packages UI

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-26

Purpose

Defines DNA package inventory, import, validation, dependency graph, versioning, hot reload status, and export controls. The screen must support repeated enterprise work, dense scanning, fast decisions, and clear state transitions.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Header with current object, status, owner, and primary actions.
- Filterable table or board view with saved views and state chips.
- Detail inspector for selected item, history, evidence, risks, and next actions.
- Empty, loading, error, blocked, review, approved, and completed states.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-26	Defines v127 Experience & Interface Design for DNA Packages UI.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added DNA Packages UI interface design documentation.

Monitoring Center

Title: Monitoring Center

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-27

Purpose

Defines runtime health, agent health, model health, queue depth, crawl metrics, alerts, incidents, and SLA dashboards. The screen must support repeated enterprise work, dense scanning, fast decisions, and clear state transitions.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Header with current object, status, owner, and primary actions.
- Filterable table or board view with saved views and state chips.
- Detail inspector for selected item, history, evidence, risks, and next actions.
- Empty, loading, error, blocked, review, approved, and completed states.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-27	Defines v127 Experience & Interface Design for Monitoring Center.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Monitoring Center interface design documentation.

Governance & Approvals UI

Title: Governance & Approvals UI

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-28

Purpose

Defines approval queues, policy gates, risk indicators, reviewer actions, audit evidence, and escalation flows. Approval screens must make risk, evidence, reviewer authority, and final decision state unmistakable.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses `--bg` for the application background with high-density panels using `--card` and `--card2`.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Approval queue with priority, risk, owner, deadline, linked mission, and evidence status.
- Decision panel with approve, reject, request changes, escalate, and hold actions.
- Audit trail showing policy, reviewer, timestamp, decision reason, and artifact version.
- Risk badges using yellow, red, blue, green, and purple tokens consistently.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using `--text`, `--card`, and `--border`.
- Active/selected state: `--blue` for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: `--purple` for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: `--green` for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: `--yellow` for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: `--red` for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-28	Defines v127 Experience & Interface Design for Governance & Approvals UI.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Governance & Approvals UI interface design documentation.

Settings

Title: Settings

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-29

Purpose

Defines enterprise configuration, integrations, permissions, design preferences, notification rules, scraping policies, and release settings. The screen must support repeated enterprise work, dense scanning, fast decisions, and clear state transitions.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Header with current object, status, owner, and primary actions.
- Filterable table or board view with saved views and state chips.
- Detail inspector for selected item, history, evidence, risks, and next actions.
- Empty, loading, error, blocked, review, approved, and completed states.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-29	Defines v127 Experience & Interface Design for Settings.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Settings interface design documentation.

Responsive Desktop / Tablet / Mobile

Title: Responsive Desktop / Tablet / Mobile

Version: v127 draft

Status: Draft

Document ID: MAL-V26-EXP-30

Purpose

Defines responsive behavior for dense enterprise dashboards across desktop, tablet, and mobile without losing operational control. The screen must support repeated enterprise work, dense scanning, fast decisions, and clear state transitions.

Scope

- Defines real product interface behavior for Dashboard / Command Center workflows, not an architecture diagram.
- Applies to web dashboard screens, operator workspaces, approval surfaces, communication panels, scraping operations, marketplace UI, monitoring, and settings.
- Uses the official index(2).html token set as the required visual foundation for v127 interface design.
- Excludes implementation code, vendor-specific SDK decisions, and decorative marketing pages.

Design Tokens Used

Token	Value	Usage
--bg	#0a0b12	Primary application background for the command center shell.
--card	#11131f	Primary panel and dashboard card surface.
--card2	#151829	Secondary nested panel, list row, tab, and inspector surface.
--border	#1a1d2e	Panel borders, dividers, grid rules, and inactive control outlines.
--text	#c8c8d8	Primary readable text on dark surfaces.
--green	#00e676	Healthy, accepted, online, completed, and safe-to-proceed indicators.
--yellow	#ffab00	Waiting, review-needed, medium-risk, warning, and scheduled states.
--red	#ff3d3d	Failed, blocked, rejected, destructive, critical alert, and denied states.
--blue	#448aff	Primary action, selected navigation, active job, link, and focused control states.
--purple	#b388ff	AI, chief, swarm, DNA, intelligence, and premium capability accents.

Primary Users

- Enterprise Chief and executive operators who issue missions, approve work, and inspect outcomes.
- Department managers, reviewers, validators, and support operators who manage queues and evidence.
- AI agents and swarms represented through visible state, messages, progress, and decisions.
- Growth, freelance, remote work, and marketplace teams discovering opportunities and managing client workflows.

Screen Structure

- Global shell uses --bg for the application background with high-density panels using --card and --card2.
- Navigation must remain persistent on desktop and collapse to an icon or drawer pattern on tablet and mobile.
- Main workspace must support split panes for command context, operational tables, detail inspectors, and chat panels.
- Status areas must be visible without relying on hover-only interactions.
- Critical workflows must keep the next required action visible above the fold whenever possible.

Core Components

- Header with current object, status, owner, and primary actions.
- Filterable table or board view with saved views and state chips.
- Detail inspector for selected item, history, evidence, risks, and next actions.
- Empty, loading, error, blocked, review, approved, and completed states.
- Tokenized buttons, tabs, badges, cards, tables, timeline entries, modals, drawers, toasts, and command inputs.
- Evidence chips for mission, task, report, crawl, proposal, client, approval, source, and artifact references.

States

- Default state: readable dense enterprise view using --text, --card, and --border.
- Active/selected state: --blue for focused navigation, selected row, primary command, or current job.
- AI/intelligence state: --purple for Chief, swarm, DNA, ranking, scoring, or model-assisted decisions.
- Success state: --green for completed, accepted, online, validated, and safe-to-proceed states.
- Warning state: --yellow for pending review, medium risk, scheduled, waiting, or needs-attention states.
- Failure state: --red for failed, blocked, rejected, unauthorized, destructive, or critical alert states.

Interactions

- Users can filter, sort, inspect, approve, reject, retry, pause, resume, escalate, assign, comment, export, and open linked evidence.
- All destructive or externally visible actions require confirmation and must show impact before execution.
- Chat commands must be linkable to missions, tasks, crawls, proposals, documents, and approvals.
- Tables must support keyboard navigation, row selection, bulk actions, and saved filters for repeated operations.
- Notifications must deep-link to the relevant mission, job, crawl, approval, communication, or report.

Data Requirements

- Screen objects require stable IDs, status, owner, timestamps, source, priority, risk, confidence, trace ID, and linked evidence.
- List views require pagination or virtualization for high-volume tasks, crawls, messages, jobs, and opportunities.
- Detail panels require audit history, current state, permissions, dependencies, metrics, and next actions.
- Scraping and opportunity screens require source, crawl level, extracted entity, duplicate group, score, rank, alert, failed crawl reason, and review decision.

Security and Governance

- Role-based access must control every command, approval, export, integration, and client-facing action.

- Sensitive data must be masked by default in screenshots, previews, logs, notifications, and shared review links.
- Proposal generation, outbound communication, marketplace publishing, and destructive automation require explicit approval where risk policy demands it.
- All approvals must record reviewer, role, timestamp, decision, evidence, policy version, and artifact version.

Accessibility

- Text and controls must maintain readable contrast against --bg, --card, and --card2.
- State must not rely on color alone; badges must include labels and icons where appropriate.
- Keyboard focus must be visible using --blue and must not shift layout.
- Tables, modals, drawers, chat timelines, and queues must have screen-reader-friendly labels and ordering.
- Motion should be limited to operational feedback and must not hide critical state changes.

Responsive Behavior

- Desktop: persistent navigation, multi-pane command workspace, dense tables, visible chat/inspector combinations.
- Tablet: collapsible navigation, two-pane workspaces, sticky action bars, and simplified tables.
- Mobile: single-column task-focused flows, searchable navigation, bottom action bars, and progressive disclosure for inspectors.
- Responsive rules must preserve command authority, approval visibility, and scraping job state rather than hiding them behind decoration.

Acceptance Criteria

- The screen is documented as a real interface with components, states, interactions, data, security, accessibility, and responsive behavior.
- The official index(2).html colors are used exactly as Design Tokens.
- Dashboard / Command Center workflows are represented as product UI, not architecture diagrams.
- Scraping appears as an independent visible workspace wherever relevant, with source manager, levels 1-5, queue, jobs, extracted opportunities, deduplication, ranking, scoring, alerts, failed crawls, manual review, and approval before proposal generation.
- The document can be used by UI designers and frontend engineers to implement the v127 interface direction without undocumented assumptions.

Traceability

Source	Relationship
MAL-V26-EXP-30	Defines v127 Experience & Interface Design for Responsive Desktop / Tablet / Mobile.
Volume 22 Experience Layer	Higher-level experience architecture reference.
Volume 19 Opportunity Intelligence	Opportunity and scraping intelligence reference.
Volume 06 Specifications	Runtime, execution, integration, automation, and analytics specification reference.
index(2).html token set	Official color token source for this volume.

Version History

Version	Date	Status	Notes
v127 draft	2026-06-30	Draft	Added Responsive Desktop / Tablet / Mobile interface design documentation.