# Use Menus on Web Pages

## Contents

## Introduction

HtmlMenu control is for creating menus on web pages. This document uses Limnor Studio 5 and a PHP web project to show how HtmlMenu can be used. You may also use Limnor Studio VS edition. Since HtmlMenu is a client side control, it can also be used in ASP.NET web projects. The HtmlMenu control has been tested on the following browsers: Internet Explorer, FireFox, Safari, Opera, and Chrome.

Drop an HtmlMenu to a web page to start creating a menu.

## Create Menu Items

Set its MenuItems property to create/edit menu items:



A dialogue box appears for creating and editing menu items of all levels:

-  - Add a top level menu item
-  - Add a sub menu item for the selected menu item
-  - Delete selected menu item and all its sub menus of all levels
-  - Move the selected menu item down
-  - Move the selected menu item up

When a menu item is selected, its properties are displayed for viewing and editing.



Note that if a dash "-" is used for the menu item text then the menu item is displayed as a separator:

## Menu Colors

HtmlMenu has several properties for controlling colors.



- BackColor – It is the background color for the menu
- ForeColor – It is the color for menu item text
- mouseOverColor – It is the menu item background color when the mouse pointer is over the menu item
- selectedMenuBackColor – It is the menu item background color for the selected menu item.

## Other Menu Properties

- Gap – It is the gap between the top level menu items, in pixels.
- Font – It is the font for menu item text.

These properties control the appearance of the menu:



## Assign Actions to Menu Items

You may right-click the menu object and select "Assign Action" to assign actions to menu items of lowest levels:



You may assign actions to menu items at any level via the Object Explorer:

## Feedbacks

Please send your feedbacks to support@limnor.com. Thanks!