```
1 - - 작성자 : 이광호
 3 - - 데이터 삽입하기
 5 INSERT INTO tbl_custom#(custom_id,name,email,age,reg_date) VALUES
  ('mina012','김미나','kimm@gmail.com',20,'20220207150306');
 6 INSERT INTO tbl custom#(custom id,name,email,age,reg date) VALUES
  ('hongGD','홍길동','gil@korea.com',32,'20220207150306');
 7 INSERT INTO tbl_custom#(custom_id,name,email,age,reg_date) VALUES
  ('twice','박모모','momo@daum.net',39,'202202050000000');
 8 INSERT INTO tbl custom#(custom id,name,email,age,reg date) VALUES
  ('wonder','이나나','nana@korea.kr',23,'20220205000000');
 9 INSERT INTO tbl custom#(custom id,name,email,age,reg date) VALUES
  ('sana','최사나','unknown',22,'20220209151924');
10
11 INSERT INTO tbl product#(pcode,category,pname,price) VALUES ('CJ-
  BABQ1','B1','CJ햇반잡곡밥SET',26000);
12 INSERT INTO tbl product#(pcode, category, pname, price) VALUES
  ('DOWON123a','B1','동원참치선물세트',54000);
13 INSERT INTO tbl_product#(pcode, category, pname, price) VALUES
  ('dk_143','A2','모션데스크',234500);
14 INSERT INTO tbl product#(pcode, category, pname, price) VALUES
  ('IPAD011','A1','아이패드10',880000);
15 INSERT INTO tbl_product#(pcode, category, pname, price) VALUES
  ('GAL0112','A1','갤럭시20',912300);
16 INSERT INTO tbl_product#(pcode, category, pname, price) VALUES ('CHR-
  J59','A2','S체어',98700);
17
18 INSERT INTO tbl_buy#(buy_seq,custom_id,pcode,quantity,buy_date) VALUES
  (29, 'mina012', 'IPAD011', 1, '220206000000');
19 INSERT INTO tbl buy#(buy seq,custom id,pcode,quantity,buy date) VALUES
  (30, 'hongGD', 'IPAD011', 2, '220208155508');
20 INSERT INTO tbl_buy#(buy_seq,custom_id,pcode,quantity,buy_date) VALUES
  (31, 'wonder', 'DOWON123a', 3, '220206000000');
21 INSERT INTO tbl buy#(buy seq,custom id,pcode,quantity,buy date) VALUES
  (32, 'mina012', 'dk_143',1, '220208155508');
22 INSERT INTO tbl_buy#(buy_seq,custom_id,pcode,quantity,buy_date) VALUES
  (33, 'twice', 'DOWON123a', 2, '220207000000');
23 INSERT INTO tbl buy#(buy seq,custom id,pcode,quantity,buy date) VALUES
  (63, 'hongGD', 'dk_143',1, '220211000000');
24 INSERT INTO tbl_buy#(buy_seq,custom_id,pcode,quantity,buy_date) VALUES
  (61, 'twice', 'CHR-J59', 2, '220212000000');
25 INSERT INTO tbl_buy#(buy_seq,custom_id,pcode,quantity,buy_date) VALUES
  (62, 'hongGD', 'CJ-BABQ1', 4, '220211000000');
26
27
28 - - 1)
29
30 SELECT buy seq, custom id, pcode, quantity, buy date FROM tbl buy# WHERE buy date
  >= to_date('220211');
```

```
<idev> Script-23
31
32 -- 2)
33
34 SELECT pcode, pname, price FROM tbl_product# WHERE price = (SELECT max(price)
  FROM tbl product#);
35
36 -- 3)
37
38 SELECT category, max(price) FROM tbl_product# GROUP BY category ORDER BY
  category;
39
40 - - 4)
41
42 SELECT tc.CUSTOM_ID,tc.NAME ,tb.QUANTITY FROM "TBL_CUSTOM#" tc ,"TBL_BUY#" tb
43 WHERE tc.CUSTOM ID = tb.CUSTOM ID AND pcode = 'IPAD011';
44
45 - - 5)
46
47 SELECT CUSTOM_ID , NAME , AGE FROM "TBL_CUSTOM#" , "TBL_BUY#" tb WHERE -- 잘
  모르겠습니다.
48
49 - - 6)
50
51SELECT buy_date, sum(quantity) -- 잘 모르겠습니다.
```