genesisjoseph@Laptop-de-Genesis MP7_Genesis % python3 -m pytest -q

ChatGPT

Tú

MP7_Genesis.zip
Archivo

HERE IS MY MP7. base solely in what i have, create the report and protocol allowed for this course

Procesó durante 45s

ChatGPT

MP7_Report.pdf
PDF

report.md
Documento

protocol.md
Documento

Tú

Markdown pegad...
Documento

PS8_Genesis.zip
Archivo

- I downloaded the fraud dataset from Kaggle with my own API token and checked it: 590,540 transactions, about 3.5% fraud. The counts matched our proposal.

Lleva tu curiosidad más allá
Escanea para descargar la aplicación ChatGPT

- I saved each file's date and fingerprint (hash), so we know exactly which version we're using.
- I made 4 graphs:

  1. **Missing data.** Some columns are mostly empty, so we'll flag missing values instead of deleting rows.
  2. **Fraud rate over time.** It goes up and down (about 2% to 5%), so we'll train on older weeks and test on newer ones.
  3. **Amounts.** Fraud and normal amounts look almost the same, so the amount alone isn't enough.
  4. **UMAP.** A 2-D picture of the data, tried with 9 different settings.

- I ran a first model, Logistic Regression. It scored 0.38 PR-AUC, while just guessing "not fraud" scores 0.035. XGBoost will have to beat 0.38.
- I kept the last 20% of the data (the test set) untouched for the final project.
- I wrote down our risks and plan: missing data, data changing over time, laptop memory, and checking whether Kaggle data is allowed under the course rules.

NOT REALLY SURE IF I AM MISSING SOMETHING

Procesó durante 12s >

ChatGPT

Tú

I believe i adressed Doctor's comments

Lleva tu curiosidad más allá
Escanea para descargar la aplicación ChatGPT

Tatenda,

Here is my handwritten feedback. Before I approve this project, please respond to these points:

- Confirm the exact edition of https://www.kaggle.com/competitions/ieee-fraud-detectionLinks to an external site. that you are using by release date
- Discuss the size (number of initial rows and columns) besides what you wrote in your
    - **Extraction date:** 10/11/2026. Source versioning: no explicit versioning on site. -
    - **Rows:** 1.38 million - *examine the table schemas and break this down by distribution*
    - **Raw data size:** 1.35 GB
- Confirm the project **taxonomy** as predictive (category) and structured data (topic). You may use the GenAI kit to assess this.
- Spell out an OSEMN plan for the task - you may use any of the versions of the **Generative AI Kit** so long as your prompts pass the specification tollbooth (artifact guardrails).
    - O is straightforward (given the API key mechanism you documented), but SEMN must be specified by your team beyond the task defintion specified in Kaggle
    - For **E**xplore, what are your criteria for determining what valid data looks like? How will visualizing the original data help you select a model for your data and specify your **S**crub step? **Note:** You do not have to commit to your information visualization system(s) up front, but I recommend starting with Power BI or Plotly unless you are already familiar with another popular platform such as Tableau.

Lleva tu curiosidad más allá
Escanea para descargar la aplicación ChatGPT

    - For **S**crub, I recommend defining a policy for handling potentially invalid data - e.g., how will you remove ill-formed transactions, card data, etc? What impact does this have on Kaggle competition rules? (e.g., false negative risk)
    - For **M**odel and **I**nterpret (the stages Genesis with be in charge of): Besides producing transformed data, what information (*e.g.*, metadata including a schema for transformed/scrubbed data, normalization, outlier detection, feature analysis, and other operations in your E & S stages) will your part produce that may affect her choices of *baseline model* and *alternative model* in your final results? For this part, see below and see the **evaluation guide**.

- Since you are planning on using deterministic machine learning algorithms such as Logistic Regression and XGboost, you should name these in your methodology section:
    - **the ML platform:** scikit-learn? **MLlib? MLflow?** PyTorch? PyTorch is recommended *if and only if* you are going to use a neural network (including **all** deep learning models as well as multilayer perceptrons)
    - source of ground truth
- See the data sourcing guide for details on how you can confirm that you already have an open gold standard or basis for forming one. (The GenAI kit should just give you a "Golden Path" / green light result on this.)
- Start a Kaggle notebook that you can turn in with your final deliverable. The notebook itself is not required, but it will help you meet the criteria stated in the **general guidelines** and the **grading rubric**.
- **Side note:** Now that the **evaluation guide**. is posted you can plan your validation approach.

Lleva tu curiosidad más allá
Escanea para descargar la aplicación ChatGPT

- Additional questions for which I did a quick generative search (which I have ***not*** yet hand-validated)- https://share.google/aimode/mp6NLRJG8h6OnTOYwLinks to an external site.
    - ***provenance of ieee fraud detection dataset*** - This is my original query, which I recommend that teams follow up on if there is no *data cardLinks to an external site.* such as the *dataset cards* that HuggingFace publishers complete,Links to an external site. and no date or version number from which a data card or data sheet can be inferred.
    - ***Does the DataPort page have a corresponding HuggingFace data card?*** - This is so you can document the original dataset (shape, types, ranges, prior transformations since point of capture) in your final report and presentation based on a **pinned** version, just as with your Docker dev container.
    - ***Can you confirm that https://huggingface.co/datasets/Kshitijbhatt1998/ieee-fraud-detection-pipeline-featuresLinks to an external site. corresponds to the original IEEE data set either by being identical or by being produced using a documented, reproducible set of data transformations?*** - This is because the answer to the previous question was "no", but there **is** a HuggingFace version. However, if you look at this, there are irreproducible and undocumented transformations that are done to this data, so it is much better for your team to use the original data.

If you have any questions about the above feedback or about any generative output about which you are uncertain after checking the rationale and source, please let me know.



Lleva tu curiosidad más allá

Escanea para descargar la aplicación ChatGPT



Hope this helps,
William Hsu (Instructor)

ChatGPT

Tú

731 proposal(1).pdf
PDF

how can i fix the rest of the comments not adressed?Also here is the first proposal he gave the comments

Procesó durante 16s

ChatGPT

Tú

I already ran my PS8 analysis on the original Kaggle files. Attached are the results, not just the code:
- results.json: real outputs (row/column counts for all 4 CSVs, SHA-256 hashes, fraud rate, validity checks, drift stats, baselines, package versions)
- ps8_explore.ipynb: the executed notebook with outputs
- figures/: the 4 figures (missingness, weekly fraud-rate drift with 95% intervals, amount by class, UMAP sweep)
- PS8_answers.md: my draft answers for Q1-Q5 and Q8

Please review PS8_answers.md against the PS8 survey questions, Dr. Hsu's proposal comments, and results.json. For each requirement, tell me:
1. Already covered (and where), or
2. Missing or inconsistent (and exactly what to change).

Lleva tu curiosidad más allá
Escanea para descargar la aplicación ChatGPT

Check every number in PS8_answers.md against results.json and flag any that don't match.

Do not suggest re-running things that results.json already shows (for example, the table counts are already in data_card.tables).

Kn

Procesó durante 7s >

ChatGPT

Tú

i am allowed to answer with ai based on my files and then add answers.md?

ChatGPT

Tú

give q1 to q4

ChatGPT

Tú

FOR QUESTION 3
{
 "tables": {
  "train_transaction.csv": {
   "rows": 590540,
   "columns": 394,

Lleva tu curiosidad más allá
Escanea para descargar la aplicación ChatGPT

```
   "bytes": 683351067,
   "sha256":
"3a5c83ab6b3cc13dcabe5ffa9f522307fd5f7f7b6e6f6a60c32284c
a6283d642"
  },
  "train_identity.csv": {
   "rows": 144233,
   "columns": 41,
   "bytes": 26529680,
   "sha256":
"b63c725d8377be90a995268d97f347c17d456b95db45807adcf9f
59cd603c37c"
  },
  "test_transaction.csv": {
   "rows": 506691,
   "columns": 393,
   "bytes": 613194934,
   "sha256":
"2a8e51f1d335a86025d2b7f45beb9b78d0ab1edd726ef531d8b71a
8a0065c011"
  },
  "test_identity.csv": {
   "rows": 141907,
   "columns": 41,
   "bytes": 25797161,
   "sha256":
"3e5978cb13ca5e72f52babc4349ae0125e14b87ca8bfabe952ab6
7bb4ff1e10b"
  }
 },
 "total_rows": 1383371,
 "train_fraud_count": 20663,
 "train_fraud_rate": 0.03499000914417313,
 "identity_coverage": 0.2442391709283029,
 "transaction_dt_days": 181.99920138888888,
 "validity_checks": {
  "TransactionID_unique": true,
```


Lleva tu curiosidad más allá

Escanea para descargar la aplicación ChatGPT

```
  "TransactionID_non_null": true,
  "isFraud_in_0_1": true,
  "TransactionAmt_positive": true,
  "identity_one_to_one": true
 }
}
{
 "split": {
  "train_rows": 413378,
  "val_rows": 59053,
  "test_rows_held_out": 118109,
  "val_fraud_rate": 0.03490085177721708
 },
 "majority_class": {
  "pr_auc": 0.03490085177721708,
  "roc_auc": 0.5,
  "note": "always predicts not-fraud; PR-AUC equals the fraud rate"
 },
 "logistic_regression": {
  "pr_auc": 0.3794528103886848,
  "roc_auc": 0.8445642310838898,
  "features": 211,
  "class_weight": "balanced"
 },
 "grading_eligible": false
}
{'weeks': 27, 'min_rate': 0.018522992671337682, 'max_rate':
0.05061181735942485, 'first_week_rate': 0.028055438891222174,
'last_week_rate': 0.043209876543209874}
{'median_amt_not_fraud': 68.5, 'median_amt_fraud': 75.0}
{'C': 0.0, 'other': 0.0, 'card': 0.0051, 'addr': 0.1113, 'P_email': 0.1599,
'V': 0.4304, 'M': 0.4992, 'D': 0.5815, 'dist': 0.7664, 'R_email':
0.7675}
```


ChatGPT

Lleva tu curiosidad más allá

Escanea para descargar la aplicación ChatGPT

Tú

the figures are in the zip file

ChatGPT

Tú

PS8_Genesis(2)....
Archivo

Procesó durante 27s

ChatGPT

Tú

FOR QUESTION 4?

ChatGPT

Tú

BASED ON MY CODE ONLY, DO NOT MAKE THINGS UP

ChatGPT

Tú

Q5

ChatGPT

Lleva tu curiosidad más allá
Escanea para descargar la aplicación ChatGPT

Tú

Can you help me with these?
1. At least 5 risks for our project, each with how likely it is, how bad it would be,
   a number that tells us it's happening, and what we'd do about it.
2. A simple plan of who does what and by when, leaving about a week of buffer before Dec 14.
3. How many transactions (between 50 and 200) Tatenda and I should check by hand, and how to pick them.
4. How we can use our model's scores to help pick examples without treating them as real labels.
5. How Tatenda and I can check that we agree on our labels (like Cohen's kappa) and what score is good enough.
6. Why we use 10% for validation instead of something under 1%, since fraud is rare,
   and how we avoid overfitting to it.

Please base your suggestions on my numbers and tell me which parts are just your guesses,
so Tatenda and I can decide on those ourselves.

ChatGPT

Tú

thank you, it was really helpful, i will not use this log for GenAi.pdf

ChatGPT

Lleva tu curiosidad más allá
Escanea para descargar la aplicación ChatGPT