


# Configuring Terminal 02 and Beyond


1. ON TERMINAL 1, use one of the manager logins (8, 9998, 9992, etc.) followed by "Done" to access the Manager Menu.
2. Select the "Allow Terminal Setup" button.




3. Open the web browser available on your machine.
4. In the address bar, type the following but replace the IP address with the one from Terminal 1:  
"http://[IP\_ADDRESS]:10001" (e.g., <http://192.168.3.201:10001>).




5. This page should load from the URL. Click the "Click Here to Download Installers" link.




6. A file installer window should appear. Click "Run"



7. Click "Run" again



8. It will install a zipped file which will ask you to unzip. Click "Unzip"



9. After the file unzips the terminal configuration screen will appear. The settings are identical to those of terminal 01 except for the "terminal ID." Choose the appropriate "Terminal ID"

onePOS Configure POS Terminal

Terminal ID: Terminal #02

Terminal Name: Terminal #01  
Terminal #02  
Machine IP: Terminal #03  
Subnet: Terminal #04  
Gateway: Terminal #05  
192 . 168 . 0 . 1  
Pri DNS: 192 . 168 . 0 . 1  
Time Zone: Time Zone  
Data Server IP: 192 . 168 . 0 . 101  
Data Server IP Backup: 192 . 168 . 0 . 102  
Data Server Port: 10001  
Log Level: Errors Only  
☐ Run Management Console  
☒ Run Terminal  
☒ Show Mouse  
☒ Relaunch Applications  
Administrator Password Old: Administrator Password Old  
Administrator Password New: Administrator Password New  
onePOS Password: onePOS Password  
☐ Is POS Server (Terminal 01)  
☐ Is Backup POS Server (Terminal 02)  
☐ Lock Down System  
Optional Components:  
DataCap  
OPOS  
QuickBooks Library  
Vantiv-dsiEMVX  
OK  
Cancel  
Running this tool will totally remove all data on this terminal,  
possibly losing valuable information, type ACCEPT to continue: Running this tool will totally remove all data on this terminal,  
possibly losing valuable information, type ACCEPT to continue:

10. Choose the appropriate "Time Zone"

onePOS Configure POS Terminal

Terminal ID: Terminal #02

Terminal Name: TERM02

Machine IP: 192 . 168 . 0 . 102

Subnet: 255 . 255 . 255 . 0

Gateway: 192 . 168 . 0 . 1

Pri DNS: 192 . 168 . 0 . 1

Time Zone: [Dropdown Menu]

Data Server IP: [Dropdown Menu]

Data Server IP Backup: [Dropdown Menu]

Data Server Port: [Dropdown Menu]

Log Level: [Dropdown Menu]

Administrator Password Old: [Text Field]

Administrator Password New: [Text Field]

onePOS Password: [Text Field]

Optional Components:

- DataCap
- OPOS
- QuickBooks Library
- Vantiv-dsiEMVX

OK

Cancel

Running this tool will totally reformat the terminal and possibly losing valuable information.

11. Click to highlight any "Optional Components" you would like to add

onePOS Configure POS Terminal

Terminal ID: Terminal #02

Terminal Name: TERM02

Machine IP: 192 . 168 . 0 . 102

Subnet: 255 . 255 . 255 . 0

Gateway: 192 . 168 . 0 . 1

Pri DNS: 192 . 168 . 0 . 1

Time Zone: Eastern Daylight Time

Data Server IP: 192 . 168 . 0 . 101

Data Server IP Backup: 192 . 168 . 0 . 102

Data Server Port: 10001

Log Level: Errors Only

☐ Run Management Console

☒ Run Terminal

☒ Show Mouse

☒ Relaunch Applications

Administrator Password Old:

Administrator Password New:

onePOS Password:

☐ Is POS Server (Terminal 01)

☒ Is Backup POS Server (Terminal 02)

☒ Lock Down System

Optional Components:

DataCap

OPOS

QuickBooks Library

Vantiv-dsiEMVX

OK

Cancel

Running this tool will totally remove all data on this terminal, possibly losing valuable information, type ACCEPT to continue:

12. Type in "accept" then click "OK"

onePOS Configure POS Terminal

Terminal ID: Terminal #02

Terminal Name: TERM02

Machine IP: 192 . 168 . 0 . 102

Subnet: 255 . 255 . 255 . 0

Gateway: 192 . 168 . 0 . 1

Pri DNS: 192 . 168 . 0 . 1

Time Zone: Eastern Daylight Time

Data Server IP: 192 . 168 . 0 . 101

Data Server IP Backup: 192 . 168 . 0 . 102

Data Server Port: 10001

Log Level: Errors Only

☐ Run Management Console

☒ Run Terminal

☒ Show Mouse

☒ Relaunch Applications

Administrator Password Old:

Administrator Password New:

onePOS Password:

☐ Is POS Server (Terminal 01)

☒ Is Backup POS Server (Terminal 02)

☒ Lock Down System

Optional Components:

DataCap

OPOS

QuickBooks Library

Vantiv-dsiEMVX

OK

Cancel

Running this tool will totally remove all data on this terminal, possibly losing valuable information, type ACCEPT to continue: accept

13. The command prompt will appear and allow 30 seconds to cancel. After 30 seconds press any key on your keyboard to continue. Then reboot your machine

```
C:\Windows\system32\cmd.exe

C:\Users\ADMINI~1\AppData\Local\Temp\ckz_XPSC>NETSH INTERFACE IP SET ADDRESS NAME="Local Area Connection" STATIC 192.168.0.102 255.255.255.0 192.168.0.1 1

C:\Users\ADMINI~1\AppData\Local\Temp\ckz_XPSC>TIMEOUT /NOBREAK 30

Waiting for 0 seconds, press CTRL+C to quit ...

C:\Users\ADMINI~1\AppData\Local\Temp\ckz_XPSC>NETSH INTERFACE IP SET DNS NAME="Local Area Connection" STATIC 192.168.0.1 PRIMARY

C:\Users\ADMINI~1\AppData\Local\Temp\ckz_XPSC>PAUSE

Press any key to continue . . .
```



14. After rebooting your machine, onePOS will open automatically on the new terminal.