


Locking down a terminal

Terminal 1

- Configure the network adapter to be static. IP address should match local subnet and preferably end with 201



Internet Protocol Version 4 (TCP/IPv4) Properties

General

You can get IP settings assigned automatically if your network supports this capability. Otherwise, you need to ask your network administrator for the appropriate IP settings.

☐ Obtain an IP address automatically

☒ Use the following IP address:

IP address: 192 . 168 . 0 . 201

Subnet mask: 255 . 255 . 255 . 0

Default gateway: 192 . 168 . 0 . 1

☐ Obtain DNS server address automatically

☒ Use the following DNS server addresses:

Preferred DNS server: 192 . 168 . 0 . 1

Alternate DNS server: 1 . 1 . 1 . 1

☐ Validate settings upon exit

Advanced...

OK Cancel

- Change the Administrator password to 1234 temporarily. It will get reset to the correct password in a later step. This can be done through an elevated command prompt using the following command:

net user administrator <password>

```
Administrator: Command Prompt
Microsoft Windows [Version 10.0.17763.7434]
(c) 2018 Microsoft Corporation. All rights reserved.

C:\Users\Administrator>net user administrator 1234
```

- Make sure the onePOS is installed and a database is in the C:/onePOS folder. Navigate to the onePOS install folder located in either C:/onePOS/Install or C:/install/onePOSinstall and open the ConfigTerminal.EXE

> This PC > Local Disk (C:) > INSTALL > onePOSInstall				
Name	Date modified	Type	Size	
Optional.DigitalPersona	1/9/2025 5:08 PM	File folder		
Optional.QuickBooks Library	1/9/2025 5:08 PM	File folder		
<u>ConfigTerminal.EXE</u>	10/24/2024 1:53 PM	Application	5,606 KB	
dir.txt	7/5/2023 7:14 AM	Text Document	1 KB	
Finish.bat	7/5/2023 7:14 AM	Windows Batch File	9 KB	
RegSet.exe	10/24/2024 1:53 PM	Application	92 KB	
SetDesktop.exe	10/24/2024 1:53 PM	Application	92 KB	

- Select “Terminal #01” From the Terminal ID: drop down.
- Delete the “Machine IP:, Subnet:, Gateway:, and Pri DNS” so that there is either blank space or zeros.

onePOS Configure POS Terminal

Terminal ID: Terminal #01

Terminal Name: TERM01

Machine IP: 0 . 0 . 0 . 0

Subnet:

Gateway:

Pri DNS:

Time Zone: zUTC-07:00 Arizona

Data Server IP: 192 . 168 . 0 . 201

Data Server IP Backup: 192 . 168 . 0 . 202

Data Server Port: 10001

Log Level: Errors Only

☐ Run Management Console

☒ Run Terminal

☒ Show Mouse

☒ Relaunch Applications

Administrator Password Old: 1234

Administrator Password New: 1234Special

onePOS Password: 1234

☒ Is POS Server (Terminal 01)

☐ Is Backup POS Server (Terminal 02)

☒ Lock Down System

Optional Components:

DigitalPersona

QuickBooks Library

OK

Cancel

Running this tool will totally remove all data on this terminal, possibly losing valuable information, type ACCEPT to continue: accept

- Select the Time Zone:

Data Server IP: Enter the Static IP of Terminal 1

Data Server IP Backup: Enter the Static IP of Terminal 2

Administrator Password Old: Will be the password set in step 2

Administrator Password New: Will be the permanent password

onePOS Password: Will be the password for the standard onePOS windows user that the Terminal will be logged into normally.

“Is POS Server (Terminal 01)” Should already be selected. Enable if not

“Lock Down System” Should be already selected. Enable if not.

onePOS Configure POS Terminal

Terminal ID:

Terminal Name:

Machine IP:

Subnet:

Gateway:

Pri DNS:

Time Zone:

Data Server IP:

Data Server IP Backup:

Data Server Port:

Log Level:

☐ Run Management Console

☒ Run Terminal

☒ Show Mouse

☒ Relaunch Applications

Administrator Password Old:

Administrator Password New:

onePOS Password:

☒ Is POS Server (Terminal 01)

☐ Is Backup POS Server (Terminal 02)

☒ Lock Down System

Optional Components:

DigitalPersona

QuickBooks Library

OK

Cancel

Running this tool will totally remove all data on this terminal, possibly losing valuable information, type ACCEPT to continue:

- Select any optional components that need to be installed.

onePOS Configure POS Terminal

Terminal ID:

Terminal Name:

Machine IP:

Subnet:

Gateway:

Pri DNS:

Time Zone:

Data Server IP:

Data Server IP Backup:

Data Server Port:

Log Level:

☐ Run Management Console

☒ Run Terminal

☒ Show Mouse

☒ Relaunch Applications

Administrator Password Old:

Administrator Password New:

onePOS Password:

☒ Is POS Server (Terminal 01)

☐ Is Backup POS Server (Terminal 02)

☒ Lock Down System

Optional Components:

DigitalPersona

QuickBooks Library

OK

Cancel

Running this tool will totally remove all data on this terminal, possibly losing valuable information, type ACCEPT to continue:

- Review the setup for any errors and type in “accept” in the field on the bottom. Once ready hit OK in the upper right corner.

onePOS Configure POS Terminal

Terminal ID: Terminal #01

Terminal Name: TERM01

Machine IP: 0 . 0 . 0 . 0

Subnet: . . .

Gateway: . . .

Pri DNS: . . .

Time Zone: zUTC-07:00 Arizona

Data Server IP: 192 . 168 . 0 . 201

Data Server IP Backup: 192 . 168 . 0 . 202

Data Server Port: 10001

Log Level: Errors Only

☐ Run Management Console

☒ Run Terminal

☒ Show Mouse

☒ Relaunch Applications

Administrator Password Old: 1234

Administrator Password New: 1234Special

onePOS Password: 1234

☒ Is POS Server (Terminal 01)

☐ Is Backup POS Server (Terminal 02)

☒ Lock Down System

Optional Components:

DigitalPersona

QuickBooks Library

OK


Cancel

Running this tool will totally remove all data on this terminal, possibly losing valuable information, type ACCEPT to continue: accept

- Once the config term is complete it will close and then you will need to reboot the terminal to finish the installation. Once the reboot is complete the system will auto login to the onePOS user and start the onePOS Launcher which will reach out to the server and pull all data necessary to run onePOS terminal.


Terminal 2

- Configure the network adapter to be static. Preferably IP address should match local subnet and end with 202



- Change the Administrator password to 1234 temporarily. It will get reset to the correct password in a later step. This can be done through an elevated command prompt using the following command:

net user administrator <password>



- Navigate to the onePOS install folder located in either Terminal 1 C:/onePOS/Install or C:/install/onePOSinstall and open the ConfigTerminal.EXE

> This PC > Local Disk (C:) > INSTALL > onePOSInstall				
Name	Date modified	Type	Size	
Optional.DigitalPersona	1/9/2025 5:08 PM	File folder		
Optional.QuickBooks Library	1/9/2025 5:08 PM	File folder		
<u>ConfigTerminal.EXE</u>	10/24/2024 1:53 PM	Application	5,606 KB	
dir.txt	7/5/2023 7:14 AM	Text Document	1 KB	
Finish.bat	7/5/2023 7:14 AM	Windows Batch File	9 KB	
RegSet.exe	10/24/2024 1:53 PM	Application	92 KB	
SetDesktop.exe	10/24/2024 1:53 PM	Application	92 KB	

- Select “Terminal #02” From the Terminal ID: drop down.
- Delete the “Machine IP:, Subnet:, Gateway:, and Pri DNS” so that there is either blank space or zeros.

onePOS Configure POS Terminal

Terminal ID: Terminal #02

Terminal Name: TERM02

Machine IP: 0 . 0 . 0 . 0

Subnet: . . .

Gateway: . . .

Pri DNS: . . .

Time Zone: zUTC-07:00) Arizona

Data Server IP: 192 . 168 . 0 . 201

Data Server IP Backup: 192 . 168 . 0 . 202

Data Server Port: 10001

Log Level: Errors Only

☐ Run Management Console

☒ Run Terminal

☒ Show Mouse

☒ Relaunch Applications

Administrator Password Old: 1234

Administrator Password New: 1234Special

onePOS Password: 1234

☐ Is POS Server (Terminal 01)

☒ Is Backup POS Server (Terminal 02)

☒ Lock Down System

Running this tool will totally remove all data on this terminal, possibly losing valuable information, type ACCEPT to continue: accept

- Select the Time Zone:

Data Server IP: Enter the Static IP of Terminal 1

Data Server IP Backup: Enter the Static IP of Terminal 2

Administrator Password Old: Will be the password set in step 2

Administrator Password New: Will be the permanent password

onePOS Password: Will be the password for the standard onePOS windows user that the Terminal will be logged into normally.

“Is Backup POS Server (Terminal 02)” Should already be selected. Enable if not

“Lock Down System” Should be already selected. Enable if not.

onePOS Configure POS Terminal

Terminal ID: Terminal #02

Terminal Name: TERM02

Machine IP: 0 . 0 . 0 . 0

Subnet: . . .

Gateway: . . .

Pri DNS: . . .

Optional Components:

- DigitalPersona
- QuickBooks Library

OK

Cancel

Time Zone: zUTC-07:00 Arizona

Data Server IP: 192 . 168 . 0 . 201

Data Server IP Backup: 192 . 168 . 0 . 202

Data Server Port: 10001

Log Level: Errors Only

- ☐ Run Management Console
- ☒ Run Terminal
- ☒ Show Mouse
- ☒ Relaunch Applications

Administrator Password Old: 1234

Administrator Password New: 1234Special

onePOS Password: 1234

- ☐ Is POS Server (Terminal 01)
- ☒ Is Backup POS Server (Terminal 02)
- ☒ Lock Down System

Running this tool will totally remove all data on this terminal, possibly losing valuable information, type ACCEPT to continue: accept

- Select any optional components that need to be installed.

onePOS Configure POS Terminal

Terminal ID: Terminal #02

Terminal Name: TERM02

Machine IP: 0 . 0 . 0 . 0

Subnet: . . .

Gateway: . . .

Pri DNS: . . .

Time Zone: zUTC-07:00 Arizona

Data Server IP: 192 . 168 . 0 . 201

Data Server IP Backup: 192 . 168 . 0 . 202

Data Server Port: 10001

Log Level: Errors Only

☐ Run Management Console

☒ Run Terminal

☒ Show Mouse

☒ Relaunch Applications

Administrator Password Old: 1234

Administrator Password New: 1234Special

onePOS Password: 1234

☐ Is POS Server (Terminal 01)

☒ Is Backup POS Server (Terminal 02)

☒ Lock Down System

Optional Components:

DigitalPersona

QuickBooks Library

OK

Cancel

Running this tool will totally remove all data on this terminal, possibly losing valuable information, type ACCEPT to continue: accept

- Review the setup for any errors and type in “accept” in the field on the bottom. Once ready hit OK in the upper right corner.

onePOS Configure POS Terminal

Terminal ID:

Terminal Name:

Machine IP:

Subnet:

Gateway:

Pri DNS:

Time Zone:

Data Server IP:

Data Server IP Backup:

Data Server Port:

Log Level:

☐ Run Management Console

☒ Run Terminal

☒ Show Mouse

☒ Relaunch Applications

Administrator Password Old:

Administrator Password New:

onePOS Password:

☐ Is POS Server (Terminal 01)

☒ Is Backup POS Server (Terminal 02)

☒ Lock Down System

Optional Components:

- DigitalPersona
- QuickBooks Library

OK

Cancel

Running this tool will totally remove all data on this terminal, possibly losing valuable information, type ACCEPT to continue:

- Once the config term is complete it will close and then you will need to reboot the terminal to finish the installation. Once the reboot is complete the system will auto login to the onePOS user and start the onePOS Launcher which will reach out to the server and pull all data necessary to run onePOS terminal.

Terminal 3 onward

- Change the Administrator password to 1234 temporarily. It will get reset to the correct password in a later step. This can be done through an elevated command prompt using the following command:


net user administrator <password>

Administrator: Command Prompt


Microsoft Windows [Version 10.0.17763.7434]
(c) 2018 Microsoft Corporation. All rights reserved.

C:\Users\Administrator>net user administrator 1234

- Navigate to the onePOS install folder located in either Terminal 1 C:/onePOS/Install or C:/install/onePOSinstall and open the ConfigTerminal.EXE



- Select “Terminal #03 or more” From the Terminal ID: drop down.
- Delete the “Machine IP:, Subnet:, Gateway:, and Pri DNS” so that there is either blank space or zeros.



- Select the Time Zone:

Data Server IP: Enter the Static IP of Terminal 1

Data Server IP Backup: Enter the Static IP of Terminal 2

Administrator Password Old: Will be the password set in step 2

Administrator Password New: Will be the permanent password

onePOS Password: Will be the password for the standard onePOS windows user that the Terminal will be logged into normally.

“Lock Down System” Should be already selected. Enable if not.

onePOS Configure POS Terminal

Terminal ID: Terminal #03
Terminal Name: TERM03
Machine IP: 0 . 0 . 0 . 0
Subnet:
Gateway:
Pri DNS:

Optional Components:
DigitalPersona
QuickBooks Library

OK
Cancel

Time Zone: zUTC-07:00 Arizona
Data Server IP: 192 . 168 . 0 . 201
Data Server IP Backup: 192 . 168 . 0 . 202
Data Server Port: 10001
Log Level: Errors Only
☐ Run Management Console
☒ Run Terminal
☒ Show Mouse
☒ Relaunch Applications
Administrator Password Old: 1234
Administrator Password New: 1234Special
onePOS Password: 1234
☐ Is POS Server (Terminal 01)
☐ Is Backup POS Server (Terminal 02)
☒ Lock Down System

Running this tool will totally remove all data on this terminal, possibly losing valuable information, type ACCEPT to continue: accept

- Select any optional components that need to be installed.

onePOS Configure POS Terminal

Terminal ID:

Terminal Name:

Machine IP:

Subnet:

Gateway:

Pri DNS:

Time Zone:

Data Server IP:

Data Server IP Backup:

Data Server Port:

Log Level:

☐ Run Management Console

☒ Run Terminal

☒ Show Mouse

☒ Relaunch Applications

Administrator Password Old:

Administrator Password New:

onePOS Password:

☐ Is POS Server (Terminal 01)

☐ Is Backup POS Server (Terminal 02)

☒ Lock Down System

Optional Components:

DigitalPersona

QuickBooks Library

OK

Cancel

Running this tool will totally remove all data on this terminal, possibly losing valuable information, type ACCEPT to continue:

- Review the setup for any errors and type in “accept” in the field on the bottom. Once ready hit OK in the upper right corner.

onePOS Configure POS Terminal

Terminal ID:

Terminal Name:

Machine IP:

Subnet:

Gateway:

Pri DNS:

Time Zone:

Data Server IP:

Data Server IP Backup:

Data Server Port:

Log Level:

☐ Run Management Console

☒ Run Terminal

☒ Show Mouse

☒ Relaunch Applications

Administrator Password Old:

Administrator Password New:

onePOS Password:

☐ Is POS Server (Terminal 01)

☐ Is Backup POS Server (Terminal 02)

☒ Lock Down System

Optional Components:

DigitalPersona

QuickBooks Library

OK


Cancel

Running this tool will totally remove all data on this terminal, possibly losing valuable information, type ACCEPT to continue:

- Once the config term is complete it will close and then you will need to reboot the terminal to finish the installation. Once the reboot is complete the system will auto login to the onePOS user and start the onePOS Launcher which will reach out to the server and pull all data necessary to run onePOS terminal.

BOH and Manager PC

- Transfer the onePOS install folder located in either Terminal 1 C:/onePOS/Install or C:/install/onePOSinstall to the BOH machine and open the ConfigTerminal.EXE



Name	Date modified	Type	Size
Optional.DigitalPersona	1/9/2025 5:08 PM	File folder	
Optional.QuickBooks Library	1/9/2025 5:08 PM	File folder	
<u>ConfigTerminal.EXE</u>	10/24/2024 1:53 PM	Application	5,606 KB
dir.txt	7/5/2023 7:14 AM	Text Document	1 KB
Finish.bat	7/5/2023 7:14 AM	Windows Batch File	9 KB
RegSet.exe	10/24/2024 1:53 PM	Application	92 KB
SetDesktop.exe	10/24/2024 1:53 PM	Application	92 KB

- Select “Manager PC #01 or more” From the Terminal ID: drop down.
- Delete the “Machine IP:, Subnet:, Gateway:, and Pri DNS” so that there is either blank space or zeros.

onePOS Configure POS Terminal

Terminal ID: Manager PC #01

Terminal Name: BOH01

Machine IP: 0 . 0 . 0 . 0

Subnet:

Gateway:

Pri DNS:

Time Zone:

Data Server IP: 192 . 168 . 0 . 201

Data Server IP Backup: 192 . 168 . 0 . 202

Data Server Port: 10001

Log Level: Errors Only

☒ Run Management Console

☐ Run Terminal

☒ Show Mouse

☒ Relaunch Applications

Administrator Password Old:

Administrator Password New:

onePOS Password:

☐ Is POS Server (Terminal 01)

☐ Is Backup POS Server (Terminal 02)

☐ Lock Down System

Optional Components:

DigitalPersona

QuickBooks Library

OK

Cancel

Running this tool will totally remove all data on this terminal, possibly losing valuable information, type ACCEPT to continue: accept

- Leave the Time Zone: Blank

Data Server IP: Enter the Static IP of Terminal 1

Data Server IP Backup: Enter the Static IP of Terminal 2

Administrator Password Old: Leave Blank

Administrator Password New: Leave Blank

onePOS Password: Leave Blank

“Lock Down System” Should not be enabled for BOH

onePOS Configure POS Terminal

Terminal ID: Manager PC #01

Terminal Name: BOH01

Machine IP: 0 . 0 . 0 . 0

Subnet: . . .

Gateway: . . .

Pri DNS: . . .

Optional Components:

DigitalPersona

QuickBooks Library

OK

Cancel

Time Zone:

Data Server IP: 192 . 168 . 0 . 201

Data Server IP Backup: 192 . 168 . 0 . 202

Data Server Port: 10001

Log Level: Errors Only

☒ Run Management Console

☐ Run Terminal

☒ Show Mouse

☒ Relaunch Applications

Administrator Password Old:

Administrator Password New:

onePOS Password:

☐ Is POS Server (Terminal 01)

☐ Is Backup POS Server (Terminal 02)

☐ Lock Down System

Running this tool will totally remove all data on this terminal, possibly losing valuable information, type ACCEPT to continue: accept

- Select any optional components that need to be installed.

onePOS Configure POS Terminal

Terminal ID: Manager PC #01

Terminal Name: BOH01

Machine IP: 0 . 0 . 0 . 0

Subnet: . . .

Gateway: . . .

Pri DNS: . . .

Optional Components:

DigitalPersona

QuickBooks Library

OK

Cancel

Time Zone:

Data Server IP: 192 . 168 . 0 . 201

Data Server IP Backup: 192 . 168 . 0 . 202

Data Server Port: 10001

Log Level: Errors Only

☒ Run Management Console

☐ Run Terminal

☒ Show Mouse

☒ Relaunch Applications

Administrator Password Old:

Administrator Password New:

onePOS Password:

☐ Is POS Server (Terminal 01)

☐ Is Backup POS Server (Terminal 02)

☐ Lock Down System

Running this tool will totally remove all data on this terminal, possibly losing valuable information, type ACCEPT to continue: accept

- Review the setup for any errors and type in “accept” in the field on the bottom. Once ready hit OK in the upper right corner.

onePOS Configure POS Terminal

Terminal ID: Manager PC #01

Terminal Name: BOH01

Machine IP: 0 . 0 . 0 . 0

Subnet: . . .

Gateway: . . .

Pri DNS: . . .

Time Zone:

Data Server IP: 192 . 168 . 0 . 201

Data Server IP Backup: 192 . 168 . 0 . 202

Data Server Port: 10001

Log Level: Errors Only

☒ Run Management Console

☐ Run Terminal

☒ Show Mouse

☒ Relaunch Applications

Administrator Password Old:

Administrator Password New:

onePOS Password:

☐ Is POS Server (Terminal 01)

☐ Is Backup POS Server (Terminal 02)

☐ Lock Down System

Optional Components:

DigitalPersona

QuickBooks Library

OK

Cancel

Running this tool will totally remove all data on this terminal, possibly losing valuable information. type ACCEPT to continue: accept

- Once the config term is complete it will close and then you will need to navigate to C:\Users\Public\onePOS Remote Launcher\Launcher.exe. Open the Launcher.exe and it will reach out to term01 and download the necessary files and open the management console.