

# INDEX

- $\alpha$ -LMS error correction algorithm, 198–199, 204
- $\mu$ -LMS algorithm, 196–197, 203
- a posteriori* (posterior) probability, 4, 127, 129–130, 133, 138, 144–145
- a priori* knowledge, 76, 124, 127, 133, 134, 146, 211
- a priori* (prior) probability, 3–4, 58, 60, 75–76, 129, 133–136, 138, 144, 146, 170
- absolute temperature, 12, 14
- absorption, 4, 11, 18–19, 22–25, 29, 31, 38–39, 41, 43, 86, 300–303
- activation value, 240, 242, 248, 252, 256
- active sensor, 4, 7, 10, 32, 84, 263
- Adaline (adaptive linear element), 186–192, 197–198, 202, 205
- adaptation, 185, 188, 191, 198, 202
- adaptive algorithm, 187
- adaptive fuzzy neural systems, 237, 256
- adaptive linear combiner, 184, 186, 207
- adaptive resonance theory, 210
- adaptive threshold element, 198
- adaptive weights, 192
- advective fog, 21, 25, 40
- aerosol atmospheric components, 29
- aerosol profile, 38, 40–41
- agreement function, 177–178
- aimpoint, 18
- airborne obscurants, 32
- alignment, 80
- all-neighbor association, 75
- alternate hypothesis, 109–110, 118, 123
- ambiguities, 274
- AND gate, 231, 233
- angle data fusion, 265, 267, 271
- angle data, 273, 275
- angle measurement, 278
- angle tracks, 6, 265, 282–286, 289
- angular resolution, 270
- antecedent block, 240, 245–247
- antecedent membership functions, 240, 245–248, 252, 255
- antenna beamwidth, 26
- antenna resolution, 22
- apparent temperature, 12
- architecture, 82, 191
- artificial neural network, 5, 63, 64, 67, 69, 92–95, 142–144, 183–186, 195, 205–209, 295
- aspect angle, 56
- assassin problem, 165–170
- assignment algorithm, 275
- association metrics, 65, 72–73, 95, 282
- association, 2, 52, 67, 71–72, 75, 80
- associative memory, 211
- asymptotic capacity, 212
- atmospheric attenuation, 12, 18–19, 22, 30, 39, 303–304
- atmospheric constituents, 28
- atmospheric energy, 14
- atmospheric temperature profiles, 11
- atmospheric transmittance, 31
- attenuation, 28, 298–299
- attenuation coefficient, 28, 38–39
- attenuation, drizzle, 19
- attenuation, fog, 19
- attenuation, particle size, 21
- attenuation, rain, 19, 23
- attenuation, snow, 20
- attractor basins, 195
- auction algorithm, 283–284, 289
- autocorrelation function, 197
- automatic target recognition, 15
- autonomous fusion, 83, 96
- autonomous sensors, 7
- autonomous tracking, 74
- AVIRIS, 2
- azimuth angle, 271, 283
- background temperature, 17, 300
- backpropagation algorithm, 5, 191, 200–202, 207, 257

- backscatter coefficient, 25–26
- backscatter, 23, 223
- backward sweep, 201
- basic probability assignment, 149, 164–165, 204
- batch estimation, 288
- batch processing, 76
- Bayes' rule, 4, 127–132, 136, 144, 146
- Bayesian inference, 2–4, 58, 60, 87, 95, 127, 129, 133–135, 143, 146, 161, 178, 294
- belief functions, 155, 254
- binary logic, 237
- bipolar binary responses, 211
- bistatic radar configuration, 11
- block samples, 101
- Boolean algebra, 66, 87, 164–165, 221, 233–234
- boundary layer, 38
- Bourgeois and Lassalle, 285
- branch-and-bound algorithm, 281–282
- brightness temperature, 300–301, 303
  
- carbon dioxide, 19, 28, 41
- center of mass, 240, 247–248, 252, 256
- central-level (centralized) fusion, 15, 73, 83, 87–91, 96, 264–265, 271, 288
- central limit theorem, 103, 106
- central processor, 74, 88–89, 265, 271, 289
- central track file, 74, 76, 95
- character recognition, 184, 194, 207
- chi-squared statistic, 284–289
- class membership, 194
- classical inference, 58, 60, 101, 119, 123–124, 133, 294
- classification, 54–58, 67, 70, 80, 82, 89, 93, 95
- classification declaration, 66
- classification fusion, 87
- classification space, 218
- closest approach distance, 285
- cluster algorithms, 63, 64, 195, 210
- clustering, 69, 95
- clutter, 215, 271
- cognitive-based models, 68
- coherent processing, 264–266, 269, 271
- coherent receiver fusion architecture, 270
- communication channel, 269
- confidence level, 254, 288, 323–324
- command and control architecture, 80
- comparison layer, 210
- composite feature, 92
- computation time, Bayesian–Dempster-Shafer, 163
- conditional event algebra, 55
- conditional probability, 61, 63, 127, 133, 146, 223–229, 234
- confidence, 75, 87, 93, 151, 161, 216–217, 220
- confidence interval, 149, 159, 103–108, 113–118, 122–123, 136
- confidence level, 103–106, 117–118, 123, 217–234, 288
- confidence-level space, 218, 223, 224, 234
- conjunction, 128, 149, 233
- consequent block, 240, 247
- consequent fuzzy set, 240–242, 246, 252, 256
- consequent membership function, 240, 246, 256
- consequent set, 242, 248
- consequent values, 252
- contextual interpretation, 78
- control rules, 238
- convergence, 196–197, 200, 202, 211
- correction vector, 251, 254, 256
- correlation, 2, 52, 71–72, 80, 82, 252, 290
- correlation measures, 63, 68
- correlation-minimum inference, 241, 248
- correlation-product inference, 241–243
- cost constraint, 278
- cost function, 134, 277–278
- cost, sensor, 15, 14
- cost, target, 15
- countermeasures, 4, 7–8, 18, 32, 215, 220, 233
- counterpropagation network, 205, 207, 211
- covariance matrix, 76, 82, 249–251
- cross-correlation function, 284
- cross-correlation statistic, 267–268, 270
- cueing, 74, 80, 82
  
- data alignment, 71–72, 76, 95
- data and track association, 72, 76, 95
- data association, 54, 72–78, 94–95, 207, 251, 259, 263, 265, 272, 275, 280, 289
- data correlation, 71, 95

- data fusion, 1–3, 8, 51–52, 88, 136, 149, 254–255, 259, 263–264
- data fusion algorithms, 146
- data fusion architectures, 4, 59, 83, 96, 263
- data fusion control, 79
- data registration, 51, 91, 93–94
- data validation, 251
- database management, 80
- dead zone, 203–204
- decentralized fusion architecture, 6, 264–265, 282–283, 289
- decision classes, 195, 207
- decision-level fusion, 83, 93, 96, 266
- decision logic, 87, 136
- decision rules, 66, 122–124, 134–136, 150, 162
- deferred decision multiple hypothesis tracking, 75
- defuzzification, 5, 240, 248, 252, 256, 259
- deghosting, 265
- degrees of freedom, 115–116, 286
- Dempster's rule, 60, 149, 156–160, 164, 170–178, 233–234
- Dempster-Shafer evidential theory, 3, 5, 58, 60, 87, 95, 133, 149–151, 156–160, 168, 171–178, 206, 233–234, 295
- desired response, 184–185, 191–192, 196, 201, 203, 207
- detection gate, 77
- detection mode, 212, 216–222, 226, 229–230, 234
- detection probability, 16, 94, 217–218, 221–230, 234, 323
- detection space, 218, 234
- detection threshold, 225, 234
- deterministic pattern capacity, 188, 192
- direct sensor evidence, 152, 154, 178
- direct support, 153
- direction angle measurements, 74, 263–268, 272–278, 282, 285, 288
- direction angle tracks, 282
- direction tracking systems, 71
- directionality, 191
- discriminants, 219
- disjoint, 161, 217
- disjunction, 60, 150–151
- distributed fusion, 83, 96
- distributed sensor architectures, 89–90, 216
- distributed tracking, 74
- Doppler shift, 266, 268, 270, 288
- double-sided test, 110, 115
- downwelling, 14
- drizzle, 26
- dubiety, 152
- Earth resource monitoring, 7–8, 18, 51
- electromagnetic sensors, 1, 32, 35
- electromagnetic spectrum, 7, 10, 18, 43
- electronic support measures, 85, 163, 263
- elevation angle, 271, 283
- emission, 222, 300
- emissivity, 12, 14, 85, 300, 303
- emitters, 6, 59, 263–283, 286–289, 299–300, 303
- empty set, 149, 156–160, 169, 179
- enemy intent, 79, 95
- energy absorption, 10
- entropy measures, 63, 66
- EOSAEL, 38, 41–45
- error correction algorithm, 194–198
- error reduction factor, 197
- error signals, 191
- error vector, 254–255
- estimation, 52–56, 71–72, 80, 82, 87
- Euclidean distance, 72
- event aggregation, 78
- evidence, 155
- evidential terminology, 155
- expert knowledge, 3
- expert systems, 69, 239
- extinction coefficient, 28–32, 38
- extinction coefficient, snow, 20
- false alarm probability, 16–17, 131–132, 217–227, 229–230, 234, 308
- far-IR spectrum, 19, 31, 44
- FASCODE, 25, 38, 40–1
- feature vector, 64, 67, 92
- feature-based inference techniques, 58
- feature-level fusion, 83, 92–93, 96, 266
- feedforward network, 190–193, 198, 200, 205–209, 257
- feedforward sigum network, 192
- field of regard, 82, 84, 86–87
- field of view, 8, 12, 22, 85, 89, 92, 178, 270–272, 276, 301, 303
- figures of merit, 63, 67–68, 72
- filter gain, 250

- first-in, first-out, 284
- fixed significance level test, 112, 123
- FLIR, 10, 14, 18, 35, 42, 68, 85, 217, 226, 251
- fluctuation characteristics, 221, 223, 226–227, 229
- focal element, 150, 164
- focal subset, 151, 171–176
- fog, 21–25, 28
- footprint registration, 92, 93–94
- forward sweep, 201
- frame of discernment, 60, 150–152, 159–160, 202
- frequency-domain, 87
- fusion algorithm, 54, 87–89, 93–94, 217
- fusion architecture, 3, 265
- fusion logic, 215
- fusion processing, 72, 82, 95
- fusion processor, 3, 15–16, 80, 83, 86–88, 93–94, 96, 215–216
- fuzzy associative memory, 5, 70, 240, 253, 255, 259
- fuzzy centroid, 240–242, 247, 256
- fuzzy controller, 247
- fuzzy data fusion, 258–259
- fuzzy input vector, 257
- fuzzy Kalman filter, 249, 251–256
- fuzzy logic, 3, 5, 55, 68, 71, 237–240, 243, 245, 248, 251, 259, 296
- fuzzy membership function, 252
- fuzzy neural network, 5, 256–258
- fuzzy neuron, 257–258
- fuzzy set theory, 5, 68, 70–71, 95, 237–243, 246, 256–257, 259, 296, 325–327
- fuzzy state correlator, 251–255
- fuzzy system, 239, 248, 256, 259
- fuzzy tracker, 256
- fuzzy weights, 256, 258
  
- general position, 192
- generalization, 184, 187–188, 193, 204–205, 274, 321–322
- generalized evidence processing, 58, 60, 95, 162
- geographical atmospheric model, 38
- ghosts, 265–266, 275, 282, 288
- global centroid, 242
- global optimization of track association, 74, 76, 282, 285–287
  
- Global Positioning System (GPS), 15, 80, 282
- global track file, 76, 89, 283
- gradient learning rule, 194–197, 201–203
- Grossberg adaptive resonance network, 205–207, 210–211
- ground penetrating radar, 142–146
  
- hard limiter, 186–187, 189–190, 193, 211
- heuristic functions, 72
- heuristic learning algorithm, 257
- hidden elements, 191–193
- hidden layer neurons, 5, 191, 200–201
- high-level fusion, 51
- hinge angle, 282, 285–289
- Hopfield network, 205, 211–212
- human visibility, 25, 29–30
- hybrid fusion, 83, 88–89, 96
- hypothesis, 4, 58–60, 127–129, 133–135, 146, 149
- hypothesis space, 60, 148
- hypothesis test, 268, 270
  
- idempotent, 168–169, 258
- identity declaration, 63, 135–136
- IF-THEN statements, 238, 240, 252, 255
- image processing, 87
- IMPATT diode, 22
- inclement weather, 4, 7–9, 17, 32, 43, 215, 233, 234
- increment adaptation rule, 1203
- independent signature-generation
  - phenomena, 7–9, 15–16, 54, 84–89, 93, 142, 144, 220, 222, 233, 308
- inference processing, 240, 256
- information theoretic techniques, 57, 58, 63
- infrared absorption spectra, 19
- inherent detection probability, 223, 226–227, 229, 234
- inherent false alarm probability, 223–229
- inner elements, 158
- inner product, 185
- innovation vector, 250–254
- input elements, 191, 197
- input patterns, 184–187, 192, 196–198, 201, 207
- insufficient reason principle, 164, 166–167

- intersection, 149, 151, 156–158, 221–222, 225, 233, 274
- inverted pendulum, 5, 243–248, 259
- IR attenuation, 28–32
- IR detector arrays, 7
- IR emissions, 56
- IR extinction coefficient, 32
- IR radiometer, 10, 12, 217, 226, 228
- IR sensors, 7, 11–12, 15, 19, 42, 83, 85–86, 94
- IR signatures, 135
- IR spectral band, 11–12
- IR transmittance, 28–31
- IRST, 10, 12, 35, 85, 226, 263, 272
  
- jammer, 217, 263
- Joint Directors of Laboratories Data Fusion Subpanel, 2
- joint probabilistic data association (JPDA), 75, 77
- joint probability density function, 276
- joint sensor report, 144
- JVC algorithm, 74, 77, 285–286
  
- Kalman filter, 6, 57, 95, 249, 259, 265, 283, 287
- kinematic parameters, 72
- knowledge source, 150, 154, 156, 159
- knowledge-based systems, 68–69
- Kohonen self-organizing network, 205, 207, 210
- Koschmieder formula, 31
  
- Lagrange's equation, 244
- Lagrangian, 244, 276–277
- Lambert-Beer Law, 28, 31
- LANDSAT, 9, 68, 91
- laser propagation, 42, 45
- laser radar, 10, 12, 35, 82, 85, 91–92, 227
- law of sines, 269, 287
- Laws and Parsons drop-size distribution, 23
- layered network, 195
- learning constant, 196–197, 202–203
- learning rules, 183, 191
- least squares approximation, 57
- lethality estimates, 80
- Level 0 processing, 52
- Level 1 processing taxonomy, 55
- Level 1 processing, 52–54, 71, 80
- Level 2 processing, 52, 78
- Level 3 processing, 52, 79
- Level 4 processing, 52, 79
- library fuzzy sets, 242
- likelihood function, 4, 68, 75, 130–134, 138–139, 144, 220, 234, 277, 288
- likelihood ratio, 60–63, 130–131, 136
- likelihood vector, 140–141
- linear classifier, 186, 192, 207
- linear combination, 184
- linear error, 185, 199, 204
- linear learning rules, 195
- linear output, 185, 198, 203–204
- linearly separable, 185–187, 198, 203
- LMS algorithm, 185, 196–200, 204
- local optimization of track association, 283–284
- logical product, 240–241, 247
- logical templates, 68
- low-level fusion, 51, 54, 78
- LOWTRAN, 29, 31, 38, 41
  
- Madaline (multiple adaptive linear element classifier), 187–189, 202, 195, 205–207
- Madaline I error correction rule, 197
- Madaline II error correction rule, 198
- Madaline III steepest descent rule, 202–203
- Mahalanobis distance, 72, 284
- margin of error, 103, 105–107, 118
- Marshall-Palmer drop-size distribution, 26
- matrix inversion lemma, 251
- maximum *a posteriori* probability, 134–136
- maximum likelihood, 57, 75, 77–78, 134, 265–266, 275–277, 289
- mean squared error, 195–197, 200
- measurement model, 249–251
- membership functions, 4–5, 239–241, 245–248, 252–255, 257–259
- metal detector, 142, 144, 146
- meteorological parameters, 9
- meteorological range, 30–31
- methane, 20, 28, 38, 41
- microwave radar, 10
- mid-IR spectrum, 19, 31, 45
- Mie scattering, 21
- minimally processed data, 91
- minimax, 134

- minimum classification error, 201
- minimum squared error, 201
- mission management, 80
- MMW absorption, 24
- MMW attenuation, 21
- MMW extinction coefficient, 32
- MMW radar, 10–12, 15, 17, 23, 35, 85–86, 92, 227
- MMW radiometer, 10, 14–15, 17–18, 35, 85, 226
- MMW scattering, 24
- MMW sensor, 7, 41, 94
- modal detection probability, 226
- modified Dempster-Shafer, 171–178
- modified polar coordinates, 287
- modified relaxation adaptation rule, 203–204
- modified spherical coordinates, 288
- MODTRAN, 38, 40–41
- molecular atmospheric components, 29
- molecular scattering, 28
- monostatic radar configuration, 11
- $M$ -tuple, 272–275, 280–281
- multibeam antenna, 264–271, 288
- multibeam passive receiver, 264
- multielement feedforward network, 188
- multilayer perceptron, 205, 207
- multiperspective assessment, 79
- multiple adaptive linear element classifier, 188
- multiple hypothesis tracking, 74–75, 77, 88
- multiple model maneuver, 76–77
- multiple sensor system, 4, 7–8, 10, 15–16, 18, 88, 263
- multiple target tracking, 71–78, 259
- multiscan tracks, 265
- Munkres algorithm, 74, 285–286
- mutually exhaustive hypothesis, 128
  
- $n$  out of  $m$  rule, 78, 283
- nearest neighbor, 74–77
- near-IR spectrum, 19, 31
- negation, 60, 151–154, 161, 178
- nested confidence level, 224, 303–304, 323–324
- neural connections, 183
- neural networks, 70, 210–213
- Neyman-Pearson test, 134
- nitrous oxide, 20, 28, 38, 41
  
- noise figure, 23
- nonempty set, 156–159, 179
- nonlinear artificial neural networks, 185, 200
- nonlinear classifiers, 185, 188, 192, 207
- nonlinear learning rules, 195, 198, 207
- nonlinear separation boundaries, 192
- nonnested confidence levels, 218–219, 234
- nonzero elements, 158
- normal distribution, 110
- normalization factor, 156, 167–169, 173, 177
- null hypothesis, 109–113, 117–118, 123–124, 134
- null set, 150, 156, 159, 225
- null-set intersection, 219
  
- object aggregation, 78
- object correlation, 71
- object discrimination, 17
- obscurant, 32
- observable parameters, 63
- observation space, 233
- odds probability, 130–131, 136–137
- offensive and defensive analysis, 79
- off-line experiment, 228
- opacity, 302–303
- operating frequency, 14
- operating modes, 215
- optical visibility, 21, 25
- optimal global solution, 281
- OR gate, 231, 233
- orthogonal sum, 156, 170–173
- output element, 191
- output layer, 191, 200–201, 210
- oxygen, 10, 18–20, 41, 302
- ozone, 20, 28, 38, 41, 302
  
- $P$ -value, 59, 109–112, 115, 118, 123
- $p$  critical value, 103, 112–113, 120
- parallel sensor configuration, 215
- parametric classification techniques, 58
- parametric templates, 63, 68
- passive classification, 69
- passive receiver, 264–265
- passive sensor, 4, 10, 32, 43, 84–92, 263, 287, 300
- passive surveillance radar, 272
- passive tracking system, 288

- passively acquired data, 6, 259, 263, 265
- pattern recognition, 4, 63, 67–69, 95, 183, 193
- pendulum, 241–242, 252
- perceptron rule, 5, 195, 198–200, 207
- physical models, 56–58
- pignistic probability distribution, 164–167, 170–171
- pixel-level fusion, 83, 91–92, 94, 96, 266
- Planck radiation law, 299, 300
- plausibility, 151–155, 178
- plausibility probability distribution, 167, 170
- plausibility probability function, 166, 169–170
- plausibility transformation, 166–167, 179
- plausible range, 153
- plausible and paradoxical reasoning, 313–317
- polarization, 1, 15, 26–27, 84–85, 303
- population mean, 102–105, 109, 114, 120, 122–123
- population parameter, 101, 103, 109, 115, 118–119, 122
- power attenuation coefficient, 28
- power of a test, 60, 118–121
- power set, 150, 163
- prediction gate, 72, 76–77, 95
- prefiltering, 270–271, 274
- preposterior, 130, 1445
- principle of indifference, 136, 161, 163
- prior probabilities, 173
- probabilistic data association (PDA), 75
- probability mass, 4, 149–162, 178, 233–234
- probability mass matrix, 156–157
- probability space, 224
- production rules, 4–5, 70, 237–242, 245–248, 252–255, 259
- proposition, 60, 70, 151–158, 161, 174–175, 233
- quantizer, 186, 204
- quantizer error, 198–199
- radar cross section, 25, 56, 135
- radar resolution, 26, 270, 278
- radar spectrum letter designations, 11
- radar (see also ‘active sensor’), 92, 276
- radial basis function, 206–207, 209
- radiance, 29–30, 38–39, 43–45, 85
- radiative fog, 21, 25, 40
- radiative transfer theory, 14, 44, 301–304
- radiometer, 300–304
- rain, 19, 22–23, 28, 31
- random binary responses, 192
- random patterns, 187, 192, 207
- random sample, 101–102, 110–112
- random set theory, 55
- random variable, 110, 115
- range gate, 26
- range information, 263
- Rayleigh-Jeans Law, 299
- Rayleigh scattering, 21
- received-signal fusion, 265–266, 269
- recognition features, 219
- recognition layer, 210
- recursive Bayesian updating, 137–142
- reference plane, 287
- reflectance, 12
- reflectivity, 14
- refuting evidence, 153–154
- relational event algebra, 55
- relative humidity, 20
- relaxation algorithm, 265–266, 275, 280–282, 289
- resolution-cell, 25–26, 90
- rule-based inference, 55
- rules, 55, 69, 79, 136, 156
- sample mean, 102–116, 122–123
- sample size, 102–106, 115, 123
- sample statistic, 101, 109–112, 115, 123
- samples integrated, 223, 226–230
- scan-to-scan association, 283
- scattering, 4, 18, 21–22, 31, 38–45
- scattering coefficient, 29, 45
- scattering cross section, 86
- scene registration, 94
- search algorithm, 275
- seeker definition, 7
- sensor (data) driven, 71
- sensor definition, 7
- sensor design parameters, 84
- sensor detection probability, 222, 226
- sensor detection space, 218, 223
- sensor functions, 9
- sensor fusion, 1, 3, 51, 263
- sensor resolution, 3, 12, 15, 32, 71, 218

- sensor system detection probability, 226–227, 229, 232
- sensor-level fusion, 15, 17, 83, 86–89, 92–96, 149, 216, 234, 266
- sensor-level tracker, 74, 76, 88
- separable, 185, 191
- series sensor configuration, 215
- set-partitioning algorithm, 275, 278
- sigmoid, 189, 190, 193, 202
- signal processing, 82, 86–89
- signal processing algorithm, 8, 224
- signal processing architecture, 183
- signal processing gain, 224
- signal-to-clutter ratio, 221, 226–227
- signal-to-interference ratio, 214–215, 219–220, 223, 323
- signal-to-noise ratio, 16, 54, 219, 228, 268
- signature-generation phenomena, 1, 3, 84–85
- significance level, 60, 111–113, 117–119, 122
- significance test, 109–120, 122
- signum, 186, 189, 192–193, 197–198
- similarity measure, 64, 251–252
- simple pendulum, 243
- simple random sample, 101, 117
- single element, 195, 207
- single scan association, 77
- single-sided test, 110, 115
- single-level tracking system, 73
- singleton propositions, 159, 161
- situation assessment, 3, 12, 51, 63, 75, 78–79, 95
- smart munitions, 7–8, 15
- snow, 20
- space-based sensors, 7
- sparsity, 281–282
- spatial alignment, 94
- speed of convergence, 196–197
- spurious data, 275
- stability, 196–197, 200
- standard deviation, 102–104, 106–110, 112, 114–116, 119–120, 122
- standard error, 115
- standard normal distribution, 103–104, 109–113, 122
- standardized sample mean, 109–112
- state estimate, 76, 244, 249–251, 254
- state estimation taxonomy, 71
- state estimation, 2, 51–52, 56
- state transition model, 249–250
- state vector, 82, 249–251
- statistical capacity, 188, 192–193, 202
- statistical errors, 275
- statistical independence, 172
- statistical inference, 101, 118
- statistical pattern capacity, 187–188
- statistical pattern recognition, 67
- steepest descent algorithm, 193–194, 200
- stochastic learning rule, 196
- stochastic observables, 63
- stratosphere, 38
- structural rules, 69
- subjective probability, 133–134, 146
- subjective terminology, 155
- sum squared error, 201
- summing node, 190
- supervised learning, 5, 69, 193–195, 209, 211
- support, 60, 151–155, 161, 178
- supporting evidence, 4, 127
- surveillance radar, 263–271, 280, 288
- syntactic pattern recognition, 57, 68
- synthetic aperture radar, 9
- system design issues, 263
- system detection probability, 221, 226–231, 234, 308
- system false alarm probability, 16, 224, 226, 228
- system track, 78
- t* statistic (*t* test), 114–117, 123
- target (goal) driven, 71
- target classification, 51, 207
- target detection, 4, 95
- target discrimination, 51, 53–54, 213, 220, 228
- target features, 88, 92, 217–219
- target fluctuation characteristics, 219, 223
- target identification, 80, 156–157
- target location, 263
- target maneuver, 75–76, 288
- target motion model, 249
- target plane, 286
- target reports, 71, 75, 94, 216–217
- target signature phenomena, 18
- temperature profile, 9, 11, 300
- templating, 67–68
- test statistic, 109, 112–115, 122
- threat assessment, 3, 51, 78–80, 95



- threat identification, 79
- three-sensor interaction, 218
- three-sensor system, 227
- threshold, 284
- threshold logic output, 181, 188–190, 198–199
- threshold weight, 187, 198
- throughput, 269, 275, 278
- time-bandwidth product, 2671
- time delay, 266–269, 288
- time-domain, 86
- track association, 72, 75–77, 283–287
- track estimation, 3–6, 15, 51–55, 76, 78, 80, 95, 259
- track file, 71, 74–75, 263
- track initiation, 77–78
- track splitting, 75–77
- tracking algorithm taxonomy, 71
- tracking filter, 76, 287–288
- tracking systems, 15, 74
- track-to-track correlation, 74
- training patterns, 185, 187–188, 195–198, 202–203, 254
- transferable belief model, 162–163
- transmittance, 39
- triangulation, 266
- troposphere, 38
- two-level tracking systems, 73
- two-sided alternative, 113
- two-sided test, 110, 113
- Type 1 error, 59, 119, 123, 132–133
- Type 2 error, 59, 119, 123, 132–133
  
- unambiguous range, 264, 271
- unbiased estimator, 102, 122
- uncertainty class, 5, 60, 133–134, 147–149, 154–155, 158–159, 175
- uncertainty interval, 150–155, 159–160, 176
- union, 60, 128, 148–149, 175, 221
- unlabeled samples, 207
- unsupervised learning, 5, 69, 193–195, 205–207, 210–211
- upper  $\alpha$  critical value, 113
- upwelling energy, 14, 302
  
- validation gate, 251–252
- Varad, 287
- Venn diagram, 218, 323
- visibility, 29
  
- visible spectrum imager, 19, 35
- visual range, 32
- von Neumann architecture, 179
- voting fusion, 3, 5, 16, 63, 66, 87, 95, 217, 217, 233–234, 295–296, 323
  
- water vapor, 9, 11, 19, 28, 38, 41
- wavelength band, 29
- weather forecasting, 1, 7–8, 10, 18, 43, 51, 300–301
- weather sensors, 80
- weight, 5, 69, 183–192, 195–204, 207–210, 254, 257
- weight adaptation, 198
- weighting functions, 169, 177
- winner-take-all algorithm, 211
  
- $z$  statistic ( $z$  test), 109–111, 121–123
- zero-one integer programming, 265, 275–280, 289



**Lawrence A. Klein** received the B.E.E. degree from the City College of New York in 1963, the M.S. degree in electrical engineering from the University of Rochester in 1966, and the Ph.D. degree in electrical engineering from New York University in 1973 along with the Founders Day Award for outstanding academic achievement.

Dr. Klein consults in data and sensor fusion applications to aerospace and traffic management; millimeter-wave radar system development for commercial, military, and homeland defense; and efficient multimodal ground transportation system design.

As Director of Advanced Technology Applications at WaveBand in Irvine, CA, he led efforts to market and develop millimeter-

wave sensors and data fusion techniques for aircraft, missile, and security applications. At Hughes Aircraft (now Raytheon Systems), Dr. Klein managed Intelligent Transportation System programs and developed data fusion concepts for tactical and reconnaissance systems that incorporated multiple sensors and communications media. He worked as systems manager at Aerojet, where he designed satellite- and ground-based multiple sensor systems. As program manager of smart munitions programs, he developed sensor fusion hardware and signal processing algorithms for systems incorporating millimeter-wave and infrared radars and radiometer sensors. He also served as program manager of manufacturing methods and technology programs that lowered costs of GaAs monolithic microwave integrated circuit components. Before joining Aerojet, Dr. Klein was employed at Honeywell where he developed polarimetric radar and passive millimeter-wave monopulse tracking systems. His prior work at NASA Langley Research Center explored remote sensing of terrain and weather from both phenomenology and sensor development aspects.

Dr. Klein regularly teaches short courses in advanced sensors and data fusion for OEI-Johns Hopkins University, UCLA, and the SPIE. He is a member of Eta Kappa Nu and has been a reviewer for several IEEE *Transactions* journals. As a member of the Freeway Operations Committee of the Transportation Research Board, he explores concepts for monitoring traffic flow and applying data fusion to traffic management. He is a licensed professional engineer (New York). His other books are *Millimeter-Wave and Infrared Multisensor Design and Signal Processing* and *Sensor Technologies and Data Requirements for ITS*, both published by Artech House, Boston, and the 3<sup>rd</sup> edition of the *Traffic Detector Handbook*, available from the Federal Highway Administration.