
RNA-only: cell-level examples chosen by rule (pooled evaluable cells, 90th and 10th percentile of ΔD_norm per method)
A Standard OT (BOT): success (90th percentile)
Quinn 30k LG1, site 30kLN, cell TACGGTAAGCTGCAAG-5
1 2 23 49 42 22 34 36 34 41 43 25 11 7 4
independent coupling (π̃, same marginals)
OT (q̃)
d_min 5 (dashed)
top-1: distance 8, weight 0.133
D_OT 9.91 vs D_ind 11.83
ΔD_norm 0.28
c_OT 0.42 (mass on comparable primaries)
share of the cell's matched mass
tree distance to the metastatic cell (numbers above: primaries at that distance)
B Our OT (UOT, budget 0): success (90th percentile)
KP 3724 3724 NT T1, site 3724_NT_S1, cell L11.GGACATTGTTCTGGTA-1
86 262 35 40 55 124 8466 691 186 52 24 55 2270 1807 533 53 2
d_min 2 (dashed)
top-1: distance 8, weight 0.004
D_OT 8.08 vs D_ind 10.10
ΔD_norm 0.25
c_OT 1.00 (mass on comparable primaries)
share of the cell's matched mass
tree distance to the metastatic cell (numbers above: primaries at that distance)
A Standard OT (BOT): failure (10th percentile)
Quinn 30k LG1, site 30kM1, cell AGTGAGGCATGGGAAC-3
2 11 32 48 47 37 40 38 39 23 22 21 10 4
d_min 3 (dashed)
top-1: distance 14, weight 0.109
D_OT 9.56 vs D_ind 8.99
ΔD_norm -0.10
c_OT 0.67 (mass on comparable primaries)
share of the cell's matched mass
tree distance to the metastatic cell (numbers above: primaries at that distance)
B Our OT (UOT, budget 0): failure (10th percentile)
Quinn 5k LG13, site M1, cell M1.AGGTCATTCCTGCAGG-1
1 1 2 1 4 4 4 7 1
d_min 9 (dashed)
top-1: distance 14, weight 0.202
D_OT 16.08 vs D_ind 15.47
ΔD_norm -0.09
c_OT 0.01 (mass on comparable primaries)
share of the cell's matched mass
tree distance to the metastatic cell (numbers above: primaries at that distance)