잎을 관상하는 실내식물

크로톤



- 학명 Codiaeum variegatum var. pictum
- 영명 Joseph's coat
- 유통명
- 과명 대극과
- 원산지 동남아시아
- TIP pictum

분류 생육형태 광요구도 물주기

봄 여름 가을 겨울

상세정보	
분류	잎보기식물
생육형태	관목형
생장높이(cm)	100
생장너비(cm)	50
실내정원구성	중층목
생태형	일반형
잎무늬	줄무늬,점무늬,잎 가장자리 무늬
잎색	녹색, 연두색,금색, 노란색,여러색 혼합
향기	약함
번식방법	삽목

관리정보	
관리수준	경험자
관리요구도	필요함
광요구도	중간 광도(800~1,500 Lux),높은 광도(1,500~10,000 Lux)
배치장소	거실 창측 (실내깊이 150~300cm) 발코니 내측 (실내깊이 50~150cm) 발코니 창측 (실내깊이 0~50cm)

생장속도	보통
생육적온	21~25°C
겨울최저온도	13°C 이상
습도	40 ~ 70%
비료	비료를 보통 요구함
물주기-봄	토양 표면이 말랐을때 충분히 관수함
물주기-여름	토양 표면이 말랐을때 충분히 관수함
물주기-가을	토양 표면이 말랐을때 충분히 관수함
물주기-겨울	화분 흙 대부분 말랐을때 충분히 관수함
병충해	응애,깍지벌레

기능성정보

Skill Level: Experienced Exposure: Full sun Soil type: Well-drained/light, Moist, Sandy **This is an evergreen shrub found in the tropics and the Far East, where it grows to 3m (10ft) in height. Its main attraction is its glossy foliage which is dark green, laced with veins of yellow, pink, orange and red, and in its native areas it's often used for decorative hedges. In the UK, it can be grown as an attractive houseplant, ideal for a warm room or conservatory. The plant can be a bit tricky to look after as it needs a brightly lit position away from draughts, with a good, constant temperature between 16C to 29C (60F to 85F). It also needs a high level of humidity, so mist it regularly to keep it looking its best. Keep the plant well watered in summer but infrequently in winter. Plants should be given a weak liquid feed every three weeks or so during the summer growing period.

목록