



BOARD QUESTION PAPER : FEBRUARY 2026

MATHEMATICS AND STATISTICS

Time: 3 Hrs.

Max. Marks: 80

General instructions:The question paper is divided into **FOUR** sections.

- (1) **Section A:** Q. 1 contains **Eight** multiple choice type questions, each carrying **Two** marks.
Q. 2 contains **Four** very short answer type questions, each carrying **One** mark.
- (2) **Section B:** Q.3 to Q. 14 contain **Twelve** short answer type questions, each carrying **Two** marks.
(Attempt any **Eight**)
- (3) **Section C:** Q.15 to Q.26 contains **Twelve** short answer type questions, each carrying **Three** marks.
(Attempt any **Eight**)
- (4) **Section D:** Q.27 to Q.34 contains **Eight** long answer type questions, each carrying **Four** marks.
(Attempt any **Five**)
- (5) Use of log table is allowed. Use of calculator is not allowed.
- (6) Figures to the right indicate full marks.
- (7) Use of graph paper is not necessary. Only rough sketch of graph is expected.
- (8) For each multiple choice type of questions, only the first attempt will be considered for evaluation.
- (9) Start answer to each section on a new page.

SECTION – A**Q.1. Select and write the correct answer for the following multiple choice type of questions:** [16]

- i. The converse of contrapositive of $\sim p \rightarrow q$ is _____. (2)
(a) $q \rightarrow p$ (b) $\sim q \rightarrow p$ (c) $p \rightarrow \sim q$ (d) $\sim q \rightarrow \sim p$
- ii. If $A = \begin{bmatrix} 2 & -4 \\ 3 & 1 \end{bmatrix}$, then the adjoint of matrix A is _____. (2)
(a) $\begin{bmatrix} 1 & 3 \\ 4 & -2 \end{bmatrix}$ (b) $\begin{bmatrix} -1 & 3 \\ -4 & 1 \end{bmatrix}$ (c) $\begin{bmatrix} -1 & -3 \\ -4 & 2 \end{bmatrix}$ (d) $\begin{bmatrix} 1 & 4 \\ -3 & 2 \end{bmatrix}$
- iii. If $\tan^{-1}(2x) + \tan^{-1}(3x) = \frac{\pi}{4}$, then $x =$ _____. (2)
(a) -1 (b) $\frac{1}{6}$ (c) $\frac{1}{3}$ (d) $\frac{3}{2}$
- iv. The angle between the line $\vec{r} = (\hat{i} + 2\hat{j} + \hat{k}) + \lambda(\hat{i} + \hat{j} + \hat{k})$ and the plane $\vec{r} \cdot (2\hat{i} - \hat{j} + \hat{k}) = 8$ is _____. (2)
(a) $\sin^{-1}\left(\frac{\sqrt{2}}{3}\right)$ (b) $\sin^{-1}\left(\frac{\sqrt{3}}{2}\right)$ (c) $\sin^{-1}\left(\frac{1}{2}\right)$ (d) $\sin^{-1}\left(\frac{1}{\sqrt{2}}\right)$
- v. If $y = \sec(\tan^{-1}x)$, then $\frac{dy}{dx}$ at $x = 1$ is _____. (2)
(a) $\frac{1}{2}$ (b) 1 (c) $\frac{1}{\sqrt{2}}$ (d) $\sqrt{2}$
- vi. The approximate value of the function $f(x) = x^3 - 3x + 5$ at $x = 1.99$ is _____. (2)
(a) 6.09 (b) 6.91 (c) 7.09 (d) 7.91
- vii. $\int_1^2 \frac{1}{x^2} e^{\frac{1}{x}} dx =$ _____. (2)
(a) $\sqrt{e} + 1$ (b) $\sqrt{e} - 1$ (c) $\sqrt{e}(\sqrt{e} - 1)$ (d) $\frac{\sqrt{e} - 1}{e}$



viii. If the p.d.f. of a continuous r.v. X is

$$f(x) = \frac{x+2}{18}, \quad \text{for } -2 < x < 4$$

$$= 0, \quad \text{otherwise}$$

then $P(|X| < 1) =$ _____

- (a) $\frac{1}{9}$ (b) $\frac{2}{9}$ (c) $\frac{1}{27}$ (d) $\frac{2}{27}$ (2)

Q.2. Answer the following questions:

[4]

i. Write the dual of $(p \vee q) \vee r \equiv p \vee (q \vee r)$

(1)

ii. Evaluate: $\cos^{-1}\left(\frac{1}{2}\right) + 2\sin^{-1}\left(\frac{1}{2}\right)$

(1)

iii. Evaluate: $\int \frac{2x}{1+x^2} dx$

(1)

iv. Write the degree of the differential equation $(y''')^2 + 3(y'')^3 + 3xy' + 5y = 0$

(1)

SECTION – B

Attempt any EIGHT of the following questions:

[16]

Q.3. Construct the switching circuit of the statement pattern $(\sim p \wedge q) \vee (p \wedge \sim r)$

(2)

Q.4. In $\triangle ABC$, prove that $a(b \cos C - c \cos B) = b^2 - c^2$

(2)

Q.5. Find the general solution of $4\cos^2\theta = 3$.

(2)

Q.6. Find k , if the sum of the slopes of the lines represented by $x^2 + kxy - 3y^2 = 0$ is twice their product.

(2)

Q.7. Find the value of p , for which the vectors $\vec{a} = 3\hat{i} + 2\hat{j} + 9\hat{k}$ and $\vec{b} = \hat{i} + p\hat{j} + 3\hat{k}$ are perpendicular to each other.

(2)

Q.8. Find the vector equation of the line passing through the points $A(1, 2, 3)$ and $B(2, 3, 4)$.

(2)

Q.9. Find $\frac{dy}{dx}$, if $\sqrt{x} + \sqrt{y} = \sqrt{a}$.

(2)

Q.10. Find $\frac{d^2y}{dx^2}$, if $y = x^3 + 7x^2 - 2x - 9$.

(2)

Q.11. Test whether the function $f(x) = x^2 + 6x^2 + 12x - 7$ is increasing or decreasing for all $x \in \mathbb{R}$.

(2)

Q.12. A stone is dropped into a quiet lake and waves in the form of circles are generated. Radius of the circular wave increases at the rate of 3 cm/sec. How fast the area enclosed is increasing when the radius is 8 cm?

(2)

Q.13. Evaluate: $\int \sqrt{1 + \sin 2x} dx$

(2)

Q.14. Given that $X \sim B(n, p)$, if $n = 10$, $E(X) = 8$ then find $\text{Var}(X)$.

(2)

SECTION – C

Attempt any EIGHT of the following questions:

[24]

Q.15. Examine whether the statement pattern $(p \wedge q) \wedge (\sim p \vee \sim q)$ is a tautology or contradiction or contingency.

(3)

Q.16. In $\triangle ABC$, if $A = 45^\circ$, $B = 60^\circ$ then find the ratio of its sides.

(3)

Q.17. If two vertices of a triangle are $A(3, 1, 4)$ and $B(-4, 5, -3)$ and the centroid of the triangle is $G(-1, 2, 1)$, then find the coordinates of the third vertex C of the triangle.

(3)

Q.18. If D, E, F are the mid-points of the sides BC, CA, AB respectively of $\triangle ABC$, then prove that $\overline{AD} + \overline{BE} + \overline{CF} = \overline{0}$.

(3)



- Q.19.** Show that the lines $\vec{r} = (\hat{i} + \hat{j} - \hat{k}) + \lambda(2\hat{i} - 2\hat{j} + \hat{k})$ and $\vec{r} = (4\hat{i} - 3\hat{j} + 2\hat{k}) + \mu(\hat{i} - 2\hat{j} + 2\hat{k})$ intersect each other. (3)
- Q.20.** Find the cartesian equation of the plane $\vec{r} = (\hat{i} - \hat{j}) + \lambda(\hat{i} + \hat{j} + \hat{k}) + \mu(\hat{i} - 2\hat{j} + 3\hat{k})$. (3)
- Q.21.** If $y = f(u)$ is a differentiable function of u and $u = g(x)$ is a differentiable function of x , then prove that y is a differentiable function of x and $\frac{dy}{dx} = \frac{dy}{du} \cdot \frac{du}{dx}$. (3)
- Q.22.** Verify LMVT for the function $f(x) = \log x$, on $[1, e]$. (3)
- Q.23.** Evaluate: $\int \frac{\sin x}{\sin 3x} dx$ (3)
- Q.24.** Solve the D.E. $3e^x \tan y dx + (1 + e^x) \sec^2 y dy = 0$. (3)
- Q.25.** Find $E(X)$ and $V(X)$, where X is the number obtained on uppermost face, when a fair die is thrown. (3)
- Q.26.** A pair of dice is thrown 4 times. If getting a doublet is considered as success, find the probability of two successes. (3)

SECTION – D

Attempt any FIVE of the following questions:

[20]

- Q.27.** If $A = \begin{bmatrix} 1 & 2 \\ 3 & 4 \end{bmatrix}$, prove that $A \cdot (\text{adj } A) = (\text{adj } A) \cdot A = |A| \cdot I$ (4)
- Q.28.** Show that every homogeneous equation of degree two in x and y , i.e. $ax^2 + 2hxy + by^2 = 0$, represents a pair of lines passing through the origin, if $h^2 - ab \geq 0$ (4)
- Q.29.** If $A(\vec{a})$ and $B(\vec{b})$ are any two points in space and $R(\vec{r})$ be a point on the line segment AB dividing internally in the ratio $m : n$, then prove that $(\vec{r}) = \frac{m\vec{b} + n\vec{a}}{m + n}$ (4)
- Q.30.** Solve the L.P.P. graphically:
Minimize $z = 5x + 2y$,
Subject to $5x + y \geq 10$, $x + y \geq 6$, $x \geq 0, y \geq 0$ (4)
- Q.31.** Evaluate: $\int \frac{3x^2 + 4x - 5}{(x^2 - 1)(x + 2)} dx$ (4)
- Q.32.** Prove that: $\int_a^b f(x) dx = \int_a^b f(a + b - x) dx$
Hence, find $\int_{\frac{\pi}{6}}^{\frac{\pi}{3}} \sin^2 x dx$ (4)
- Q.33.** Find the area enclosed between the circle $x^2 + y^2 = 1$ and the line $x + y = 1$ lying in the first quadrant. (4)
- Q.34.** Solve the differential equation $x^2 \frac{dy}{dx} = x^2 + xy + y^2$. (4)