

ETV6 fusion-hotspot benchmark report

Study: msk_impact_50k_2026

Abstract

This report analyzes ETV6 gene fusions from the msk_impact_50k_2026 study, covering 90 fusion events. 64/90 fusions (71.1%) were in-frame. 68/90 fusions (75.6%) retained the Sterile alpha motif (SAM)/Pointed domain. Domain retention was tested with Fisher's exact test ($p=5.12326e-06$, statistically significant at $\alpha=0.05$). No literature benchmark is configured for ETV6.

Results summary

Fusion partner frequency

Fusion-partner frequency was tabulated across 90 analyzed fusion events, identifying 27 distinct fusion partner genes. The most frequent partner was NTRK3, observed in 55 events.

Domain retention

Sterile alpha motif (SAM)/Pointed domain retention was tested with Fisher's exact test comparing in-frame fusions against all others; 58/64 (90.6%) of in-frame fusions retained the domain, $p=5.12326e-06$ (statistically significant at $\alpha=0.05$). The Sterile alpha motif (SAM)/Pointed domain appears to be required for retention. A breakpoint-position permutation test produced a corroborating empirical p-value of 0.00990099.

Domain disruption

Domain-disruption analysis was skipped: ETV6 has no disruption_required_domains configured; domain-disruption analysis was skipped.

Cutpoint detection

Cutpoint detection scanned 88 mapped breakpoints for the protein position that best separates domain-retained from lost/disrupted fusions; the inferred cutpoint was position 155 aa (permutation-corrected $p=0.168317$, not statistically significant at $\alpha=0.05$). This is 32 aa from the nearest configured domain boundary at 123 aa.

Corroborating confidence statistics

Corroborating confidence statistics were not computed for this run: ETV6 has no group_field configured; confidence-stats analysis was skipped.

Composite evidence score

Composite evidence score reported: domain_disruption sub-score excluded: the supplied result had no applicable p-value (e.g. disruption_required_domains not configured for this gene).

Exon retention

Exon retention reported: No target exon was supplied in params or GeneConfig.

Joint partner

Joint partner reported: ETV6 has no gene_pair configured; joint-partner analysis was skipped.

Tables

composite_score tables

composite_evidence_ranking

Partner_gene	Event_count	Recurrence_score	Domain_retention_score	Domain_disruption_score	Cutpoint_proximity_score	Confidence_certainty_score	Components_applicable	Composite_score	Rank
NTRK3	55	0.6111111111111112	0.20043213737826426	None	0.3840220385674932	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.41577810494717626	1
ABCC9	1	0.01111111111111112	0.20043213737826426	None	1.0	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.290630525254142	2
ANKS1B	1	0.01111111111111112	0.20043213737826426	None	1.0	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.290630525254142	3
ARHGAP26	1	0.01111111111111112	0.20043213737826426	None	1.0	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.290630525254142	4
CUX2	1	0.01111111111111112	0.20043213737826426	None	1.0	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.290630525254142	5
GALNT18	1	0.01111111111111112	0.20043213737826426	None	1.0	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.290630525254142	6
GNB1	1	0.01111111111111112	0.20043213737826426	None	1.0	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.290630525254142	7
GRIN2B	1	0.01111111111111112	0.20043213737826426	None	1.0	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.290630525254142	8
NOL4	1	0.01111111111111112	0.20043213737826426	None	1.0	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.290630525254142	9
PLEKHG7	1	0.01111111111111112	0.20043213737826426	None	1.0	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.290630525254142	10
PTPRN2	1	0.01111111111111112	0.20043213737826426	None	1.0	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.290630525254142	11
BORCS5	3	0.03333333333333333	0.20043213737826426	None	0.4747474747474748	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.18760022222383899	12
HCFC1	2	0.022222222222222223	0.20043213737826426	None	0.38095238095238093	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.16273936879155695	13
CDKN1B	1	0.01111111111111112	0.20043213737826426	None	0.38095238095238093	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.15797746402965218	14

Partner_gene	Event_count	Recurrence_score	Domain_retention_score	Domain_disruption_score	Cutpoint_proximity_score	Confidence_certainty_score	Components_applicable	Composite_score	Rank
BCL2L14	3	0.0333333333333333	0.20043213737826426	None	0.212121212121215	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.1313231659467827	15
SGO2	2	0.0222222222222222	0.20043213737826426	None	0.212121212121215	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.12656126118487793	16
SLIT2	2	0.0222222222222222	0.20043213737826426	None	0.212121212121215	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.12656126118487793	17
AEBP2	1	0.0111111111111111	0.20043213737826426	None	0.212121212121215	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.12179935642297318	18
APOLD1	1	0.0111111111111111	0.20043213737826426	None	0.212121212121215	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.12179935642297318	19
FAM234B	1	0.0111111111111111	0.20043213737826426	None	0.212121212121215	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.12179935642297318	20
FGFR1OP2	1	0.0111111111111111	0.20043213737826426	None	0.212121212121215	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.12179935642297318	21
IKZF3	1	0.0111111111111111	0.20043213737826426	None	0.212121212121215	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.12179935642297318	22
LRP6	1	0.0111111111111111	0.20043213737826426	None	0.212121212121215	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.12179935642297318	23
PDE3A	1	0.0111111111111111	0.20043213737826426	None	0.212121212121215	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.12179935642297318	24
SUFU	1	0.0111111111111111	0.20043213737826426	None	0.212121212121215	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.12179935642297318	25
CCND2	2	0.0222222222222222	0.20043213737826426	None	None	None	['domain_retention', 'recurrence']	0.10322672911133224	26
PPIL2	2	0.0222222222222222	0.20043213737826426	None	0.0	None	['cutpoint_proximity', 'domain_retention', 'recurrence']	0.08110671573033248	27

cutpoint_detection tables

cutpoint_scan

cutpoint	n_positive_at_or_below	n_positive_above	n_negative_at_or_below	n_negative_above	odds_ratio	p_value	neg_log10_p_value
12	2	66	1	19	0.575757575757578	0.5433039294306334	0.26495715393209934
155	17	51	9	11	0.4074074074074074	0.10005714167068805	0.9997519077526134

cutpoint	n_positive_at_or_below	n_positive_above	n_negative_at_or_below	n_negative_above	odds_ratio	p_value	neg_log10_p_value
337	67	1	19	1	3.526315789473684	0.40491118077324983	0.3926402309345144
385	68	0	19	1	None	0.22727272727272727	0.6434526764861874

domain_retention tables

frame_domain_contingency_table

58	10
6	14

domain_retention_descriptives

Domain_key	Domain_name	Quantitative_call_count	Fully_retained_count	Truncated_count	Fully_lost_count	Mean_retained_fraction_among_non_retained_calls
auto_key_domain	Sterile alpha motif (SAM)/Pointed domain	88	68	0	20	0.0

frequency tables

Partner_gene_counts

Partner_gene	Event_count
ABCC9	1
AEBP2	1
ANKS1B	1
APOLD1	1
ARHGAP26	1
BCL2L14	3
BORCS5	3
CCND2	2
CDKN1B	1
CUX2	1
FAM234B	1
FGFR1OP2	1
GALNT18	1
GNB1	1
GRIN2B	1
HCFC1	2

Partner_gene	Event_count
IKZF3	1
LRP6	1
NOL4	1
NTRK3	55
PDE3A	1
PLEKHG7	1
PPIL2	2
PTPRN2	1
SGO2	2
SLIT2	2
SUFU	1

Per-event results (results.tsv)

event_id	sample_id	patient_id	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	domain_status	domain_retained_fraction	domain_is_truncated	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site_2_effect_on_frame
EVT-P-0055637-T01-IM6-3	P-0055637-T01-IM6		ARHGAP26-ETV6	ARHGAP26	out-of-frame	three_prime	12013736	4	155	True	lost	0.0	False		Sterile alpha motif (SAM)/Pointed domain		ARHGAP26 (NM_015071) - ETV6 (NM_001987) rearrangement: t(5;12)(q31.3;p13.2)(chr5:g.142309261::chr12:g.12013736) Protein Fusion: out of frame {ARHGAP26:ETV6}	NA
EVT-P-0051300-T01-IM6-4	P-0051300-T01-IM6		BCL2L14-ETV6	BCL2L14	in-frame	three_prime	12031156	6	337	True	lost	0.0	False		Sterile alpha motif (SAM)/Pointed domain		BCL2L14 (NM_138723) - ETV6 (NM_001987) rearrangement: c.433+1623:BCCL2L14_c.1010-6223:ETV6dup Protein Fusion: in frame {BCL2L14:ETV6}	NA

event_id	sample_id	patient_id	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	domain_status	domain_retained_fraction	domain_is_truncated	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site_2_effect_on_frame
EVT-P-004 0855-T01-I M6-5	P-0040 855-T0 1-IM6		BCL2 L14-ETV6	BCL2L14	in-frame	three_prime	12027991	5	337	True	lost	0.0	False		Sterile alpha motif (SAM)/ Pointed domain		BCL2L14 (NM_138723) - ETV6 (NM_001987) rearrangement: c.434-2555: BCL2L14_c.1009+5088:ETV6dup Protein Fusion: in frame {BCL2L14:ETV6}	NA
EVT-P-001 5724-T01-I M6-6	P-0015 724-T0 1-IM6		BORCS5-ETV6	BORCS5	in-frame	three_prime	12034428	6	337	True	lost	0.0	False		Sterile alpha motif (SAM)/ Pointed domain		LOH12CR1 (NM_058169) - ETV6 (NM_001987) rearrangement: c.202+1037: LOH12CR1_c.1010-2951:ETV6dup Protein fusion: in frame (LOH12CR1-ETV6)	NA
EVT-P-003 8806-T01-I M6-11	P-0038 806-T0 1-IM6		CUX2-ETV6	CUX2	out-of-frame	three_prime	12008261	4	155	True	lost	0.0	False		Sterile alpha motif (SAM)/ Pointed domain		CUX2 (NM_015267) - ETV6 (NM_001987) Rearrangement: c.63+46462: CUX2_c.463+1766:ETV6 Protein Fusion: out of frame {CUX2:ETV6}	NA
EVT-P-000 7927-T01-I M5-12	P-0007 927-T0 1-IM5		ETV6-ABCC9	ABCC9	out-of-frame	five_prime	12015620	5	155	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001987) - ABCC9 (NM_020297) rearrangement: c.464-6738:ETV6_c.3473-739:ABCC9inv Protein fusion: out of frame (ETV6-ABCC9)	NA
EVT-P-006 0870-T01-I M7-13	P-0060 870-T0 1-IM7		ETV6-AEBP2	AEBP2	out-of-frame	five_prime	12025073	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001987) - AEBP2 (NM_001114176) rearrangement: c.1009+2170: ETV6_c.880-2512:AEBP2del Protein Fusion: out of frame {ETV6:AEBP2}	NA
EVT-P-001 9836-T01-I M6-14	P-0019 836-T0 1-IM6		ETV6-ANKS1B	ANKS1B	in-frame	five_prime	12006878	4	155	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001987) - ANKS1B (NM_152788) Rearrangement: c.463+383: ETV6_c.1757-48649:ANKS1Binv Protein Fusion: in frame {ETV6:ANKS1B}	NA

event_id	sample_id	patient_id	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	domain_status	domain_retained_fraction	domain_is_truncated	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002 7889-T01-I M6-15	P-0027 889-T0 1-IM6		ETV6- APOLD1	APOLD1	out-of-frame	five_prime	12030422	6	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6:NM_001987) - APOLD1 (NM_001130415) rearrangement: c.1010-6957:ETV6_c.96+30120:APOLD1del Protein Fusion: out of frame {ETV6:APOLD1}	NA
EVT-P-002 5013-T01-I M6-19	P-0025 013-T0 1-IM6		ETV6- BCL2L14	BCL2L14	out-of-frame	three_prime	12025353	5	337	True	lost	0.0	False		Sterile alpha motif (SAM)/ Pointed domain		BCL2L14 (NM_138722) -ETV6 (NM_001987) Rearrangement : c.945+502:BCL2L14_c.1009+2450:ETV6dup Protein Fusion: out of frame {BCL2L14:ETV6}	NA
EVT-P-000 9946-T01-I M5-22	P-0009 946-T0 1-IM5		ETV6- BORCSS	BORCSS	out-of-frame	three_prime	12034181	6	337	True	lost	0.0	False		Sterile alpha motif (SAM)/ Pointed domain		LOH12CR1 (NM_058169) - ETV6 (NM_001987) rearrangement: c.361-7873:LOH12CR1_c.1010-3198:ETV6dup Protein fusion: out of frame (LOH12CR1-ETV6)	NA
EVT-P-003 3635-T01-I M6-23	P-0033 635-T0 1-IM6		ETV6- BORCSS	BORCSS	in-frame	three_prime	12019982	5	155	True	lost	0.0	False		Sterile alpha motif (SAM)/ Pointed domain		LOH12CR1 (NM_058169) - ETV6 (NM_001987) rearrangement: c.203-15769:LOH12CR1_c.464-2376:ETV6dup Protein Fusion: in frame {LOH12CR1:ETV6}	NA
EVT-P-001 1506-T01-I M5-24	P-0011 506-T0 1-IM5		ETV6- CDKN1B	CDKN1B	out-of-frame	five_prime	11894784	2	12	True	lost	0.0	False		Sterile alpha motif (SAM)/ Pointed domain		ETV6 (NM_001987) - CDKN1B (NM_004064) rearrangement: c.34-10600:ETV6_c.476-58:CDKN1Bdel Protein fusion: out of frame (ETV6-CDKN1B)	NA

event_id	sample_id	patient_id	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	domain_status	domain_retained_fraction	domain_is_truncated	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002 2579-T01-I M6-121	P-0022 579-T0 1-IM6		ETV6- FAM2 34B	FAM23 4B	in-frame	three_prime	12035084	6	337	True	lost	0.0	False		Sterile alpha motif (SAM)/ Pointed domain		KIAA1467 (NM_020853) - ETV6 (NM_001987) rearrangement: c.1643-1210: KIAA1467_c.1010-2295:ETV6 dup Protein Fusion: in frame {KIAA1467:ETV6}	NA
EVT-P-000 7927-T01-I M5-122	P-0007 927-T0 1-IM5		ETV6- FGFR 10P2	FGFR10 P2	unknown	three_prime	12029024	5	337	True	lost	0.0	False		Sterile alpha motif (SAM)/ Pointed domain		FGFR10P2 (NM_015633) - ETV6 (NM_001987) rearrangement: c.1009+6121: ETV6_c.-14-5021:FGFR10P2 dup Transcript fusion (FGFR10P2-ETV6)	NA
EVT-P-002 8989-T01-I M6-123	P-0028 989-T0 1-IM6		ETV6- GALNT18	GALNT18	unknown	three_prime	12014281	4	155	True	lost	0.0	False		Sterile alpha motif (SAM)/ Pointed domain		ETV6 (NM_001987) rearrangement: t(11;12)(p15.3;p13.2)(chr11:g.11366394::chr12:g.12014281). Antisense Fusion	NA
EVT-P-002 6430-T01-I M6-124	P-0026 430-T0 1-IM6		ETV6- GNB1	GNB1	unknown	five_prime	12019513	5	155	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001987) - GNB1 (NM_002074) rearrangement: t(1;12)(p36/33;p13.2)(chr1:g.1785936::chr12:g.12019513) Transcript Fusion {ETV6:GNB1}	NA
EVT-P-001 9445-T01-I M6-125	P-0019 445-T0 1-IM6		ETV6- GRIN2B	GRIN2B	unknown	three_prime	12009253	4	155	True	lost	0.0	False		Sterile alpha motif (SAM)/ Pointed domain		ETV6 (NM_001987) - GRIN2B (NM_000834) rearrangement: c.463+2758:ETV6_c.-19+13931:GRIN2Bdel Antisense Fusion	NA

event_id	sample_id	patient_id	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	domain_status	domain_retained_fraction	domain_is_truncated	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site_2_effect_on_frame
EVT-P-002 3544-T01-I M6-133	P-0023 544-T0 1-IM6		ETV6- LRP6	LRP6	unknown	three_prime	12035485	6	337	True	lost	0.0	False		Sterile alpha motif (S AM)/ Pointed domain		ETV6 (NM_001987) rearrangement: c.1010-1894_ chr12:g.12422377del Antisense Fusion	NA
EVT-P-003 3921-T02-I M6-135	P-0033 921-T0 2-IM6		ETV6- NTRK3	NTRK3	in-frame	five_prime	12031161	6	337	True	retained	1.0	False	Sterile alpha motif (S AM)/ Pointed domain			ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12; 15)(p13.2;q25.3)(chr12:g.120 31161::chr15:g.88516534) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-003 3921-T04-I M6-136	P-0033 921-T0 4-IM6		ETV6- NTRK3	NTRK3	in-frame	five_prime	12031161	6	337	True	retained	1.0	False	Sterile alpha motif (S AM)/ Pointed domain			ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12; 15)(p13.2;q25.3)(chr12:g.120 31161::chr15:g.88516534) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-006 1265-T01-I M7-137	P-0061 265-T0 1-IM7		ETV6- NTRK3	NTRK3	in-frame	five_prime	12033175	6	337	True	retained	1.0	False	Sterile alpha motif (S AM)/ Pointed domain			ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12; 15)(p13.2;q25.3)(chr12:g.120 33175::chr15:g.88554122) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-003 7610-T01-I M6-138	P-0037 610-T0 1-IM6		ETV6- NTRK3	NTRK3	in-frame	five_prime	12014663	5	155	True	retained	1.0	False	Sterile alpha motif (S AM)/ Pointed domain			ETV6 (NM_001987) - NTRK3 (NM_001012338) rearrangement: t(12;15)(p13.2 ;q25.3)(chr12:g.12014663::chr 15:g.88594532) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-003 5767-T06-I M7-139	P-0035 767-T0 6-IM7		ETV6- NTRK3	NTRK3	in-frame	five_prime	12029143	5	337	True	retained	1.0	False	Sterile alpha motif (S AM)/ Pointed domain			ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12; 15)(p13.2;q25.3)(chr12:g.120 29143::chr15:g.88505787) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-003 3921-T05-I M7-140	P-0033 921-T0 5-IM7		ETV6- NTRK3	NTRK3	in-frame	five_prime	12031161	6	337	True	retained	1.0	False	Sterile alpha motif (S AM)/ Pointed domain			ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12; 15)(p13.2;q25.3)(chr12:g.120 31161::chr15:g.88516534) Protein Fusion: in frame {ETV6:NTRK3}	NA

event_id	sample_id	patient_id	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	domain_status	domain_retained_fraction	domain_is_truncated	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site_2_effect_on_frame
EVT-P-003 5767-T04-I M6-141	P-0035 767-T0 4-IM6		ETV6- NTRK 3	NTR K3	in-frame	five_prime	120291 43	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12029143::chr15:g.88505787) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-004 0355-T01-I M6-142	P-0040 355-T0 1-IM6		ETV6- NTRK 3	NTR K3	in-frame	five_prime	120361 11	6	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12036111::chr15:g.88497191) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-001 3664-T02-I M5-143	P-0013 664-T0 2-IM5		ETV6- NTRK 3	NTR K3	in-frame	five_prime	120320 77	6	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001987) - NTRK3 (NM_001012338) Fusion (ETV6 exons 1-5 fused with NTRK3 exons 15-20) : t(12;15)(p13.2;q26.1)(chr12:g.12032077::chr15:g.88558191) Protein fusion: in frame (ETV6-NTRK3)	NA
EVT-P-004 2503-T01-I M6-144	P-0042 503-T0 1-IM6		ETV6- NTRK 3	NTR K3	in-frame	five_prime	120328 02	6	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12032802::chr15:g.88556067) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-005 5703-T01-I M6-145	P-0055 703-T0 1-IM6		ETV6- NTRK 3	NTR K3	in-frame	five_prime	120247 85	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12024785::chr15:g.88505980) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-006 4964-T01-I M7-146	P-0064 964-T0 1-IM7		ETV6- NTRK 3	NTR K3	in-frame	five_prime	120323 10	6	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12032310::chr15:g.88564682) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-005 6156-T02-I M7-147	P-0056 156-T0 2-IM7		ETV6- NTRK 3	NTR K3	in-frame	five_prime	120119 57	4	155	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12011957::chr15:g.88624274) Protein Fusion: in frame {ETV6:NTRK3}	NA

event_id	sample_id	patient_id	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	domain_status	domain_retained_fraction	domain_is_truncated	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site_2_effect_on_frame
EVT-P-001 3664-T04-I M6-148	P-0013 664-T0 4-IM6		ETV6- NTRK 3	NTR K3	in-frame	five_prime	120320 77	6	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 fused in-frame to NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12032077::chr15:g.88558191) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-005 8408-T01-I M6-149	P-0058 408-T0 1-IM6		ETV6- NTRK 3	NTR K3	in-frame	five_prime	120357 60	6	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12035760::chr15:g.88492156) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-003 2148-T04-I M6-150	P-0032 148-T0 4-IM6		ETV6- NTRK 3	NTR K3	in-frame	five_prime	120372 17	6	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12037217::chr15:g.88522437) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-003 3810-T01-I M6-152	P-0033 810-T0 1-IM6		ETV6- PDE3 A	PDE 3A	out-of-frame	five_prime	120361 40	6	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001987) -PDE3A (NM_000921) Rearrangement : c.1010-1239:ETV6_c.960+53099:PDE3A Protein Fusion: out of frame {ETV6:PDE3A}	NA
EVT-P-002 0402-T01-I M6-154	P-0020 402-T0 1-IM6		ETV6- PLEK HG7	PLE KH G7	unknown	five_prime	120169 69	5	155	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001987) rearrangement: c.464-5389:ETV6_chr12:g.93097480del Transcript Fusion {ETV6:C12orf74}	NA
EVT-P-001 1048-T03-I M7-155	P-0011 048-T0 3-IM7		ETV6- PPIL2	PPI L2	in-frame	five_prime	120388 44	7	385	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001987) - PPIL2 (NM_014337) rearrangement: t(12;22)(p13.2;q11.21)(chr12:g.12038844::chr22:g.22041885) Protein Fusion: in frame {ETV6:PPIL2}	NA
EVT-P-003 5512-T01-I M6-156	P-0035 512-T0 1-IM6		ETV6- PTPR N2	PTP RN2	unknown	three_prime	120129 58	4	155	True	lost	0.0	False		Sterile alpha motif (SAM)/ Pointed domain		ETV6 (NM_001987) rearrangement: t(7;12)(q36.3;p13.2)(chr7:g.158331279::chr12:g.12012958) Antisense Fusion	NA

event_id	sampl_e_id	pa_tie_nt_i_d	fusion_nam_e	part_ner_ge_ne	fra_me_st_atu_s	tar_get_r_ole	breakp_o_int_ge_nomic	break_point_exo_n	breakpoint_protein_p_osition	is_intro_nic_bre_akpoint	dom_ain_statu_s	domain_r_etained_fr_action	domain_is_tru_ncated	retain_ed_do_mains	lost_do_mai_ns	disrupt_ed_do_mains	source_annotation_text	source_site_2_effect_on_frame
EVT-P-005 2787-T01-I M6-159	P-0052 787-T0 1-IM6		ETV6- SGO2	SG O2	out- of-fr ame	five _pr im e	120288 02	5	337	True	retain ed	1.0	False	Sterile alpha motif (SAM)/ Pointe d dom ain			ETV6 (NM_001987) - SGOL2 (NM_152524) rearrangement: t(2;12)(q33.1;p13.2)(chr2:g.201410903::chr12:g.12028802) Protein Fusion: out of frame {ETV6:SGOL2}	NA
EVT-P-005 2787-T03-I M6-160	P-0052 787-T0 3-IM6		ETV6- SGO2	SG O2	out- of-fr ame	five _pr im e	120288 03	5	337	True	retain ed	1.0	False	Sterile alpha motif (SAM)/ Pointe d dom ain			ETV6 (NM_001987) - SGOL2 (NM_152524) rearrangement: t(2;12)(q33.1;p13.2)(chr2:g.201410918::chr12:g.12028803) Protein Fusion: out of frame {ETV6:SGOL2}	NA
EVT-P-002 1918-T01-I M6-161	P-0021 918-T0 1-IM6		ETV6- SUFU	SUF U	in-fr ame	five _pr im e	120334 06	6	337	True	retain ed	1.0	False	Sterile alpha motif (SAM)/ Pointe d dom ain			ETV6 (NM_001987) - SUFU (NM_016169) rearrangement: t(10;12)(q24.32;p13.2)(chr10:g.104320248::chr12:g.12033406) Protein Fusion: in frame {ETV6:SUFU}	NA
EVT-P-003 6181-T01-I M6-163	P-0036 181-T0 1-IM6		HCFC 1-ETV 6	HCF C1	out- of-fr ame	thr ee _pr im e	119053 67	2	12	True	retain ed	1.0	False	Sterile alpha motif (SAM)/ Pointe d dom ain			HCFC1 (NM_005334) - ETV6 (NM_0019870) rearrangement: t(X;12)(q28;p13.2)(chrX:g.153221893::chr12:g.11905367) Protein Fusion: out of frame {HCFC1:ETV6}	NA
EVT-P-003 6181-T06-I M7-164	P-0036 181-T0 6-IM7		HCFC 1-ETV 6	HCF C1	out- of-fr ame	thr ee _pr im e	119053 73	2	12	True	retain ed	1.0	False	Sterile alpha motif (SAM)/ Pointe d dom ain			HCFC1 (NM_005334) - ETV6 (NM_001987) rearrangement: t(12;X)(p13.2;q28)(chr12:g.11905373::chrX:g.153221893) Protein Fusion: out of frame {HCFC1:ETV6}	NA
EVT-P-002 0738-T01-I M6-165	P-0020 738-T0 1-IM6		IKZF3 -ETV6	IKZ F3	in-fr ame	five _pr im e	120236 94	5	337	True	retain ed	1.0	False	Sterile alpha motif (SAM)/ Pointe d dom ain			ETV6 (NM_001987) - IKZF3(NM_012481) rearrangement: t(12;17)(p13.2;q12)(chr12:g.12023694::chr17:g.38012519) Protein Fusion: in frame {ETV6:IKZF3}	NA
EVT-P-003 6266-T01-I M6-166	P-0036 266-T0 1-IM6		NOL4 -ETV6	NOL 4	unk now n	thr ee _pr im e	120150 04	5	155	True	lost	0.0	False		Steri le al pha moti f (S AM)/ Poin ted dom ain		ETV6 (NM_001987) - NOL4 (NM_003787) rearrangement: t(12;18)(p13.2;q12.1)(chr12:g.12015004::chr18:g.:31639519) Antisense Fusion	NA

event_id	sample_id	patient_id	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	domain_status	domain_retained_fraction	domain_is_truncated	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site_2_effect_on_frame
EVT-P-000 2978-T03-I M5-167	P-0002 978-T0 3-IM5		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120285 76	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) fusion (ETV6 exons 1 to 5 fused to NTRK3 exons 15 to 20) : t(12;15)(p13.2;q25.3)(chr12:g.12028576::chr15:g.88506571) Protein fusion: in frame (ETV6-NTRK3)	NA
EVT-P-001 6507-T02-I M6-168	P-0016 507-T0 2-IM6		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120237 09	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) fusion (ETV6 exons 1-14 fused with NTRK3 exons 6-20 including the kinase domain): t(12,15)(p13.2;q25.3)(chr12:g.12023709::chr15:g.88488820) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-000 2978-T06-I M6-169	P-0002 978-T0 6-IM6		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120285 76	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) fusion (ETV6 exons 1-5 fused in-frame to NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12028576::chr15:g.88506571) Protein fusion: in frame (ETV6-NTRK3)	NA
EVT-P-001 3196-T03-I M6-170	P-0013 196-T0 3-IM6		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120360 72	6	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) fusion (ETV6 exon5 fused to NTRK3 exon15): t(12;15)(p13.2;q25.3)(chr12:g.12036072::chr15:g.88501357) Protein fusion: in frame (ETV6-NTRK3)	NA
EVT-P-000 2978-T05-I M6-171	P-0002 978-T0 5-IM6		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120285 76	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) fusion (ETV6 exons 1-5 fused in-frame to NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12028576::chr15:g.88506571) Protein fusion: in frame (ETV6-NTRK3)	NA
EVT-P-000 2671-T01-I M3-172	P-0002 671-T0 1-IM3		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120358 13	6	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			NA Protein fusion: in frame (ETV6-NTRK3)	NA

event_id	sample_id	patient_id	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	domain_status	domain_retained_fraction	domain_is_truncated	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003 5767-T01-I M6-173	P-0035 767-T0 1-IM6		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120291 43	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12029143::chr15:g.88505787) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-003 5552-T01-I M6-174	P-0035 552-T0 1-IM6		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120209 63	5	155	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-4 fused with NTRK3 exons 14-20): t(12;15)(p13.2;q25.3)(chr12:g.12020963::chr15:g.88651251) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-000 2978-T04-I M5-175	P-0002 978-T0 4-IM5		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120285 76	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) - NTRK3 (NM_001012338) reciprocal fusion (ETV6 exons 1-5 fused with NTRK3 exons 15-20) : t(12;15)(p13.2;q25.3)(chr12:g.12028576::chr15:g.88506571) Protein fusion: in frame (ETV6-NTRK3)	NA
EVT-P-000 7772-T02-I M5-176	P-0007 772-T0 2-IM5		NTRK 3-ETV 6	NTR K3	in-frame	three_prime	120202 58	5	155	True	lost	0.0	False		Sterile alpha motif (SAM)/ Pointed domain		ETV6 (NM_001012338) - NTRK3 (NM_001012338) reciprocal fusion (ETV6 exons 1-4 fused with NTRK3 exons 14-20) : t(12;15)(p13.2;q25.3)(chr12:g.12020257::chr15:g.88600844) Protein fusion: in frame (NTRK3-ETV6)	NA
EVT-P-001 3196-T02-I M6-177	P-0013 196-T0 2-IM6		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120360 72	6	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) - NTRK3 (NM_001012338) fusion (ETV6 exon5 fused to NTRK3 exon15): t(12;15)(p13.2;q25.3)(chr12:g.12036072::chr15:g.88501357) Protein fusion: in frame (ETV6-NTRK3)	NA
EVT-P-000 7772-T03-I M5-178	P-0007 772-T0 3-IM5		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120202 57	5	155	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) - NTRK3 (NM_001012338) reciprocal fusion (ETV6 exons 1-4 fused with NTRK3 exons 14-20) : t(12;15)(p13.2;q25.3)(chr12:g.12020257::chr15:g.88600844) Protein fusion: in frame (ETV6-NTRK3)	NA

event_id	sample_id	patient_id	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	domain_status	domain_retained_fraction	domain_is_truncated	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site_2_effect_on_frame
EVT-P-0007911-T02-IM5-179	P-0007911-T02-IM5		NTRK3-ETV6	NTRK3	in-frame	five_prime	12007142	4	155	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) fusion (ETV6 exons 1 to 4 fused with NTRK3 exons 13-20): t(12;15)(p13.2;q25.3)(chr12:g.12007142::chr15:g.88592430) Protein fusion: in frame (ETV6-NTRK3)	NA
EVT-P-0010264-T01-IM5-180	P-0010264-T01-IM5		NTRK3-ETV6	NTRK3	in-frame	five_prime	12014962	5	155	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) fusion (ETV6 exons 1-4 fused in frame with NTRK3 exons 13-20): t(12;15)(p13.2;q25.3)(chr12:g.12014962::chr15:g.88588255) Protein fusion: in frame (ETV6-NTRK3)	NA
EVT-P-0027006-T04-IM6-181	P-0027006-T04-IM6		NTRK3-ETV6	NTRK3	in-frame	five_prime	12032352	6	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) fusion (ETV6 exons 1-5 fused with NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12032352::chr15:g.88512343) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-0027006-T03-IM6-182	P-0027006-T03-IM6		NTRK3-ETV6	NTRK3	in-frame	five_prime	12032352	6	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) fusion (ETV6 exons 1-5 fused in-frame to NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12037037::chr15:g.88514531) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-0027006-T01-IM6-183	P-0027006-T01-IM6		NTRK3-ETV6	NTRK3	in-frame	five_prime	12032352	6	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) fusion (ETV6 exons 1-5 with NTRK3 exons 15-20) : t(12;15)(p13.2;q25.3)(chr12:g.12032352::chr15:g.88512343) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-0026696-T01-IM6-184	P-0026696-T01-IM6		NTRK3-ETV6	NTRK3	in-frame	five_prime	12007967	4	155	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) fusion (ETV6 exons 1-4 fused with NTRK3 exons 14-20):t(12;15)(p13.2;q25.3)(chr12:g.12007967::chr15:g.88657925) Protein Fusion: in frame {ETV6:NTRK3}	NA

event_id	sample_id	patient_id	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	domain_status	domain_retained_fraction	domain_is_truncated	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002 6390-T01-I M6-185	P-0026 390-T0 1-IM6		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120168 63	5	155	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) fusion (ETV6 exons 1-4 fused with NTRK3 exons 14-20): t(12;15)(p13.2;q25.3)(chr12:g.12016863::chr15:g.88651131) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-002 6286-T01-I M6-186	P-0026 286-T0 1-IM6		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120303 95	6	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) fusion (ETV6 exons 1-5 fused with NTRK3 exons 14-20): t(12;15)(p13.2;q25.3)(chr12:g.12030395::chr15:g.88611476) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-002 5987-T01-I M6-187	P-0025 987-T0 1-IM6		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120289 42	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) fusion (ETV6 exons 1-5 fused with NTRK3 exons 14-20): t(12;15)(p13.2;q25.3)(chr12:g.12028942::chr15:g.88613114) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-002 5507-T01-I M6-188	P-0025 507-T0 1-IM6		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120240 78	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) fusion (ETV6 exons 1-5 with NTRK3 exons 15-20) : t(12;15)(p13.2;q25.3)(chr12:g.12024078::chr15:g.88544573) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-002 3257-T01-I M6-189	P-0023 257-T0 1-IM6		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120149 98	5	155	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) fusion (ETV6 exons 1 to 4 fused to NTRK3 exons 14 to 20) : t(12;15)(p13.2;q25.3)(chr12:g.12014998::chr15:g.88662190) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-001 0562-T01-I M5-190	P-0010 562-T0 1-IM5		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120289 03	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) fusion (ETV6 exons 1-5 with NTRK3 exons 14-20): t(12;15)(p13.2;q25.1)(chr12:g.12028903::chr15:g.88581658) Protein fusion: in frame {ETV6:NTRK3}	NA


event_id	sample_id	patient_id	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	domain_status	domain_retained_fraction	domain_is_truncated	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site_2_effect_on_frame
EVT-P-002 1974-T01-I M6-191	P-0021 974-T0 1-IM6		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120284 17	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) fusion (ETV6 exons 1-5 fused to NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12028417::chr15:g.88550500) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-000 2978-T02-I M5-192	P-0002 978-T0 2-IM5		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120285 76	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			NA Protein fusion: in frame (ETV6-NTRK3)	NA
EVT-P-000 6480-T01-I M5-193	P-0006 480-T0 1-IM5		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120295 48	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) - NTRK3 (NM_001012338) reciprocal fusion (ETV6 exons 1-5 fused with NTRK3 exons 15-20) : t(12;15)(p13.2;q25.3)(chr12:g.12029548::chr15:g.88498145) Protein fusion: in frame (ETV6-NTRK3)	NA
EVT-P-001 8060-T01-I M6-194	P-0018 060-T0 1-IM6		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120370 37	6	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 fused in-frame to NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12037037::chr15:g.88514531) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-001 6507-T04-I M6-195	P-0016 507-T0 4-IM6		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120237 09	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 fused to NTRK3 exons 15-20) : t(12;15)(p13.2;q25.3)(chr12:g.12023709::chr15:g.88488820) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-001 6507-T03-I M6-196	P-0016 507-T0 3-IM6		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120237 09	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 fused with NTRK3 exons 15-20: t(12;15)(p13.2;q25.3)(chr12:g.12023709::chr15:g.88488820) Protein Fusion: in frame {ETV6:NTRK3}	NA

event_id	sample_id	patient_id	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	domain_status	domain_retained_fraction	domain_is_truncated	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-0002978-T07-I M6-197	P-0002978-T07-IM6		NTRK3-ETV6	NTRK3	in-frame	five_prime	12028576	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 fused in-frame to NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12028576::chr15:g.88506571) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-0016507-T01-I M6-198	P-0016507-T01-IM6		NTRK3-ETV6	NTRK3	in-frame	five_prime	12023709	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 fused in-frame to NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12023709::chr15:g.88488820) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-0004737-T01-I M5-199	P-0004737-T01-IM5		NTRK3-ETV6	NTRK3	in-frame	five_prime	12006809	4	155	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) - NTRK3 (NM_001012338) Fusion (ETV6 exons 1 to 4 fused to NTRK3 exons 13 to 20) : t(12;15)(p13.2;q25.3)(chr12:g.12006809::chr15:g.88632786) Protein fusion: in frame (ETV6-NTRK3)	NA
EVT-P-0010668-T01-I M5-200	P-0010668-T01-IM5		NTRK3-ETV6	NTRK3	in-frame	five_prime	12029109	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 with NTRK3 exons 15-20) : t(12;15)(p13.2;q25.3)(chr12:g.12029109::chr15:g.88513282) Protein fusion: in frame (ETV6-NTRK3)	NA
EVT-P-0014872-T03-I M6-201	P-0014872-T03-IM6		NTRK3-ETV6	NTRK3	in-frame	five_prime	12028946	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 with NTRK3 exons 15-20) : t(12;15)(p13.2;q25.3)(chr12:g.12028946::chr15:g.88548029) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-0014872-T02-I M6-202	P-0014872-T02-IM6		NTRK3-ETV6	NTRK3	in-frame	five_prime	12028946	5	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 with NTRK3 exons 15-20) : t(12;15)(p13.2;q25.3)(chr12:g.12028946::chr15:g.88548029) Protein fusion: in frame (ETV6-NTRK3)	NA

event_id	sample_id	patient_id	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	domain_status	domain_retained_fraction	domain_is_truncated	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site_2_effect_on_frame
EVT-P-001 3196-T04-I M6-203	P-0013 196-T0 4-IM6		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120360 72	6	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) fusion (ETV6 exon5 fused to NTRK3 exon15): t(12;15)(p13.2;q25.3)(chr12:g.12036072::chr15:g.88501357) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-000 7772-T01-I M5-204	P-0007 772-T0 1-IM5		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120202 57	5	155	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) - NTRK3 (NM_001012338) reciprocal fusion (ETV6 exons 1-4 fused with NTRK3 exons 14-20) : t(12;15)(p13.2;q25.3)(chr12:g.12020257::chr15:g.88600844) Protein fusion: in frame {ETV6:NTRK3}	NA
EVT-P-003 3921-T03-I M6-205	P-0033 921-T0 3-IM6		NTRK 3-ETV 6	NTR K3	in-frame	five_prime	120311 61	6	337	True	retained	1.0	False	Sterile alpha motif (SAM)/ Pointed domain			ETV6 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12031161::chr15:g.88516534) Protein Fusion: in frame {ETV6:NTRK3}	NA
EVT-P-001 1048-T02-I M6-207	P-0011 048-T0 2-IM6		PPIL2 -ETV6	PPI L2	unknown	three_prime	120388 67	7	387	False	lost	0.0	False		Sterile alpha motif (SAM)/ Pointed domain		PPIL2 (NM_014337) - ETV6 (NM_001987) Rearrangement : t(12;22)(p13.2;q11.22)(chr12:g.12038867::chr22:g.22041881) Protein Fusion: mid-exon {PPIL2:ETV6}	NA
EVT-P-004 0504-T01-I M6-211	P-0040 504-T0 1-IM6		SLIT2 -ETV6	SLI T2	out-of-frame	three_prime	120340 59	6	337	True	lost	0.0	False		Sterile alpha motif (SAM)/ Pointed domain		SLIT2 (NM_004787) - ETV6 (NM_001987) rearrangement: t(4;12)(p15.31;p13.2)(chr4:g.20374490::chr12:g.12034059) Protein Fusion: out of frame {SLIT2:ETV6}	NA
EVT-P-004 0504-T02-I M6-212	P-0040 504-T0 2-IM6		SLIT2 -ETV6	SLI T2	out-of-frame	three_prime	120340 59	6	337	True	lost	0.0	False		Sterile alpha motif (SAM)/ Pointed domain		SLIT2 (NM_004787) - ETV6 (NM_001987) rearrangement: t(4;12)(p15.31;p13.2)(chr4:g.20374490::chr12:g.12034059) Protein Fusion: out of frame {SLIT2:ETV6}	NA

domain retention outliers


ETV6 domain-retention track



fusion schematic

ETV6 fusion-transcript schematic

Fusion order varies by row; follow each row's 5' and 3' labels (ETV6 portion is domain-colored, exon ticks)




Partner-block colors are decorative; row labels identify partners.

Showing the top 28 of 30 partner/breakpoint groups by recurrence; see results.tsv for the complete list.

intragenic deletion schematic

ETV6 intragenic-deletion schematic

retained N-terminal block → deleted span (plain connector) → resumed C-terminal block



reference comparison

Reference vs msk_impact_50k_2026

