TMPRSS2 fusion-hotspot benchmark report

Study: msk_impact_50k_2026

Abstract

This report analyzes TMPRSS2 gene fusions from the msk_impact_50k_2026 study, covering 867 fusion events. 260/780 fusions with known frame status (33.3%) were in-frame. 53/849 fusions (6.2%) retained the Trypsin domain. Domain retention was tested with Fisher's exact test (p=0.0849513, not statistically significant at alpha=0.05). No literature benchmark is configured for TMPRSS2.

Results summary

Fusion partner frequency

Fusion-partner frequency was tabulated across 867 analyzed fusion events, identifying 73 distinct fusion partner genes. The most frequent partner was ERG, observed in 764 events.

Domain retention

Trypsin domain retention was tested with Fisher's exact test comparing in-frame fusions against all others; 23/260 (8.8%) of in-frame fusions retained the domain, p=0.0849513 (not statistically significant at alpha=0.05). A breakpoint-position permutation test produced a corroborating empirical p-value of 1.

Domain disruption

Disruption of the Scavenger receptor cysteine-rich domain was tested with Fisher's exact test comparing in-frame fusions against all others; 201/217 (92.6%) of in-frame fusions disrupted the domain, p=0.930168 (not statistically significant at alpha=0.05). A breakpoint-position permutation test produced a corroborating empirical p-value of 9.9999e-06.

Junction concentration

67% of 685 fusions with this gene as the 5' partner join at exon 1, against 23% expected if breakpoints fell at random along the gene; this is the most over-represented junction (empirical p=9.9999e-06, corrected for testing every exon, statistically significant at alpha=0.05). The random-breakage null assumes a breakpoint anywhere in the gene would be detected. Capture panels such as MSK-IMPACT tile only selected introns, so concentration on panel data is partly by assay design and this p-value overstates the evidence for biological concentration. Confirm in a cohort sequenced without intron selection (whole genome or RNA).

Cutpoint detection

Cutpoint detection scanned 727 mapped breakpoints for the protein position that best separates domain-retained from lost/disrupted fusions; the inferred cutpoint was position 42 aa (exon 2; label-permutation p=0.000999001). This boundary is descriptive: retained/lost status follows from breakpoint position, so a clean split exists by construction and the p-value is not evidence of selection. This is -148 aa from the nearest configured domain boundary at 190 aa.

Corroborating confidence statistics

Corroborating confidence statistics compared Domain_retention_flags groups "retained" (n=39) and "not_retained" (n=688). For Frame_status, retained: 16/36 (44.4%, 95% CI 29.5%-60.4%); not_retained: 201/634 (31.7%, 95% CI 28.2%-35.4%). Welch's t-test comparing Tumor_variant_count between groups gave means of 34.8462 vs 49.0291, p=0.0302626 (statistically significant at alpha=0.05).

Composite evidence score

Composite evidence score produced results for this run (73 row(s) in composite_evidence_ranking); see the accompanying table.

Exon retention

Exon retention produced results for this run (1 row(s) in Exon_retention); see the accompanying table.

Expression association

Expression association reported: No mRNA expression data was available for TMPRSS2 in this cohort; expression-association analysis was skipped.

Genomic position recurrence

Genomic position recurrence produced results for this run (24 row(s) in genomic_bin_recurrence, 16 row(s) in exact_position_recurrence, 5 row(s) in protein_position_genomic_spread); see the accompanying table.

Joint partner

Joint partner reported: TMPRSS2 has no gene_pair configured; joint-partner analysis was skipped.

Mechanistic interpretation

Mechanistic interpretation produced results for this run; see the accompanying data for details.

Mutation cooccurrence

Mutation cooccurrence reported: TMPRSS2 has no mutual_exclusivity_targets configured; co-occurrence/mutual-exclusivity analysis was skipped.

Window detection

Window detection produced results for this run (115 row(s) in window_scan, 69 row(s) in top_windows); see the accompanying table.

Tables

composite_score tables

composite_evidence_ranking

Partner_gene	Event_count	Recurrence_score	Domain_retention_score	Domain_disruption_score	Cutpoint_proximity_score	Confidence_certainty_score	Components_applicable	Composite_score	Rank
ERG	764	0.881199538638985	0.0	0.5000004342923104	0.9444540172118358	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.58697639449934	1
ACP3	1	0.0011534025374855825	0.0	0.5000004342923104	1.0	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.33129445108711486	2
ARHGAP26	1	0.0011534025374855825	0.0	0.5000004342923104	1.0	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.33129445108711486	3
DYRK1A	1	0.0011534025374855825	0.0	0.5000004342923104	1.0	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.33129445108711486	4
FOXP1	1	0.0011534025374855825	0.0	0.5000004342923104	1.0	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.33129445108711486	5
SKIL	1	0.0011534025374855825	0.0	0.5000004342923104	1.0	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.33129445108711486	6
ZNF827	1	0.0011534025374855825	0.0	0.5000004342923104	1.0	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.33129445108711486	7
ARF4	1	0.0011534025374855825	0.0	0.5000004342923104	0.9968553459119497	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.33082275297390734	8
BACH1	1	0.0011534025374855825	0.0	0.5000004342923104	0.9968553459119497	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.33082275297390734	9

Partner_gene	Event_count	Recurrence_score	Domain_retention_score	Domain_disruption_score	Cutpoint_proximity_score	Confidence_certainty_score	Components_applicable	Composite_score	Rank
C2CD2	1	0.0011534025374855825	0.0	0.5000004342923104	0.9968553459119497	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.33082275297390734	10
ELAPOR1	1	0.0011534025374855825	0.0	0.5000004342923104	0.9968553459119497	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.33082275297390734	11
NSUN4	1	0.0011534025374855825	0.0	0.5000004342923104	0.9968553459119497	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.33082275297390734	12
PAXBP1	1	0.0011534025374855825	0.0	0.5000004342923104	0.9968553459119497	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.33082275297390734	13
PGM5	1	0.0011534025374855825	0.0	0.5000004342923104	0.9968553459119497	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.33082275297390734	14
SETD4	1	0.0011534025374855825	0.0	0.5000004342923104	0.9968553459119497	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.33082275297390734	15
SLC60A1	1	0.0011534025374855825	0.0	0.5000004342923104	0.9968553459119497	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.33082275297390734	16
MRPS6	1	0.0011534025374855825	0.0	0.5000004342923104	0.9748427672955975	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3275208661814545	17
ETV1	14	0.016147635524798153	0.0	0.5000004342923104	0.9367138364779874	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.32629979645500673	18
BRAF	4	0.00461361014994233	0.0	0.5000004342923104	0.9517819706498952	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3250998089683362	19

Partner_gene	Event_count	Recurrence_score	Domain_retention_score	Domain_disruption_score	Cutpoint_proximity_score	Confidence_certainty_score	Components_applicable	Composite_score	Rank
ETV5	4	0.00461361014994233	0.0	0.5000004342923104	0.9517819706498952	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3250998089683362	20
CHD3	3	0.0034602076124567475	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3211374360058326	21
RIPK4	3	0.0034602076124567475	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3211374360058326	22
MAD1L1	2	0.002306805074971165	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.320791415244587	23
MX1	2	0.002306805074971165	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.320791415244587	24
NLGN1	2	0.002306805074971165	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.320791415244587	25
ABCC4	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	26
ADHFE1	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	27
AFDN	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	28
ARRB1	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	29

Partner_gene	Event_count	Recurrence_score	Domain_retention_score	Domain_disruption_score	Cutpoint_proximity_score	Confidence_certainty_score	Components_applicable	Composite_score	Rank
CCN6	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	30
CERS6	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	31
CHAF1B	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	32
CHST12	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	33
CYP4Z1	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	34
DENND3	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	35
ENPP6	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	36
FIRRM	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	37
GCOM1	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	38
LSS	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	39

Partner_gene	Event_count	Recurrence_score	Domain_retention_score	Domain_disruption_score	Cutpoint_proximity_score	Confidence_certainty_score	Components_applicable	Composite_score	Rank
OSBPL2	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	40
RBPMS2	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	41
RCN1	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	42
SEPTIN11	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	43
SH3BGR	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	44
SH3GL3	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	45
SIK1	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	46
U2AF1	1	0.0011534025374855825	0.0	0.5000004342923104	0.9276729559748428	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.3204453944833413	47
AIRE	1	0.0011534025374855825	0.0	0.5000004342923104	0.7641509433962264	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.2959170925965488	48
DSCAM	3	0.0034602076124567475	0.0	0.5000004342923104	0.7075471698113207	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.2881185680813043	49

Partner_gene	Event_count	Recurrence_score	Domain_retention_score	Domain_disruption_score	Cutpoint_proximity_score	Confidence_certainty_score	Components_applicable	Composite_score	Rank
PRDM15	1	0.0011534025374855825	0.0	0.5000004342923104	0.6069182389937107	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.27233218693617145	50
PREX2	1	0.0011534025374855825	0.0	0.5000004342923104	0.48427672955974843	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.25393596052107714	51
ETV4	3	0.0034602076124567475	0.0	0.5000004342923104	0.3584905660377359	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.23576007751526662	52
ABCG1	1	0.0011534025374855825	0.0	0.5000004342923104	0.2987421383647799	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.22610577184183184	53
MGA	1	0.0011534025374855825	0.0	0.5000004342923104	0.2987421383647799	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.22610577184183184	54
NR3C2	2	0.002306805074971165	0.0	0.5000004342923104	None	0.809483434674071	confidence_certainty, domain_disruption, domain_retention, recurrence	0.21369467276277712	55
BRCA2	1	0.0011534025374855825	0.0	0.5000004342923104	None	0.809483434674071	confidence_certainty, domain_disruption, domain_retention, recurrence	0.21328758951425283	56
CASZ1	1	0.0011534025374855825	0.0	0.5000004342923104	None	0.809483434674071	confidence_certainty, domain_disruption, domain_retention, recurrence	0.21328758951425283	57
CSK	1	0.0011534025374855825	0.0	0.5000004342923104	None	0.809483434674071	confidence_certainty, domain_disruption, domain_retention, recurrence	0.21328758951425283	58
CYP3A43	1	0.0011534025374855825	0.0	0.5000004342923104	None	0.809483434674071	confidence_certainty, domain_disruption, domain_retention, recurrence	0.21328758951425283	59
DMD	1	0.0011534025374855825	0.0	0.5000004342923104	None	0.809483434674071	confidence_certainty, domain_disruption, domain_retention, recurrence	0.21328758951425283	60
DYM	1	0.0011534025374855825	0.0	0.5000004342923104	None	0.809483434674071	confidence_certainty, domain_disruption, domain_retention, recurrence	0.21328758951425283	61

Partner_gene	Event_count	Recurrence_score	Domain_retention_score	Domain_disruption_score	Cutpoint_proximity_score	Confidence_certainty_score	Components_applicable	Composite_score	Rank
MYL5	1	0.0011534025374855825	0.0	0.5000004342923104	None	0.809483434674071	confidence_certainty, domain_disruption, domain_retention, recurrence	0.21328758951425283	62
OSBPL1A	1	0.0011534025374855825	0.0	0.5000004342923104	None	0.809483434674071	confidence_certainty, domain_disruption, domain_retention, recurrence	0.21328758951425283	63
PALS1	1	0.0011534025374855825	0.0	0.5000004342923104	None	0.809483434674071	confidence_certainty, domain_disruption, domain_retention, recurrence	0.21328758951425283	64
POLDIP3	1	0.0011534025374855825	0.0	0.5000004342923104	None	0.809483434674071	confidence_certainty, domain_disruption, domain_retention, recurrence	0.21328758951425283	65
RSL24D1	1	0.0011534025374855825	0.0	0.5000004342923104	None	0.809483434674071	confidence_certainty, domain_disruption, domain_retention, recurrence	0.21328758951425283	66
SGMS2	1	0.0011534025374855825	0.0	0.5000004342923104	None	0.809483434674071	confidence_certainty, domain_disruption, domain_retention, recurrence	0.21328758951425283	67
SIMC1	1	0.0011534025374855825	0.0	0.5000004342923104	None	0.809483434674071	confidence_certainty, domain_disruption, domain_retention, recurrence	0.21328758951425283	68
TSPAN4	1	0.0011534025374855825	0.0	0.5000004342923104	None	0.809483434674071	confidence_certainty, domain_disruption, domain_retention, recurrence	0.21328758951425283	69
TUT7	1	0.0011534025374855825	0.0	0.5000004342923104	None	0.809483434674071	confidence_certainty, domain_disruption, domain_retention, recurrence	0.21328758951425283	70
KLK3	1	0.0011534025374855825	0.0	0.5000004342923104	0.01572327044025157	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.1836529416531526	71
KRTAP10-4	1	0.0011534025374855825	0.0	0.5000004342923104	0.0031446540880503138	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.1817661492003224	72
PLCD3	1	0.0011534025374855825	0.0	0.5000004342923104	0.0	0.809483434674071	confidence_certainty, cutpoint_proximity, domain_disruption, domain_retention, recurrence	0.1812944510871149	73

cutpoint_detection tables

cutpoint_scan

cutpoint	n_positive_at_or_below	n_positive_above	n_negative_at_or_below	n_negative_above	odds_ratio	p_value	neg_log10_p_value
19	18	21	461	227	0.4220638363805392	0.009291669197396131	2.0319062603766267
38	18	21	462	226	0.41929499072356213	0.00901979365178469	2.0448033978146363
42	18	21	672	16	0.02040816326530612	2.982116504527492e-20	19.525475393651288
43	33	6	672	16	0.13095238095238096	0.0006378662015406347	3.1952704090946797
50	33	6	673	15	0.1225854383358098	0.0004829305410034697	3.316115328520005
88	33	6	674	14	0.1142433234421365	0.00035909602452233923	3.4447894028315096
99	33	6	675	13	0.10592592592592592	0.0002616728014301739	3.582241416078713
101	33	6	676	12	0.09763313609467456	0.00018637775368829927	3.7296059268908013
102	33	6	677	11	0.08936484490398819	0.00012934336389237072	3.8882558483456306
117	37	2	677	11	0.3005908419497784	0.15068746498916963	0.8219228731827413
146	38	1	677	11	0.6174298375184638	0.4866792370813662	0.3127571814189888
167	38	1	678	10	0.56047197640118	0.4571083216399676	0.3399808723238362
186	38	1	679	9	0.5036818851251841	0.42588003925642604	0.3707127145727348
206	39	0	679	9	None	1.0	-0.0
228	39	0	680	8	None	1.0	-0.0
265	39	0	682	6	None	1.0	-0.0
337	39	0	683	5	None	1.0	-0.0
355	39	0	684	4	None	1.0	-0.0
359	39	0	685	3	None	1.0	-0.0
360	39	0	686	2	None	1.0	-0.0
450	39	0	687	1	None	1.0	-0.0

domain_disruption tables

frame_domain_contingency_table

201	485
16	25

frame_domain_contingency_tables_by_tumor_type

stratum	table
BLCA	[0, 1], [0, 0]
COAD	[0, 0], [0, 1]

stratum	table
CUP	[1, 0], [0, 0]
HGNEC	[1, 0], [0, 0]
HGSOC	[0, 1], [0, 0]
IDC	[0, 1], [1, 0]
LMS	[0, 0], [0, 0]
LUAD	[0, 1], [0, 0]
NECNOS	[0, 3], [0, 0]
NETNOS	[0, 1], [0, 0]
PAAD	[0, 1], [1, 1]
PDC	[0, 1], [0, 0]
PRAD	[196, 465], [13, 22]
PRNE	[1, 3], [0, 0]
PRSCC	[1, 4], [1, 0]
SCUP	[1, 0], [0, 0]
STAD	[0, 0], [0, 1]
UEC	[0, 1], [0, 0]
USC	[0, 2], [0, 0]

domain_disruption_descriptives

Domain_key	Domain_name	Quantitative_call_count	Fully_retained_count	Truncated_count	Fully_lost_count	Mean_retained_fraction_among_non_retained_calls
auto_disruption_pf15494	Scavenger receptor cysteine-rich domain	727	41	4	682	0.004171577445567893

domain_retention tables

frame_domain_contingency_table

16	23
201	487

frame_domain_contingency_tables_by_tumor_type

stratum	table
BLCA	[0, 0], [0, 1]
COAD	[0, 1], [0, 0]
CUP	[0, 0], [1, 0]
HGNEC	[0, 0], [1, 0]

stratum	table
HGSOC	[0, 0], [0, 1]
IDC	[1, 0], [0, 1]
LUAD	[0, 0], [0, 1]
NECNOS	[0, 0], [0, 3]
NETNOS	[0, 0], [0, 1]
PAAD	[1, 1], [0, 1]
PDC	[0, 0], [0, 1]
PRAD	[13, 20], [196, 467]
PRNE	[0, 0], [1, 3]
PRSCC	[1, 0], [1, 4]
SCUP	[0, 0], [1, 0]
STAD	[0, 0], [0, 1]
UEC	[0, 1], [0, 0]
USC	[0, 0], [0, 2]

domain_retention_descriptives

Domain_key	Domain_name	Quantitative_call_count	Fully_retained_count	Truncated_count	Fully_lost_count	Mean_retained_fraction_among_non_retained_calls
auto_key_domain	Trypsin	727	39	5	683	0.003801919366304458

exon_retention tables

Exon_retention

Exon	Retained_event_count	Total_event_count	Retained_fraction
9	42	745	0.056375838926174496

frequency tables

Partner_gene_counts

Partner_gene	Event_count	Raw_event_count	Sample_count	Patient_count
ABCC4	1	1	1	1
ABCG1	1	1	1	1
ACP3	1	1	1	1
ADHFE1	1	1	1	1
AFDN	1	1	1	1

Partner_gene	Event_count	Raw_event_count	Sample_count	Patient_count
AIRE	1	1	1	1
ARF4	1	1	1	1
ARHGAP26	1	1	1	1
ARRB1	1	1	1	1
BACH1	1	1	1	1
BRAF	4	4	4	4
BRCA2	1	1	1	1
C2CD2	1	1	1	1
CASZ1	1	1	1	1
CCN6	1	1	1	1
CERS6	1	1	1	1
CHAF1B	1	1	1	1
CHD3	3	3	3	2
CHST12	1	1	1	1
CSK	1	1	1	1
CYP3A43	1	1	1	1
CYP4Z1	1	1	1	1
DENND3	1	1	1	1
DMD	1	1	1	1
DSCAM	3	3	3	2
DYM	1	1	1	1
DYRK1A	1	1	1	1
ELAPOR1	1	1	1	1
ENPP6	1	1	1	1
ERG	764	764	764	672
ETV1	14	14	14	9
ETV4	3	3	3	2
ETV5	4	4	4	3
FIRRM	1	1	1	1
FOXP1	1	1	1	1
GCOM1	1	1	1	1
KLK3	1	1	1	1
KRTAP10-4	1	1	1	1
LSS	1	1	1	1
MAD1L1	2	2	2	1

Partner_gene	Event_count	Raw_event_count	Sample_count	Patient_count
MGA	1	1	1	1
MRPS6	1	1	1	1
MX1	2	2	2	2
MYL5	1	1	1	1
NLGN1	2	2	2	1
NR3C2	2	2	2	1
NSUN4	1	1	1	1
OSBPL1A	1	1	1	1
OSBPL2	1	1	1	1
PALS1	1	1	1	1
PAXBP1	1	1	1	1
PGM5	1	1	1	1
PLCD3	1	1	1	1
POLDIP3	1	1	1	1
PRDM15	1	1	1	1
PREX2	1	1	1	1
RBPMS2	1	1	1	1
RCN1	1	1	1	1
RIPK4	3	3	3	3
RSL24D1	1	1	1	1
SEPTIN11	1	1	1	1
SETD4	1	1	1	1
SGMS2	1	1	1	1
SH3BGR	1	1	1	1
SH3GL3	1	1	1	1
SIK1	1	1	1	1
SIMC1	1	1	1	1
SKIL	1	1	1	1
SLC60A1	1	1	1	1
TSPAN4	1	1	1	1
TUT7	1	1	1	1
U2AF1	1	1	1	1
ZNF827	1	1	1	1

genomic_position_recurrence tables

genomic_bin_recurrence

chromosome	bin_start	bin_end	n_events	event_ids
21	42872000	42873000	91	EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0001694-T02-IM6-566, EVT-P-0001697-T02-IM3-15, EVT-P-0002364-T01-IM3-25, ... (91 total)
21	42867000	42868000	82	EVT-P-0001242-T03-IM5-495, EVT-P-0001845-T01-IM3-18, EVT-P-0002398-T01-IM3-542, EVT-P-0002880-T01-IM3-30, EVT-P-0003541-T01-IM5-49, ... (82 total)
21	42873000	42874000	67	EVT-P-0003535-T01-IM5-48, EVT-P-0003758-T01-IM5-58, EVT-P-0004816-T01-IM5-68, EVT-P-0005557-T01-IM5-79, EVT-P-0007025-T01-IM5-102, ... (67 total)
21	42868000	42869000	65	EVT-P-0000888-T01-IM3-488, EVT-P-0002123-T02-IM5-540, EVT-P-0002149-T02-IM3-22, EVT-P-0002894-T01-IM3-31, EVT-P-0004221-T01-IM5-61, ... (65 total)
21	42874000	42875000	64	EVT-P-0000373-T01-IM3-228, EVT-P-0001698-T01-IM3-16, EVT-P-0003023-T01-IM3-38, EVT-P-0003226-T01-IM5-43, EVT-P-0004283-T01-IM5-525, ... (64 total)
21	42869000	42870000	63	EVT-P-0001776-T01-IM3-17, EVT-P-0002206-T01-IM3-23, EVT-P-0002901-T01-IM3-33, EVT-P-0002990-T01-IM3-35, EVT-P-0003619-T01-IM5-54, ... (63 total)
21	42875000	42876000	63	EVT-P-0003971-T02-IM5-60, EVT-P-0005422-T01-IM5-73, EVT-P-0005636-T01-IM5-81, EVT-P-0006689-T01-IM5-541, EVT-P-0006815-T01-IM5-96, ... (63 total)
21	42870000	42871000	60	EVT-P-0000675-T04-IM7-690, EVT-P-0001128-T01-IM3-490, EVT-P-0001876-T02-IM5-19, EVT-P-0002101-T02-IM6-21, EVT-P-0002375-T01-IM3-27, ... (60 total)
21	42871000	42872000	51	EVT-P-0000224-T01-IM3-953, EVT-P-0001449-T01-IM3-910, EVT-P-0002895-T01-IM3-32, EVT-P-0002971-T02-IM5-34, EVT-P-0003597-T01-IM5-52, ... (51 total)
21	42876000	42877000	30	EVT-P-0003602-T01-IM5-14, EVT-P-0004539-T01-IM5-67, EVT-P-0005953-T01-IM5-86, EVT-P-0007538-T01-IM5-114, EVT-P-0009687-T01-IM5-149, ... (30 total)

chromosome	bin_start	bin_end	n_events	event_ids
21	42877000	42878000	30	EVT-P-0002296-T01-IM3-24, EVT-P-0002397-T01-IM3-29, EVT-P-0003419-T02-IM5-44, EVT-P-0003689-T01-IM5-57, EVT-P-0005571-T01-IM5-80, ... (30 total)
21	42866000	42867000	19	EVT-P-0003139-T01-IM5-41, EVT-P-0003592-T01-IM5-50, EVT-P-0008812-T01-IM5-134, EVT-P-0016877-T01-IM6-940, EVT-P-0019130-T01-IM6-522, ... (19 total)
21	42878000	42879000	17	EVT-P-0001141-T01-IM3-493, EVT-P-0003511-T01-IM5-45, EVT-P-0012741-T01-IM5-196, EVT-P-0015850-T01-IM6-243, EVT-P-0019692-T01-IM6-295, ... (17 total)
21	42879000	42880000	8	EVT-P-0001319-T03-IM5-501, EVT-P-0020424-T01-IM6-306, EVT-P-0026514-T01-IM6-552, EVT-P-0032799-T01-IM6-438, EVT-P-0033934-T01-IM6-446, ... (8 total)
21	42843000	42844000	3	EVT-P-0021282-T01-IM6-946, EVT-P-0049439-T01-IM6-504, EVT-P-0057981-T01-IM6-931
21	42851000	42852000	3	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0052122-T01-IM6-935
21	42861000	42862000	3	EVT-P-0022060-T01-IM6-323, EVT-P-0059191-T01-IM7-491, EVT-P-0063444-T01-IM7-3
21	42860000	42861000	2	EVT-P-0045861-T02-IM6-950, EVT-P-0052718-T01-IM6-486
21	42838000	42839000	1	EVT-P-0064796-T01-IM7-498
21	42840000	42841000	1	EVT-P-0024686-T01-IM6-919
21	42845000	42846000	1	EVT-P-0039508-T01-IM6-644
21	42852000	42853000	1	EVT-P-0063301-T01-IM7-534
21	42853000	42854000	1	EVT-P-0040335-T01-IM6-650
21	42864000	42865000	1	EVT-P-0013457-T01-IM5-204

exact_position_recurrence

chromosome	position	n_events	event_ids
21	42867649	3	EVT-P-0003908-T01-IM3-59, EVT-P-0008960-T01-IM5-137, EVT-P-0036438-T01-IM6-473
21	42866560	2	EVT-P-0003592-T01-IM5-50, EVT-P-0021104-T01-IM6-313
21	42867024	2	EVT-P-0002880-T01-IM3-30, EVT-P-0016296-T01-IM6-252
21	42868022	2	EVT-P-0015673-T02-IM6-760, EVT-P-0042990-T01-IM6-683

chromosome	position	n_events	event_ids
21	42868979	2	EVT-P-0016325-T01-IM6-254, EVT-P-0048955-T01-IM6-731
21	42869553	2	EVT-P-0009786-T01-IM5-152, EVT-P-0055270-T01-IM6-791
21	42870306	2	EVT-P-0009002-T01-IM5-139, EVT-P-0063099-T01-IM7-860
21	42870659	2	EVT-P-0005064-T01-IM5-70, EVT-P-0042711-T01-IM6-679
21	42872227	2	EVT-P-0012046-T01-IM5-174, EVT-P-0020013-T01-IM6-960
21	42872283	2	EVT-P-0025455-T01-IM6-364, EVT-P-0027453-T01-IM6-391
21	42873112	2	EVT-P-0030580-T01-IM6-415, EVT-P-0037423-T01-IM6-622
21	42873613	2	EVT-P-0009073-T01-IM5-144, EVT-P-0045358-T01-IM6-705
21	42874388	2	EVT-P-0013336-T01-IM5-201, EVT-P-0021254-T01-IM6-908
21	42874735	2	EVT-P-0005047-T01-IM5-560, EVT-P-0059425-T01-IM7-819
21	42875622	2	EVT-P-0026238-T01-IM6-380, EVT-P-0059934-T01-IM7-826
21	42875935	2	EVT-P-0014438-T01-IM6-227, EVT-P-0054445-T01-IM6-778

protein_position_genomic_spread

protein_position_aa	n_events	n_distinct_genomic_positions	genomic_span_bp	spans_multiple_chromosomes
19	479	469	9553	False
42	210	203	3493	False
43	15	15	3252	False
117	4	4	3073	False
265	2	2	2	False

junction_concentration tables

junction_counts

role	junction_exon	count	role_event_count	observed_share	random_breakage_share	excess_neg_log10_p
five_prime	1	461	685	0.672992700729927	0.22696665364373866	135.34052418506556
five_prime	2	211	685	0.30802919708029197	0.0829866936317882	63.60113103746373
three_prime	2	18	42	0.42857142857142855	0.22593247994852114	2.5603349921127427
three_prime	3	15	42	0.35714285714285715	0.08647990255785627	5.938482692583382
five_prime	3	5	685	0.0072992700729927005	0.11456346379242985	-0.0
three_prime	4	4	42	0.09523809523809523	0.11143796106910578	0.15306935769876667
five_prime	5	2	685	0.00291970802919708	0.18180773561924024	-0.0
five_prime	7	2	685	0.00291970802919708	0.06117711948153425	-0.0
three_prime	10	2	42	0.047619047619047616	0.034909107623009215	0.362920471986684

role	junction_exon	count	role_event_count	observed_share	random_breakage_share	excess_neg_log10_p
five_prime	6	1	685	0.0014598540145985 4	0.03033576172638062	2.974602113120158e-10
five_prime	9	1	685	0.0014598540145985 4	0.03481718107232321	1.2455108909060874e-11
five_prime	10	1	685	0.0014598540145985 4	0.028451267437317584	1.1246778642357178e-09
five_prime	12	1	685	0.0014598540145985 4	0.014984027761818307	1.4009838730693722e-05
three_prime	5	1	42	0.023809523809523808	0.025578562728380026	0.17835282739764624
three_prime	6	1	42	0.023809523809523808	0.18196860708294074	9.422587663155383e-05
three_prime	14	1	42	0.023809523809523808	0.073104589433043	0.01828889231077429

window_detection tables

window_scan

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
-181	19	200	479	248	18	21	0.4220638363805392	0.009291669197396131	2.0319062603766267	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (479 total)
-162	38	200	480	247	18	21	0.41929499072356213	0.00901979365178469	2.0448033978146363	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (480 total)
-158	42	200	690	37	18	21	0.02040816326530612	2.982116504527492e-20	19.525475393651288	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (690 total)
-157	43	200	705	22	33	6	0.13095238095238096	0.0006378662015406347	3.1952704090946797	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (705 total)
-150	50	200	706	21	33	6	0.1225854383358098	0.0004829305410034697	3.316115328520005	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (706 total)
-112	88	200	707	20	33	6	0.1142433234421365	0.00035909602452233923	3.4447894028315096	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (707 total)

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
-101	99	200	708	19	33	6	0.10592592592592592	0.0002616728014301739	3.582241416078713	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (708 total)
-99	101	200	709	18	33	6	0.09763313609467456	0.00018637775368829927	3.7296059268908013	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (709 total)
-98	102	200	710	17	33	6	0.08936484490398819	0.00012934336389237072	3.8882558483456306	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (710 total)
-83	117	200	714	13	37	2	0.3005908419497784	0.15068746498916963	0.8219228731827413	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (714 total)
-81	19	100	479	248	18	21	0.4220638363805392	0.009291669197396131	2.0319062603766267	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (479 total)
-62	38	100	480	247	18	21	0.41929499072356213	0.00901979365178469	2.0448033978146363	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (480 total)
-58	42	100	690	37	18	21	0.02040816326530612	2.982116504527492e-20	19.525475393651288	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (690 total)
-57	43	100	705	22	33	6	0.13095238095238096	0.0006378662015406347	3.1952704090946797	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (705 total)
-54	146	200	715	12	38	1	0.6174298375184638	0.4866792370813662	0.3127571814189888	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (715 total)

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
-50	50	100	706	21	33	6	0.1225854383358098	0.0004829305410034697	3.316115328520005	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (706 total)
-33	167	200	716	11	38	1	0.56047197640118	0.4571083216399676	0.3399808723238362	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (716 total)
-31	19	50	479	248	18	21	0.4220638363805392	0.009291669197396131	2.0319062603766267	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (479 total)
-14	186	200	717	10	38	1	0.5036818851251841	0.42588003925642604	0.3707127145727348	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (717 total)
-12	38	50	480	247	18	21	0.41929499072356213	0.00901979365178469	2.0448033978146363	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (480 total)
-12	88	100	707	20	33	6	0.1142433234421365	0.00035909602452233923	3.4447894028315096	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (707 total)
-8	42	50	690	37	18	21	0.02040816326530612	2.982116504527492e-20	19.525475393651288	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (690 total)
-7	43	50	705	22	33	6	0.13095238095238096	0.0006378662015406347	3.1952704090946797	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (705 total)
-6	19	25	479	248	18	21	0.4220638363805392	0.009291669197396131	2.0319062603766267	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (479 total)

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
-1	99	100	708	19	33	6	0.10592592592592592	0.0002616728014301739	3.582241416078713	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (708 total)
0	50	50	706	21	33	6	0.1225854383358098	0.0004829305410034697	3.316115328520005	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (706 total)
1	101	100	709	18	33	6	0.09763313609467456	0.00018637775368829927	3.7296059268908013	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (709 total)
2	102	100	710	17	33	6	0.08936484490398819	0.00012934336389237072	3.8882558483456306	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (710 total)
6	206	200	718	9	39	0	None	1.0	-0.0	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (718 total)
13	38	25	480	247	18	21	0.41929499072356213	0.00901979365178469	2.0448033978146363	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (480 total)
17	42	25	690	37	18	21	0.02040816326530612	2.982116504527492e-20	19.525475393651288	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (690 total)
17	117	100	714	13	37	2	0.3005908419497784	0.15068746498916963	0.8219228731827413	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (714 total)
18	43	25	705	22	33	6	0.13095238095238096	0.0006378662015406347	3.1952704090946797	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (705 total)

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
19	44	25	705	22	33	6	0.13095238095238096	0.0006378662015406347	3.1952704090946797	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (705 total)
19	69	50	706	21	33	6	0.1225854383358098	0.0004829305410034697	3.316115328520005	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (706 total)
19	119	100	714	13	37	2	0.3005908419497784	0.15068746498916963	0.8219228731827413	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (714 total)
19	219	200	718	9	39	0	None	1.0	-0.0	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (718 total)
25	50	25	227	500	15	24	1.403301886792453	0.3742143642070327	0.4268795461355244	EVT-P-0000888-T01-IM3-488, EVT-P-0001128-T01-IM3-490, EVT-P-0001242-T03-IM5-495, EVT-P-0001776-T01-IM3-17, EVT-P-0001845-T01-IM3-18, ... (227 total)
28	228	200	240	487	21	18	2.4984779299847792	0.007747670911332709	2.1108288345749675	EVT-P-0000449-T02-IM5-11, EVT-P-0000888-T01-IM3-488, EVT-P-0001128-T01-IM3-490, EVT-P-0001242-T03-IM5-495, EVT-P-0001776-T01-IM3-17, ... (240 total)
38	63	25	227	500	15	24	1.403301886792453	0.3742143642070327	0.4268795461355244	EVT-P-0000888-T01-IM3-488, EVT-P-0001128-T01-IM3-490, EVT-P-0001242-T03-IM5-495, EVT-P-0001776-T01-IM3-17, EVT-P-0001845-T01-IM3-18, ... (227 total)
38	88	50	228	499	15	24	1.3937793427230047	0.3750527762595639	0.4259076154040623	EVT-P-0000888-T01-IM3-488, EVT-P-0001128-T01-IM3-490, EVT-P-0001242-T03-IM5-495, EVT-P-0001776-T01-IM3-17, EVT-P-0001845-T01-IM3-18, ... (228 total)
38	138	100	235	492	19	20	2.075925925925926	0.03350258171034188	1.4749217249227513	EVT-P-0000888-T01-IM3-488, EVT-P-0001128-T01-IM3-490, EVT-P-0001242-T03-IM5-495, EVT-P-0001776-T01-IM3-17, EVT-P-0001845-T01-IM3-18, ... (235 total)

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
38	238	200	240	487	21	18	2.4984779299847792	0.007747670911332709	2.1108288345749675	EVT-P-0000449-T02-IM5-11, EVT-P-0000888-T01-IM3-488, EVT-P-0001128-T01-IM3-490, EVT-P-0001242-T03-IM5-495, EVT-P-0001776-T01-IM3-17, ... (240 total)
42	67	25	226	501	15	24	1.412914691943128	0.3735474906671663	0.4276541766502713	EVT-P-0000888-T01-IM3-488, EVT-P-0001242-T03-IM5-495, EVT-P-0001776-T01-IM3-17, EVT-P-0001845-T01-IM3-18, EVT-P-0002123-T02-IM5-540, ... (226 total)
42	92	50	227	500	15	24	1.403301886792453	0.3742143642070327	0.4268795461355244	EVT-P-0000888-T01-IM3-488, EVT-P-0001242-T03-IM5-495, EVT-P-0001776-T01-IM3-17, EVT-P-0001845-T01-IM3-18, EVT-P-0002123-T02-IM5-540, ... (227 total)
42	142	100	234	493	19	20	2.09	0.03310401505988088	1.4801193291063954	EVT-P-0000888-T01-IM3-488, EVT-P-0001242-T03-IM5-495, EVT-P-0001776-T01-IM3-17, EVT-P-0001845-T01-IM3-18, EVT-P-0002123-T02-IM5-540, ... (234 total)
42	242	200	239	488	21	18	2.515290519877676	0.007652797001285546	2.116179806648438	EVT-P-0000449-T02-IM5-11, EVT-P-0000888-T01-IM3-488, EVT-P-0001242-T03-IM5-495, EVT-P-0001776-T01-IM3-17, EVT-P-0001845-T01-IM3-18, ... (239 total)
43	68	25	16	711	15	24	429.375	7.033694637466766e-20	19.152816490176292	EVT-P-0001776-T01-IM3-17, EVT-P-0002398-T01-IM3-542, EVT-P-0006603-T01-IM5-536, EVT-P-0013844-T01-IM5-212, EVT-P-0016877-T01-IM6-940, ... (16 total)
43	93	50	17	710	15	24	214.375	5.789483312169971e-19	18.237360193558626	EVT-P-0001776-T01-IM3-17, EVT-P-0002398-T01-IM3-542, EVT-P-0003139-T01-IM5-41, EVT-P-0006603-T01-IM5-536, EVT-P-0013844-T01-IM5-212, ... (17 total)
43	143	100	24	703	19	20	129.77	1.6847775788995115e-22	21.773457425731838	EVT-P-0001776-T01-IM3-17, EVT-P-0002398-T01-IM3-542, EVT-P-0003139-T01-IM5-41, EVT-P-0006603-T01-IM5-536, EVT-P-0013457-T01-IM5-204, ... (24 total)
43	243	200	29	698	21	18	99.16666666666667	1.2143483709913624e-23	22.915656705439208	EVT-P-0000449-T02-IM5-11, EVT-P-0001776-T01-IM3-17, EVT-P-0002398-T01-IM3-542, EVT-P-0003139-T01-IM5-41, EVT-P-0006603-T01-IM5-536, ... (29 total)

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
46	146	100	10	717	5	34	20.08823529411765	7.115470427856115e-05	4.147796381950987	EVT-P-0003139-T01-IM5-41, EVT-P-0013457-T01-IM5-204, EVT-P-0019130-T01-IM6-522, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, ... (10 total)
50	150	100	10	717	5	34	20.08823529411765	7.115470427856115e-05	4.147796381950987	EVT-P-0003139-T01-IM5-41, EVT-P-0013457-T01-IM5-204, EVT-P-0019130-T01-IM6-522, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, ... (10 total)
50	250	200	14	713	6	33	15.454545454545455	3.540095066956247e-05	4.450985075121067	EVT-P-0000449-T02-IM5-11, EVT-P-0003139-T01-IM5-41, EVT-P-0013457-T01-IM5-204, EVT-P-0019130-T01-IM6-522, EVT-P-0022060-T01-IM6-323, ... (14 total)
52	102	50	4	723	0	39	0.0	1.0	-0.0	EVT-P-0003139-T01-IM5-41, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, EVT-P-0053329-T01-IM6-764
65	265	200	15	712	6	33	13.717171717171718	5.668088943018226e-05	4.246563343470634	EVT-P-0000449-T02-IM5-11, EVT-P-0003139-T01-IM5-41, EVT-P-0013457-T01-IM5-204, EVT-P-0018122-T01-IM6-538, EVT-P-0022060-T01-IM6-323, ... (15 total)
67	117	50	8	719	4	35	19.542857142857144	0.0004259383055253562	3.3706533011560786	EVT-P-0003139-T01-IM5-41, EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, ... (8 total)
67	167	100	10	717	5	34	20.08823529411765	7.115470427856115e-05	4.147796381950987	EVT-P-0003139-T01-IM5-41, EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, ... (10 total)
77	102	25	4	723	0	39	0.0	1.0	-0.0	EVT-P-0003139-T01-IM5-41, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, EVT-P-0053329-T01-IM6-764
86	186	100	11	716	5	34	16.715686274509803	0.00012533147126444146	3.9019398621237995	EVT-P-0003139-T01-IM5-41, EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, ... (11 total)
88	113	25	4	723	0	39	0.0	1.0	-0.0	EVT-P-0003139-T01-IM5-41, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, EVT-P-0053329-T01-IM6-764

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
88	138	50	8	719	4	35	19.542857142857144	0.0004259383055253562	3.3706533011560786	EVT-P-0003139-T01-IM5-41, EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, ... (8 total)
88	188	100	11	716	5	34	16.715686274509803	0.00012533147126444146	3.9019398621237995	EVT-P-0003139-T01-IM5-41, EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, ... (11 total)
88	288	200	15	712	6	33	13.717171717171718	5.668088943018226e-05	4.246563343470634	EVT-P-0000449-T02-IM5-11, EVT-P-0003139-T01-IM5-41, EVT-P-0013457-T01-IM5-204, EVT-P-0018122-T01-IM6-538, EVT-P-0022060-T01-IM6-323, ... (15 total)
92	117	25	7	720	4	35	26.095238095238095	0.00022153426566681413	3.654559090032008	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, EVT-P-0053329-T01-IM6-764, ... (7 total)
96	146	50	8	719	5	34	33.57843137254902	1.7130225808272224e-05	4.76623691218684	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, EVT-P-0052718-T01-IM6-486, ... (8 total)
99	124	25	7	720	4	35	26.095238095238095	0.00022153426566681413	3.654559090032008	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, EVT-P-0053329-T01-IM6-764, ... (7 total)
99	149	50	8	719	5	34	33.57843137254902	1.7130225808272224e-05	4.76623691218684	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, EVT-P-0052718-T01-IM6-486, ... (8 total)
99	199	100	10	717	5	34	20.08823529411765	7.115470427856115e-05	4.147796381950987	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, EVT-P-0040335-T01-IM6-650, ... (10 total)
99	299	200	14	713	6	33	15.454545454545455	3.540095066956247e-05	4.450985075121067	EVT-P-0000449-T02-IM5-11, EVT-P-0013457-T01-IM5-204, EVT-P-0018122-T01-IM6-538, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, ... (14 total)

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
101	126	25	6	721	4	35	39.2	9.876395601246573e-05	4.005401522628574	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, EVT-P-0059191-T01-IM7-491, ... (6 total)
101	151	50	7	720	5	34	50.44117647058823	6.686223771704389e-06	5.174819092716503	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, EVT-P-0052718-T01-IM6-486, ... (7 total)
101	201	100	9	718	5	34	25.147058823529413	3.703048003650301e-05	4.43144065803284	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, EVT-P-0040335-T01-IM6-650, ... (9 total)
101	301	200	13	714	6	33	17.68831168831169	2.1057109595308538e-05	4.676601242502741	EVT-P-0000449-T02-IM5-11, EVT-P-0013457-T01-IM5-204, EVT-P-0018122-T01-IM6-538, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, ... (13 total)
102	127	25	5	722	4	35	78.51428571428572	3.424690553084384e-05	4.465378664218078	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0059191-T01-IM7-491, EVT-P-0063444-T01-IM7-3
102	152	50	6	721	5	34	101.02941176470588	1.988380290032891e-06	5.701500550487967	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0052718-T01-IM6-486, EVT-P-0059191-T01-IM7-491, ... (6 total)
102	202	100	8	719	5	34	33.57843137254902	1.7130225808272224e-05	4.76623691218684	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0040335-T01-IM6-650, EVT-P-0045861-T02-IM6-950, ... (8 total)
102	302	200	12	715	6	33	20.666666666666668	1.1802391396264342e-05	4.928029987187334	EVT-P-0000449-T02-IM5-11, EVT-P-0013457-T01-IM5-204, EVT-P-0018122-T01-IM6-538, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, ... (12 total)
106	206	100	8	719	6	33	62.36363636363637	4.1982254976368553e-07	6.376934238038225	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0040335-T01-IM6-650, EVT-P-0045861-T02-IM6-950, EVT-P-0052718-T01-IM6-486, ... (8 total)

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
117	142	25	4	723	4	35	None	7.125327395338154e-06	5.147195175849681	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0059191-T01-IM7-491, EVT-P-0063444-T01-IM7-3
117	167	50	6	721	5	34	101.02941176470588	1.988380290032891e-06	5.701500550487967	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0045861-T02-IM6-950, EVT-P-0052718-T01-IM6-486, EVT-P-0059191-T01-IM7-491, ... (6 total)
117	217	100	8	719	6	33	62.36363636363637	4.1982254976368553e-07	6.376934238038225	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0040335-T01-IM6-650, EVT-P-0045861-T02-IM6-950, EVT-P-0052718-T01-IM6-486, ... (8 total)
117	317	200	11	716	6	33	24.836363636363636	6.142583895504778e-06	5.211648903206699	EVT-P-0000449-T02-IM5-11, EVT-P-0013457-T01-IM5-204, EVT-P-0018122-T01-IM6-538, EVT-P-0022060-T01-IM6-323, EVT-P-0040335-T01-IM6-650, ... (11 total)
128	228	100	5	722	2	37	12.342342342342342	0.025318246495402857	1.59656637621161	EVT-P-0000449-T02-IM5-11, EVT-P-0040335-T01-IM6-650, EVT-P-0045861-T02-IM6-950, EVT-P-0052718-T01-IM6-486, EVT-P-0063301-T01-IM7-534
137	337	200	8	719	2	37	6.1441441441441444	0.0639922800414261	1.1938724156666785	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0039508-T01-IM6-644, EVT-P-0040335-T01-IM6-650, EVT-P-0045861-T02-IM6-950, ... (8 total)
146	246	100	5	722	2	37	12.342342342342342	0.025318246495402857	1.59656637621161	EVT-P-0000449-T02-IM5-11, EVT-P-0040335-T01-IM6-650, EVT-P-0045861-T02-IM6-950, EVT-P-0052718-T01-IM6-486, EVT-P-0063301-T01-IM7-534
146	346	200	8	719	2	37	6.1441441441441444	0.0639922800414261	1.1938724156666785	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0039508-T01-IM6-644, EVT-P-0040335-T01-IM6-650, EVT-P-0045861-T02-IM6-950, ... (8 total)
155	355	200	8	719	1	38	2.5601503759398496	0.35808534008883297	0.44601345851574037	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0039508-T01-IM6-644, EVT-P-0040335-T01-IM6-650, EVT-P-0045861-T02-IM6-950, ... (8 total)

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
159	359	200	9	718	1	38	2.236842105263158	0.3929040768573107	0.40571346483174775	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0039508-T01-IM6-644, EVT-P-0040335-T01-IM6-650, EVT-P-0045861-T02-IM6-950, ... (9 total)
160	360	200	10	717	1	38	1.9853801169590644	0.42588003925642604	0.3707127145727348	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0021282-T01-IM6-946, EVT-P-0039508-T01-IM6-644, EVT-P-0040335-T01-IM6-650, ... (10 total)
165	265	100	6	721	1	38	3.594736842105263	0.28251377297254543	0.5489603748173947	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0040335-T01-IM6-650, EVT-P-0045861-T02-IM6-950, EVT-P-0052122-T01-IM6-935, ... (6 total)
167	267	100	6	721	1	38	3.594736842105263	0.28251377297254543	0.5489603748173947	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0040335-T01-IM6-650, EVT-P-0045861-T02-IM6-950, EVT-P-0052122-T01-IM6-935, ... (6 total)
167	367	200	10	717	1	38	1.9853801169590644	0.42588003925642604	0.3707127145727348	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0021282-T01-IM6-946, EVT-P-0039508-T01-IM6-644, EVT-P-0040335-T01-IM6-650, ... (10 total)
186	286	100	5	722	1	38	4.5	0.24154457406468205	0.6170027138397866	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0040335-T01-IM6-650, EVT-P-0052122-T01-IM6-935, EVT-P-0063301-T01-IM7-534
186	386	200	9	718	1	38	2.236842105263158	0.3929040768573107	0.40571346483174775	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0021282-T01-IM6-946, EVT-P-0039508-T01-IM6-644, EVT-P-0040335-T01-IM6-650, ... (9 total)
206	306	100	4	723	1	38	6.008771929824562	0.19829930855082623	0.7026788001319855	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0052122-T01-IM6-935, EVT-P-0063301-T01-IM7-534
206	406	200	8	719	1	38	2.5601503759398496	0.35808534008883297	0.44601345851574037	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0021282-T01-IM6-946, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, ... (8 total)

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
228	428	200	7	720	0	39	0.0	1.0	-0.0	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0021282-T01-IM6-946, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, ... (7 total)
250	450	200	7	720	0	39	0.0	1.0	-0.0	EVT-P-0018122-T01-IM6-538, EVT-P-0021282-T01-IM6-946, EVT-P-0024686-T01-IM6-919, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, ... (7 total)
255	355	100	4	723	0	39	0.0	1.0	-0.0	EVT-P-0018122-T01-IM6-538, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, EVT-P-0052122-T01-IM6-935
259	359	100	5	722	0	39	0.0	1.0	-0.0	EVT-P-0018122-T01-IM6-538, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, EVT-P-0052122-T01-IM6-935, EVT-P-0057981-T01-IM6-931
260	360	100	6	721	0	39	0.0	1.0	-0.0	EVT-P-0018122-T01-IM6-538, EVT-P-0021282-T01-IM6-946, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, EVT-P-0052122-T01-IM6-935, ... (6 total)
265	365	100	6	721	0	39	0.0	1.0	-0.0	EVT-P-0018122-T01-IM6-538, EVT-P-0021282-T01-IM6-946, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, EVT-P-0052122-T01-IM6-935, ... (6 total)
265	465	200	7	720	0	39	0.0	1.0	-0.0	EVT-P-0018122-T01-IM6-538, EVT-P-0021282-T01-IM6-946, EVT-P-0024686-T01-IM6-919, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, ... (7 total)
310	360	50	4	723	0	39	0.0	1.0	-0.0	EVT-P-0021282-T01-IM6-946, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, EVT-P-0057981-T01-IM6-931
327	527	200	6	721	0	39	0.0	1.0	-0.0	EVT-P-0021282-T01-IM6-946, EVT-P-0024686-T01-IM6-919, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, EVT-P-0057981-T01-IM6-931, ... (6 total)
335	360	25	4	723	0	39	0.0	1.0	-0.0	EVT-P-0021282-T01-IM6-946, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, EVT-P-0057981-T01-IM6-931

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
337	362	25	4	723	0	39	0.0	1.0	-0.0	EVT-P-0021282-T01-IM6-946, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, EVT-P-0057981-T01-IM6-931
337	387	50	4	723	0	39	0.0	1.0	-0.0	EVT-P-0021282-T01-IM6-946, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, EVT-P-0057981-T01-IM6-931
337	437	100	4	723	0	39	0.0	1.0	-0.0	EVT-P-0021282-T01-IM6-946, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, EVT-P-0057981-T01-IM6-931
337	537	200	6	721	0	39	0.0	1.0	-0.0	EVT-P-0021282-T01-IM6-946, EVT-P-0024686-T01-IM6-919, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, EVT-P-0057981-T01-IM6-931, ... (6 total)
350	450	100	4	723	0	39	0.0	1.0	-0.0	EVT-P-0021282-T01-IM6-946, EVT-P-0024686-T01-IM6-919, EVT-P-0049439-T01-IM6-504, EVT-P-0057981-T01-IM6-931
355	455	100	4	723	0	39	0.0	1.0	-0.0	EVT-P-0021282-T01-IM6-946, EVT-P-0024686-T01-IM6-919, EVT-P-0049439-T01-IM6-504, EVT-P-0057981-T01-IM6-931
355	555	200	5	722	0	39	0.0	1.0	-0.0	EVT-P-0021282-T01-IM6-946, EVT-P-0024686-T01-IM6-919, EVT-P-0049439-T01-IM6-504, EVT-P-0057981-T01-IM6-931, EVT-P-0064796-T01-IM7-498
359	559	200	4	723	0	39	0.0	1.0	-0.0	EVT-P-0021282-T01-IM6-946, EVT-P-0024686-T01-IM6-919, EVT-P-0057981-T01-IM6-931, EVT-P-0064796-T01-IM7-498

top_windows

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
43	243	200	29	698	21	18	99.16666666666667	1.2143483709913624e-23	22.915656705439208	EVT-P-0000449-T02-IM5-11, EVT-P-0001776-T01-IM3-17, EVT-P-0002398-T01-IM3-542, EVT-P-0003139-T01-IM5-41, EVT-P-0006603-T01-IM5-536, ... (29 total)
43	143	100	24	703	19	20	129.77	1.6847775788995115e-22	21.773457425731838	EVT-P-0001776-T01-IM3-17, EVT-P-0002398-T01-IM3-542, EVT-P-0003139-T01-IM5-41, EVT-P-0006603-T01-IM5-536, EVT-P-0013457-T01-IM5-204, ... (24 total)

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
17	42	25	690	37	18	21	0.02040816326530612	2.982116504527492e-20	19.525475393651288	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (690 total)
43	68	25	16	711	15	24	429.375	7.033694637466766e-20	19.152816490176292	EVT-P-0001776-T01-IM3-17, EVT-P-0002398-T01-IM3-542, EVT-P-0006603-T01-IM5-536, EVT-P-0013844-T01-IM5-212, EVT-P-0016877-T01-IM6-940, ... (16 total)
43	93	50	17	710	15	24	214.375	5.789483312169971e-19	18.237360193558626	EVT-P-0001776-T01-IM3-17, EVT-P-0002398-T01-IM3-542, EVT-P-0003139-T01-IM5-41, EVT-P-0006603-T01-IM5-536, EVT-P-0013844-T01-IM5-212, ... (17 total)
106	206	100	8	719	6	33	62.36363636363637	4.1982254976368553e-07	6.376934238038225	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0040335-T01-IM6-650, EVT-P-0045861-T02-IM6-950, EVT-P-0052718-T01-IM6-486, ... (8 total)
102	152	50	6	721	5	34	101.02941176470588	1.988380290032891e-06	5.701500550487967	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0052718-T01-IM6-486, EVT-P-0059191-T01-IM7-491, ... (6 total)
117	167	50	6	721	5	34	101.02941176470588	1.988380290032891e-06	5.701500550487967	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0045861-T02-IM6-950, EVT-P-0052718-T01-IM6-486, EVT-P-0059191-T01-IM7-491, ... (6 total)
117	317	200	11	716	6	33	24.836363636363636	6.142583895504778e-06	5.211648903206699	EVT-P-0000449-T02-IM5-11, EVT-P-0013457-T01-IM5-204, EVT-P-0018122-T01-IM6-538, EVT-P-0022060-T01-IM6-323, EVT-P-0040335-T01-IM6-650, ... (11 total)
101	151	50	7	720	5	34	50.44117647058823	6.686223771704389e-06	5.174819092716503	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, EVT-P-0052718-T01-IM6-486, ... (7 total)
117	142	25	4	723	4	35	None	7.125327395338154e-06	5.147195175849681	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0059191-T01-IM7-491, EVT-P-0063444-T01-IM7-3

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
102	302	200	12	715	6	33	20.666666666666668	1.1802391396264342e-05	4.928029987187334	EVT-P-0000449-T02-IM5-11, EVT-P-0013457-T01-IM5-204, EVT-P-0018122-T01-IM6-538, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, ... (12 total)
96	146	50	8	719	5	34	33.57843137254902	1.7130225808272224e-05	4.76623691218684	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, EVT-P-0052718-T01-IM6-486, ... (8 total)
102	202	100	8	719	5	34	33.57843137254902	1.7130225808272224e-05	4.76623691218684	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0040335-T01-IM6-650, EVT-P-0045861-T02-IM6-950, ... (8 total)
101	301	200	13	714	6	33	17.68831168831169	2.1057109595308538e-05	4.676601242502741	EVT-P-0000449-T02-IM5-11, EVT-P-0013457-T01-IM5-204, EVT-P-0018122-T01-IM6-538, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, ... (13 total)
102	127	25	5	722	4	35	78.51428571428572	3.424690553084384e-05	4.465378664218078	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0059191-T01-IM7-491, EVT-P-0063444-T01-IM7-3
50	250	200	14	713	6	33	15.454545454545455	3.540095066956247e-05	4.450985075121067	EVT-P-0000449-T02-IM5-11, EVT-P-0003139-T01-IM5-41, EVT-P-0013457-T01-IM5-204, EVT-P-0019130-T01-IM6-522, EVT-P-0022060-T01-IM6-323, ... (14 total)
99	299	200	14	713	6	33	15.454545454545455	3.540095066956247e-05	4.450985075121067	EVT-P-0000449-T02-IM5-11, EVT-P-0013457-T01-IM5-204, EVT-P-0018122-T01-IM6-538, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, ... (14 total)
101	201	100	9	718	5	34	25.147058823529413	3.703048003650301e-05	4.43144065803284	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, EVT-P-0040335-T01-IM6-650, ... (9 total)
65	265	200	15	712	6	33	13.717171717171718	5.668088943018226e-05	4.246563343470634	EVT-P-0000449-T02-IM5-11, EVT-P-0003139-T01-IM5-41, EVT-P-0013457-T01-IM5-204, EVT-P-0018122-T01-IM6-538, EVT-P-0022060-T01-IM6-323, ... (15 total)

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
46	146	100	10	717	5	34	20.08823529411765	7.115470427856115e-05	4.147796381950987	EVT-P-0003139-T01-IM5-41, EVT-P-0013457-T01-IM5-204, EVT-P-0019130-T01-IM6-522, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, ... (10 total)
67	167	100	10	717	5	34	20.08823529411765	7.115470427856115e-05	4.147796381950987	EVT-P-0003139-T01-IM5-41, EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, ... (10 total)
99	199	100	10	717	5	34	20.08823529411765	7.115470427856115e-05	4.147796381950987	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, EVT-P-0040335-T01-IM6-650, ... (10 total)
101	126	25	6	721	4	35	39.2	9.876395601246573e-05	4.005401522628574	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, EVT-P-0059191-T01-IM7-491, ... (6 total)
86	186	100	11	716	5	34	16.715686274509803	0.00012533147126444146	3.9019398621237995	EVT-P-0003139-T01-IM5-41, EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, ... (11 total)
2	102	100	710	17	33	6	0.08936484490398819	0.00012934336389237072	3.8882558483456306	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (710 total)
1	101	100	709	18	33	6	0.09763313609467456	0.00018637775368829927	3.7296059268908013	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (709 total)
92	117	25	7	720	4	35	26.095238095238095	0.00022153426566681413	3.654559090032008	EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, EVT-P-0053329-T01-IM6-764, ... (7 total)
-1	99	100	708	19	33	6	0.10592592592592592	0.0002616728014301739	3.582241416078713	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (708 total)

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
-12	88	100	707	20	33	6	0.1142433234421365	0.00035909602452233923	3.4447894028315096	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (707 total)
67	117	50	8	719	4	35	19.542857142857144	0.0004259383055253562	3.3706533011560786	EVT-P-0003139-T01-IM5-41, EVT-P-0013457-T01-IM5-204, EVT-P-0022060-T01-IM6-323, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, ... (8 total)
0	50	50	706	21	33	6	0.1225854383358098	0.0004829305410034697	3.316115328520005	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (706 total)
18	43	25	705	22	33	6	0.13095238095238096	0.0006378662015406347	3.1952704090946797	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (705 total)
42	242	200	239	488	21	18	2.515290519877676	0.007652797001285546	2.116179806648438	EVT-P-0000449-T02-IM5-11, EVT-P-0000888-T01-IM3-488, EVT-P-0001242-T03-IM5-495, EVT-P-0001776-T01-IM3-17, EVT-P-0001845-T01-IM3-18, ... (239 total)
28	228	200	240	487	21	18	2.4984779299847792	0.007747670911332709	2.1108288345749675	EVT-P-0000449-T02-IM5-11, EVT-P-0000888-T01-IM3-488, EVT-P-0001128-T01-IM3-490, EVT-P-0001242-T03-IM5-495, EVT-P-0001776-T01-IM3-17, ... (240 total)
13	38	25	480	247	18	21	0.41929499072356213	0.00901979365178469	2.0448033978146363	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (480 total)
-6	19	25	479	248	18	21	0.4220638363805392	0.009291669197396131	2.0319062603766267	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (479 total)
128	228	100	5	722	2	37	12.342342342342342	0.025318246495402857	1.59656637621161	EVT-P-0000449-T02-IM5-11, EVT-P-0040335-T01-IM6-650, EVT-P-0045861-T02-IM6-950, EVT-P-0052718-T01-IM6-486, EVT-P-0063301-T01-IM7-534

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
42	142	100	234	493	19	20	2.09	0.03310401505988088	1.4801193291063954	EVT-P-0000888-T01-IM3-488, EVT-P-0001242-T03-IM5-495, EVT-P-0001776-T01-IM3-17, EVT-P-0001845-T01-IM3-18, EVT-P-0002123-T02-IM5-540, ... (234 total)
38	138	100	235	492	19	20	2.075925925925926	0.03350258171034188	1.4749217249227513	EVT-P-0000888-T01-IM3-488, EVT-P-0001128-T01-IM3-490, EVT-P-0001242-T03-IM5-495, EVT-P-0001776-T01-IM3-17, EVT-P-0001845-T01-IM3-18, ... (235 total)
137	337	200	8	719	2	37	6.1441441441441444	0.0639922800414261	1.1938724156666785	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0039508-T01-IM6-644, EVT-P-0040335-T01-IM6-650, EVT-P-0045861-T02-IM6-950, ... (8 total)
17	117	100	714	13	37	2	0.3005908419497784	0.15068746498916963	0.8219228731827413	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (714 total)
206	306	100	4	723	1	38	6.008771929824562	0.19829930855082623	0.7026788001319855	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0052122-T01-IM6-935, EVT-P-0063301-T01-IM7-534
186	286	100	5	722	1	38	4.5	0.24154457406468205	0.6170027138397866	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0040335-T01-IM6-650, EVT-P-0052122-T01-IM6-935, EVT-P-0063301-T01-IM7-534
165	265	100	6	721	1	38	3.594736842105263	0.28251377297254543	0.5489603748173947	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0040335-T01-IM6-650, EVT-P-0045861-T02-IM6-950, EVT-P-0052122-T01-IM6-935, ... (6 total)
155	355	200	8	719	1	38	2.5601503759398496	0.35808534008883297	0.44601345851574037	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0039508-T01-IM6-644, EVT-P-0040335-T01-IM6-650, EVT-P-0045861-T02-IM6-950, ... (8 total)
206	406	200	8	719	1	38	2.5601503759398496	0.35808534008883297	0.44601345851574037	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0021282-T01-IM6-946, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, ... (8 total)

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
42	67	25	226	501	15	24	1.412914691943128	0.3735474906671663	0.4276541766502713	EVT-P-0000888-T01-IM3-488, EVT-P-0001242-T03-IM5-495, EVT-P-0001776-T01-IM3-17, EVT-P-0001845-T01-IM3-18, EVT-P-0002123-T02-IM5-540, ... (226 total)
25	50	25	227	500	15	24	1.403301886792453	0.3742143642070327	0.4268795461355244	EVT-P-0000888-T01-IM3-488, EVT-P-0001128-T01-IM3-490, EVT-P-0001242-T03-IM5-495, EVT-P-0001776-T01-IM3-17, EVT-P-0001845-T01-IM3-18, ... (227 total)
42	92	50	227	500	15	24	1.403301886792453	0.3742143642070327	0.4268795461355244	EVT-P-0000888-T01-IM3-488, EVT-P-0001242-T03-IM5-495, EVT-P-0001776-T01-IM3-17, EVT-P-0001845-T01-IM3-18, EVT-P-0002123-T02-IM5-540, ... (227 total)
38	88	50	228	499	15	24	1.3937793427230047	0.3750527762595639	0.4259076154040623	EVT-P-0000888-T01-IM3-488, EVT-P-0001128-T01-IM3-490, EVT-P-0001242-T03-IM5-495, EVT-P-0001776-T01-IM3-17, EVT-P-0001845-T01-IM3-18, ... (228 total)
159	359	200	9	718	1	38	2.236842105263158	0.3929040768573107	0.40571346483174775	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0039508-T01-IM6-644, EVT-P-0040335-T01-IM6-650, EVT-P-0045861-T02-IM6-950, ... (9 total)
186	386	200	9	718	1	38	2.236842105263158	0.3929040768573107	0.40571346483174775	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0021282-T01-IM6-946, EVT-P-0039508-T01-IM6-644, EVT-P-0040335-T01-IM6-650, ... (9 total)
-14	186	200	717	10	38	1	0.5036818851251841	0.42588003925642604	0.3707127145727348	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (717 total)
160	360	200	10	717	1	38	1.9853801169590644	0.42588003925642604	0.3707127145727348	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0021282-T01-IM6-946, EVT-P-0039508-T01-IM6-644, EVT-P-0040335-T01-IM6-650, ... (10 total)
-33	167	200	716	11	38	1	0.56047197640118	0.4571083216399676	0.3399808723238362	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (716 total)

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
-54	146	200	715	12	38	1	0.6174298375184638	0.4866792370813662	0.3127571814189888	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (715 total)
77	102	25	4	723	0	39	0.0	1.0	-0.0	EVT-P-0003139-T01-IM5-41, EVT-P-0022117-T01-IM6-324, EVT-P-0032027-T01-IM6-432, EVT-P-0053329-T01-IM6-764
335	360	25	4	723	0	39	0.0	1.0	-0.0	EVT-P-0021282-T01-IM6-946, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, EVT-P-0057981-T01-IM6-931
255	355	100	4	723	0	39	0.0	1.0	-0.0	EVT-P-0018122-T01-IM6-538, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, EVT-P-0052122-T01-IM6-935
259	359	100	5	722	0	39	0.0	1.0	-0.0	EVT-P-0018122-T01-IM6-538, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, EVT-P-0052122-T01-IM6-935, EVT-P-0057981-T01-IM6-931
260	360	100	6	721	0	39	0.0	1.0	-0.0	EVT-P-0018122-T01-IM6-538, EVT-P-0021282-T01-IM6-946, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, EVT-P-0052122-T01-IM6-935, ... (6 total)
350	450	100	4	723	0	39	0.0	1.0	-0.0	EVT-P-0021282-T01-IM6-946, EVT-P-0024686-T01-IM6-919, EVT-P-0049439-T01-IM6-504, EVT-P-0057981-T01-IM6-931
6	206	200	718	9	39	0	None	1.0	-0.0	EVT-P-0000224-T01-IM3-953, EVT-P-0000373-T01-IM3-228, EVT-P-0000479-T01-IM3-305, EVT-P-0000631-T03-IM6-587, EVT-P-0000675-T04-IM7-690, ... (718 total)
228	428	200	7	720	0	39	0.0	1.0	-0.0	EVT-P-0000449-T02-IM5-11, EVT-P-0018122-T01-IM6-538, EVT-P-0021282-T01-IM6-946, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, ... (7 total)
250	450	200	7	720	0	39	0.0	1.0	-0.0	EVT-P-0018122-T01-IM6-538, EVT-P-0021282-T01-IM6-946, EVT-P-0024686-T01-IM6-919, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, ... (7 total)

start_aa	end_aa	width_aa	n_events_inside	n_events_outside	n_positive_inside	n_positive_outside	odds_ratio	p_value	neg_log10_p_value	event_ids_inside
327	527	200	6	721	0	39	0.0	1.0	-0.0	EVT-P-0021282-T01-IM6-946, EVT-P-0024686-T01-IM6-919, EVT-P-0039508-T01-IM6-644, EVT-P-0049439-T01-IM6-504, EVT-P-0057981-T01-IM6-931, ... (6 total)
355	555	200	5	722	0	39	0.0	1.0	-0.0	EVT-P-0021282-T01-IM6-946, EVT-P-0024686-T01-IM6-919, EVT-P-0049439-T01-IM6-504, EVT-P-0057981-T01-IM6-931, EVT-P-0064796-T01-IM7-498
359	559	200	4	723	0	39	0.0	1.0	-0.0	EVT-P-0021282-T01-IM6-946, EVT-P-0024686-T01-IM6-919, EVT-P-0057981-T01-IM6-931, EVT-P-0064796-T01-IM7-498

Per-event results (results.tsv)

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001452-T01-IM6-1	P-001452-T01-IM6	P-001452	Prostate Cancer	PRAD	ABC4-TMPRSS2	ABC4	out-of-frame	three_prime	42873289	2	19	True	19	True	exact match	retained	1.0	False												Trypsin; Scavenger receptor cysteine-rich domain			ABC4 (NM_005845) - TMPRSS2 (NM_001135099) Rearrangement: t(13;21)(q32.1;q22.3)(chr13:g.95689572::chr21:g.42873289)| Protein fusion: out of frame (ABC4-TMPRSS2)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-004358 3-T01-IM6-2	P-004358 3-T01-IM6	P-004358 3	Prostate Cancer	PRAD	ADHFE1-TMPRSS2	ADHFE1	in-frame	three_prime	42875000	2	19	True	19	True	exact match	retained	1.0	False												Trypsin; Scavenger receptor cysteine-rich domain			ADHFE1 (NM_144650) - TMPRSS2 (NM_001135099) rearrangement: t(8;21)(q13.1;q22.3)(chr8:g.67354656::chr21:g.42875000)| Protein Fusion: in frame {ADHFE1: TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-006344-T01-IM7-3	P-006344-T01-IM7	P-006344	Pancreatic Cancer	PAAD	AIRE-TMPRSS2	AIRE	out-of-frame	three_prime	42861585	4	117	True	117	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain			AIRE (NM_000383) - TMPRSS2 (NM_001135099) rearrangement: c.1279-222:AIRE_c.350-65:TMPRSS2inv | Protein Fusion: out of frame {AIRE:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-005415 4-T01-IM6-5	P-005415 4-T01-IM6	P-005415 4	Prostate Cancer	PRAD	BACH1-TMPRSS2	BACH1	in-frame	three_prime	42866728	3	43	True	43	True	exact match	retained	1.0	False													Tryptsin; Scavenger receptor cysteine-rich domain			BACH1 (NM_001186) - TMPRSS2 (NM_001135099) rearrangement: c.1776+883:BACH1_c.127-223:TMPRSS2inv | Protein Fusion: in frame {BACH1:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-006920-T01-IM7-6	P-006920-T01-IM7	P-006920	Prostate Cancer	PRAD	BRCA2-TMPRSS2	BRCA2	unknown	three_prime	42866350	3	94	False	94	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain			BRCA2 (NM_000059) - TMPRSS2 (NM_001135099) rearrangement: t(13;21)(q13.1;q22.3)(chr13:g.32945390::chr21:g.42866350) | Protein Fusion: mid-exon { BRCA2:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-006268-T01-IM7-7	P-006268-T01-IM7	P-006268	Pancreatic Cancer	PAAD	C2CD2-TMPRSS2	C2CD2	in-frame	three_prime	42867076	3	43	True	43	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain			C2CD2 (NM_015500) - TMPRSS2 (NM_001135099) rearrangement: c.280-4023:C2CD2_c.127-571:TMPRSS2del | ProteinFusion: in frame {C2CD2:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-005845-T01-IM6-8	P-005845-T01-IM6	P-005845	Prostate Cancer	PRAD	CHAF1B-TMPRSS2	CHAF1B	in-frame	three_prime	42873246	2	19	True	19	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain			CHAF1B (NM_005441) - TMPRSS2 (NM_001135099) rearrangement: c.482-305:CHAF1B_c.56-3130:TMPRSS2inv | Protein Fusion: in frame {CHAF1B:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000545 9-T01-IM5-10	P-000545 9-T01-IM5	P-000545 9	Prostate Cancer	PRAD	DSCAM-TMPRSS2	DSCAM	out-of-frame	five_prime	42867909	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - DSCAM (NM_001389) Rearrangement : c.127-1404:TMPRSS2_c.3562+3890:DSCAM del | Protein fusion: out of frame (TMPRSS2-DSCAM)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00044 9-T02-IM5-11	P-00044 9-T02-IM5	P-00044 9	Prostate Cancer	PRAD	DSCAM-TMPRSS2	DSCAM	out-of-frame	five_prime	42851224	6	228	True	227	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Tryptsin	Scavenger receptor cysteine-rich domain	TMPRSS2 (NM_001135099) - DSCAM (NM_001389) rearrangement: c.684-15:TMPRSS2_c.509-91895:DSCAMdel | Protein fusion: out of frame (TMPRSS2-DSCAM)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-006306-T02-IM7-12	P-006306-T02-IM7	P-006306	Prostate Cancer	PRAD	ELAPOR1-TMPRSS2	ELAPOR1	in-frame	three_prime	42867232	3	43	True	43	True	exact match	retained	1.0	False												Trypsin; Scavenger receptor cysteine-rich domain			KIAA1324 (NM_020775) - TMPRSS2 (NM_001135099) rearrangement: t(1;21)(p13.3;q22.3)(chr1:g.109667031::chr21:g.42867232) | Protein Fusion: in frame {KIAA1324:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-006594 0-T01-IM7-13	P-006594 0-T01-IM7	P-006594 0	Prostate Cancer	PRAD	ENPP6-TMPRSS2	ENPP6	out-of-frame	three_prime	42873641	2	19	True	19	True	exact match	retained	1.0	False												Trypsin; Scavenger receptor cysteine-rich domain			ENPP6 (NM_153343) - TMPRSS2 (NM_001135099) rearrangement: t(4;21)(q35.1;q22.3)(chr4:g.185022680::chr21:g.42873641) | Protein Fusion: out of frame {ENPP6:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000360 2-T01-IM5-14	P-000360 2-T01-IM5	P-000360 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876381	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		c.55+3496:TMPRSS2_c.39+21260:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000169 7-T02-IM3 -15	P-000169 7-T02-IM3	P-000169 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872306	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		NA | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000169 8-T01-IM3-16	P-000169 8-T01-IM3	P-000169 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874789	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Tryptsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) Deletion (303222 0 bp): (TMPRSS2:c.56-4673_ERG:c.19-25025del) | Protein fusion: out of frame (TMPRSS2-ERG)	NA
EVT-P-000177 6-T01-IM3-17	P-000177 6-T01-IM3	P-000177 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	three_prime	42869980	3	43	True	43	True	exact match	retained	1.0	False												Tryptsin; Scavenger receptor cysteine-rich domain			NA | Protein fusion: in frame (ERG-TMPRSS2)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000184 5-T01-IM3-18	P-000184 5-T01-IM3	P-000184 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867131	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Deletion (29396 31bp): (TMRPSS2:c.127-626_ERG:c.39+20086del) | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000187 6-T02-IM5 -19	P-000187 6-T02-IM5	P-000187 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870613	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (Exon 1 of TMPRSS2 fused to exons 5-10 of ERG): c.236+6602:ERG_c.56-497:TMPRSS2del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000187 6-T03-IM5 -20	P-000187 6-T03-IM5	P-000187 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870613	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (Exon 1 of TMPRSS2 fused to exons 5-10 of ERG): c.56-497:TMPRSS2_c.236+6602:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00021021-T02-IM6-21	P-00021021-T02-IM6	P-00021021	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870909	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exon 1 fused to ERG exons 4-11):c.56-793:TMPRSS2_c.39+51472:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000214 9-T02-IM3-22	P-000214 9-T02-IM3	P-000214 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868376	2	42	True	42	True	exact match	lost	0.0	False														Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Deletion : c.126+1670:TMPRSS2_c.18+2482:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA
EVT-P-000220 6-T01-IM3-23	P-000220 6-T01-IM3	P-000220 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869351	2	42	True	42	True	exact match	lost	0.0	False														Trypsin; Scavenger receptor cysteine-rich domain		NA | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000229 6-T01-IM3-24	P-000229 6-T01-IM3	P-000229 6	Prostate Cancer	PRSCC	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42877394	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Deletion : c.55+2483:TMPRSS2_c.18+2362:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00023644-T01-IM3-25	P-00023644-T01-IM3	P-00023644	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872677	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		NA | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00023722-T02-IM6-26	P-00023722-T02-IM6	P-00023722	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872815	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.56-2699:TMPRSS2_c.40-60926:ERGdel | ProteinFusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000237 5-T01-IM3 -27	P-000237 5-T01-IM3	P-000237 5	Prostate Cancer	PRNE	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870585	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		NA | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000237 5-T02-IM6-28	P-000237 5-T02-IM6	P-000237 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870586	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) rearrangement: c.56-470:TMPRSS2_c.19-14125:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000239 7-T01-IM3 -29	P-000239 7-T01-IM3	P-000239 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42877364	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Deletion : c.55+2513:TMPRSS2_c.237-5242:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA
EVT-P-000288 0-T01-IM3 -30	P-000288 0-T01-IM3	P-000288 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867024	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		NA | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00028944-T01-IM3-31	P-0028944-T01-IM3	P-0028944	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868377	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		NA | Protein fusion: in frame (TMPRSS2-ERG)	NA
EVT-P-00028955-T01-IM3-32	P-0028955-T01-IM3	P-0028955	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871276	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		NA | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000290 1-T01-IM3-33	P-000290 1-T01-IM3	P-000290 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869047	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		NA | Protein fusion: in frame (TMPRSS2-ERG)	NA
EVT-P-000297 1-T02-IM5-34	P-000297 1-T02-IM5	P-000297 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871462	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_001136154) Fusion (TMPRSS2 exon 2 fused to ERG exon 4): c.127-1520:TMPRSS2_c.39+27766:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00029900-T01-IM3-35	P-00029900-T01-IM3	P-00029900	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869167	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		NA | Protein fusion: in frame (TMPRSS2-ERG)	NA
EVT-P-00029900-T02-IM5-36	P-00029900-T02-IM5	P-00029900	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869167	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 with ERG exons 4-11) : :TMPRSS2_:c.40-63033:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00029900-T03-IM6-37	P-00029900-T03-IM6	P-00029900	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869167	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exons 1 to 2 fused to ERG exons 4 to 10) : c.126+879:TMPRSS2_c.40-63033:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000303-T01-IM3-38	P-000303-T01-IM3	P-000303	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874410	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		NA | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00030352-T01-IM5-39	P-00030352-T01-IM5	P-00030352	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872061	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		NA | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000305 2-T02-IM6 -40	P-000305 2-T02-IM6	P-000305 2	Prostate Cancer	PRAD	ERG-TMPRSS 2	ERG	out-of-frame	five_prime	42872062	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exons 1-3 fused with ERG exons 4-11): c.56-1945:TMPRSS2_c.40-58204:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA
EVT-P-000313 9-T01-IM5 -41	P-000313 9-T01-IM5	P-000313 9	Prostate Cancer	PRAD	ERG-TMPRSS 2	ERG	unknown	five_prime	42866368	3	88	False	88	True	exact match	lost	0.0	False														Trypsin; Scavenger receptor cysteine-rich domain		NA | Protein fusion: mid-exon (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000313 9-T02-IM5-42	P-000313 9	P-000313 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42866368	3	88	False	88	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-3 with ERG exons 4-10): c.264:TMPRSS2_c.40-59220:ERG del | Protein fusion: mid-exon (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000322 6-T01-IM5-43	P-000322 6-T01-IM5	P-000322 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874729	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		NA | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000341 9-T02-IM5-44	P-000341 9	P-000341 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42877994	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		c.40-58284:ERG_c.55+1883:TMPRSS2del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00035111-T01-IM5-45	P-0035111-T01-IM5	P-0035111	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42878695	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		NA | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00035111-T02-IM5-46	P-00035111-T02-IM5	P-00035111	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42878695	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon1 with ERG exons 4-11): c.39+52408:ERG_c.55+1182:TMPRSS2del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00035111-T03-IM5-47	P-00035111-T03-IM5	P-00035111	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42878695	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon1 with ERG exons 4-11): c.39+52408:ERG_c.55+1182:TMPRSS2del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000353 5-T01-IM5 -48	P-000353 5-T01-IM5	P-000353 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873785	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_001136154) fusion : c.56-3669: TMPRSS2_c.39+60775: ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000354 1-T01-IM5-49	P-000354 1-T01-IM5	P-000354 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867573	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_001136154) fusion : c.127-1068 :TMPRSS2_c.40-44654:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00035 92-T01-IM5-50	P-00035 92-T01-IM5	P-00035 92	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42866560	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_001243428) fusion: c.127-55:TMPRSS2_c.40-16879:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000359 2-T02-IM5-51	P-000359 2-T02-IM5	P-000359 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42866560	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon 2 fused to ERG exon 4) : c.127-55:TMPRSS2_c.19-16879:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000359 7-T01-IM5-52	P-000359 7-T01-IM5	P-000359 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871994	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.56-1878: TMPRSS2_c.18+11694: ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000359 7-T02-IM5-53	P-000359 7	P-000359 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871994	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.56-1878:TMPRSS2_c.18+11694:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000361 9-T01-IM5-54	P-000361 9-T01-IM5	P-000361 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869579	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exon2 with ERG exons 4-11): c.126+467:TMPRSS2_c.39+43704:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000362 6-T01-IM5 -55	P-000362 6-T01-IM5	P-000362 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867148	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 3 fuses with ERG exons 4-10): c.127-643:ERG_c.40-61697:TMPRSS2del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000367 8-T02-IM6-56	P-000367 8-T02-IM6	P-000367 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867219	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			(NM_004449) Fusion (TMPRSS2 exon2 fused with ERG exon 4) : c.127-714:TMPRSS2_c.40-61240:ERGdel | Protein Fusion : in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000368 9-T01-IM5-57	P-000368 9	P-000368 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42877684	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		c.55+2193:TMPRSS2_c.18+716:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000378-T01-IM5-58	P-000378-T01-IM5	P-000378	Prostate Cancer	PRSCC	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873606	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Tryptsin; Scavenger receptor cysteine-rich domain		c.56-3490:TMPRSS2_c.39+45416:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA
EVT-P-000390-T01-IM3-59	P-000390-T01-IM3	P-000390	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867649	2	42	True	42	True	exact match	lost	0.0	False													Tryptsin; Scavenger receptor cysteine-rich domain		NA | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000397 1-T02-IM5-60	P-000397 1-T02-IM5	P-000397 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875798	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fuses with ERG exons 4-10): c.55+4079:TMPRSS2_c.19-16151:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000422 1-T01-IM5-61	P-000422 1-T01-IM5	P-000422 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42868025	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon 2 fused to ERG exon 3): c.127-1520:TMPRSS2_c.237-8364:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00042833-T01-IM5-62	P-00042833-T01-IM5	P-00042833	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875256	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon1 with ERG exons 2-10): c.55+462 1:TMPRSS2_c.18+7946: ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000428 5-T01-IM5 -63	P-000428 5-T01-IM5	P-000428 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872646	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon1 with ERG exons 2-10): c.56-2530:TMPRSS2_c.18+10159:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00042977-T02-IM5-64	P-00042977-T02-IM5	P-0042977	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869427	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused in frame with ERG exons 4-10): c.126+619:TMPRSS2_c.-867:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000434 5-T01-IM5-65	P-000434 5-T01-IM5	P-000434 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870767	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused with ERG exons 2-10): c.56-651:TMPRSS2_c.18+6726:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000453 2-T01-IM5-66	P-000453 2-T01-IM5	P-000453 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869942	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2-ERG Fusion (TMPRSS2 exon 2 fused to ERG exon 4) : c.126+104:TMPRSS2_c.39+63265:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000453 9-T01-IM5-67	P-000453 9-T01-IM5	P-000453 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876969	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fuses with ERG exons 2-10): c.55+2908:TMPRSS2_c.40-50360:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000481 6-T01-IM5 -68	P-000481 6-T01-IM5	P-000481 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873903	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fuses with ERG exons 2-10): c.56-3787:TMPRSS2_c.39+54953:ERGdel. | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000486-T01-IM5-69	P-000486-T01-IM5	P-000486	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42871052	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 with ERG exons 2-10): c.56-936:TMPRS2_c.-150+18179:ERG del | Transcript fusion (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00050644-T01-IM5-70	P-00050644-T01-IM5	P-00050644	Prostate Cancer	PRSCC	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870659	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2(NM_00135099)-ERG(NM_182918) Fusion(TMPRSS2 exon1 ERG exon2) : c.56-543:TMPRSS2_c.18+11495:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00050988-T02-IM5-72	P-00050988-T02-IM5	P-00050988	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868037	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exons 1-2 fused with ERG exons 2-10) : c.127-1532:TMPRSS2_c.18+25709:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000542-T01-IM5-73	P-000542-T01-IM5	P-000542	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875709	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2(NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exon1 ERG exon 4) : c.55+4168:TMPRSS2_c.40-60922:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000545 4-T01-IM5-74	P-000545 4-T01-IM5	P-000545 4	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872059	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon 1 fused to ERG exon 2) : c.56-1943:TMPRSS2_c.18+13593:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000545 4-T02-IM5-75	P-000545 4-T02-IM5	P-000545 4	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872059	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.56-1943:TMPRSS2_c.18+13593:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-0003373-T02-IM5-76	P-0003373-T02-IM5	P-0003373	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874110	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.56-3994:TMPRSS2_c.19-24499:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000546 3-T01-IM5-77	P-000546 3-T01-IM5	P-000546 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868071	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exon2 fused to ERG exon 4) : c.127-1566:TMPRSS2_c.40-59106:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000554 6-T01-IM5-78	P-000554 6-T01-IM5	P-000554 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868555	2	42	True	42	True	exact match	lost	0.0	False													Tryspin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 and ERG exons 2-10): c.126+1491:TMPRSS2_c.19-14111:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000555 7-T01-IM5-79	P-000555 7	P-000555 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873926	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon1 with ERG exons 2-10): c.56-3810:TMPRSS2_c.19-16939:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00055 71-T01-IM5-80	P-00055 71-T01-IM5	P-00055 71	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42877527	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon1 fused with ERG exon 4) : c.55+2350:TMPRSS2_c.40-58808:ERG | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000563-T01-IM5-81	P-000563-T01-IM5	P-000563	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875116	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon1 fused with ERG exon 2) : c.55+4761:TMPRSS2_c.19-17111:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000563-T02-IM6-82	P-000563-T02-IM6	P-000563	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875117	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.55+4760: TMPRSS2_c.19-17111:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000569 8-T01-IM5-83	P-000569 8-T01-IM5	P-000569 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869650	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 with ERG exons 4-10): c.126+396:TMPRSS2_c.39+21608:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000575 6-T01-IM5 -84	P-000575 6-T01-IM5	P-000575 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867719	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 with ERG exons 2-10) : c.127-1214:TMPRSS2_c.18+26157:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000586 4-T01-IM5-85	P-000586 4-T01-IM5	P-000586 4	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874935	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon1 with ERG exons 4-11): c.56-4819:TMPRSS2_c.19-12436:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00059533-T01-IM5-86	P-00059533-T01-IM5	P-00059533	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876716	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_182918) Fusion (TMPRSS2 exon 1 fused to ERG exons 3 to 10) : c.55+3161:TMPRSS2_c.237-9105:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00059533-T02-IM5-87	P-00059533-T02-IM5	P-00059533	Prostate Cancer	PRSCC	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876716	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) reciprocal fusion (TMPRSS2 exon1 fused with ERG exons 5-11): c.55+3161:TMPRSS2_c.258-9105:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00059533-T03-IM6-88	P-00059533-T03-IM6	P-00059533	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876716	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exons 3-10): c.55+3161:TMPRSS2_c.237-9105:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000610 8-T01-IM5-90	P-000610 8-T01-IM5	P-000610 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869746	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 with ERG exons 2-10) : c.126+300:TMPRSS2_c.18+8285:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000610 8-T02-IM5-91	P-000610 8	P-000610 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869746	2	42	True	42	True	exact match	lost	0.0	False														Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_182918) fusion (TMPRSS2 exons 1 and 2 fused with ERG exons 3 to 10) : c.126+300:TMPRSS2_c.18+8285:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000660 2-T02-IM5-92	P-000660 2-T02-IM5	P-000660 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867072	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 with ERG exons 4-11):c.127-567:TMPRSS2_c.40-17587:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000660 2-T03-IM6-93	P-000660 2-T03-IM6	P-000660 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867073	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused with ERG exons 3-10): c.127-568:TMPRSS2_c.19-17587:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000661 9-T01-IM5-94	P-000661 9	P-000661 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867571	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 with ERG exons 4-11): c.127-1066:TMPRSS2_c.40-44616:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000681 5-T01-IM5 -96	P-000681 5-T01-IM5	P-000681 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42875044	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) -ERG (NM_004449) Fusion (TMPRSS2 exon 1 fused with ERG exon 2) : c.55+4833:TMPRSS2_c.-150+8005:ERGdel | Transcript fusion (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000683 7-T01-IM5-97	P-000683 7	P-000683 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876181	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exon 1 fused to ERG exons 4 to 10) : c.55+3696:TMPRSS2:c.40-56077:ERG_del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000683 7-T02-IM5-98	P-000683 7	P-000683 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876181	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exons 1-10): c.55+3696:TMPRSS2_c.-3317:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000684 0-T01-IM5-99	P-000684 0-T01-IM5	P-000684 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872258	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exon 1 fused to ERG exons 4 to 10) : c.55+3696:TMPRSS2:c.39+61789:ERG_del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000685-T01-IM5-100	P-000685-T01-IM5	P-000685	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872207	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_004449) Fusion (TMPRSS2 exon 1 fused with ERG exons 4-11): c.56-2091:TMPRSS2_c.40-13213:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00069055-T01-IM5-101	P-00069055-T01-IM5	P-00069055	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871259	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) reciprocal fusion (TMPRSS exon 1 fused with ERG exons 4-11): c.56-1143:TMPRSS2_c.40-62829:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000702 5-T01-IM5 -102	P-000702 5-T01-IM5	P-000702 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42873714	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused with ERG exons 2-11): c.56-3598:TMPRSS2_c.-150+4207:ERG del | Transcript fusion (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000704 3-T01-IM5 -103	P-000704 3-T01-IM5	P-000704 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869028	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon 2 fused with ERG exons 2 to 10) : c.126+1018:TMPRSS2_c.18+3315:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000704 3-T02-IM6-104	P-000704 3-T02-IM6	P-000704 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869029	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused to ERG exons 2-10): c.126+1017:TMPRSS2_c.18+3315:ERG del | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000730 7-T01-IM5-105	P-000730 7-T01-IM5	P-000730 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869887	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1 to 2 fused with ERG exons 2 to 10) : c.126+159: TMPRSS2_c.18+25874: ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00073077-T02-IM5-106	P-00073077-T02-IM5	P-00073077	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869887	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons1-2 with ERG exon 2-10): c.126+159:TMPRSS2_c.18+25874:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00073-T03-IM6-107	P-00073-T03-IM6	P-00073	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869901	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 2 fused to ERG exon 2): c.126+145:TMPRSS2_c.18+25873:ERG | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000734-T01-IM5-108	P-000734-T01-IM5	P-000734	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869383	2	42	True	42	True	exact match	lost	0.0	False														Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_004449) fusion (TMPRSS2 exons 1 and 2 fused with ERG exons 4 to 11) : c.126+663:TMPRSS2_c.39+64787:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00073 43-T02-IM6-109	P-00073 43-T02-IM6	P-00073 43	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869384	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 with ERG exons 4-10): c.126+662TMPRSS2_c.39+64787ERGdel. | Protein Fusion : in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00073599-T01-IM5-110	P-00073599-T01-IM5	P-00073599	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873736	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_182918) fusion (TMPRSS2 exons 1 and 2 fused with ERG exons 1 to 10) : c.56-3620:TMPRSS2_c.40-55852:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000736-T01-IM5-111	P-000736-T01-IM5	P-000736	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872445	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_182918) fusion (TMPRSS2 exons 1 and 2 fused with ERG exons 2 to 10) : c.56-2329:TMPRSS2_c.40-19374:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000741 6-T01-IM5-112	P-000741 6-T01-IM5	P-000741 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875820	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_182918) fusion (TMPRSS2 exons 1 and fused with ERG exons 2 to 10) : c.55+4057:TMPRSS2_c.-11:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000741 6-T02-IM5-113	P-000741 6	P-000741 6	Prostate Cancer	PRNE	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875820	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon1 with ERG exons 1-10): c.55+4057:TMPRSS2_c.-11:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000753 8-T01-IM5-114	P-000753 8-T01-IM5	P-000753 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876973	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon 1 with ERG exons 2 to 10) : c.55+2904:TMPRSS2_c.19-10639:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000757 6-T01-IM5 -115	P-000757 6-T01-IM5	P-000757 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869584	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused with ERG exons 2 to 10) : c.126+462: TMPRSS2_c.19-14230:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000774 9-T01-IM5-116	P-000774 9-T01-IM5	P-000774 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875524	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1 fused with ERG exons 4 to 10): c.55+4353:TMPRSS2_c.40-54655:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000770-T01-IM5-117	P-000770-T01-IM5	P-000770	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869589	2	42	True	42	True	exact match	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1-2 fused with ERG exons 4-11): c.126+457:TMPRSS2_c.39+35604:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000807 7-T01-IM5-118	P-000807 7	P-000807 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868270	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon1 fused with ERG exons 4 to 11): c.127-1765: TMPRSS2_c.39+64394: ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-008139-T01-IM5-119	P-008139-T01-IM5	P-008139	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867120	2	42	True	42	True	exact match	lost	0.0	False														Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 fused with ERG exons 3-11): c.127-615:TMPRSS2_c.40-33298:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000813 9-T02-IM5-120	P-000813 9-T02-IM5	P-000813 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867120	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1to 2 fused with ERG exons 3 to 11): c.127-615:TMPRSS2_c.40-33298:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000813 9-T03-IM5 -121	P-000813 9-T03-IM5	P-000813 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867120	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused in-frame to ERG exons 2-10): c.127-615:TMPRSS2_c.18+19445:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000814 7-T01-IM5-122	P-000814 7	P-000814 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874297	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon1 fused with ERG exons 4-11) c.56-4181: TMPRSS2_c.40-58022:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000820 6-T01-IM5 -123	P-000820 6-T01-IM5	P-000820 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870501	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon1 fused with ERG exons 4 to 11): c.56-385:TMPRSS2_c.39+41500:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000823 2-T01-IM5 -124	P-000823 2-T01-IM5	P-000823 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868959	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 fused with ERG exons 3-11) : c.126+1087:TMPRSS2_c.40-59158:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00083044-T01-IM5-125	P-00083044-T01-IM5	P-00083044	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871261	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon1 fused with ERG exons 4-11): c.56-1145:TMPRSS2_c.40-48890:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000838 3-T01-IM5-126	P-000838 3-T01-IM5	P-000838 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874665	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused with ERG exons 4-11): c.56-4549:TMPRSS2_c.40-54245:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000844 1-T01-IM5-127	P-000844 1-T01-IM5	P-000844 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868117	2	42	True	42	True	exact match	lost	0.0	False														Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 fused with ERG exons 4-11) : c.127-1612:TMPRSS2_c.39+60626:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000845 2-T01-IM5 -128	P-000845 2-T01-IM5	P-000845 2	Prostate Cancer	PRAD	ERG-TMPRSS 2	ERG	out-of-frame	five_prime	42872698	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																	Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon1 fused with ERG exons 4 to 11): c.56-2582:TMPRSS2_c.39+45360:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000852 5-T01-IM5 -129	P-000852 5-T01-IM5	P-000852 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869423	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exons 1-2 fused with ERG exons 2-11): c.126+623:TMPRSS2_c.18+8025:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000852 5-T02-IM6-130	P-000852 5-T02-IM6	P-000852 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869424	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 with ERG exons 2-10): c.126+622:TMPRSS2_c.40-44718:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000854 2-T01-IM5 -131	P-000854 2-T01-IM5	P-000854 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875567	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exons 1 fused with ERG exons 2-10): c.55+4310:TMPRSS2_c.19-7094:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00085911-T01-IM5-132	P-00085911-T01-IM5	P-00085911	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868017	2	42	True	42	True	exact match	lost	0.0	False														Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_004449) fusion (TMPRSS2 exons 1 and 2 fused with ERG exons 4 to 11) : c.127-1512:TMPRSS2_c.39+64467:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000859 2-T01-IM5 -133	P-000859 2-T01-IM5	P-000859 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42877519	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG(NM_004449) Fusion (TMPRSS2 exon 1 fused with ERG exons 4-11) : c.55+2358:TMPRSS2_c.39+59122:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000881 2-T01-IM5-134	P-000881 2-T01-IM5	P-000881 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42866528	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon1-2 with ERG exons 2-10): c.127-23:TMPRSS2_c.19-9142:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000886 9-T01-IM5 -135	P-000886 9-T01-IM5	P-000886 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872350	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon 1 fused to ERG exons 2-10): c.56-2234:TMPRSS2_c.19-7662:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000887 9-T01-IM5-136	P-000887 9-T01-IM5	P-000887 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869242	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exons 1-2 fused with ERG exons 2-10): c.126+804:TMPRSS2_c.18+212:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000896-T01-IM5-137	P-000896-T01-IM5	P-000896	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867649	2	42	True	42	True	exact match	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1 and 2 fused with ERG exons 4 to 11): c.127-1144:TMPRSS2_c.39+62016:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000896-T02-IM6-138	P-000896-T02-IM6	P-000896	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867650	2	42	True	42	True	exact match	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1 and 2 fused with ERG exons 4 to 11): c.127-1145:TMPRSS2_c.39+62016:ERG del | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000900 2-T01-IM5-139	P-000900 2-T01-IM5	P-000900 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42870306	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon1 fused with ERG exons1-11) : c.56-190:TMPRSS2_c.-150+102467:ERGdel | Transcript fusion (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000900 6-T01-IM5-140	P-0009006-T01-IM5	P-0009006	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874595	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon1 fused with ERG exons 4-11): c.56-4479:TMPRSS2_c.40-50329:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000900 6-T02-IM6-141	P-000900 6-T02-IM6	P-000900 6	Cancer of Unknown Primary	NECNOS	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874596	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) rearrangement: c.56-4480:TMPRSS2_chr21:g.39867873del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000905 6-T01-IM5 -142	P-000905 6-T01-IM5	P-000905 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870979	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon1 fused with ERG exons 4-11): c.56-863:TMPRSS2_c.40-40299:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000905 6-T02-IM6-143	P-000905 6-T02-IM6	P-000905 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870980	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused with ERG exons 2-10): c.56-864:TMPRSS2_c.18+12444:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000907 3-T01-IM5-144	P-000907 3-T01-IM5	P-000907 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873613	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon1 fused with ERG exons 4-11): c.56-3497:TMPRSS2_c.40-8505:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000907 7-T01-IM5 -145	P-000907 7	P-000907 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870787	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon1 fused with ERG exons 4-11): c.56-671:TMPRSS2_c.40-59954:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000908 2-T01-IM5-146	P-000908 2-T01-IM5	P-000908 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872956	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon1 fused with ERG exons 4-11): c.56-2840:TMPRSS2_c.40-50568:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00093601-T01-IM5-147	P-00093601-T01-IM5	P-00093601	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867892	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 fused in frame with ERG exons 4-11): c.127-1387:TMPRSS2_c.40-63140:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00093 74-T02-IM5-148	P-00093 74-T02-IM5	P-00093 74	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867657	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons1-2 with ERG exon 2-10) : c.127-1152:TMPRSS2_c.18+82:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000968 7-T01-IM5-149	P-000968 7	P-000968 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876697	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused with ERG exons 2-10): c.55+3180:TMPRSS2_c.18+6016:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000968 7-T02-IM6-150	P-000968 7	P-000968 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876698	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused with ERG exons 2-10): c.55+3180:TMPRSS2_c.18+6016:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00097 28-T01-IM5-151	P-00097 28-T01-IM5	P-00097 28	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867606	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 fused with ERG exons 4-11): c.127-1101:TMPRSS2_c.40-52949:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000978 6-T01-IM5 -152	P-000978 6-T01-IM5	P-000978 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869553	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2(NM_001135099)-ERG(NM_004449)Fusion(TMPRS22 exon 1 fused with ERG exons 4-10): c.126+493:TMPRSS2_c.40-60552:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00097866-T02-IM5-153	P-00097866-T02-IM5	P-00097866	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869553	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 fused with ERG exons 4-11): c.126+493:TMPRSS2_c.40-60552:ERG | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000978 7-T01-IM5-154	P-000978 7-T01-IM5	P-000978 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875609	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2(NM_00135099)-ERG()Fusion (TMPRSS22 exon 1 fused with ERG exons 4-10): c.55+4268:TMPRSS2_c.40-58604:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000978 7-T02-IM5-155	P-0009787	P-0009787	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875609	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.55+4268:TMPRSS2_c.40-58604:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000981 9-T01-IM5-156	P-000981 9-T01-IM5	P-000981 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867985	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 fused with ERG exons 4-11) : c.127-1480:TMPRSS2_c.40-52376:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000989 2-T01-IM5 -157	P-000989 2-T01-IM5	P-000989 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867056	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused in frame with ERG exons 2-10): c.127-551:TMPRSS2_c.18+3860:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001001 5-T01-IM5-158	P-001001 5-T01-IM5	P-001001 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871490	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon1 fused with ERG exons 2-9): c.56-1374:TMPRSS2_c.18+8903:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001007 1-T01-IM5-159	P-001007 1-T01-IM5	P-001007 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869039	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1 to 2 fused to ERG exons 3 to 10) : c.126+1007:TMPRSS2_c.19-18011:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001065 9-T01-IM5-160	P-001065 9-T01-IM5	P-001065 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867516	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused in frame with ERG exons 2-10): c.127-1011:TMPRSS2_c.18+2079:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001079 4-T01-IM5-162	P-001079 4-T01-IM5	P-001079 4	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870148	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon1 with ERG exons 2-10): c.56-32:TMPRSS2_c.18+3305:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001079 6-T01-IM5-163	P-001079 6-T01-IM5	P-001079 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871526	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon1 with ERG exons 2-10): c.56-1410:TMPRSS2_c.19-20820:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001079 6-T02-IM6-164	P-001079 6-T02-IM6	P-001079 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871527	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon1 with ERG exons 2-10): c.56-1410:TMPRSS2_c.19-20820:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001095 3-T01-IM5-165	P-001095 3-T01-IM5	P-001095 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872263	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exon 1 fused with ERG exons 4-11): c.56-2147:TMPRSS2_c.40-37761:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001115 6-T01-IM5 -166	P-001115 6-T01-IM5	P-001115 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875503	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused with ERG exons 2-10): c.55+4374:TMPRSS2_c.18+15905:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001136 4-T01-IM5-167	P-001136 4-T01-IM5	P-001136 4	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42877201	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon1 with ERG exons 4-11): c.55+2676:TMPRSS2_c.40-58736:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001137-T01-IM5-168	P-001137-T01-IM5	P-001137	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867668	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused in frame with ERG exons 4-10): c.127-1163:TMPRSS2_c.19-14268:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001142 9-T01-IM5 -169	P-001142 9-T01-IM5	P-001142 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876141	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon1 fused with ERG exons 4-11): c.55+3736:TMPRSS2_c.40-43016:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001147 2-T01-IM5-170	P-001147 2-T01-IM5	P-001147 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872511	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (exon 1 of TMPRSS2 with exons 2-10 of ERG): c.56-2395:TMPRSS2_c.18+9580:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001153 4-T01-IM5-171	P-001153 4-T01-IM5	P-001153 4	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42877936	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exon 1 fused to ERG exon 4-11): c.55+1941:TMPRSS2_c.39+64333:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001157-T01-IM5-172	P-001157-T01-IM5	P-001157	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867016	2	42	True	42	True	exact match	lost	0.0	False														Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 fused with ERG exons 4-11): c.127-511:TMPRSS2_c.40-47146:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001202 9-T01-IM5-173	P-001202 9-T01-IM5	P-001202 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868158	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 fused with ERG exons 4-11): c.127-1653:TMPRSS2_c.19-13747:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001206-T01-IM5-174	P-001206-T01-IM5	P-001206	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	three_prime	42872227	2	19	True	19	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain				ERG (NM_004449) - TMPRSS2 (NM_001135099) rearrangement: c.40-4579:ERG_c.56-2111:TMPRSS2dup | Protein fusion: out of frame (ERG-TMPRSS2)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001204 8-T01-IM5-175	P-001204 8-T01-IM5	P-001204 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869860	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 fused with ERG exons 4-11) : c.126+186:TMPRSS2_c.39+62923:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001210 4-T01-IM5-176	P-001210 4-T01-IM5	P-001210 4	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42869622	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_001243428) fusion (TMPRSS2 exons 1-2 fused with ERG exons 4-11): (c.126+879:TMRPSS2_c.40-63033:ERGdel) | Transcript fusion (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001210 9-T01-IM5-178	P-001210 9-T01-IM5	P-001210 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875429	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon1 fused with ERG exons 4-11): c.55+4448:TMPRSS2_c.40-56700:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001210 9-T02-IM6-179	P-001210 9	P-001210 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875429	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 with ERG exons 4-11): c.55+4448:TMPRSS2_c.40-56700:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001212-T01-IM5-180	P-001212-T01-IM5	P-001212	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868520	2	42	True	42	True	exact match	lost	0.0	False														Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.126+1526:TMPRSS2_c.18+2872:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001212-T02-IM6-181	P-001212-T02-IM6	P-001212	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868521	2	42	True	42	True	exact match	lost	0.0	False														Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRRS2 exons 1-2 fused to ERG exons 2-10): c.126+1525:TMPRSS2_c.18+2872:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001219 7-T02-IM5-183	P-001219 7-T02-IM5	P-001219 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872650	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099 - ERG (NM_004449) fusion (TMPRSS2 exon 1 with ERG exons 4-11): c.56-2534_c.39+38157del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001227 1-T01-IM5-184	P-001227 1-T01-IM5	P-001227 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872883	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon1 with ERG exons 4-11): c.56-2767:TMPRSS2_c.39+13672:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001232 1-T01-IM5-185	P-001232 1-T01-IM5	P-001232 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868127	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_004449) Fusion (TMPRSS2 exons 1-2 fused with ERG exons 4-11): c.127-1622:TMPRSS2_c.40-58417:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001232 7-T01-IM5-187	P-001232 7-T01-IM5	P-001232 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42871029	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_004449) fusion (TMPRSS2 exon 1 fused with ERG exons 2-11): c.56-913:TMPRSS2_c.-150+10700:ERGdel | Transcript fusion (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001232 8-T01-IM5-188	P-001232 8-T01-IM5	P-001232 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42877085	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_182918) Fusion (TMPRSS2 exon 1 fused with ERG exons 2-10): c.55+2792:TMPRSS2_c.19-6300:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001236 8-T01-IM5-189	P-001236 8-T01-IM5	P-001236 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869637	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 with ERG exons 2-10): c.126+409:TMPRSS2_c.18+18604:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001237 5-T01-IM5 -190	P-001237 5-T01-IM5	P-001237 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870175	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon1 with ERG exons 4-11): c.56-59 :TMPRSS2_c.40-58424:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001250 7-T01-IM5-191	P-001250 7-T01-IM5	P-001250 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872292	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.56-2176:TMPRSS2_c.18+2263:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001255-T01-IM5-192	P-001255-T01-IM5	P-001255	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875301	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.55+4576:TMPRSS2_c.-4791:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001255-T02-IM6-193	P-001255-T02-IM6	P-001255	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875302	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.55+4576:TMPRSS2_c.40-57551:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001263 0-T01-IM5-194	P-001263 0-T01-IM5	P-001263 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42871597	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused with ERG exons 3-11): c.56-1481:TMPRSS2_c.-47-4326:ERG_del | Transcript fusion (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001274 1-T01-IM5-196	P-001274 1-T01-IM5	P-001274 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42878272	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																	Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon1 with ERG exons 4-11): c.55+1605:TMPRSS2_c.40-54554:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001291 4-T01-IM5-197	P-001291 4-T01-IM5	P-001291 4	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869111	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 with ERG exons 2-10): c.126+935:TMPRSS2_c.18+7096:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001293 0-T01-IM5-198	P-001293 0-T01-IM5	P-001293 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870218	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.56-102:TMPRSS2_c.18+5504:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001311 6-T01-IM5-200	P-001311 6-T01-IM5	P-001311 6	Prostate Cancer	PRNE	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872374	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.56-2258:TMPRSS2_c.18+16764:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001333 6-T01-IM5-201	P-001333 6-T01-IM5	P-001333 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874388	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused with ERG exons 2 to 10) : c.56-4272:TMPRSS2_c.19-13796:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001337 2-T01-IM5-202	P-001337 2-T01-IM5	P-001337 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42868312	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.126+1734:TMPRSS2_c.237-2384:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001340 1-T01-IM5-203	P-001340 1-T01-IM5	P-001340 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875769	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.55+4108:TMPRSS2_c.19-22056:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001345 7-T01-IM5 -204	P-001345 7-T01-IM5	P-001345 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	three_prime	42864658	4	117	True	117	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain			ERG (NM_182918) - TMPRSS2 (NM_001135099) rearrangement: c.5:ERG_c.349+1625:TMPRSS2dup | Protein fusion: mid-exon (ERG-TMPRSS2)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001346 5-T01-IM5 -205	P-001346 5-T01-IM5	P-001346 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869204	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.126+842:TMPRSS2_c.40-57378:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001350 3-T01-IM5-206	P-001350 3-T01-IM5	P-001350 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875717	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused with ERG exons 2-10): c.55+4160:TMPRSS2_c.18+11744:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001372 9-T01-IM5 -207	P-001372 9-T01-IM5	P-001372 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876881	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused with ERG exons 2-10): c.55+2996:TMPRSS2_c.18+1445:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001373-T01-IM5-208	P-001373-T01-IM5	P-001373	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868379	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused in-frame with ERG exons 2-10): c.126+1667:TMPRSS2_c.18+2781:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001379 1-T01-IM5-209	P-001379 1-T01-IM5	P-001379 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869530	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exons 1-2 fused with ERG exons 4-11): c.126+516:TMPRSS2_c.40-64952:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001381 0-T01-IM5-210	P-001381 0-T01-IM5	P-001381 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867882	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 fused in-frame to ERG exons 4-11): c.127-1377:TMPRSS2_c.40-64863:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001383 7-T01-IM5-211	P-001383 7-T01-IM5	P-001383 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42875045	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused to ERG exons 3-11): c.55+4832:TMPRSS2_c.-149-29687:ERGdel | Transcript fusion (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001384-T01-IM5-212	P-001384-T01-IM5	P-001384	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	three_prime	42867863	3	43	True	43	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain			ERG (NM_004449) - TMPRSS2 (NM_001135099) rearrangement: c.40-54335:ERG_c.127-1358:TMPRSS2dup | Protein fusion: in frame (ERG-TMPRSS2)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001384-T02-IM6-213	P-001384-T02-IM6	P-001384	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	three_prime	42867863	3	43	True	43	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain			ERG (NM_004449) - TMPRSS2 (NM_001135099) rearrangement: c.40-54335:ERG_c.127-1358:TMPRSS2dup | Protein fusion: in frame (ERG-TMPRSS2)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001385 8-T01-IM5-214	P-001385 8-T01-IM5	P-001385 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875533	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exon 1 fused with ERG exons 4-11) c.55+4344:TMPRSS2_c.39+49391:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001395 7-T01-IM5-217	P-001395 7-T01-IM5	P-001395 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875289	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.55+4588:TMPRSS2_c.40-54610:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001400 4-T01-IM5-218	P-001400 4-T01-IM5	P-001400 4	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876049	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.55+3828_c.40-59410del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001400 4-T02-IM6-219	P-001400 4-T02-IM6	P-001400 4	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876049	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.55+3828_c.40-59410del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001400 4-T03-IM6-220	P-001400 4-T03-IM6	P-001400 4	Prostate Cancer	PRNE	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876050	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.55+3827_c.40-59410del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001407 6-T01-IM5 -221	P-001407 6-T01-IM5	P-001407 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873749	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exons 2-10): c.56-3633:TMPRSS2_c.18+24406:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001420 2-T01-IM6-222	P-001420 2-T01-IM6	P-001420 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869590	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused in-frame to ERG exons 2-10): c.126+456:TMPRSS2_c.18+59:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001434 1-T01-IM6-223	P-001434 1-T01-IM6	P-001434 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872363	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exons 4-10): c.56-2247:TMPRSS2_c.-4097:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001441-T01-IM6-225	P-001441-T01-IM6	P-001441	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	three_prime	42872504	2	19	True	19	True	exact match	retained	1.0	False												Trypsin; Scavenger receptor cysteine-rich domain				ERG (NM_004449) - TMPRRS2 (NM_001135099) rearrangement: c.39+51460:ERG_c.56-2388:TMPRRS2dup | Protein fusion: out of frame (ERG-TMPRSS2)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001442 5-T01-IM6-226	P-001442 5-T01-IM6	P-001442 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872644	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused with ERG exons 2-10): c.56-2528:TMPRSS2_c.19-4354:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001443 8-T01-IM6-227	P-001443 8-T01-IM6	P-001443 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875935	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused to ERG exons 4-10): c.55+3942:TMPRSS2_c.39+50799:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000373-T01-IM3-228	P-000373-T01-IM3	P-000373	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874110	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) c.56-3994_c.19-24499del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001453 1-T01-IM6-229	P-001453 1-T01-IM6	P-001453 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874070	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRRS2 (NM_001135099)-ERG (NM_004449) Fusion: c.56-3954:TMPRSS2_c.18+11943:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001484 1-T01-IM6-230	P-001484 1-T01-IM6	P-001484 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873166	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon2 fused to ERG exon 4) : c.56-3050:TMPRSS2_c.39+61126:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001499 2-T01-IM6-231	P-001499 2-T01-IM6	P-001499 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42877448	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																	Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_182918) Fusion (TMPRSS2 exon 1 fused with ERG exons 2-10): c.55+2429:TMPRSS2_c.18+5301:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001501 5-T01-IM6-232	P-001501 5-T01-IM6	P-001501 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868021	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 fused to ERG exons 4-11) : c.127-1516:TMPRSS2_c.40-44007: ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001513 2-T01-IM6-234	P-001513 2-T01-IM6	P-001513 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867130	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exons 1-2 fused with ERG exons 4-11):c.127-625:TMPRSS2_c.40-56456:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001520 9-T01-IM6-235	P-001520 9-T01-IM6	P-001520 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42877685	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon1 fused to ERG exon2): c.55+2192:TMPRSS2_c.18+13090:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001525 0-T01-IM6-236	P-001525 0-T01-IM6	P-001525 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874426	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exon 2): c.56-4310:TMPRSS2_c.19-20348:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001548 2-T01-IM6-238	P-001548 2-T01-IM6	P-001548 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871231	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRRS2 exon1 fused to ERG exon 2): c.56-1115:TMPRSS2_c.18+11715:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001562 8-T01-IM6-239	P-001562 8-T01-IM6	P-001562 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870143	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exons 2-10): c.56-27:TMPSS2_c.18+6821:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001574-T01-IM6-240	P-001574-T01-IM6	P-001574	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871033	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused to ERG exons 4-11): c.56-917:TMPRSS2_c.39+7155:ERG del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001574-T02-IM6-241	P-001574-T02-IM6	P-001574	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871034	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused to ERG exons 4-11): c.56-918:TMPRSS2_c.39+7155:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001583 7-T01-IM6 -242	P-001583 7-T01-IM6	P-001583 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871440	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exons 2-10): c.56-1324:TMPSS2_c.18+10744:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001585 0-T01-IM6-243	P-001585 0-T01-IM6	P-001585 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42878843	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 to ERG exon 4): c.55+1034:TMPRSS2_c.39+9192:ERG | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001596-T01-IM6-244	P-001596-T01-IM6	P-001596	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870232	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused to ERG exon 4): c.56-116:TMPRSS2_c.40-64777:ERG | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001596-T02-IM6-245	P-001596-T02-IM6	P-001596	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870232	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exon 1 fused to ERG exons 4-11):c.56-116:TMPRSS2_c.40-64777:ERGdel | ProteinFusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001601 5-T01-IM6-246	P-001601 5-T01-IM6	P-001601 5	Prostate Cancer	PRSCC	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870664	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused to ERG exon 4) : c.56-548:TMPRSS2_c.40-58734:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001606 3-T01-IM6-247	P-001606 3-T01-IM6	P-001606 3	Cancer of Unknown Primary	SCUP	ERG-TMPRSS2	ERG	in-frame	five_prime	42867018	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_004449) Fusion (TMPRSS2 exon 1-2 with ERG exon 4-11): c.127-513:TMPRSS2_c.40-57914:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001608 7-T01-IM6-248	P-001608 7	P-001608 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874068	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_004449) fusion (TMPRSS2 exon 1 with ERG exons 4-11): c.56-3952:TMPRSS2_c.39+61847:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001613 4-T01-IM6-249	P-001613 4	P-001613 4	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870509	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_182918) fusion (TMPRSS2 exon 1 with ERG exons 2-10): c.56-393:TMPRSS2_c.18+26221:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001623 6-T01-IM6-251	P-001623 6-T01-IM6	P-001623 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872990	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused to ERG exon 4): c.56-2874:TMPRSS2_c.39+13664:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001629 6-T01-IM6-252	P-001629 6-T01-IM6	P-001629 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867024	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_182918) fusion (TMPRSS2 exon 1 with ERG exons 2-10): c.40-46781:TMPRSS2_c.18+5962:ERG del | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001632 5-T01-IM6-254	P-001632 5-T01-IM6	P-001632 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42868979	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 fused to ERG exons 4-11): c.126+1067: TMPRSS2_c.40-55287:ERGdel | Transcript Fusion { TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001639 6-T01-IM6 -255	P-001639 6-T01-IM6	P-001639 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869249	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1-2 with ERG exons 2-10): c.126+797:TMPRSS2_c.18+1126:ERG del | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001669 8-T01-IM6-257	P-001669 8-T01-IM6	P-001669 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872715	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exons 2-10): c.56-2599:TMPRSS2_c.18+9969:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001673 3-T01-IM6 -258	P-001673 3-T01-IM6	P-001673 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873910	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG fusion (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exons 2-10): c.56-3794:TMRPSS2_c.19-6151:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001689 5-T01-IM6-260	P-001689 5-T01-IM6	P-001689 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873673	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_182918) Fusion (TMPRSS2 exons 1-2 fused with ERG exons 2-10): c.56-3557:TMPRSS2_c.19-13783:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001693 3-T01-IM6-261	P-001693 3-T01-IM6	P-001693 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875065	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_004449) Fusion (TMPRSS2 exon1 fused with ERG exons 4-11): c.55+4812:TMPRSS2_c.40-58894:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001698 3-T01-IM6-262	P-001698 3-T01-IM6	P-001698 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867872	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG fusion (NM_182918) fusion (TMPRSS2 exon 1-2 fused to ERG exons 2-10): c.127-1367:TMRPSS2_c.19-15431:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001706 5-T01-IM6-263	P-001706 5-T01-IM6	P-001706 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871083	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG Fusion (TMPRSS2 exon 1 fused with ERG exons 4-11): c.56-967:TMPRSS2_c.40-42355:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001716 8-T01-IM6-264	P-001716 8-T01-IM6	P-001716 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868343	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_182918) fusion (TMPRSS2 exon 1-2 with ERG exons 2-10): c.126+1703:TMPRSS2_c.19-17382:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001723 5-T01-IM6-265	P-001723 5-T01-IM6	P-001723 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874411	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_004449) Fusion (TMPRSS2 exon 1-2 with ERG exon 4-11): c.56-4295:TMPRSS2_c.39+62371:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001724 5-T01-IM6-266	P-001724 5-T01-IM6	P-001724 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876604	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon1 fused with ERG exon 3) : c.55+3273:TMPRSS2_c.237-9598:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001726 2-T01-IM6-267	P-001726 2-T01-IM6	P-001726 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868297	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused in-frame with ERG exons 2-10): c.126+1749:TMPRSS2_c.18+4187:ERGdel | ProteinFusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001731 2-T01-IM6-268	P-001731 2-T01-IM6	P-001731 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868523	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon2 with ERG exon 2) : c.126+1523:TMPRSS2_c.18+7805:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001737 6-T01-IM6-269	P-001737 6-T01-IM6	P-001737 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872320	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused to ERG exons 4-11): c.56-2204:TMPRSS2_c.40-61559:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001754 8-T01-IM5-271	P-001754 8-T01-IM5	P-001754 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872954	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exon 1 fused to ERG exons 4-11):c.56-2838:TMPRSS2_c.40-58598:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001754 8-T02-IM6-272	P-001754 8-T02-IM6	P-001754 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872954	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exon 1 fused to ERG exons 4-11):c.56-2838:TMPRSS2_c.40-58598:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001770 8-T01-IM6-273	P-001770 8-T01-IM6	P-001770 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874792	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused with ERG exons 4-11): c.56-4676:TMPRSS2_c.40-5630 0:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001773 0-T01-IM6-274	P-001773 0-T01-IM6	P-001773 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874582	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRRS2 exon 1 fused to ERG exons 2-10): c.56-4466:TMPRSS2_c.19-8247:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001803 8-T01-IM6-275	P-001803 8-T01-IM6	P-001803 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873173	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion: c.56-3057:TMPRSS2_c.18+11021:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001809-T01-IM6-276	P-001809-T01-IM6	P-001809	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867125	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRRS2 exons 1-2 fused to ERG exons 2-10):c.127-620:TMPRSS2_c.19-2241:ERGdel | ProteinFusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001819-T01-IM6-278	P-001819-T01-IM6	P-001819	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876321	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_004449) Fusion (TMPRSS2 exon 1 with ERG exon 4) : c.55+3556:TMPRSS2_c.40-56840:ERGdel | Protein Fusion : out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001831 5-T01-IM6-280	P-001831 5-T01-IM6	P-001831 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868471	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused in-frame with ERG exons 2-10): c.126+1575:TMPRSS2_c.18+18761:ERG del | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001839 5-T01-IM6-281	P-001839 5-T01-IM6	P-001839 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42877413	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.55+2464:TMPRSS2_c.40-54367:ERGdel | Transcript Fusion {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001848 9-T01-IM6 -282	P-001848 9-T01-IM6	P-001848 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873976	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_004449) fusion (TMPRSS2 exon 1 fused with ERG exons 2-11): c.56-3860:TMPRSS2_c.40-6101:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001858 1-T01-IM6-283	P-001858 1-T01-IM6	P-001858 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868059	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRRS2 exons 1-2 fused to ERG exons 2-10): c.127-1554:TMPRSS2_c.18+8829:ERG del | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001870 4-T01-IM6-284	P-001870 4-T01-IM6	P-001870 4	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872458	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused with ERG exons 4-11): c.56-2342:TMPRSS2_c.39+63678:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000131 9-T05-IM5 -285	P-000131 9	P-000131 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42879131	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused with ERG exons 4-11): c.55+746:TMPRSS2_c.40-60506:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001879 8-T01-IM6-287	P-001879 8-T01-IM6	P-001879 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872271	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRRS2 exon 1 fused to ERG exons 2-10): c.56-2155:TMPRSS2_c.19-1962 1:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001888 6-T01-IM6-289	P-001888 6-T01-IM6	P-001888 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872880	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused with ERG exons 2-10): c.56-2764:TMPRSS2_c.18+8733:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001921 2-T01-IM6-290	P-001921 2-T01-IM6	P-001921 2	Cancer of Unknown Primary	PDC	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876132	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																	Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exon 2): c.55+3745:TMPRSS2_c.19-4616:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001921 2-T02-IM6-291	P-001921 2-T02-IM6	P-001921 2	Cancer of Unknown Primary	PDC	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876132	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																	Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exon 2): c.55+3745:TMPRSS2_c.19-4616:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001921 2-T03-IM6-292	P-001921 2-T03-IM6	P-001921 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876132	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exon 2): c.55+3745:TMPRSS2_c.19-4616:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001934 7-T01-IM6-293	P-001934 7-T01-IM6	P-001934 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872535	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRRS2 exon 1 fused to ERG exons 2-10): c.56-2419:TMPRSS2_c.19-7767:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001969 2-T01-IM6-295	P-001969 2-T01-IM6	P-001969 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42878273	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exon 1 fused to ERG exons 4-11):c.55+1604:TMPRSS2_c.40-60431:ERGdel | Protein Fusion: out of frame{TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001969 5-T01-IM6-296	P-001969 5-T01-IM6	P-001969 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871057	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exon 1 fused to ERG exons 4-11):c.56-941:TMPRSS2_c.40-61030:ERGdel | ProteinFusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001979 7-T01-IM6-297	P-001979 7-T01-IM6	P-001979 7	Cancer of Unknown Primary	NECNOS	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872215	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) (TMPRSS2 exon 1 fused with ERG exons 2-10): c.56-2099:TMPRSS2_c.19-24707:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001984 0-T01-IM6-298	P-001984 0-T01-IM6	P-001984 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874233	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon1 with ERG exons 2-10): c.56-4117:TMPRSS2_c.18+11302:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001993 0-T01-IM6-299	P-001993 0-T01-IM6	P-001993 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870942	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused with ERG exons 4-11): c.56-826:TMPRSS2_c.40-59325:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001993 3-T01-IM6-300	P-001993 3-T01-IM6	P-001993 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874808	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused with ERG exons 4-11): c.56-4692:TMPRSS2_c.39+60021:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002007 8-T01-IM6-301	P-002007 8-T01-IM6	P-002007 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872724	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) (TMPRSS2 exon 1 fused with ERG exons 2-10): c.56-2608:TMPRSS2_c.236+3010:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002008 3-T01-IM6-302	P-002008 3-T01-IM6	P-002008 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873200	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) (TMPRSS2 exon 1 fused with ERG exons 2-10): c.56-3084:TMPRSS2_c.18+8091:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002013 2-T01-IM6-304	P-002013 2-T01-IM6	P-002013 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867623	2	42	True	42	True	exact match	lost	0.0	False														Tryspin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 fused to ERG exons 4-11):c.127-1118:TMPRSS2_c.39+56940:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000479-T01-IM3-305	P-000479-T01-IM3	P-000479	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872680	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		NA | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002024-T01-IM6-306	P-002024-T01-IM6	P-002024	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42879287	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exon 1 fused to ERG exons 4-11):c.55+590:TMPRSS2_c.40-60250:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002075 0-T01-IM6-307	P-002075 0-T01-IM6	P-002075 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	three_prime	42867090	3	43	True	43	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain			ERG (NM_004449) - TMPRSS2 (NM_001135099) rearrangement: c.39+2008:ERG_c.127-585:TMPRSS2dup | Protein Fusion: in frame {ERG:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002081 2-T01-IM6-309	P-002081 2-T01-IM6	P-002081 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876239	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) (TMPRSS2 exon 1 fused with ERG exons 4-11): c.55+3638:TMPRSS2_c.39+63429:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002081 2-T02-IM6-310	P-002081 2-T02-IM6	P-002081 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876239	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused with ERG exons 4-11): c.55+3638:TMPRSS2_c.39+63429:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002084-T01-IM6-311	P-002084-T01-IM6	P-002084	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868131	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exons 1-2 fused to ERG exons 4-11):c.127-1626:TMPRSS2_c.40-61304:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002084 7-T02-IM6-312	P-002084 7-T02-IM6	P-002084 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867106	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused with ERG exons 2-10): c.127-601:TMPRSS2_c.19-17357:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002110 4-T01-IM6-313	P-002110 4-T01-IM6	P-002110 4	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42866560	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exons 1-2 fused to ERG exons 4-11):c.127-55:TMPRSS2_c.40-55445:ERGdel | Transcript Fusion { TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002118 3-T01-IM6-314	P-002118 3-T01-IM6	P-002118 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869387	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused with ERG exons 2-10): c.126+659:TMPRSS2_c.18+25615:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002123 9-T01-IM6-315	P-002123 9-T01-IM6	P-002123 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873552	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exon 1 fused to ERG exons 4-11):c.56-3436:TMPRSS2_c.40-63140:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002131 0-T01-IM6-316	P-002131 0-T01-IM6	P-002131 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	three_prime	42868727	3	43	True	43	True	exact match	retained	1.0	False													Tryptsin; Scavenger receptor cysteine-rich domain			ERG (NM_004449) - TMPRSS2 (NM_001135099) rearrangement: c.39+53911:ERG_c.126+1319:TMPRSS2dup | Protein Fusion: in frame {ERG:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002134-2-T01-IM6-317	P-002134-2-T01-IM6	P-002134-2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868257	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 fused to ERG exons 4-11): c.127-1752:TMPRSS2_c.39+51696:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002138-T01-IM6-318	P-002138-T01-IM6	P-002138	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42866534	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 fused to ERG exons 4-11): c.127-29:TMPRSS2_c.39+17938:ERG del | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002157 7-T01-IM6-319	P-002157 7-T01-IM6	P-002157 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869477	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRRS2 exons 1-2 fused to ERG exons 2-10): c.126+569:TMPRSS2_c.19-13687:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002167 3-T01-IM6-320	P-002167 3-T01-IM6	P-002167 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874055	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exons 2-10): c.56-3939:TMPRSS2_c.18+2925:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002169 8-T01-IM6-321	P-002169 8-T01-IM6	P-002169 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872583	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRRS2 exons 1-2 fused to ERG exons 2-10): c.56-2467:TMPRSS2_c.19-2116:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002185 3-T01-IM6-322	P-002185 3-T01-IM6	P-002185 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873148	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_004449) fusion (TMPRSS2 exon 1 fused with ERG exon 4) : c.56-3032:TMPRSS2_c.40-59421:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002206-T01-IM6-323	P-002206-T01-IM6	P-002206	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	three_prime	42861857	4	117	True	117	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain			ERG (NM_182918) - TMPRSS2 (NM_001135099) rearrangement: c.236+78:ERG_c.350-337:TMPRSS2dup | Protein Fusion: out of frame {ERG:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002211 7-T01-IM6-324	P-002211 7	P-002211 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42866328	3	102	False	101	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRRS2 exons 1-3 fused to ERG exons 2-10): c.304:TMPRSS2_c.18+8044:ERG del | Protein Fusion: mid-exon {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002246-T01-IM6-326	P-002246-T01-IM6	P-002246	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868538	2	42	True	42	True	exact match	lost	0.0	False														Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 fused to ERG exons 4-11): c.126+1508:TMPRSS2_c.39+58986:ERG del | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002247 0-T01-IM6-327	P-002247 0-T01-IM6	P-002247 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872773	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exon 1 fused to ERG exons 4-11):c.56-2657:TMPRSS2_c.40-63048:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002261-T01-IM6-328	P-002261-T01-IM6	P-002261	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873629	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exons 2-10): c.56-3513:TMPRSS2_c.18+11133:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002270-T01-IM6-329	P-002270-T01-IM6	P-002270	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869415	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exons 1-2 fused to ERG exons 4-11):c.126+631:TMPRSS2_c.40-60817:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002278-2-T01-IM6-330	P-002278-2-T01-IM6	P-002278-2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874883	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused in-frame with ERG exons 2-10): c.56-4767:TMRPSS2_c.18+9054:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002286 5-T01-IM6-331	P-002286 5-T01-IM6	P-002286 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42873095	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) ERG (NM_182918) Fusion (TMPRSS2 exons 1-2 fused with ERG exons 2-10): c.56-2979:TMPRSS2_c.90:ERG del | Protein Fusion: mid-exon { TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002306 7-T01-IM6-332	P-002306 7-T01-IM6	P-002306 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42877648	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exons 2-10): c.55+2229:TMPRSS2_c.18+4015:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002327 0-T01-IM6-333	P-002327 0-T01-IM6	P-002327 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874061	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exon1 fused with exon 4) : c.56-3945:TMPRSS2_c.40-62862:ERGdel | Protein Fusion : out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002340-T01-IM6-334	P-002340-T01-IM6	P-002340	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873536	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused to ERG exons 4-11): c.56-3420:TMPRSS2_c.40-59054:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00236 05-T01-IM6-335	P-00236 05-T01-IM6	P-00236 05	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868088	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exons 1-2 fused with ERG exons 4-10): c.127-1583:TMPRSS2_c.-3842:ERGdel | ProteinFusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002362 1-T01-IM6-336	P-002362 1-T01-IM6	P-002362 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869564	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused to ERG exons 2-10): c.126+482:TMPRSS2_c.19-21174:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002362 5-T01-IM6-337	P-002362 5-T01-IM6	P-002362 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870536	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) rearrangement: c.-56-420:TMPRSS2_chr21:g.39863632del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002366 3-T01-IM6-338	P-002366 3-T01-IM6	P-002366 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869591	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused with ERG exons 3-10): c.126+455:TMPRSS2_c.19-16612:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002370 7-T01-IM6-339	P-002370 7-T01-IM6	P-002370 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867991	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exon2 with ERG exon 4):c.127-1486:TMPRSS2_c.40-60882:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002375 3-T01-IM6-340	P-002375 3-T01-IM6	P-002375 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872201	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exons 2-10): c.56-2085:TMPRSS2_:c.18+21555:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002383 8-T01-IM6-341	P-002383 8-T01-IM6	P-002383 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867929	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exons 1-2 fused to ERG exons 4-11):c.127-1424:TMPRSS2_c.40-5924 3:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002383 9-T02-IM6-342	P-002383 9-T02-IM6	P-002383 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873109	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1 fused with ERG exons 2-10): c.56-2993:TMPRSS2_c.19-8540:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002395 8-T02-IM6-343	P-002395 8-T02-IM6	P-002395 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	three_prime	42868330	3	43	True	43	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain			ERG (NM_182918) - TMPRSS2 (NM_001135099) rearrangement: c.19-2153:ERG_c.126+1716:TMPRSS2dup | Protein Fusion: in frame {ERG:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002421 7-T01-IM6-347	P-002421 7-T01-IM6	P-002421 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874589	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																	Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exon 1 fused to ERG exons 4-11):c.56-4473:TMPRSS2_c.39+19351:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002421 7-T02-IM6-348	P-002421 7-T02-IM6	P-002421 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874589	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_00444) fusion (TMPRSS2 exons 1-2 fused with ERG exons 4-10): c.56-4473:TMPRSS2_c.39+19351:ERG | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002424 9-T01-IM6-349	P-002424 9-T01-IM6	P-002424 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870724	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused to ERG exons 4-11): c.56-608:TMPRSS2_c.39+56905:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002446 1-T01-IM6-350	P-002446 1-T01-IM6	P-002446 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872210	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																	Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449): c.56-2094:TMPRSS2_:c.40-59950:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002448-T01-IM6-351	P-002448-T01-IM6	P-002448	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876909	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_004449) Fusion (TMPRSS2 exon1 fused with ERG exons 4-11): c.55+2968:TMPRSS2_c.39+16108:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002467 9-T01-IM6-354	P-002467 9-T01-IM6	P-002467 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42874863	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exon 1 fused to ERG exon 4-11) : c.56-4747:TMPRSS2_c.40-54816:ERG del | Transcript Fusion {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002490 3-T01-IM6-355	P-002490 3-T01-IM6	P-002490 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873958	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion: c.56-3842:TMPRSS2_c.40-40790:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002503 0-T01-IM6-356	P-002503 0-T01-IM6	P-002503 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42877633	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRRS2 exon 1 with ERG exons 2-10): c.55+2244:TMPRSS2_c.19-2444:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002504-T01-IM6-357	P-002504-T01-IM6	P-002504	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872368	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon1 fused with ERG exon2) : c.56-2252:TMPRSS2_c.18+17253:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002509 7-T01-IM6-358	P-002509 7-T01-IM6	P-002509 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875596	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) rearrangement (TMPRSS2 exon 1 fused to ERG exons 4-11): c.55+4281:TMPRSS2_c.40-57110:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002513 7-T01-IM6 -359	P-002513 7-T01-IM6	P-002513 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42869679	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon 2 fused with ERG exon 3): c.126+367:TMPRSS2_c.237-934:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002513 9-T01-IM6-360	P-002513 9-T01-IM6	P-002513 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872490	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																	Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.-56-2374:TMPRSS2_c.39+3700:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002515 0-T01-IM6-361	P-002515 0-T01-IM6	P-002515 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867731	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRRS2 exon 1 fused to ERG exons 3-10): c.127-1226:TMPRSS2_c.18+10530:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002531 9-T01-IM6-362	P-002531 9-T01-IM6	P-002531 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42870723	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exon 1 fused to ERG exons 4-11):c.56-607:TMPRSS2_c.40-55236:ERGdel | Transcript Fusion {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002533 2-T01-IM6-363	P-002533 2-T01-IM6	P-002533 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42875781	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused to ERG exons 4-11): c.55+4096:TMPRSS2_c.40-5516 2:ERGdel | Transcript Fusion { TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002545-T01-IM6-364	P-002545-T01-IM6	P-002545	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872283	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused with ERG exons 2-10): c.56-2167:TMPRSS2_c.18+1698:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002557 1-T01-IM6-365	P-002557 1-T01-IM6	P-002557 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872864	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exons 2-10): c.56-2748:TMPRSS2_c.18+2970:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002565 0-T01-IM6-366	P-002565 0-T01-IM6	P-002565 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872614	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exon 1 with ERG exon 3) : c.56-2498:TMPRSS2_c.39+45031:ERGdel | Protein Fusion : out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002565 0-T02-IM6-367	P-002565 0-T02-IM6	P-002565 0	Prostate Cancer	PRNE	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872614	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exon 1 fused to ERG exons 4-11):c.56-2498:TMPRSS2_c.39+45031:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002567-T01-IM6-368	P-002567-T01-IM6	P-002567	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876910	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exon 1 fused to ERG exons 4-11):c.55+2967:TMPRSS2_c.39+20578:ERGdel | Protein Fusion: out of frame{TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002582 3-T01-IM6-370	P-002582 3-T01-IM6	P-002582 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870362	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRRS2 exons 1-2 fused to ERG exons 2-10): c.56-246:TMPRSS2_c.18+2365:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002585 1-T01-IM6-371	P-002585 1-T01-IM6	P-002585 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869296	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exon 2 fused to ERG exons 4-11):c.c.126+750:TMPRSS2_c.40-60753:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002585 1-T02-IM6-372	P-002585 1-T02-IM6	P-002585 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869297	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 fused to ERG exons 4-11): c.126+749:TMPRSS2_c.40-60753:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002615 3-T01-IM6-374	P-002615 3-T01-IM6	P-002615 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868435	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exon2 fused to ERG exon 4) : c.126+1611:TMPRSS2_c.39+5419:ERG del | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002615 9-T01-IM6-375	P-002615 9-T01-IM6	P-002615 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42877818	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon1 fused to ERG exon 2) : c.55+2059:TMPRSS2_c.19-16879:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002616 2-T01-IM6-376	P-002616 2-T01-IM6	P-002616 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872550	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (fTMPRSS2 exon 1 with ERG exons 4-10): c.56-2434:TMPRSS2_c.40-58863:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002619 6-T01-IM6-377	P-002619 6-T01-IM6	P-002619 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873713	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 fused to ERG exons 4-11): c.126+749:TMPRSS2_c.40-60753:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002621 2-T01-IM6-378	P-002621 2-T01-IM6	P-002621 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873852	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 fused to ERG exons 4-11): c.126+749:TMPRSS2_c.40-60753:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002622 8-T01-IM6-379	P-002622 8-T01-IM6	P-002622 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868990	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused in-frame to ERG exons 2-10): c.126+1056:TMPRSS2_c.18+9:ERG del | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002623 8-T01-IM6-380	P-002623 8-T01-IM6	P-002623 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875622	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exons 2-10): c.55+4255:TMPRSS2_c.18+13682:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002640 9-T01-IM6-381	P-002640 9-T01-IM6	P-002640 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42878494	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRRS2 exon 1 fused to ERG exons 2-10): c.55+1383:TMPRSS2_c.18+21976:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002642 8-T01-IM6-382	P-002642 8-T01-IM6	P-002642 8	Cancer of Unknown Primary	NETNOS	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874436	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused with ERG exons 2-10): c.56-4320:TMPRSS2_c.19-19161:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002676 8-T01-IM6-383	P-002676 8-T01-IM6	P-002676 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871129	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exon 1 fused to ERG exons 4-11):c.56-1013:TMPRSS2_c.39+54142:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002680 8-T01-IM6-384	P-002680 8-T01-IM6	P-002680 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873838	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exons 2-10): c.56-3722:TMPRSS2_c.19-15805:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002721 0-T01-IM6-386	P-002721 0-T01-IM6	P-002721 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870803	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused with ERG exons 4-11): c.56-687:TMPRSS2_c.39+51208:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002727-T01-IM6-389	P-002727-T01-IM6	P-002727	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872586	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.56-2470_c.19-26014del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002745 3-T01-IM6-391	P-002745 3-T01-IM6	P-002745 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872283	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exon 1 fused to ERG exons 4-11):c.56-2167:TMPRSS2_c.39+56989:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002745 4-T01-IM6-392	P-002745 4-T01-IM6	P-002745 4	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869338	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRRS2 exons 1-2 fused to ERG exons 2-10): c.126+708:TMPRSS2_c.18+8974:ERG del | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002752 6-T01-IM6-393	P-002752 6-T01-IM6	P-002752 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869752	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449.4) fusion (TMPRSS2 exon 1-2 with ERG exons 4-10) : c.126+294:TMPRSS2_c.40-60810:ERG del | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002843 0-T01-IM6-396	P-002843 0-T01-IM6	P-002843 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873954	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (fTMPRSS2 exon 1 with ERG exons 4-10). | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002855 1-T01-IM6-397	P-002855 1-T01-IM6	P-002855 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42872253	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exon 1 fused to ERG exons 4-11): c.56-2137:TMPRSS_c.40-54306:ERG del | Transcript Fusion {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002856 9-T01-IM6-398	P-002856 9-T01-IM6	P-002856 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871144	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 2 fused with ERG exons 4-10): c.56-1028:TMPRSS2_c.39+40799:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002858 7-T01-IM6-399	P-002858 7-T01-IM6	P-002858 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871201	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused with ERG exons 2-10): c.-56-1085:TMPRSS2_c.18+6551:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002910 5-T01-IM6-400	P-002910 5-T01-IM6	P-002910 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873116	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exons 2-10): c.56-3000:TMPRSS2_c.18+16661:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002910 5-T02-IM6-401	P-002910 5-T02-IM6	P-002910 5	Prostate Cancer	PRSCC	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873116	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exons 2-10): c.56-3000:TMPRSS2_c.18+16661:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002916 3-T01-IM6-402	P-002916 3-T01-IM6	P-002916 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870139	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exons 1-2 fused to ERG exons 4-11): c.56-23:TMPRSS2_c.39+33015:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002933-T01-IM6-403	P-002933-T01-IM6	P-002933	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873997	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1 - ERG exons 4-11): c.56-3881:TMPRSS2_c.40-57209:ERG | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002940 5-T01-IM6-404	P-002940 5-T01-IM6	P-002940 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867932	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRRS2 exons 1-2 fused to ERG exons 2-10):c.127-1427:TMPRSS2_c.18+20762:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002976-T01-IM6-405	P-002976-T01-IM6	P-002976	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876388	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.55+3489:TMPRSS2_c.40-58375:ERGdel | ProteinFusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002980 9-T01-IM6-406	P-002980 9-T01-IM6	P-002980 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868449	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1-2 with ERG exons 4-10): c.126+1597:TMPRSS2_c.39+39940:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002981-T01-IM6-407	P-002981-T01-IM6	P-002981	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871857	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 2 fused to ERG exons 2-10): c.56-1741:TMPRSS2_c.18+1783:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002939-T01-IM6-408	P-002939-T01-IM6	P-002939	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875025	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.55+4852:TMPRSS2_c.40-56952:ERG | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003086-T01-IM6-409	P-003086-T01-IM6	P-003086	Prostate Cancer	PRSCC	ERG-TMPRSS2	ERG	in-frame	three_prime	42866765	3	43	True	43	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain			ERG (NM_182918) - TMPRSS2 (NM_001135099) rearrangement: c.19-5914:ERG_c.127-260:TMPRSS2dup | Protein Fusion: in frame {ERG:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003019-T01-IM6-410	P-003019-T01-IM6	P-003019	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867208	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.56-2838:TMPRSS2_c.40-58598:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003018 7-T01-IM6-411	P-003018 7-T01-IM6	P-003018 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874662	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.56-4546:TMPRSS2_c.18+5296:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00302601-T01-IM6-412	P-00302601-T01-IM6	P-00302601	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875512	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.55+4365:TMPRSS2_c.39+58079:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003038 1-T01-IM6-413	P-003038 1-T01-IM6	P-003038 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876014	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion: c.55+3863:TMPRSS2_c.18+9727:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003045-T01-IM6-414	P-003045-T01-IM6	P-003045	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872882	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exons 2-10): c.56-2766:TMPRSS2_c.19-5647:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003580-T01-IM6-415	P-003580-T01-IM6	P-003580	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873112	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.56-2996:TMPRSS2_c.18+1813:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003675-T01-IM6-416	P-003675-T01-IM6	P-003675	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42877973	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused to ERG exons 5-11): c.55+1904:TMPRSS2_c.40-59905:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003812-T01-IM6-417	P-003812-T01-IM6	P-003812	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867559	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.127-1054:TMPRSS2_c.40-56880:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003845-T01-IM6-418	P-003845-T01-IM6	P-003845	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870695	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (fTMPRSS2 exon 1 with ERG exons 4-10): c.56-579:TMPRSS2_c.40-59079:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003087 2-T01-IM6-419	P-003087 2-T01-IM6	P-003087 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872678	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.56-2562:TMPRSS2_c.18+12161:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003098 4-T01-IM6-420	P-003098 4-T01-IM6	P-003098 4	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874857	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.56-4741:TMPRSS2_c.40-57465:ERGdel | ProteinFusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003178-T01-IM6-422	P-003178-T01-IM6	P-003178	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874466	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.56-4350:TMPRSS2_c.18+11076:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003178-T02-IM6-423	P-003178-T02-IM6	P-003178	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874466	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused with ERG exons 2-10): c.56-4350:TMPRSS2_c.18+11076:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003126 9-T01-IM6-424	P-003126 9-T01-IM6	P-003126 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870853	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																	Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_182918) Fusion (TMPRSS2 exon2 fused with ERG exon 2) : c.56-737:TMPRSS2_c.19-13490:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003137 4-T01-IM6-426	P-003137 4-T01-IM6	P-003137 4	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873062	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.56-2946:TMPRSS2_c.40-59140:ERGdel | ProteinFusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003141 2-T01-IM6 -427	P-003141 2-T01-IM6	P-003141 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42876045	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon2 fused with ERG exon 2) : c.55+3832:TMPRSS2_c.19-22354:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003142 9-T01-IM6 -428	P-003142 9-T01-IM6	P-003142 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872684	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon 1 fused to ERG exon 2-10) :c.56-2568:TMPRSS2_c.40-46240:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003536-T01-IM6-429	P-003536-T01-IM6	P-003536	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869029	2	42	True	42	True	exact match	lost	0.0	False														Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.126+1017:TMPRSS2_c.18+13014:ERG del | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003159-T01-IM6-430	P-003159-T01-IM6	P-003159	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875715	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.55+4162:TMPRSS2_c.19-26160:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003171 9-T01-IM6-431	P-003171 9-T01-IM6	P-003171 9	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42871355	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG(NM_182918) Fusion (TMPRSS2 exon 2 fused with ERG exon 1) : c.56-1239.3:TMPRSS2_c.-901:ERG del | Transcript Fusion {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003202 7-T01-IM6-432	P-003202 7-T01-IM6	P-003202 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42866329	3	101	False	101	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon3 with ERG exon 2) : c.303:TMPRSS2_c.19-1548:ERG del | Protein Fusion: mid-exon { TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003204 6-T01-IM6 -433	P-003204 6-T01-IM6	P-003204 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875015	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.55+4862:TMPRSS2_c.40-58959:ERGdel | ProteinFusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003257 3-T01-IM6-435	P-003257 3-T01-IM6	P-003257 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868708	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_004449) Fusion (TMPRSS2 exon2 fused with ERG exon 4: c.126+133:TMPRSS2_c.40-60824:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003264-T01-IM6-436	P-003264-T01-IM6	P-003264	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872447	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1 fused to ERG exons 2-10): c.56-2331:TMPRSS2_c.18+11761:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003263-T01-IM6-437	P-003263-T01-IM6	P-003263	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42877555	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRRS2 exon 1 fused to ERG exons 2-10): c.55+2322:TMPRSS2_c.18+12726:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003279-T01-IM6-438	P-003279-T01-IM6	P-003279	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42879062	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRRS2 exon 1 fused to ERG exons 4-11): c.55+815:TMPRSS2_c.39+61431:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003280 1-T01-IM6-439	P-003280 1-T01-IM6	P-003280 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870711	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused with ERG exons 2-10): c.56-595:TMPRSS2_c.19-12368:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003226-T01-IM6-441	P-003226-T01-IM6	P-003226	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871204	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exon1 fused with ERG exon 2) : c.56-1088:TMPRSS2_c.40-47540:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003330-T01-IM6-442	P-003330-T01-IM6	P-003330	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42878752	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.55+1125:TMPRSS2_c.19-12860:ERGdel | ProteinFusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003357-T01-IM6-443	P-003357-T01-IM6	P-003357	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870354	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon2 fused with ERG exon 2) : c.56-238:TMPRSS2_c.18+8414:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003370 1-T02-IM6-444	P-003370 1-T02-IM6	P-003370 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873967	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.56-3851:TMPRSS2_c.19-2454:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003383 2-T01-IM6-445	P-003383 2-T01-IM6	P-003383 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868279	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.126+1767:TMPRSS2_c.39+62909:ERG del | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003393 4-T01-IM6-446	P-003393 4-T01-IM6	P-003393 4	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42879212	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.55+665:TMPRSS2_c.40-58822:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003429 6-T01-IM6-447	P-003429 6-T01-IM6	P-003429 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871419	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.56-1303:TMPRSS2_c.40-58938:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003434-T01-IM6-449	P-003434-T01-IM6	P-003434	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872622	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.56-2506:TMPRSS2_c.18+6601:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003431-T01-IM6-450	P-003431-T01-IM6	P-003431	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872774	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRRS2 exon 1 fused to ERG exons 2-10): c.56-2658:TMPRSS2_c.18+15598:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003448 0-T01-IM6 -451	P-003448 0-T01-IM6	P-003448 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871949	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused to ERG exons 4-11): c.56-1833:TMPRSS2_c.39+53541:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003462-0-T01-IM6-452	P-003462-0-T01-IM6	P-003462-0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875887	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.55+3990:TMPRSS2_c.18+9776:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003467 4-T01-IM6-453	P-003467 4-T01-IM6	P-003467 4	Cancer of Unknown Primary	NECNOS	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875738	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.55+4139:TMPRSS2_c.19-24509:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003481 5-T01-IM6-454	P-003481 5-T01-IM6	P-003481 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873156	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.56-3040:TMPRSS2_c.18+3720:ERGdel | ProteinFusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003486 5-T01-IM6 -455	P-003486 5-T01-IM6	P-003486 5	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874660	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.56-4544:TMPRSS2_c.40-63678:ERGdel | ProteinFusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003506-T01-IM6-457	P-003506-T01-IM6	P-003506	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42875047	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.55+4830:TMPRSS2_c.39+38144:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003522 1-T01-IM6-458	P-003522 1-T01-IM6	P-003522 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874805	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																	Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.56-4689:TMPRSS2_c.39+50100:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003528 4-T01-IM6 -460	P-003528 4-T01-IM6	P-003528 4	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869055	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.126+991:TMPRSS2_c.40-63565:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003545-T01-IM6-461	P-003545-T01-IM6	P-003545	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874445	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.56-4329:TMPRSS2_c.18+15866:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003556-T01-IM6-462	P-003556-T01-IM6	P-003556	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	three_prime	42878701	2	19	True	19	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain			ERG (NM_182918) - TMPRSS2 (NM_001135099) rearrangement: c.19-16831:ERG_c.55+1176:TMPRSS2dup | Protein Fusion: out of frame {ERG:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003556 1-T01-IM6-463	P-003556 1-T01-IM6	P-003556 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42871825	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon2 fused with ERG exon 2) : c.56-1709:TMPRSS2_c.18+5540:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003581 8-T01-IM6-464	P-003581 8-T01-IM6	P-003581 8	Prostate Cancer	PRSCC	ERG-TMPRSS2	ERG	in-frame	five_prime	42867727	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon2 fused with ERG exon 2) : c.127-1222:TMPRSS2_c.19-15806:ERGdel | Protein Fusion : in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003585 4-T01-IM6-465	P-003585 4-T01-IM6	P-003585 4	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42869513	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.126+533:TMPRSS2_c.39+11353:ERG del | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003600 7-T01-IM6-466	P-003600 7-T01-IM6	P-003600 7	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42874243	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Fusion (TMPRSS2 exon 1 with ERG exon 2) : c.56-4127:TMPRSS2_c.18+10822:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003612 0-T01-IM6 -467	P-003612 0-T01-IM6	P-003612 0	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868693	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused with ERG exons 2-10): c.126+1353: TMPRSS2_c.19-13252:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003617 6-T01-IM6-469	P-003617 6-T01-IM6	P-003617 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873939	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.56-3823:TMPRSS2_c.18+14211:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003629 4-T01-IM6-470	P-003629 4-T01-IM6	P-003629 4	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867521	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.127-1016:TMPRSS2_c.18+4202:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003636-T01-IM6-471	P-003636-T01-IM6	P-003636	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870600	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exon1 fused with ERG exon 4): c.56-484:TMPRSS2_c.39+15996:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003635 1-T01-IM6-472	P-003635 1-T01-IM6	P-003635 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42872264	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG(NM_004449) Fusion (TMPRSS2 exon 2 with ERG exon 4) : c.56-2148:TMPRSS2_c.39+62508:ERG del | Protein Fusion : out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003643 8-T01-IM6-473	P-003643 8-T01-IM6	P-003643 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867649	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.127-1144:TMPRSS2_c.18+2770:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003654-T01-IM6-474	P-003654-T01-IM6	P-003654	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42870580	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.56-464:TMPRSS2_c.40-59641:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003669-T01-IM6-476	P-003669-T01-IM6	P-003669	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42868238	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.127-1733:TMPRSS2_c.40-58568:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003675-T01-IM6-477	P-003675-T01-IM6	P-003675	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42877290	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.55+2587:TMPRSS2_c.19-4454:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003679 1-T01-IM6-478	P-003679 1-T01-IM6	P-003679 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42873619	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																	Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.56-3503:TMPRSS2_c.18+1131:ERGdel | ProteinFusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-005175-T01-IM6-485	P-005175-T01-IM6	P-005175	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	three_prime	42871205	2	19	True	19	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain			ERG (NM_182918) - TMPRSS2 (NM_001135099) rearrangement: c.18+346:ERG_c.56-1089:TMPRSS2dup | Protein Fusion: out of frame {ERG:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-005218-T01-IM6-486	P-005218-T01-IM6	P-005218	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	three_prime	42860588	5	146	True	146	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain			ERG (NM_182918) - TMPRSS2 (NM_001135099) rearrangement: c.19-20653:ERG_c.437-148:TMPRSS2dup | Protein Fusion: out of frame {ERG:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000888-T01-IM3-488	P-000888-T01-IM3	P-000888	Prostate Cancer	PRNE	ERG-TMPRSS2	ERG	in-frame	five_prime	42868672	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Deletion: c.126+1374_c.19-17794del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000112 8-T01-IM3-490	P-000112 8-T01-IM3	P-000112 8	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	five_prime	42870060	2	38	False	37	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Deletion (303227 8bp): c.112_c.19-20238del | Protein fusion: mid-exon (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-005919 1-T01-IM7-491	P-005919 1-T01-IM7	P-005919 1	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	three_prime	42861642	4	117	True	117	True	exact match	retained	1.0	False												Trypsin; Scavenger receptor cysteine-rich domain			ERG (NM_182918) - TMPRSS2 (NM_001135099) rearrangement: c.18+2242:ERG_c.350-122:TMPRSS2dup | Protein Fusion: out of frame {ERG:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000114-T01-IM3-493	P-000114-T01-IM3	P-000114	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42878671	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) Deletion (3028438bp): (TMPRSS2:c.55+1206_ERG:c.18+20054del) | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000124-T03-IM5-495	P-000124-T03-IM5	P-000124	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867992	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099)-ERG (NM_182918) Fusion (TMPRSS2 exons 1 to 2 fused with ERG exons 2 to 10) : c.127-1487:TMPRSS2_c.18+9956:ERGdel | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000124-T04-IM6-496	P-000124-T04-IM6	P-000124	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867993	2	42	True	42	True	exact match	lost	0.0	False													Tryptsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1-2 with ERG exons 2-10): c.127-1488:TMPRSS2_c.18+9956:ERG del | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-006479 6-T01-IM7-498	P-006479 6-T01-IM7	P-006479 6	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	unknown	three_prime	42838080	14	527	False	527	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		ERG (NM_182918) - TMPRSS2 (NM_001135099) rearrangement: c.18+10758:ERG_c.1579:TMPRSS2dup | Protein Fusion: mid-exon {ERG:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000124 2-T05-IM6 -500	P-000124 2-T05-IM6	P-000124 2	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867993	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1-2 with ERG exons 2-10) : c.127-1488:TMPRSS2_c.18+9956:ERG del | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00013199-T03-IM5-501	P-00013199-T03-IM5	P-00013199	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	out-of-frame	five_prime	42879131	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused with ERG exons 4-11): c.55+746:TMPRSS2_c.40-60506:ERG_del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001871 3-T01-IM6-502	P-001871 3-T01-IM6	P-001871 3	Prostate Cancer	PRAD	ERG-TMPRSS2	ERG	in-frame	five_prime	42867931	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused with ERG exons 4-11): c.127-1426:TMPRSS2_c.40-60631:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-004949-T01-IM6-504	P-004949-T01-IM6	P-004949	Prostate Cancer	PRAD	KLK3-TMPRSS2	KLK3	unknown	three_prime	42843855	10	355	False	355	True	exact match	disrupted	0.729257641921397 4	True	partner_domain_lost	PF00089					16	25	253	False			Scavenger receptor cysteine-rich domain	Trypsin	KLK3 (NM_001648) - TMPRSS2 (NM_001135099) rearrangement: t(19;21)(q13.33;q22.3)(chr19:g.51359165::chr21:g.42843855)| Protein Fusion: mid-exon { KLK3 :TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-004918 8-T02-IM7-519	P-004918 8-T02-IM7	P-004918 8	Prostate Cancer	PRAD	MAD1L1-TMPRSS2	MAD1L1	out-of-frame	three_prime	42874884	2	19	True	19	True	exact match	retained	1.0	False												Trypsin; Scavenger receptor cysteine-rich domain			MAD1L1 (NM_001013837) - TMPRSS2 (NM_001135099) rearrangement: t(7;21)(p22.3;q22.3)(chr7:g.22173 79::chr21:g.42874884) | ProteinFusion: out of frame {MAD1L1:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-004918 8-T01-IM6 -520	P-004918 8-T01-IM6	P-004918 8	Prostate Cancer	PRAD	MAD1L1-TMPRSS2	MAD1L1	out-of-frame	three_prime	42874884	2	19	True	19	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain			MAD1L1 (NM_001013837) - TMPRSS2 (NM_001135099) rearrangement: t(7;21)(p22.3;q22.3)(chr7:g.22173 79::chr21:g.42874884) | ProteinFusion: out of frame {MAD1L1:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001913 0-T01-IM6-522	P-001913 0-T01-IM6	P-001913 0	Non-Small Cell Lung Cancer	LUAD	MRPS6-TMPRSS2	MRPS6	unknown	five_prime	42866482	3	50	False	50	True	exact match	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) rearrangement: chr21:g.35443032_c.150inv | Protein Fusion: mid-exon {TMPRSS2: MRPS6}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003087 2-T01-IM6-524	P-003087 2-T01-IM6	P-003087 2	Prostate Cancer	PRAD	MX1-TMPRSS2	MX1	in-frame	three_prime	42872650	2	19	True	19	True	exact match	retained	1.0	False												Trypsin; Scavenger receptor cysteine-rich domain			MX1 (NM_001178046) - TMPRSS2 (NM_001135099) rearrangement: c.1432+622:MX1_c.56-2534:TMPRSS2inv | Protein Fusion: in frame {MX1:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000428 3-T01-IM5-525	P-000428 3-T01-IM5	P-000428 3	Prostate Cancer	PRAD	MX1-TMPRSS2	MX1	out-of-frame	three_prime	42874494	2	19	True	19	True	exact match	retained	1.0	False												Trypsin; Scavenger receptor cysteine-rich domain			MX1 (NM_001178046) - TMPRSS2 (NM_001135099) rearrangement : c.1759-351:MX1_c.56-4378:TMPRSS2inv | Protein fusion: out of frame (MX1-TMPRSS2)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000290 1-T03-IM5-527	P-000290 1-T03-IM5	P-000290 1	Prostate Cancer	PRAD	NR3C2-TMPRSS2	NR3C2	out-of-frame	three_prime	428691 55	3	43	True	43	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain			NR3C2 -TMPRSS2 fusion: t(4;21(q22.3;q31.23 (chr4:g.149213311::chr21:g.42869155) | Protein fusion: out of frame (NR3C2-TMPRSS2)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-004421 8-T01-IM6-530	P-004421 8-T01-IM6	P-004421 8	Prostate Cancer	PRAD	OSBPL2-TMPRSS2	OSBPL2	in-frame	three_prime	42872237	2	19	True	19	True	exact match	retained	1.0	False													Tryptsin; Scavenger receptor cysteine-rich domain			OSBPL2 (NM_144498) - TMPRSS2 (NM_001135099) rearrangement: t(20;21)(q13.33;q22.3)(chr20:g.60866051::chr21:g.42872237)|Protein Fusion: in frame {OSBPL2: TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003476-T01-IM6-531	P-003476-T01-IM6	P-003476	Prostate Cancer	PRAD	PAX BP1-TMPRSS2	PAX BP1	out-of-frame	three_prime	42867134	3	43	True	43	True	exact match	retained	1.0	False												Trypsin; Scavenger receptor cysteine-rich domain			PAX BP1 (NM_016631) - TMPRSS2 (NM_001135099) rearrangement: c.649+322:PAX BP1_c.127-629:TMPRSS2dup | Protein Fusion: out of frame {PAX BP1:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003760 8-T01-IM6-532	P-003760 8-T01-IM6	P-003760 8	Prostate Cancer	PRAD	PGM5-TMPRSS2	PGM5	in-frame	three_prime	42869299	3	43	True	43	True	exact match	retained	1.0	False												Tryptsin; Scavenger receptor cystein e-rich domain			PGM5 (NM_021965) - TMPRSS2 (NM_001135099) rearrangement: t(9;21)(q21.11;q22.3)(chr9:g.71138173::chr21:g.42869299) | Protein Fusion: in frame {PGM5:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003087 2-T01-IM6-533	P-003087 2-T01-IM6	P-003087 2	Prostate Cancer	PRAD	POLDIP3-TMPRSS2	POLDIP3	out-of-frame	five_prime	42867864	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - POLDIP3 (NM_032311) rearrangement: t(21;22)(q22.3;q13.2) (chr21:g.:42867864::chr22:g.43009989) | Protein Fusion: out of frame {TMPRSS2:POLDIP3}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-006330 1-T01-IM7-534	P-006330 1-T01-IM7	P-006330 1	Endometrial Cancer	UEC	PREX2-TMPRSS2	PREX2	unknown	three_prime	42852468	6	206	False	206	True	exact match	retained	1.0	False													Trypsin		Scavenger receptor cysteine-rich domain	PREX2 (NM_024870) - TMPRSS2 (NM_001135099) rearrangement: t(8;21)(q13.2;q22.3)(chr8:g.68911596::chr21:g.42852468)| Protein Fusion: mid-exon { PREX2:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-004617 5-T02-IM6-535	P-004617 5-T02-IM6	P-004617 5	Prostate Cancer	PRAD	RCN1-TMPRSS2	RCN1	out-of-frame	three_prime	42875275	2	19	True	19	True	exact match	retained	1.0	False												Trypsin; Scavenger receptor cysteine-rich domain			RCN1 (NM_002901) - TMPRSS2 (NM_001135099) rearrangement: t(11;21)(p13;q22.3)(chr11:g.32114150::chr21:g.42875275)| Protein Fusion: out of frame {RCN1:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000663-T01-IM5-536	P-000663-T01-IM5	P-000663	Prostate Cancer	PRAD	SETD4-TMPRSS2	SETD4	out-of-frame	three_prime	42869417	3	43	True	43	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain			SETD4 (NM_017438) - TMPRSS2 (NM_001135099) rearrangement: c.169+807:SETD4_c.126+629:TMPRSS2del | Protein fusion: out of frame (SETD4-TMPRSS2)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002984 3-T01-IM6-537	P-002984 3-T01-IM6	P-002984 3	Prostate Cancer	PRAD	SH3BGR-TMPRSS2	SH3BGR	out-of-frame	three_prime	42872212	2	19	True	19	True	exact match	retained	1.0	False												Trypsin; Scavenger receptor cysteine-rich domain			SH3BGR (NM_007341) - TMPRSS2 (NM_001135099) rearrangement: c.421-1136:SH3BGR_c.56-2096:TMPRSS2inv | Protein Fusion: out of frame {SH3BGR:TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001812-T01-IM6-538	P-001812-T01-IM6	P-001812	Breast Cancer	IDC	TMPRSS2-ABCG1	ABCG1	out-of-frame	five_prime	42851084	7	265	True	264	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin	Scavenger receptor cysteine-rich domain	TMPRSS2 (NM_001135099) - ABCG1 (NM_207627) Rearrangement: c.794+15:TMPRSS2_c.48+6119:ABCG1inv | Protein Fusion: out of frame {TMPRSS2:ABCG1}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000212 3-T02-IM5-540	P-000212 3-T02-IM5	P-000212 3	Prostate Cancer	PRAD	TMPRSS2-ACP3	ACP3	unknown	five_prime	42868047	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ACPP (NM_001134194) rearrangement: t(3;21)(q22.1;q22.3)(chr3:g.132053847::chr21:g.42868047)|Antisense fusion	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000668 9-T01-IM5-541	P-000668 9	P-000668 9	Prostate Cancer	PRAD	TMPRSS2-AFDN	AFDN	in-frame	five_prime	42875775	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - MLLT4 (NM_001207008) rearrangement: t(6;21)(q27;q22.3)(chr6:168293792::chr21:42875775) | Protein fusion: in frame (TMPRSS2-MLLT4)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000239 8-T01-IM3-542	P-000239 8-T01-IM3	P-000239 8	Prostate Cancer	PRAD	TMPRSS2-ARF4	ARF4	out-of-frame	three_prime	42867618	3	43	True	43	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain			ARF4 (NM_001660) - TMPRSS2 (NM_001135099) Translocation : t(3;21)(p14.3;q22.3)(chr3:g.57572612::chr21:g.42867618) | Protein fusion: out of frame (ARF4-TMPRSS2)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001439 5-T01-IM6-543	P-001439 5-T01-IM6	P-001439 5	Prostate Cancer	PRAD	TMPRSS2-ARHGAP26	ARHGAP26	in-frame	five_prime	42868024	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ARHGAP26 (NM_015071) fusion (TMPRSS2 exons 1-2 fused in-frame to ARHGAP26 exons 12-23) : t(5;21)(q31.3;q22.3)(chr5:g.142324441::chr21:g.42868024) | Protein fusion: i... (215 chars total)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-006469 7-T01-IM7-545	P-006469 7-T01-IM7	P-006469 7	Pancreatic Cancer	PAAD	TMPRSS2-ARRB1	ARRB1	out-of-frame	five_prime	42877301	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ARRB1 (NM_004041) rearrangement: t(11;21)(q13.4;q22.3)(chr11:g.75013239::chr21:g.42877301) | Protein Fusion: out of frame {TMPRSS2:ARRB1}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001852 4-T01-IM6-547	P-001852 4-T01-IM6	P-001852 4	Prostate Cancer	PRAD	TMPRSS2-BRAF	BRAF	out-of-frame	five_prime	42873801	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - BRAF (NM_004333) Rearrangement : t(21;7)(q22.3;q34)(chr21:g.42873801::chr7:g.140490337) | Protein Fusion: out of frame {TMPRSS2:BRAF}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002277 8-T01-IM6-548	P-002277 8-T01-IM6	P-002277 8	Prostate Cancer	PRAD	TMPRSS2-BRAF	BRAF	in-frame	five_prime	42878796	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - BRAF (NM_004333) Rearrangement : t(7;21)(q34;q22.3)(chr7:g.140483147::chr21:g.42878796)|Protein Fusion: in frame {TMPRSS2:BRAF}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-005121 4-T01-IM6-549	P-005121 4-T01-IM6	P-005121 4	Prostate Cancer	PRAD	TMPRSS2-BRAF	BRAF	in-frame	five_prime	42867846	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - BRAF (NM_004333) fusion: t(7;21)(q34;q22.3)(chr7:g.140502592::chr21:g.42867846)| Protein Fusion: in frame {TMPRSS2:BRAF}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001372 9-T01-IM5-551	P-001372 9-T01-IM5	P-001372 9	Prostate Cancer	PRAD	TMPRSS2-CASZ1	CASZ1	out-of-frame	five_prime	42868002	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - CASZ1 (NM_001079843) rearrangement: t(1;21)(p36.22;q22.3)(chr1:g.10703925::chr21:g.42868002) | Protein fusion: out of frame (TMPRSS2-CASZ1)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002651 4-T01-IM6-552	P-002651 4-T01-IM6	P-002651 4	Ovarian Cancer	HGSOC	TMPRSS2-CCN6	CCN6	out-of-frame	five_prime	42879671	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - WISP3 (NM_003880) Rearrangement: t(6,21)(q21,q22.2)(chr6:g.112390072::chr21:g.30301865)| Protein Fusion: out of frame {TMPRSS2:WISP3}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002295 3-T01-IM6-553	P-002295 3-T01-IM6	P-002295 3	Prostate Cancer	PRAD	TMPRSS2-CERS6	CERS6	out-of-frame	five_prime	42873665	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - CERS6 (NM_203463) rearrangement: t(2;21)(q24.3;q22.3)(chr2:g.169560626::chr21:g.42873665)|Protein Fusion: out of frame {TMPRSS2:CERS6}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00029711-T02-IM5-554	P-00029711-T02-IM5	P-00029711	Prostate Cancer	PRAD	TMPRSS2-CHD3	CHD3	in-frame	three_prime	42871618	2	19	True	19	True	exact match	retained	1.0	False													Tryptsin; Scavenger receptor cysteine-rich domain				CHD3 (NM_001005271) - TMPRSS2 (NM_001135099) Rearrangement: t(17;21)(17p13.1;21q22.3) (chr17:g.78114 75::chr21:g.42871618) | Protein fusion: in frame (CHD3-TMPRSS2)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001788 2-T02-IM6-555	P-001788 2-T02-IM6	P-001788 2	Prostate Cancer	PRAD	TMPRSS2-CHD3	CHD3	unknown	five_prime	42870483	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) rearrangement: t(17;21)(p13.1;q22.3)(chr17:g.77904479::chr21:g.42870483) | Antisense Fusion	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001788 2-T01-IM6-556	P-001788 2-T01-IM6	P-001788 2	Prostate Cancer	PRAD	TMPRSS2-CHD3	CHD3	unknown	five_prime	42870483	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) rearrangement: t(17;21)(p13.1;q22.3)(chr17:g.77904479::chr21:g.42870483) | Antisense Fusion	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001638 6-T01-IM6 -557	P-001638 6-T01-IM6	P-001638 6	Prostate Cancer	PRAD	TMPRSS 2-CHST12	CHST12	unknown	five_prime	42872453	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) rearrangement: t(7;21)(p22.3;q22.3)(chr7:g.2452854::chr21:g.42872453) | Transcript Fusion {TMPRSS2:CHST12}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003462 0-T01-IM6 -558	P-003462 0-T01-IM6	P-003462 0	Prostate Cancer	PRAD	TMPRSS 2-CSK	CSK	unknown	three_prime	42875844	2	19	True	19	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain			CSK (NM_001127190) - TMPRSS2 (NM_001135099) rearrangement: t(15;21)(q24.1;q22.3)(chr15:g.75094115::chr21:g.42875844)| Protein Fusion: mid-exon { CSK: TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003370 1-T02-IM6-559	P-003370 1-T02-IM6	P-003370 1	Prostate Cancer	PRAD	TMPRSS2-CYP3A43	CYP3A43	in-frame	three_prime	42873843	2	19	True	19	True	exact match	retained	1.0	False												Trypsin; Scavenger receptor cysteine-rich domain			CYP3A43 (NM_022820) - TMPRSS2 (NM_001135099) rearrangement: t(7;21)(q22.1;q22.3)(chr7:g.99448887::chr21:g.42873843)| Protein Fusion: in frame {CYP3A43::TMPRSS2}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000504 7-T01-IM5-560	P-000504 7-T01-IM5	P-000504 7	Prostate Cancer	PRAD	TMPRSS2-CYP4Z1	CYP4Z1	out-of-frame	three_prime	42874735	2	19	True	19	True	exact match	retained	1.0	False												Trypsin; Scavenger receptor cysteine-rich domain			CYP4Z1 (NM_178134) - TMPRSS2 (NM_001135099) rearrangement: t(1;21)(1p33;21q22.3)(chr1:g.47561132::chr21:g.42874735) | Protein fusion: out of frame (CYP4Z1-TMPRSS2)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001269 5-T01-IM5-561	P-001269 5-T01-IM5	P-001269 5	Colorectal Cancer	COAD	TMPRSS2-DENND3	DENND3	out-of-frame	three_prime	42873872	2	19	True	19	True	exact match	retained	1.0	False													Trypsin; Scavenger receptor cysteine-rich domain			DENND3 - TMPRSS2 rearrangement: t(8;21)(q24.3;q22.3)(chr8:g.142204112::chr21:g.42873872)| Protein fusion: out of frame (DENND3-TMPRSS2)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000545 9-T02-IM6-562	P-000545 9-T02-IM6	P-000545 9	Prostate Cancer	PRAD	TMPRSS2-DSCAM	DSCAM	out-of-frame	five_prime	42867910	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - DSCAM (NM_001389) rearrangement: c.127-1405:TMPRSS2_c.3562+3890:DSCAMdel | ProteinFusion: out of frame {TMPRSS2:DSCAM}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-005928-T01-IM7-564	P-005928-T01-IM7	P-005928	Prostate Cancer	PRAD	TMPRSS2-DYRK1A	DYRK1A	in-frame	five_prime	42867955	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - DYRK1A (NM_001396) rearrangement: c.127-1450:TMPRSS2_c.1240-2605:DYRK1Ainv | Protein Fusion: in frame {TMPRSS2:DYRK1A}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000169 4-T02-IM6-566	P-000169 4-T02-IM6	P-000169 4	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	out-of-frame	five_prime	42872439	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusiont: c.56-2323:TMPRSS2_c.18+5203:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-006976 1-T01-IM7-567	P-006976 1-T01-IM7	P-006976 1	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	out-of-frame	five_prime	42877306	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.55+2571:TMPRSS2_c.39+5142:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000187 6-T05-IM7 -568	P-000187 6-T05-IM7	P-000187 6	Prostate Cancer	PRAD	TMPRSS 2-ERG	ERG	out-of-frame	five_prime	42870614	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) -ERG (NM_182918) fusion: c.56-498:TMPRSS2_c.236+6602:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001698 3-T02-IM6-569	P-001698 3-T02-IM6	P-001698 3	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	in-frame	five_prime	42867872	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG fusion (NM_182918) fusion (TMPRSS2 exon 1-2 fused to ERG exons 2-10): c.127-1367:TMRPSS2_c.19-15431:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000685-T02-IM5-570	P-000685-T02-IM5	P-000685	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	out-of-frame	five_prime	42872207	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099)-ERG (NM_004449) fusion (TMPRSS2 exon 1 fused with ERG exons 4-11): c.56-2091:TMPRSS2_c.40-13213:ERGdel | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001350 3-T02-IM6-571	P-001350 3-T02-IM6	P-001350 3	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	out-of-frame	five_prime	42875718	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused with ERG exons 2-10): c.55+4160:TMPRSS2_c.18+11744:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000823 2-T02-IM6-572	P-000823 2-T02-IM6	P-000823 2	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	in-frame	five_prime	42868960	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.126+1086:TMPRSS2_c.40-59158:ERG del | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000892 8-T01-IM5-573	P-000892 8-T01-IM5	P-000892 8	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	in-frame	five_prime	42867842	2	42	True	42	True	exact match	lost	0.0	False														Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion ()TMPRSS2 exons 1-2 fused with ERG exons 4-11) : c.127-1337:TMPRSS2_c.39+60944:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000928 6-T03-IM6 -574	P-000928 6	P-000928 6	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	out-of-frame	five_prime	42874559	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.56-4443:TMPRSS2_c.39+408:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001902 3-T06-IM7-575	P-001902 3	P-001902 3	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	out-of-frame	five_prime	42874781	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.56-4665:TMPRSS2_c.40-63263:ERGdel | ProteinFusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003034-T01-IM6-576	P-003034-T01-IM6	P-003034	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	out-of-frame	five_prime	42871372	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.56-1256:TMPRSS2_c.39+13477:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000187 6-T06-IM7 -577	P-000187 6-T06-IM7	P-000187 6	Prostate Cancer	PRAD	TMPRSS 2-ERG	ERG	out-of-frame	five_prime	42870614	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) -ERG (NM_182918) fusion: c.56-498:TMPRSS2_c.236+6602:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003645-T01-IM6-578	P-003645-T01-IM6	P-003645	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	out-of-frame	five_prime	42870774	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exon 1 fused to ERG exons 4-11): c.56-658:TMPRSS2_c.39+17522:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000707 8-T02-IM5-579	P-0007078-T02-IM5	P-0007078	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	out-of-frame	five_prime	42875091	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exon 1 fused to ERG exons 2 to 10): c.55+4786G_c.19-20913del | Protein fusion: out of frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003008-T01-IM6-580	P-003008-T01-IM6	P-003008	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	out-of-frame	five_prime	42873559	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion: c.56-3443:TMPRSS2_c.18+19812:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003101 5-T02-IM6-581	P-003101 5-T02-IM6	P-003101 5	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	out-of-frame	five_prime	42877493	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) rearrangement: c.55+2384:TMPRSS2_c.40-63530:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00066033-T01-IM5-582	P-00066033-T01-IM5	P-00066033	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	in-frame	five_prime	42869492	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion (TMPRSS2 exons 1-2 with ERG exons 4-10): c.126+554:TMPRSS2_c.40-2798:ERG del | Protein fusion: in frame (TMPRSS2-ERG)	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00029900-T04-IM6-583	P-00029900-T04-IM6	P-00029900	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	in-frame	five_prime	42869168	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (TMPRSS2 exon2 with ERG exon 4) : c.126+878:TMPRSS2_c.40-63033:ERGdel | Protein Fusion : in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-001213-T03-IM6-584	P-001213-T03-IM6	P-001213	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	in-frame	five_prime	42868521	2	42	True	42	True	exact match	lost	0.0	False														Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) rearrangement: c.126+1525:TMPRSS2_c.18+2872:ERGdel | ProteinFusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-003144 9-T01-IM6-585	P-003144 9-T01-IM6	P-003144 9	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	out-of-frame	five_prime	42876464	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) Fusion (fTMPRSS2 exon 1 with ERG exons 4-10): c.55+3413:TMPRSS2_c.c.40-62452:ERGdel | Protein Fusion: out of frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-002150-T02-IM6-586	P-002150-T02-IM6	P-002150	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	in-frame	five_prime	42867836	2	42	True	42	True	exact match	lost	0.0	False															Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.127-1331:TMPRSS2_c.40-57667:ERGdel | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000631-T03-IM6-587	P-000631-T03-IM6	P-000631	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	out-of-frame	five_prime	42872632	1	19	True	18	True	hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement	lost	0.0	False																Trypsin; Scavenger receptor cysteine-rich domain		TMPRSS2 (NM_001135099) - ERG (NM_004449) fusion: c.56-2516:TMPRSS2_c.39+58475:ERG del | Protein Fusion: out of frame {TMPRSS2:ERG}	NA


event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-000892 8-T02-IM6-588	P-000892 8-T02-IM6	P-000892 8	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	in-frame	five_prime	42867844	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_004449) rearrangement: c.127-1339:TMPRSS2_c.39+61012:ERG del | Protein Fusion: in frame {TMPRSS2:ERG}	NA

event_id	sample_id	patient_id	tumor_type	oncotree_code	fusion_name	partner_gene	frame_status	target_role	breakpoint_genomic	breakpoint_exon	breakpoint_protein_position	is_intronic_breakpoint	fusion_annotation_crosscheck_protein_position	fusion_annotation_crosscheck_agrees	fusion_annotation_crosscheck_detail	domain_status	domain_retained_fraction	domain_is_truncated	domain_reconstitution	reconstitution_pfam_accession	reconstitution_five_prime_span	reconstitution_three_prime_span	reconstitution_junction_gap_fraction	reconstitution_junction_gap_residues	reconstitution_partner_breakpoint_protein_position	reconstitution_partner_domain_start_aa	reconstitution_partner_domain_end_aa	reconstitution_partner_breakpoint_mid_exon	reconstitution_detail	retained_domains	lost_domains	disrupted_domains	source_annotation_text	source_site2_effect_on_frame
EVT-P-00323252-T01-IM6-589	P-00323252-T01-IM6	P-00323252	Prostate Cancer	PRAD	TMPRSS2-ERG	ERG	in-frame	five_prime	42869632	2	42	True	42	True	exact match	lost	0.0	False													Trypsin; Scavenger receptor cysteine-rich domain			TMPRSS2 (NM_001135099) - ERG (NM_182918) fusion (TMPRSS2 exons 1-2 fused with ERG exons 2-10): c.126+414:TMPRSS2_c.18+20493:ERG | ProteinFusion: in frame {TMPRSS2:ERG}	NA

Showing the first 500 of 849 rows; see results.tsv for the complete table.

Figures

domain retention outliers



fusion schematic



Partner-block colors are decorative; row labels identify partners.

Showing the top 28 of 89 partner/breakpoint groups by recurrence; see results.tsv for the complete list.

intragenic deletion schematic

