# ETV6 fusion-hotspot benchmark report

Study: msk_impact_50k_2026


# Abstract

This report analyzes ETV6 gene fusions from the msk_impact_50k_2026 study, covering 90 fusion events. 64/79 fusions with known frame status (81.0%) were in-frame. 68/88 fusions (77.3%) retained the Sterile alpha motif (SAM)/Pointed domain. Domain retention was tested with Fisher's exact test (p=0.000290182, statistically significant at alpha=0.05). No literature benchmark is configured for ETV6.


# Results summary

## Fusion partner frequency

Fusion-partner frequency was tabulated across 90 analyzed fusion events, identifying 27 distinct fusion partner genes. The most frequent partner was NTRK3, observed in 55 events.

## Domain retention

Sterile alpha motif (SAM)/Pointed domain retention was tested with Fisher's exact test comparing in-frame fusions against all others; 58/64 (90.6%) of in-frame fusions retained the domain, p=0.000290182 (statistically significant at alpha=0.05). The Sterile alpha motif (SAM)/Pointed domain appears to be required for retention. A breakpoint-position permutation test produced a corroborating empirical p-value of 0.000999001.

## Domain disruption

Domain-disruption analysis was skipped: ETV6 has no disruption_required_domains configured; domain-disruption analysis was skipped.

## Junction concentration

65% of 46 fusions with this gene as the 5' partner join at exon 5, against 6% expected if breakpoints fell at random along the gene; this is the most over-represented junction (empirical p=0.000999001, corrected for testing every exon, statistically significant at alpha=0.05). The random-breakage null assumes a breakpoint anywhere in the gene would be detected. Capture panels such as MSK-IMPACT tile only selected introns, so concentration on panel data is partly by assay design and this p-value overstates the evidence for biological concentration. Confirm in a cohort sequenced without intron selection (whole genome or RNA).

## Cutpoint detection

Cutpoint detection scanned 62 mapped breakpoints for the protein position that best separates domain-retained from lost/disrupted fusions; the inferred cutpoint was position 155 aa (exon 4/5 boundary; label-permutation p=0.293706). This boundary is descriptive: retained/lost status follows from breakpoint position, so a clean split exists by construction and the p-value is not evidence of selection. This is 32 aa from the nearest configured domain boundary at 123 aa.

## Corroborating confidence statistics

Corroborating confidence statistics compared Domain_retention_flags groups "retained" (n=46) and "not_retained" (n=16). For Frame_status, retained: 38/44 (86.4%, 95% CI 73.3%-93.6%); not_retained: 5/11 (45.5%, 95% CI 21.3%-72.0%). Welch's t-test comparing Tumor_variant_count between groups gave means of 63.5217 vs 33.1875, p=0.0492695 (statistically significant at alpha=0.05).

## Composite evidence score

Composite evidence score reported: domain_disruption sub-score excluded: the supplied result had no applicable p-value (e.g. disruption_required_domains not configured for this gene).

## Exon retention

Exon retention produced results for this run (1 row(s) in Exon_retention); see the accompanying table.

## Expression association

Expression association reported: No mRNA expression data was available for ETV6 in this cohort; expression-association analysis was skipped.

## Genomic position recurrence

Genomic position recurrence produced results for this run (29 row(s) in genomic_bin_recurrence, 0 row(s) in exact_position_recurrence, 2 row(s) in protein_position_genomic_spread); see the accompanying table.

## Joint partner

Joint partner reported: ETV6 has no gene_pair configured; joint-partner analysis was skipped.

## Mechanistic interpretation

Mechanistic interpretation produced results for this run (5 row(s) in retention_counter_intuitive_events, 2 row(s) in retention_counter_intuitive_recurrent_partners); see the accompanying table.

## Mutation cooccurrence

Mutation cooccurrence reported: ETV6 has no mutual_exclusivity_targets configured; co-occurrence/mutual-exclusivity analysis was skipped.

## Window detection

Window detection produced results for this run (19 row(s) in window_scan, 5 row(s) in top_windows); see the accompanying table.

# Tables

## composite_score tables

*composite_evidence_ranking*

| Partner_gene | Event_count | Recurrence_score | Domain_retention_score | Domain_disruption_score | Cutpoint_proximity_score | Confidence_certainty_score | Components_applicable | Composite_score | Rank |
|---|---|---|---|---|---|---|---|---|---|
| NTRK3 | 55 | 0.6111111111111112 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.49666330565620387 | 1 |
| BCL2L14 | 3 | 0.03333333333333333 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.22999663898953718 | 2 |
| BORCS5 | 3 | 0.03333333333333333 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.22999663898953718 | 3 |
| CCND2 | 2 | 0.022222222222222223 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.22486843386133207 | 4 |
| HCFC1 | 2 | 0.022222222222222223 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.22486843386133207 | 5 |
| PPIL2 | 2 | 0.022222222222222223 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.22486843386133207 | 6 |
| SGO2 | 2 | 0.022222222222222223 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.22486843386133207 | 7 |
| SLIT2 | 2 | 0.022222222222222223 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.22486843386133207 | 8 |
| ABCC9 | 1 | 0.011111111111111112 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.21974022873312693 | 9 |
| AEBP2 | 1 | 0.011111111111111112 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.21974022873312693 | 10 |
| ANKS1B | 1 | 0.011111111111111112 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.21974022873312693 | 11 |
| APOLD1 | 1 | 0.011111111111111112 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.21974022873312693 | 12 |
| ARHGAP26 | 1 | 0.011111111111111112 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.21974022873312693 | 13 |
| CDKN1B | 1 | 0.011111111111111112 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.21974022873312693 | 14 |

| Partner_gene | Event_count | Recurrence_score | Domain_retention_score | Domain_disruption_score | Cutpoint_proximity_score | Confidence_certainty_score | Components_applicable | Composite_score | Rank |
|---|---|---|---|---|---|---|---|---|---|
| CUX2 | 1 | 0.011111111111111112 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.21974022873312693 | 15 |
| FAM234B | 1 | 0.011111111111111112 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.21974022873312693 | 16 |
| FGFR1OP2 | 1 | 0.011111111111111112 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.21974022873312693 | 17 |
| GALNT18 | 1 | 0.011111111111111112 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.21974022873312693 | 18 |
| GNB1 | 1 | 0.011111111111111112 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.21974022873312693 | 19 |
| GRIN2B | 1 | 0.011111111111111112 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.21974022873312693 | 20 |
| IKZF3 | 1 | 0.011111111111111112 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.21974022873312693 | 21 |
| LRP6 | 1 | 0.011111111111111112 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.21974022873312693 | 22 |
| NOL4 | 1 | 0.011111111111111112 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.21974022873312693 | 23 |
| PDE3A | 1 | 0.011111111111111112 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.21974022873312693 | 24 |
| PLEKHG7 | 1 | 0.011111111111111112 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.21974022873312693 | 25 |
| PTPRN2 | 1 | 0.011111111111111112 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.21974022873312693 | 26 |
| SUFU | 1 | 0.011111111111111112 | 0.30004340774793187 | None | None | 0.644869634062162 | confidence_certainty, domain_retention, recurrence | 0.21974022873312693 | 27 |

# cutpoint_detection tables

*cutpoint_scan*

| cutpoint | n_positive_at_or_below | n_positive_above | n_negative_at_or_below | n_negative_above | odds_ratio | p_value | neg_log10_p_value |
|---|---|---|---|---|---|---|---|
| 11 | 0 | 46 | 1 | 15 | 0.0 | 0.25806451612903225 | 0.5882717068423291 |
| 12 | 1 | 45 | 1 | 15 | 0.3333333333333333 | 0.4526705446853516 | 0.3442177641678865 |

| cutpoint | n_positive_at_or_below | n_positive_above | n_negative_at_or_below | n_negative_above | odds_ratio | p_value | neg_log10_p_value |
|---|---|---|---|---|---|---|---|
| 155 | 15 | 31 | 8 | 8 | 0.4838709677419355 | 0.2421345918425072 | 0.6159431619289524 |
| 337 | 45 | 1 | 16 | 0 | 0.0 | 1.0 | -0.0 |

# domain_retention tables

*frame_domain_contingency_table*

| | |
|---|---|
| 38 | 8 |
| 5 | 11 |

*frame_domain_contingency_tables_by_tumor_type*

| stratum | table |
|---|---|
| ACRM | [0, 1], [0, 0] |
| ADNOS | [1, 0], [0, 0] |
| BLCA | [0, 1], [0, 1] |
| BRCNOS | [1, 0], [0, 1] |
| CECC | [0, 0], [0, 1] |
| COAD | [4, 0], [0, 0] |
| CUP | [1, 0], [0, 0] |
| ESCA | [0, 1], [0, 0] |
| FIBS | [1, 0], [0, 0] |
| GB | [0, 0], [0, 1] |
| GBC | [0, 0], [0, 1] |
| GEJ | [0, 0], [1, 0] |
| HGSOC | [0, 0], [0, 1] |
| HNMASC | [9, 0], [0, 0] |
| HNSC | [0, 0], [0, 1] |
| IDC | [3, 2], [2, 3] |
| IMT | [1, 0], [0, 0] |
| JSCB | [2, 0], [0, 0] |
| LUAD | [0, 0], [1, 0] |
| LUSC | [1, 1], [0, 0] |
| PAAD | [3, 0], [0, 0] |
| PANET | [1, 0], [0, 0] |
| PRAD | [0, 1], [1, 0] |

| stratum | table |
|---|---|
| PRNET | [1, 0], [0, 0] |
| PSEC | [0, 0], [0, 1] |
| SAAD | [1, 0], [0, 0] |
| SACA | [1, 0], [0, 0] |
| SARCNOS | [1, 0], [0, 0] |
| SDCA | [1, 0], [0, 0] |
| STAD | [0, 1], [0, 0] |
| THPA | [4, 0], [0, 0] |
| THPD | [1, 0], [0, 0] |

*domain_retention_descriptives*

| Domain_key | Domain_name | Quantitative_call_count | Fully_retained_count | Truncated_count | Fully_lost_count | Mean_retained_fraction_among_non_retained_calls |
|---|---|---|---|---|---|---|
| sam_pointed | Sterile alpha motif (SAM)/Pointed domain | 62 | 46 | 0 | 16 | 0.0 |

# exon_retention tables

*Exon_retention*

| Exon | Retained_event_count | Total_event_count | Retained_fraction |
|---|---|---|---|
| 2 | 46 | 64 | 0.71875 |

# frequency tables

*Partner_gene_counts*

| Partner_gene | Event_count | Raw_event_count | Sample_count | Patient_count |
|---|---|---|---|---|
| ABCC9 | 1 | 1 | 1 | 1 |
| AEBP2 | 1 | 1 | 1 | 1 |
| ANKS1B | 1 | 1 | 1 | 1 |
| APOLD1 | 1 | 1 | 1 | 1 |
| ARHGAP26 | 1 | 1 | 1 | 1 |
| BCL2L14 | 3 | 3 | 3 | 3 |
| BORCS5 | 3 | 3 | 3 | 3 |
| CCND2 | 2 | 2 | 2 | 2 |
| CDKN1B | 1 | 1 | 1 | 1 |

| Partner_gene | Event_count | Raw_event_count | Sample_count | Patient_count |
|---|---|---|---|---|
| CUX2 | 1 | 1 | 1 | 1 |
| FAM234B | 1 | 1 | 1 | 1 |
| FGFR1OP2 | 1 | 1 | 1 | 1 |
| GALNT18 | 1 | 1 | 1 | 1 |
| GNB1 | 1 | 1 | 1 | 1 |
| GRIN2B | 1 | 1 | 1 | 1 |
| HCFC1 | 2 | 2 | 2 | 1 |
| IKZF3 | 1 | 1 | 1 | 1 |
| LRP6 | 1 | 1 | 1 | 1 |
| NOL4 | 1 | 1 | 1 | 1 |
| NTRK3 | 55 | 55 | 55 | 34 |
| PDE3A | 1 | 1 | 1 | 1 |
| PLEKHG7 | 1 | 1 | 1 | 1 |
| PPIL2 | 2 | 2 | 2 | 1 |
| PTPRN2 | 1 | 1 | 1 | 1 |
| SGO2 | 2 | 2 | 2 | 1 |
| SLIT2 | 2 | 2 | 2 | 1 |
| SUFU | 1 | 1 | 1 | 1 |

# genomic_position_recurrence tables

*genomic_bin_recurrence*

| chromosome | bin_start | bin_end | n_events | event_ids |
|---|---|---|---|---|
| 12 | 12028000 | 12029000 | 6 | EVT-P-0002978-T02-IM5-204,<br>EVT-P-0010562-T01-IM5-200,<br>EVT-P-0014872-T02-IM6-197,<br>EVT-P-0021974-T01-IM6-183,<br>EVT-P-0025987-T01-IM6-181, ... (6 total) |
| 12 | 12014000 | 12015000 | 4 | EVT-P-0010264-T01-IM5-195,<br>EVT-P-0023257-T01-IM6-170,<br>EVT-P-0028989-T01-IM6-123,<br>EVT-P-0037610-T01-IM6-136 |
| 12 | 12032000 | 12033000 | 4 | EVT-P-0013664-T02-IM5-147,<br>EVT-P-0027006-T01-IM6-189,<br>EVT-P-0042503-T01-IM6-138,<br>EVT-P-0064964-T01-IM7-149 |
| 12 | 12035000 | 12036000 | 4 | EVT-P-0002671-T01-IM3-198,<br>EVT-P-0022579-T01-IM6-121,<br>EVT-P-0023544-T01-IM6-133,<br>EVT-P-0058408-T01-IM6-137 |

| chromosome | bin_start | bin_end | n_events | event_ids |
|---|---|---|---|---|
| 12 | 12029000 | 12030000 | 3 | EVT-P-0006480-T01-IM5-182, EVT-P-0010668-T01-IM5-201, EVT-P-0035767-T01-IM6-177 |
| 12 | 12034000 | 12035000 | 3 | EVT-P-0009946-T01-IM5-22, EVT-P-0015724-T01-IM6-6, EVT-P-0040504-T01-IM6-211 |
| 12 | 12036000 | 12037000 | 3 | EVT-P-0013196-T02-IM6-186, EVT-P-0033810-T01-IM6-152, EVT-P-0040355-T01-IM6-143 |
| 12 | 12006000 | 12007000 | 2 | EVT-P-0004737-T01-IM5-185, EVT-P-0019836-T01-IM6-14 |
| 12 | 12007000 | 12008000 | 2 | EVT-P-0007911-T02-IM5-203, EVT-P-0026696-T01-IM6-187 |
| 12 | 12015000 | 12016000 | 2 | EVT-P-0007927-T01-IM5-12, EVT-P-0036266-T01-IM6-166 |
| 12 | 12016000 | 12017000 | 2 | EVT-P-0020402-T01-IM6-154, EVT-P-0026390-T01-IM6-205 |
| 12 | 12019000 | 12020000 | 2 | EVT-P-0026430-T01-IM6-124, EVT-P-0033635-T01-IM6-23 |
| 12 | 12020000 | 12021000 | 2 | EVT-P-0007772-T01-IM5-173, EVT-P-0035552-T01-IM6-176 |
| 12 | 12023000 | 12024000 | 2 | EVT-P-0016507-T01-IM6-202, EVT-P-0020738-T01-IM6-165 |
| 12 | 12024000 | 12025000 | 2 | EVT-P-0025507-T01-IM6-175, EVT-P-0055703-T01-IM6-140 |
| 12 | 12025000 | 12026000 | 2 | EVT-P-0025013-T01-IM6-18, EVT-P-0060870-T01-IM7-13 |
| 12 | 12030000 | 12031000 | 2 | EVT-P-0026286-T01-IM6-167, EVT-P-0027889-T01-IM6-15 |
| 12 | 12031000 | 12032000 | 2 | EVT-P-0033921-T02-IM6-144, EVT-P-0051300-T01-IM6-5 |
| 12 | 12033000 | 12034000 | 2 | EVT-P-0021918-T01-IM6-161, EVT-P-0061265-T01-IM7-148 |
| 12 | 12037000 | 12038000 | 2 | EVT-P-0018060-T01-IM6-184, EVT-P-0032148-T04-IM6-139 |
| 12 | 11894000 | 11895000 | 1 | EVT-P-0011506-T01-IM5-24 |
| 12 | 11905000 | 11906000 | 1 | EVT-P-0036181-T01-IM6-163 |
| 12 | 12008000 | 12009000 | 1 | EVT-P-0038806-T01-IM6-11 |
| 12 | 12009000 | 12010000 | 1 | EVT-P-0019445-T01-IM6-125 |
| 12 | 12011000 | 12012000 | 1 | EVT-P-0056156-T02-IM7-135 |
| 12 | 12012000 | 12013000 | 1 | EVT-P-0035512-T01-IM6-156 |
| 12 | 12013000 | 12014000 | 1 | EVT-P-0055637-T01-IM6-3 |
| 12 | 12027000 | 12028000 | 1 | EVT-P-0040855-T01-IM6-4 |

| chromosome | bin_start | bin_end | n_events | event_ids |
|---|---|---|---|---|
| 12 | 12038000 | 12039000 | 1 | EVT-P-0011048-T03-IM7-155 |

*protein_position_genomic_spread*

| protein_position_aa | n_events | n_distinct_genomic_positions | genomic_span_bp | spans_multiple_chromosomes |
|---|---|---|---|---|
| 337 | 38 | 38 | 13523 | False |
| 155 | 21 | 21 | 14154 | False |

# junction_concentration tables

*junction_counts*

| role | junction_exon | count | role_event_count | observed_share | random_breakage_share | excess_neg_log10_p |
|---|---|---|---|---|---|---|
| five_prime | 5 | 30 | 46 | 0.6521739130434783 | 0.061173126341381966 | 24.83071256843511 |
| five_prime | 4 | 14 | 46 | 0.30434782608695654 | 0.06514789308854851 | 6.092883103691741 |
| three_prime | 6 | 8 | 16 | 0.5 | 0.059531906055410526 | 5.880836783933091 |
| three_prime | 5 | 7 | 16 | 0.4375 | 0.0668216934298246 | 4.401659196787421 |
| five_prime | 1 | 1 | 46 | 0.021739130434782608 | 0.41782291925440546 | 6.7658179381372194e-12 |
| five_prime | 6 | 1 | 46 | 0.021739130434782608 | 0.006031382738272199 | 0.6145403563800048 |
| three_prime | 2 | 1 | 16 | 0.0625 | 0.4171020855307902 | 7.714413369155044e-05 |

# mechanistic_interpretation tables

*retention_counter_intuitive_events*

| event_id | sample_id | partner_gene | breakpoint_protein_position | domain_status |
|---|---|---|---|---|
| EVT-P-0040855-T01-IM6-4 | P-0040855-T01-IM6 | BCL2L14 | 337 | lost |
| EVT-P-0051300-T01-IM6-5 | P-0051300-T01-IM6 | BCL2L14 | 337 | lost |
| EVT-P-0015724-T01-IM6-6 | P-0015724-T01-IM6 | BORCS5 | 337 | lost |
| EVT-P-0033635-T01-IM6-23 | P-0033635-T01-IM6 | BORCS5 | 155 | lost |
| EVT-P-0022579-T01-IM6-121 | P-0022579-T01-IM6 | FAM234B | 337 | lost |

*retention_counter_intuitive_recurrent_partners*

| partner_gene | count |
|---|---|
| BCL2L14 | 2 |
| BORCS5 | 2 |

# window_detection tables

*window_scan*

| start_aa | end_aa | width_aa | n_events_inside | n_events_outside | n_positive_inside | n_positive_outside | odds_ratio | p_value | neg_log10_p_value | event_ids_inside |
|---|---|---|---|---|---|---|---|---|---|---|
| -45 | 155 | 200 | 23 | 39 | 15 | 31 | 0.4838709677419355 | 0.2421345918425072 | 0.6159431619289524 | EVT-P-0004737-T01-IM5-185, EVT-P-0007772-T01-IM5-173, EVT-P-0007911-T02-IM5-203, EVT-P-0007927-T01-IM5-12, EVT-P-0010264-T01-IM5-195, ... (23 total) |
| 11 | 211 | 200 | 23 | 39 | 15 | 31 | 0.4838709677419355 | 0.2421345918425072 | 0.6159431619289524 | EVT-P-0004737-T01-IM5-185, EVT-P-0007772-T01-IM5-173, EVT-P-0007911-T02-IM5-203, EVT-P-0007927-T01-IM5-12, EVT-P-0010264-T01-IM5-195, ... (23 total) |
| 12 | 212 | 200 | 22 | 40 | 15 | 31 | 0.6221198156682027 | 0.5458975626201685 | 0.2628888447725774 | EVT-P-0004737-T01-IM5-185, EVT-P-0007772-T01-IM5-173, EVT-P-0007911-T02-IM5-203, EVT-P-0007927-T01-IM5-12, EVT-P-0010264-T01-IM5-195, ... (22 total) |
| 55 | 155 | 100 | 21 | 41 | 14 | 32 | 0.5625 | 0.36928684975154347 | 0.43263615723400495 | EVT-P-0004737-T01-IM5-185, EVT-P-0007772-T01-IM5-173, EVT-P-0007911-T02-IM5-203, EVT-P-0007927-T01-IM5-12, EVT-P-0010264-T01-IM5-195, ... (21 total) |
| 105 | 155 | 50 | 21 | 41 | 14 | 32 | 0.5625 | 0.36928684975154347 | 0.43263615723400495 | EVT-P-0004737-T01-IM5-185, EVT-P-0007772-T01-IM5-173, EVT-P-0007911-T02-IM5-203, EVT-P-0007927-T01-IM5-12, EVT-P-0010264-T01-IM5-195, ... (21 total) |
| 130 | 155 | 25 | 21 | 41 | 14 | 32 | 0.5625 | 0.36928684975154347 | 0.43263615723400495 | EVT-P-0004737-T01-IM5-185, EVT-P-0007772-T01-IM5-173, EVT-P-0007911-T02-IM5-203, EVT-P-0007927-T01-IM5-12, EVT-P-0010264-T01-IM5-195, ... (21 total) |
| 155 | 180 | 25 | 21 | 41 | 14 | 32 | 0.5625 | 0.36928684975154347 | 0.43263615723400495 | EVT-P-0004737-T01-IM5-185, EVT-P-0007772-T01-IM5-173, EVT-P-0007911-T02-IM5-203, EVT-P-0007927-T01-IM5-12, EVT-P-0010264-T01-IM5-195, ... (21 total) |
| 155 | 205 | 50 | 21 | 41 | 14 | 32 | 0.5625 | 0.36928684975154347 | 0.43263615723400495 | EVT-P-0004737-T01-IM5-185, EVT-P-0007772-T01-IM5-173, EVT-P-0007911-T02-IM5-203, EVT-P-0007927-T01-IM5-12, EVT-P-0010264-T01-IM5-195, ... (21 total) |

| start_aa | end_aa | width_aa | n_events_inside | n_events_outside | n_positive_inside | n_positive_outside | odds_ratio | p_value | neg_log10_p_value | event_ids_inside |
|---|---|---|---|---|---|---|---|---|---|---|
| 155 | 255 | 100 | 21 | 41 | 14 | 32 | 0.5625 | 0.36928684975154347 | 0.43263615723400495 | EVT-P-0004737-T01-IM5-185, EVT-P-0007772-T01-IM5-173, EVT-P-0007911-T02-IM5-203, EVT-P-0007927-T01-IM5-12, EVT-P-0010264-T01-IM5-195, ... (21 total) |
| 184 | 384 | 200 | 39 | 23 | 31 | 15 | 2.066666666666667 | 0.24213459184250724 | 0.6159431619289524 | EVT-P-0002671-T01-IM3-198, EVT-P-0002978-T02-IM5-204, EVT-P-0006480-T01-IM5-182, EVT-P-0009946-T01-IM5-22, EVT-P-0010562-T01-IM5-200, ... (39 total) |
| 237 | 337 | 100 | 38 | 24 | 30 | 16 | 1.875 | 0.37370480877579715 | 0.42747131368004776 | EVT-P-0002671-T01-IM3-198, EVT-P-0002978-T02-IM5-204, EVT-P-0006480-T01-IM5-182, EVT-P-0009946-T01-IM5-22, EVT-P-0010562-T01-IM5-200, ... (38 total) |
| 284 | 384 | 100 | 39 | 23 | 31 | 15 | 2.066666666666667 | 0.24213459184250724 | 0.6159431619289524 | EVT-P-0002671-T01-IM3-198, EVT-P-0002978-T02-IM5-204, EVT-P-0006480-T01-IM5-182, EVT-P-0009946-T01-IM5-22, EVT-P-0010562-T01-IM5-200, ... (39 total) |
| 287 | 337 | 50 | 38 | 24 | 30 | 16 | 1.875 | 0.37370480877579715 | 0.42747131368004776 | EVT-P-0002671-T01-IM3-198, EVT-P-0002978-T02-IM5-204, EVT-P-0006480-T01-IM5-182, EVT-P-0009946-T01-IM5-22, EVT-P-0010562-T01-IM5-200, ... (38 total) |
| 312 | 337 | 25 | 38 | 24 | 30 | 16 | 1.875 | 0.37370480877579715 | 0.42747131368004776 | EVT-P-0002671-T01-IM3-198, EVT-P-0002978-T02-IM5-204, EVT-P-0006480-T01-IM5-182, EVT-P-0009946-T01-IM5-22, EVT-P-0010562-T01-IM5-200, ... (38 total) |
| 334 | 384 | 50 | 39 | 23 | 31 | 15 | 2.066666666666667 | 0.24213459184250724 | 0.6159431619289524 | EVT-P-0002671-T01-IM3-198, EVT-P-0002978-T02-IM5-204, EVT-P-0006480-T01-IM5-182, EVT-P-0009946-T01-IM5-22, EVT-P-0010562-T01-IM5-200, ... (39 total) |
| 337 | 362 | 25 | 38 | 24 | 30 | 16 | 1.875 | 0.37370480877579715 | 0.42747131368004776 | EVT-P-0002671-T01-IM3-198, EVT-P-0002978-T02-IM5-204, EVT-P-0006480-T01-IM5-182, EVT-P-0009946-T01-IM5-22, EVT-P-0010562-T01-IM5-200, ... (38 total) |
| 337 | 387 | 50 | 39 | 23 | 31 | 15 | 2.066666666666667 | 0.24213459184250724 | 0.6159431619289524 | EVT-P-0002671-T01-IM3-198, EVT-P-0002978-T02-IM5-204, EVT-P-0006480-T01-IM5-182, EVT-P-0009946-T01-IM5-22, EVT-P-0010562-T01-IM5-200, ... (39 total) |

| start_aa | end_aa | width_aa | n_events_inside | n_events_outside | n_positive_inside | n_positive_outside | odds_ratio | p_value | neg_log10_p_value | event_ids_inside |
|---|---|---|---|---|---|---|---|---|---|---|
| 337 | 437 | 100 | 39 | 23 | 31 | 15 | 2.066666666666667 | 0.24213459184250724 | 0.6159431619289524 | EVT-P-0002671-T01-IM3-198, EVT-P-0002978-T02-IM5-204, EVT-P-0006480-T01-IM5-182, EVT-P-0009946-T01-IM5-22, EVT-P-0010562-T01-IM5-200, ... (39 total) |
| 337 | 537 | 200 | 39 | 23 | 31 | 15 | 2.066666666666667 | 0.24213459184250724 | 0.6159431619289524 | EVT-P-0002671-T01-IM3-198, EVT-P-0002978-T02-IM5-204, EVT-P-0006480-T01-IM5-182, EVT-P-0009946-T01-IM5-22, EVT-P-0010562-T01-IM5-200, ... (39 total) |

*top_windows*

| start_aa | end_aa | width_aa | n_events_inside | n_events_outside | n_positive_inside | n_positive_outside | odds_ratio | p_value | neg_log10_p_value | event_ids_inside |
|---|---|---|---|---|---|---|---|---|---|---|
| 334 | 384 | 50 | 39 | 23 | 31 | 15 | 2.066666666666667 | 0.24213459184250724 | 0.6159431619289524 | EVT-P-0002671-T01-IM3-198, EVT-P-0002978-T02-IM5-204, EVT-P-0006480-T01-IM5-182, EVT-P-0009946-T01-IM5-22, EVT-P-0010562-T01-IM5-200, ... (39 total) |
| -45 | 155 | 200 | 23 | 39 | 15 | 31 | 0.4838709677419355 | 0.2421345918425072 | 0.6159431619289524 | EVT-P-0004737-T01-IM5-185, EVT-P-0007772-T01-IM5-173, EVT-P-0007911-T02-IM5-203, EVT-P-0007927-T01-IM5-12, EVT-P-0010264-T01-IM5-195, ... (23 total) |
| 130 | 155 | 25 | 21 | 41 | 14 | 32 | 0.5625 | 0.36928684975154347 | 0.43263615723400495 | EVT-P-0004737-T01-IM5-185, EVT-P-0007772-T01-IM5-173, EVT-P-0007911-T02-IM5-203, EVT-P-0007927-T01-IM5-12, EVT-P-0010264-T01-IM5-195, ... (21 total) |
| 312 | 337 | 25 | 38 | 24 | 30 | 16 | 1.875 | 0.37370480877579715 | 0.42747131368004776 | EVT-P-0002671-T01-IM3-198, EVT-P-0002978-T02-IM5-204, EVT-P-0006480-T01-IM5-182, EVT-P-0009946-T01-IM5-22, EVT-P-0010562-T01-IM5-200, ... (38 total) |
| 12 | 212 | 200 | 22 | 40 | 15 | 31 | 0.6221198156682027 | 0.5458975626201685 | 0.2628888447725774 | EVT-P-0004737-T01-IM5-185, EVT-P-0007772-T01-IM5-173, EVT-P-0007911-T02-IM5-203, EVT-P-0007927-T01-IM5-12, EVT-P-0010264-T01-IM5-195, ... (22 total) |

## Per-event results (results.tsv)

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-005563 7-T01-IM6-3 | P-005563 7-T01-IM6 | P-005563 7 | Cervical Cancer | CECC | ARHGAP 26-ETV6 | ARHGAP 26 | out-of-frame | three_prime | 120137 36 | 5 | 155 | True | 155 | True | exact match | lost | 0.0 | False | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | ARHGAP 26 (NM_015071)-ETV6 (NM_001987) rearrangement: t(5;12)(q31.3;p13.2)(chr5:g.142309261::chr12:g.12013736)\|Protein Fusion: out of frame {ARHGAP 26:ETV6} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-004085-T01-IM6-4 | P-004085-T01-IM6 | P-004085 | Esophagogastric Cancer | GEJ | BCL2L14-ETV6 | BCL2L14 | in-frame | three_prime | 12027991 | 6 | 337 | True | 337 | True | exact match | lost | 0.0 | False | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | BCL2L14 (NM_138723) - ETV6 (NM_001987) rearrangement: c.434-2555:BCL2L14_c.1009+5088:ETV6dup \| Protein Fusion: in frame {BCL2L14:ETV6} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-005130-T01-IM6-5 | P-005130-T01-IM6 | P-005130 | Breast Cancer | IDC | BCL2L14-ETV6 | BCL2L14 | in-frame | three_prime | 120311156 | 6 | 337 | True | 337 | True | exact match | lost | 0.0 | False | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | BCL2L14 (NM_138723) - ETV6 (NM_001987) rearrangement: c.433+1623:BCL2L14_c.1010-6223:ETV6dup \| Protein Fusion: in frame {BCL2L14:ETV6} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001572 4-T01-IM6-6 | P-001572 4-T01-IM6 | P-001572 4 | Breast Cancer | IDC | BORCS5-ETV6 | BORCS5 | in-frame | three_prime | 120344428 | 6 | 337 | True | 337 | True | exact match | lost | 0.0 | False | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | LOH 12CR1 (NM_058169) - ETV6 (NM_001987) rearrangement: c.202+1037: LOH 12CR1_c.1010-2951: ETV6 dup \| Protein fusion: in frame (LOH 12CR1-ETV6) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-003880 6-T01-IM6-11 | P-003880 6-T01-IM6 | P-003880 6 | Breast Cancer | IDC | CUX2-ETV6 | CUX2 | out-of-frame | three_prime | 120082 61 | 5 | 155 | True | 155 | True | exact match | lost | 0.0 | False | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | CUX2 (NM_015267)-ETV6 (NM_001987) Rearrangement:.c.63+46462:CUX2_c.463+1766:ETV6 \| Protein Fusion: out of frame {CUX2:ETV6} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-000792 7-T01-IM5-12 | P-000792 7-T01-IM5 | P-000792 7 | Melanoma | ACRM | ETV6-ABC C9 | ABC C9 | out-of-frame | five_prime | 120156 20 | 4 | 155 | True | 154 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - ABCC9 (NM_020297) rearrangement: c.464-6738:ETV6_c.3473-739:ABCC9inv \| Protein fusion: out of frame (ETV6-ABCC9) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-006870-T01-IM7-13 | P-006870-T01-IM7 | P-006870 | Prostate Cancer | PRAD | ETV6-AEBP2 | AEBP2 | out-of-frame | five_prime | 120250735 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - AEBP2 (NM_001114176) rearrangement: c.1009+2170:ETV6_c.880-2512:AEBP2del \| Protein Fusion: out of frame {ETV6:AEBP2} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001983 6-T01-IM6-14 | P-001983 6-T01-IM6 | P-001983 6 | Breast Cancer | IDC | ETV6-ANKS1B | ANKS1B | in-frame | five_prime | 12006878 | 4 | 155 | True | 154 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - ANKS1B (NM_152788) Rearrangement : c.463+383:ETV6_c.1757-48649:ANKS1Binv \| Protein Fusion: in frame {ETV6:ANKS1B} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-002788 9-T01-IM6-15 | P-002788 9-T01-IM6 | P-002788 9 | Non-Small Cell Lung Cancer | LUSC | ETV6-APOLD1 | APOLD1 | out-of-frame | five_prime | 12030422 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6:NM_001987) - APOLD1 (NM_001130415) rearrangement: c.1010-6957:ETV6_c.96+30120:APOLD1del \| Protein Fusion: out of frame {ETV6:APOLD1} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-002501 3-T01-IM6-18 | P-002501 3-T01-IM6 | P-002501 3 | Hepatobiliary Cancer | GBC | ETV6-BCL2L14 | BCL2L14 | out-of-frame | three_prime | 120253 53 | 6 | 337 | True | 337 | True | exact match | lost | 0.0 | False | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | BCL2L14 (NM_138722) - ETV6 (NM_001987) Rearrangement : c.945+502:BCL2L14_c.1009+2450:ETV6dup \| Protein Fusion: out of frame {BCL2L14:ETV6} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-000994 6-T01-IM5-22 | P-000994 6-T01-IM5 | P-000994 6 | Breast Cancer | BRCNOS | ETV6-BORCS5 | BORCS5 | out-of-frame | three_prime | 120341 81 | 6 | 337 | True | 337 | True | exact match | lost | 0.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | LOH 12CR1 (NM_058169) - ETV6 (NM_001987) rearrangement: c.361-7873: LOH 12CR1_c.1010-3198: ETV6 dup \| Protein fusion: out of frame (LOH 12CR1-ETV6) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-003363 5-T01-IM6-23 | P-003363 5-T01-IM6 | P-003363 5 | Prostate Cancer | PRAD | ETV6-BORCS5 | BORCS5 | in-frame | three_prime | 120199982 | 5 | 155 | True | 155 | True | exact match | lost | 0.0 | False | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | LOH12CR1 (NM_058169)-ETV6 (NM_001987) rearrangemnet: c.203-15769:LOH12CR1_c.464-2376:ETV6 dup \| Protein Fusion: in frame {LOH12CR1:ETV6} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001150-T01-IM5-24 | P-001150-T01-IM5 | P-001150 | Head and Neck Cancer | HNSC | ETV6-CDKN1B | CDKN1B | out-of-frame | five_prime | 118947784 | 1 | 11 | True | 11 | True | exact match | lost | 0.0 | False | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | ETV6 (NM_001987) - CDKN1B (NM_004064) rearrangement: c.34-10600:ETV6_c.476-58:CDKN1Bdel \| Protein fusion: out of frame (ETV6-CDKN1B) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-002257 9-T01-IM6-121 | P-002257 9-T01-IM6 | P-002257 9 | Non-Small Cell Lung Cancer | LUAD | ETV6-FAM234B | FAM234B | in-frame | three_prime | 120350 84 | 6 | 337 | True | 337 | True | exact match | lost | 0.0 | False | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | KIAA1467 (NM_020853) - ETV6 (NM_001987) rearrangement: c.1643-1210:KIAA1467_c.1010-2295:ETV6dup \| Protein Fusion: in frame {KIAA1467:ETV6} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-000792 7-T01-IM5 -122 | P-000792 7-T01-IM5 | P-000792 7 | Melanoma | ACRM | ETV6-FGFR1OP2 | FGFR1OP2 | unknown | three_prime | 1202 9024 | 6 | 337 | True | 337 | True | exact match | lost | 0.0 | False | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | FGFR1OP2 (NM_015633)-ETV6 (NM_001987) rearrangement: c.1009+6121:ETV6_c.-14-5021:FGFR1OP2 dup \| Transcript fusion (FGFR1OP2-ETV6) | NA |
| EVT-P-002898 9-T01-IM6 -123 | P-002898 9-T01-IM6 | P-002898 9 | Breast Cancer | IDC | ETV6-GALNT18 | GALNT18 | unknown | three_prime | 1201 4281 | 5 | 155 | True | 155 | True | exact match | lost | 0.0 | False | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | ETV6 (NM_001987) rearrangement: t(11;12)(p15.3;p13.2)(chr11:g.11366394::chr12:g.12014281). \| Antisense Fusion | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-002643 0-T01-IM6-124 | P-002643 0-T01-IM6 | P-002643 0 | Esophagogastric Cancer | STAD | ETV6-GNB1 | GNB1 | unknown | five_prime | 12019513 | 4 | 155 | True | 154 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - GNB1 (NM_002074) rearrangement: t(1;12)(p36/33;p13.2) (chr1:g.1785936::chr12:g.12019513)\| Transcript Fusion {ETV6:GNB1} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001944 5-T01-IM6-125 | P-001944 5-T01-IM6 | P-001944 5 | Bladder Cancer | BLCA | ETV6-GRIN2B | GRIN2B | unknown | three_prime | 120092 53 | 5 | 155 | True | 155 | True | exact match | lost | 0.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | ETV6 (NM_001987) - GRIN2B (NM_000834) rearrangement: c.463+2758:ETV6_c.-19+13931:GRIN2Bdel \| Antisense Fusion | NA |
| EVT-P-002354 4-T01-IM6-133 | P-002354 4-T01-IM6 | P-002354 4 | Glioma | GB | ETV6-LRP6 | LRP6 | unknown | three_prime | 120354 85 | 6 | 337 | True | 337 | True | exact match | lost | 0.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | ETV6 (NM_001987) rearrangement: c.1010-1894_chr12:g.12422377del \| Antisense Fusion | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-005615 6-T02-IM7-135 | P-005615 6-T02-IM7 | P-005615 6 | Thyroid Cancer | THPA | ETV6-NTRK3 | NTRK3 | in-frame | five_prime | 12011957 | 4 | 155 | True | 154 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12011957::chr15:g.88624274)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-003761 0-T01-IM6 -136 | P-003761 0-T01-IM6 | P-003761 0 | Thyroid Cancer | THPA | ETV6-NTRK3 | NTRK3 | in-frame | five_prime | 12014663 | 4 | 155 | True | 154 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) rearrangement: t(12;15)(p13.2;q25.3) (chr12:g.12014663::chr15:g.88594532) \| Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-005840 8-T01-IM6 -137 | P-005840 8-T01-IM6 | P-005840 8 | Colorectal Cancer | COAD | ETV6-NTRK3 | NTRK3 | in-frame | five_prime | 12035760 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) -NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12035760::chr15:g.88492156)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-004253-T01-IM6-138 | P-004253-T01-IM6 | P-004253 | Colorectal Cancer | COAD | ETV6-NTRK3 | NTRK3 | in-frame | five_prime | 12032802 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12032802::chr15:g.88556067)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-003214 8-T04-IM6-139 | P-003214 8-T04-IM6 | P-003214 8 | Salivary Gland Cancer | HNMASC | ETV6-NTRK3 | NTRK3 | in-frame | five_prime | 12037217 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12037217::chr15:g.88522437)\| Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-005570 3-T01-IM6-140 | P-005570 3-T01-IM6 | P-005570 3 | Cancer of Unknown Primary | CUP | ETV6-NTRK3 | NTRK3 | in-frame | five_prime | 12024785 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12024785::chr15:g.88505980)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001366 4-T04-IM6-141 | P-001366 4-T04-IM6 | P-001366 4 | Soft Tissue Sarcoma | FIBS | ETV6-NTRK3 | NTRK3 | in-frame | five_prime | 12032077 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 fused in-frame to NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12032077::chr15:g.88558191)\| Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-003392 1-T04-IM6-142 | P-003392 1-T04-IM6 | P-003392 1 | Breast Cancer | JSCB | ETV6-NTRK3 | NTRK3 | in-frame | five_prime | 12031161 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12031161::chr15:g.88516534)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-00403555-T01-IM6-143 | P-00403555-T01-IM6 | P-00403555 | Colorectal Cancer | COAD | ETV6-NTRK3 | NTRK3 | in-frame | five_prime | 12036111 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12036111::chr15:g.88497191)\| Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-003392 1-T02-IM6-144 | P-003392 1-T02-IM6 | P-003392 1 | Breast Cancer | JSCB | ETV6-NTRK3 | NTRK3 | in-frame | five_prime | 12031161 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12031161::chr15:g.88516534)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-003392 1-T05-IM7 -145 | P-003392 1-T05-IM7 | P-003392 1 | Breast Cancer | JSCB | ETV6-NTRK3 | NTRK3 | in-frame | five_prime | 12031161 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12031161::chr15:g.88516534)\| Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-003576 7-T04-IM6-146 | P-003576 7-T04-IM6 | P-003576 7 | Pancreatic Cancer | PAAD | ETV6-NTRK3 | NTRK3 | in-frame | five_prime | 12029143 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12029143::chr15:g.88505787)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001366 4-T02-IM5-147 | P-001366 4-T02-IM5 | P-001366 4 | Soft Tissue Sarcoma | FIBS | ETV6-NTRK3 | NTRK3 | in-frame | five_prime | 12032077 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) Fusion (ETV6 exons 1-5 fused with NTRK3 exons 15-20): t(12;15)(p13.2;q26.1)(chr12:g.12032077::chr15:g.88558191)\| Protein fusion: in frame (ETV6-NTRK3) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-006126 5-T01-IM7-148 | P-006126 5-T01-IM7 | P-006126 5 | Salivary Gland Cancer | HNMASC | ETV6-NTRK3 | NTRK3 | in-frame | five_prime | 12033175 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12033175::chr15:g.88554122)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-006496 4-T01-IM7-149 | P-006496 4-T01-IM7 | P-006496 4 | Breast Cancer | JSCB | ETV6-NTRK3 | NTRK3 | in-frame | five_prime | 120323 10 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12032310::chr15:g.88564682)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-003576 7-T06-IM7 -150 | P-003576 7-T06-IM7 | P-003576 7 | Pancreatic Cancer | PAAC | ETV6-NTRK3 | NTRK3 | in-frame | five_prime | 12029143 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12029143::chr15:g.88505787)\| Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-003381 0-T01-IM6 -152 | P-003381 0-T01-IM6 | P-003381 0 | Esophagogastric Cancer | ESCA | ETV6-PDE3A | PDE3A | out-of-frame | five_prime | 120361 40 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - PDE3A (NM_000921) Rearrangement: c.1010-1239:ETV6_c.960+53099:PDE3A \| Protein Fusion: out of frame {ETV6:PDE3A} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-002040 2-T01-IM6-154 | P-002040 2-T01-IM6 | P-002040 2 | Breast Cancer | IDC | ETV6-PLEKHG7 | PLEKHG7 | unknown | five_prime | 12016969 | 4 | 155 | True | 154 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6(NM_001987) rearrangement: c.464-5389:ETV6_chr12:g.93097480del \| Transcript Fusion {ETV6:C12orf74} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001104 8-T03-IM7-155 | P-001104 8-T03-IM7 | P-001104 8 | Breast Cancer | IDC | ETV6-PPIL2 | PPIL2 | in-frame | five_prime | 12038844 | 6 | 384 | True | 384 | True | exact match | retained | 1.0 | False | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - PPIL2 (NM_014337) rearrangement: t(12;22)(p13.2;q11.21)(chr12:g.12038844::chr22:g.22041885)\|Protein Fusion: in frame {ETV6:PPIL2} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-003551 2-T01-IM6-156 | P-003551 2-T01-IM6 | P-003551 2 | Peritoneal Cancer, NOS | PSEC | ETV6-PTPRN2 | PTPRN2 | unknown | three_prime | 12012958 | 5 | 155 | True | 155 | True | exact match | lost | 0.0 | False | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | ETV6 (NM_001987) rearrangement: t(7;12)(q36.3;p13.2)(chr7:g.158331279::chr12:g.12012958)\|Antisense Fusion | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-005278 7-T03-IM6 -159 | P-005278 7-T03-IM6 | P-005278 7 | Bladder Cancer | BLCA | ETV6-SGO2 | SGO2 | out-of-frame | five_prime | 120288803 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - SGOL2 (NM_152524) rearrangement: t(2;12)(q33.1;p13.2)(chr2:g.201410918::chr12:g.120288803) \| Protein Fusion: out of frame {ETV6:SGOL2} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-005278 7-T01-IM6-160 | P-005278 7-T01-IM6 | P-005278 7 | Bladder Cancer | BLCA | ETV6-SGO2 | SGO2 | out-of-frame | five_prime | 120288802 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - SGOL2 (NM_152524) rearrangement: t(2;12)(q33.1;p13.2)(chr2:g.201410903::chr12:g.120288802) \| Protein Fusion: out of frame {ETV6:SGOL2} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-002191 8-T01-IM6-161 | P-002191 8-T01-IM6 | P-002191 8 | Non-Small Cell Lung Cancer | LUSC | ETV6-SUFU | SUFU | in-frame | five_prime | 12033406 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - SUFU (NM_016169) rearrangement: t(10,12)(q24.32, p13.2)(chr10:g.104320248::chr12:g.12033406) \| Protein Fusion: in frame {ETV6:SUFU} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-003618 1-T01-IM6-163 | P-003618 1-T01-IM6 | P-003618 1 | Breast Cancer | IDC | HCFC1-ETV6 | HCFC1 | out-of-frame | three_prime | 119053 67 | 2 | 12 | True | 12 | True | exact match | retained | 1.0 | False | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | HCFC1 (NM_005334) - ETV6 (NM_001987 0) rearrangement: t(X;12)(q28;p13.2)(chrX:g.153221893::chr12:g.119053 67) \| Protein Fusion: out of frame {HCFC1:ETV6} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-003618 1-T0 6-IM7 -164 | P-00 3618 1-T0 6-IM7 | P-00 3618 1 | Brea st Ca ncer | BRC A | HCF C1-E TV6 | HCF C1 | out-of -fram e | three _prim e | 1190 5373 | 2 | 12 | True | 12 | True | exact matc h | retain ed | 1.0 | False | | | | | | | | | | | | Steril e alpha motif (SAM )/Poi nted doma in | | | HCF C1 ( NM_ 0053 34) - ETV6 (NM_ 0019 87) r earra ngem ent: t( 12;X) (p13. 2;q28 )(chr 12:g. 1190 5373: :chrX :g.15 3221 893)\| Prote in Fu sion: out of frame {HCF C1:E TV6} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-002073 8-T01-IM6-165 | P-002073 8-T01-IM6 | P-002073 8 | Cancer of Unknown Primary | ADNOS | IKZF3-ETV6 | IKZF3 | in-frame | five_prime | 120236 94 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6(NM_001987) - IKZF3(NM_012481) rearrangement: t(12;17)(p13.2;q12)(chr12:g.12023694::chr17:g.38012519) \| Protein Fusion: in frame {ETV6:IKZF3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-003626-T01-IM6-166 | P-003626-T01-IM6 | P-003626 | Breast Cancer | IDC | NOL4-ETV6 | NOL4 | unknown | three_prime | 120150004 | 5 | 155 | True | 155 | True | exact match | lost | 0.0 | False | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | ETV6 (NM_001987) - NOL4 (NM_003787) rearrangement: t(12;18)(p13.2;q12.1) (chr12:g.120150004::chr18:g.:31639519) \| Antisense Fusion | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-002628 6-T01-IM6-167 | P-002628 6-T01-IM6 | P-002628 6 | Salivary Gland Cancer | SACA | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12030395 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 fused with NTRK3 exons 14-20): t(12;15)(p13.2;q25.3)(chr12:g.12030395::chr15:g.88611476)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001650 7-T02-IM6-168 | P-001650 7-T02-IM6 | P-001650 7 | Salivary Gland Cancer | HNMASC | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12023709 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-14 fused with NTRK3 exons 6-20 including the kinase domain): t(12,15)(p13.2,q25.3)(chr12:g.12023709::chr15:g.88488820) \| Protein Fusion: in ... (220 chars total) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-003392 1-T03-IM6 -169 | P-003392 1-T03-IM6 | P-003392 1 | Breast Cancer | BRCNOS | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12031161 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12031161::chr15:g.88516534)\| Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-002325 7-T01-IM6 -170 | P-002325 7-T01-IM6 | P-002325 7 | Salivary Gland Cancer | HNMASC | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12014998 | 4 | 155 | True | 154 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1 to 4 fused to NTRK3 exons 14 to 20): t(12;15)(p13.2;q25.3)(chr12:g.12014998::chr15:g.88662190)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001650 7-T03-IM6 -171 | P-001650 7-T03-IM6 | P-001650 7 | Salivary Gland Cancer | HNMASC | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12023709 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 fused with NTRK3 exons 15-20: t(12;15)(p13.2;q25.3) (chr12:g.12023709::chr15:g.88488820) \| Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001650 7-T04-IM6-172 | P-001650 7-T04-IM6 | P-001650 7 | Salivary Gland Cancer | HNMASC | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12023709 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 fused to NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12023709::chr15:g.88488820)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-000777 2-T01-IM5-173 | P-000777 2 | P-000777 2 | Salivary Gland Cancer | HNMASC | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12020257 | 4 | 155 | True | 154 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) reciprocal fusion (ETV6 exons 1-4 fused with NTRK3 exons 14-20): t(12;15)(p13.2;q25.3)(chr12:g.12020257::chr15:g.88600844) \| Protein fusion: in frame (ETV6-NTRK3) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-00029778-T04-IM5-174 | P-00029778-T04-IM5 | P-00029778 | Salivary Gland Cancer | HNMASC | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12028576 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) reciprocal fusion (ETV6 exons 1-5 fused with NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12028576::chr15:g.88506571)\|Protein fusion: in frame (ETV6-NTRK3) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-002550 7-T01-IM6-175 | P-002550 7-T01-IM6 | P-002550 7 | Breast Cancer | IDC | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12024078 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 with NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12024078::chr15:g.88544573)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-00355552-T01-IM6-176 | P-00355552-T01-IM6 | P-00355552 | Pancreatic Cancer | PAAD | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12020963 | 4 | 155 | True | 154 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-4 fused with NTRK3 exons 14-20): t(12;15)(p13.2;q25.3)(chr12:g.12020963::chr15:g.88651251)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-003576 7-T01-IM6-177 | P-003576 7-T01-IM6 | P-003576 7 | Pancreatic Cancer | PANET | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 120291 43 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion: t(12;15)(p13.2;q25.3)(chr12:g.12029143::chr15:g.88505787)\| Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-00029778-T06-IM6-178 | P-00029778-T06-IM6 | P-00029778 | Salivary Gland Cancer | HNMASC | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12028576 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 fused in-frame to NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12028576::chr15:g.88506571)\|Protein fusion: in frame (ETV6-NTRK3) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-00029778-T07-IM6-179 | P-00029778 | P-00029778 | Salivary Gland Cancer | HNMASC | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12028576 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 fused in-frame to NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12028576::chr15:g.88506571)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-00029778-T03-IM5-180 | P-0029778-T03-IM5 | P-0029778 | Salivary Gland Cancer | HNMASC | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12028576 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1 to 5 fused to NTRK3 exons 15 to 20): t(12;15)(p13.2;q25.3)(chr12:g.12028576::chr15:g.88506571)\|Protein fusion: in frame (ETV6-NTRK3) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-002598 7-T01-IM6-181 | P-002598 7-T01-IM6 | P-002598 7 | Miscellaneous Brain Tumor | PRNET | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12028942 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion ( ETV6 exons 1-5 fused with NTRK3 exons 14-20) : t(12;15)(p13.2;q25.3)(chr12:g.12028942::chr15:g.88613114)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-000648-T01-IM5-182 | P-000648-T01-IM5 | P-000648 | Salivary Gland Cancer | HNMASC | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12029548 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) reciprocal fusion (ETV6 exons 1-5 fused with NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12029548::chr15:g.88498145)\|Protein fusion: in frame (ETV6-NTRK3) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-002197 4-T01-IM6-183 | P-002197 4-T01-IM6 | P-002197 4 | Salivary Gland Cancer | SAAD | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12028417 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 fused to NTRK3 exons 15-20): t(12;15)(p13.2;q25.3) (chr12:g.12028417::chr15:g.88550500) \| Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001806-T01-IM6-184 | P-001806-T01-IM6 | P-001806 | Salivary Gland Cancer | HNMASC | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12037037 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 fused in-frame to NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12037037::chr15:g.88514531)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-000473 7-T01-IM5 -185 | P-000473 7-T01-IM5 | P-000473 7 | Pancreatic Cancer | PAAD | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12006809 | 4 | 155 | True | 154 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) Fusion (ETV6 exons 1 to 4 fused to NTRK3 exons 13 to 20): t(12;15)(p13.2;q25.3)(chr12:g.12006809::chr15:g.88632786)\| Protein fusion: in frame (ETV6-NTRK3) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001319 6-T02-IM6-186 | P-001319 6-T02-IM6 | P-001319 6 | Breast Cancer | BRCNOS | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12036072 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exon5 fused to NTRK3 exon 15): t(12;15)(p13.2;q25.3) (chr12:g.12036072::chr15:g.88501357) \| Protein fusion: in frame (ETV6-NTRK3) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-002669-T01-IM6-187 | P-002669-T01-IM6 | P-002669 | Thyroid Cancer | THPA | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12007967 | 4 | 155 | True | 154 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-4 fused with NTRK3 exons 14-20) :t(12;15)(p13.2;q25.3)(chr12:g.12007967::chr15:g.88657925)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001319 6-T03-IM6 -188 | P-001319 6-T03-IM6 | P-001319 6 | Breast Cancer | BNNOS | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 1203 6072 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exon5 fused to NTRK3 exon 15): t(12;15)(p13.2;q25.3) (chr12:g.12036072::chr15:g.88501357) \| Protein fusion: in frame (ETV6-NTRK3) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-002700-T01-IM6-189 | P-002700-T01-IM6 | P-002700 | Soft Tissue Sarcoma | SARCNOS | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12032352 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 with NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12032352::chr15:g.88512343)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-002700-T03-IM6-190 | P-002700-T03-IM6 | P-002700 | Soft Tissue Sarcoma | FIBS | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12032352 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 fused in-frame to NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12037037::chr15:g.88514531)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-002700-T04-IM6-191 | P-002700-T04-IM6 | P-002700 | Soft Tissue Sarcoma | FIBS | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12032352 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 fused with NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12032352::chr15:g.88512343)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001319 6-T04-IM6 -192 | P-001319 6-T04-IM6 | P-001319 6 | Breast Cancer | BRCNOS | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 1203 6072 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exon5 fused to NTRK3 exon 15): t(12;15)(p13.2;q25.3) (chr12:g.12036072::chr15:g.88501357) \| Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-000777 2-T02-IM5-193 | P-000777 2-T02-IM5 | P-000777 2 | Salivary Gland Cancer | HNMASC | NTRK3-ETV6 | NTRK3 | in-frame | three_prime | 120202 58 | 5 | 155 | True | 155 | True | exact match | lost | 0.0 | False | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | ETV6 (NM_00 1987) - NTRK3 (NM_00 1012 338) reciprocal fusion (ETV6 exons 1-4 fused with NTRK3 exons 14-20) : t(12;15)(p13.2;q25.3)(chr12:g.120202 57::chr15:g.88600844 ) \| Protein fusion: in frame (NTRK3-ETV6) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-00029778-T05-IM6-194 | P-0029778-T05-IM6 | P-0029778 | Salivary Gland Cancer | HNMASC | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12028576 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 fused in-frame to NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12028576::chr15:g.88506571)\|Protein fusion: in frame (ETV6-NTRK3) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001026 4-T01-IM5-195 | P-001026 4-T01-IM5 | P-001026 4 | Pancreatic Cancer | PAAD | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12014962 | 4 | 155 | True | 154 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-4 fused in frame with NTRK3 exons 13-20): t(12;15)(p13.2;q25.3)(chr12:g.12014962::chr15:g.88588255)\|Protein fusion: in frame (ETV6-NTRK3) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-00077 72-T03-IM5-196 | P-00077 72 | P-00077 72 | Salivary Gland Cancer | HNMASC | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12020257 | 4 | 155 | True | 154 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) reciprocal fusion (ETV6 exons 1-4 fused with NTRK3 exons 14-20): t(12;15)(p13.2;q25.3)(chr12:g.12020257::chr15:g.88600844 ) \| Protein fusion: in frame (ETV6-NTRK3) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001487 2-T02-IM6-197 | P-001487 2-T02-IM6 | P-001487 2 | Soft Tissue Sarcoma | IMT | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12028946 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 with NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12028946::chr15:g.88548029)\| Protein fusion: in frame (ETV6-NTRK3) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-000267 1-T01-IM3-198 | P-000267 1-T01-IM3 | P-000267 1 | Colorectal Cancer | COAD | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12035813 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | NA \| Protein fusion: in frame (ETV6-NTRK3) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001487 2-T03-IM6 -199 | P-001487 2-T03-IM6 | P-001487 2 | Soft Tissue Sarcoma | IMT | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12028946 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 with NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12028946::chr15:g.88548029)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001056 2-T01-IM5 -200 | P-001056 2-T01-IM5 | P-001056 2 | Salivary Gland Cancer | SDCA | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12028903 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 with NTRK3 exons 14-20): t(12;15)(p13.2;q25.1)(chr12:g.12028903::chr15:g.88581658)\| Protein fusion: in frame (ETV6-NTRK3) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001066 8-T01-IM5 -201 | P-001066 8-T01-IM5 | P-001066 8 | Salivary Gland Cancer | HNMASC | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12029109 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 with NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12029109::chr15:g.88513282)\| Protein fusion: in frame (ETV6-NTRK3) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001650 7-T01-IM6 -202 | P-001650 7-T01-IM6 | P-001650 7 | Salivary Gland Cancer | HNMASC | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12023709 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-5 fused in-frame to NTRK3 exons 15-20): t(12;15)(p13.2;q25.3)(chr12:g.12023709::chr15:g.88488820)\| Protein Fusion: in frame {ETV6:NTRK3} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-000791 1-T02-IM5-203 | P-000791 1-T02-IM5 | P-000791 1 | Thyroid Cancer | THPD | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12007142 | 4 | 155 | True | 154 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1 to 4 fused with NTRK3 exons 13-20): t(12;15)(p13.2;q25.3)(chr12:g.12007142::chr15:g.88592430)\| Protein fusion: in frame (ETV6-NTRK3) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-00029778-T02-IM5-204 | P-00029778-T02-IM5 | P-00029778 | Salivary Gland Cancer | HNMASC | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12028576 | 5 | 337 | True | 336 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | NA \| Protein fusion: in frame (ETV6-NTRK3) | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-002639-T01-IM6-205 | P-002639-T01-IM6 | P-002639 | Thyroid Cancer | THPA | NTRK3-ETV6 | NTRK3 | in-frame | five_prime | 12016863 | 4 | 155 | True | 154 | True | hybrid junction codon: fusion-annotation reports the last complete 5-prime residue, exactly one less than this project's hybrid-junction-inclusive residue; expected convention difference, not a disagreement | retained | 1.0 | False | | | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | | ETV6 (NM_001987) - NTRK3 (NM_001012338) fusion (ETV6 exons 1-4 fused with NTRK3 exons 14-20): t(12;15)(p13.2;q25.3)(chr12:g.12016863::chr15:g.88651131)\|Protein Fusion: in frame {ETV6:NTRK3} | NA |


| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-001104 8-T02-IM6-207 | P-001104 8-T02-IM6 | P-001104 8 | Breast Cancer | BRCA | PPIL2-ETV6 | PPIL2 | unknown | three_prime | 120388 67 | 7 | 387 | False | 387 | True | exact match | lost | 0.0 | False | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | PPIL2 (NM_014337) - ETV6 (NM_001987) Rearrangement : t(12;22)(p13.2;q11.22)(chr12:g.120388867::chr22:g.22041881)\| Protein Fusion: mid-exon { PPIL2:ETV6} | NA |

| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-00404504-T01-IM6-211 | P-00404504-T01-IM6 | P-00404504 | Ovarian Cancer | HGSOC | SLIT2-ETV6 | SLIT2 | out-of-frame | three_prime | 120340590 | 6 | 337 | True | 337 | True | exact match | lost | 0.0 | False | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | SLIT2 (NM_004787)-ETV6 (NM_001987) rearrangement: t(4;12)(p15.31;p13.2)(chr4:g.20374490::chr12:g.12034059)\|Protein Fusion: out of frame{SLIT2:ETV6} | NA |


| event_id | sample_id | patient_id | tumor_type | oncotree_code | fusion_name | partner_gene | frame_status | target_role | breakpoint_genomic | breakpoint_exon | breakpoint_protein_position | is_intronic_breakpoint | fusion_annotation_crosscheck_protein_position | fusion_annotation_crosscheck_agrees | fusion_annotation_crosscheck_detail | domain_status | domain_retained_fraction | domain_is_truncated | domain_reconstitution | reconstitution_pfam_accession | reconstitution_five_prime_span | reconstitution_three_prime_span | reconstitution_junction_gap_fraction | reconstitution_junction_gap_residues | reconstitution_partner_breakpoint_protein_position | reconstitution_partner_domain_start_aa | reconstitution_partner_domain_end_aa | reconstitution_partner_breakpoint_mid_exon | reconstitution_detail | retained_domains | lost_domains | disrupted_domains | source_annotation_text | source_site2_effect_on_frame |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| EVT-P-00404504-T02-IM6-212 | P-00404504-T02-IM6 | P-00404504 | Ovarian Cancer | HGSOC | SLIT2-ETV6 | SLIT2 | out-of-frame | three_prime | 120340594 | 6 | 337 | True | 337 | True | exact match | lost | 0.0 | False | | | | | | | | | | | | | Sterile alpha motif (SAM)/Pointed domain | | SLIT2 (NM_004787)-ETV6 (NM_001987) rearrangement: t(4;12)(p15.31;p13.2)(chr4:g.20374490::chr12:g.12034059)\|Protein Fusion: out of frame {SLIT2:ETV6} | NA |

# Figures

## domain retention outliers




## fusion schematic




Partner-block colors are decorative; row labels identify partners.

Showing the top 28 of 30 partner/breakpoint groups by recurrence; see results.tsv for the complete list.

# intragenic deletion schematic

