






Decay rate vs chromosome size
log observed decay rate (a)
log chromosome size (bp)
−5.0
−5.5
−6.0
−6.5
−7.0
16.4
16.6
16.8
17.0
17.2
Chr21
Chr5
Chr10
Chr6
Chr8
Chr13
Chr16
Chr14
Chr2
Chr7
Chr1
Chr12
Chr9
Chr4



Rho covered by current slide
ρ
0.9988
0.9984
0.9980
Chr1
Chr2
Chr3
Chr4
Chr5
Chr6
Chr7
Chr8
Chr9
Chr10
Chr11
Chr12
Chr13
Chr14
Chr15
Chr16
Chr17
Chr18
Chr20
Chr21
Chromosome



Informative windows per chromosome
Number of structured windows
0
10
20
30
Chr1
Chr2
Chr3
Chr4
Chr5
Chr6
Chr7
Chr8
Chr9
Chr10
Chr11
Chr12
Chr13
Chr14
Chr15
Chr16
Chr17
Chr18
Chr20
Chr21



Recommended slide sizes
rho=0.99
Suggested slide (SNPs)
50
60
70
80
90
100
Chr1
Chr2
Chr3
Chr4
Chr5
Chr6
Chr7
Chr8
Chr9
Chr10
Chr11
Chr12
Chr13
Chr14
Chr15
Chr16
Chr17
Chr18
Chr20
Chr21
Chromosome



Chr1: window−wise decay rate
Decay rate (a)
0.000
0.004
0.008
0.0e+00
5.0e+06
1.0e+07
1.5e+07
2.0e+07
2.5e+07
Genomic position (bp)
Chr1: window−wise short−range LD
Short−range LD (c)
0.85
0.90
0.95
1.00
0.0e+00
5.0e+06
1.0e+07
1.5e+07
2.0e+07
2.5e+07
Genomic position (bp)
Chr1: LD contrast across windows
c − b
0.80
0.85
0.90
0.95
0.0e+00
5.0e+06
1.0e+07
1.5e+07
2.0e+07
2.5e+07
Genomic position (bp)
Chr1: fitted decay curves
r2
0.2
0.4
0.6
0.8
1.0
0e+00
1e+05
2e+05
3e+05
Distance (bp)



Chr2: window−wise decay rate
Decay rate (a)
0.000
0.005
0.010
0.015
0.0e+00
5.0e+06
1.0e+07
1.5e+07
2.0e+07
Genomic position (bp)
Chr2: window−wise short−range LD
Short−range LD (c)
0.85
0.90
0.95
1.00
0.0e+00
5.0e+06
1.0e+07
1.5e+07
2.0e+07
Genomic position (bp)
Chr2: LD contrast across windows
c − b
0.80
0.85
0.90
0.95
0.0e+00
5.0e+06
1.0e+07
1.5e+07
2.0e+07
Genomic position (bp)
Chr2: fitted decay curves
r2
0.2
0.4
0.6
0.8
1.0
0e+00
1e+05
2e+05
3e+05
Distance (bp)



Chr3: window−wise decay rate
Decay rate (a)
0.000
0.010
0.020
0.030
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr3: window−wise short−range LD
Short−range LD (c)
0.85
0.90
0.95
1.00
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr3: LD contrast across windows
c − b
0.80
0.85
0.90
0.95
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr3: fitted decay curves
r2
0.0
0.2
0.4
0.6
0.8
1.0
0e+00
1e+05
2e+05
3e+05
4e+05
Distance (bp)



Chr4: window−wise decay rate
Decay rate (a)
0.000
0.005
0.010
0.015
0.0e+00
1.0e+07
2.0e+07
3.0e+07
Genomic position (bp)
Chr4: window−wise short−range LD
Short−range LD (c)
0.75
0.80
0.85
0.90
0.95
1.00
0.0e+00
1.0e+07
2.0e+07
3.0e+07
Genomic position (bp)
Chr4: LD contrast across windows
c − b
0.70
0.75
0.80
0.85
0.90
0.95
0.0e+00
1.0e+07
2.0e+07
3.0e+07
Genomic position (bp)
Chr4: fitted decay curves
r2
0.2
0.4
0.6
0.8
1.0
0e+00
1e+05
2e+05
3e+05
4e+05
Distance (bp)



Chr5: window−wise decay rate
Decay rate (a)
0.000
0.005
0.010
0.015
0.0e+00
4.0e+06
8.0e+06
1.2e+07
Genomic position (bp)
Chr5: window−wise short−range LD
Short−range LD (c)
0.6
0.7
0.8
0.9
1.0
0.0e+00
4.0e+06
8.0e+06
1.2e+07
Genomic position (bp)
Chr5: LD contrast across windows
c − b
0.6
0.7
0.8
0.9
0.0e+00
4.0e+06
8.0e+06
1.2e+07
Genomic position (bp)
Chr5: fitted decay curves
r2
0.0
0.2
0.4
0.6
0.8
1.0
0e+00
1e+05
2e+05
3e+05
Distance (bp)



Chr6: window−wise decay rate
Decay rate (a)
0.005
0.010
0.015
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr6: window−wise short−range LD
Short−range LD (c)
0.85
0.90
0.95
1.00
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr6: LD contrast across windows
c − b
0.80
0.85
0.90
0.95
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr6: fitted decay curves
r2
0.0
0.2
0.4
0.6
0.8
1.0
0
50000
100000
150000
200000
250000
300000
Distance (bp)



Chr7: window−wise decay rate
Decay rate (a)
0.000
0.005
0.010
0.015
0.0e+00
5.0e+06
1.0e+07
1.5e+07
2.0e+07
2.5e+07
Genomic position (bp)
Chr7: window−wise short−range LD
Short−range LD (c)
0.80
0.85
0.90
0.95
1.00
Genomic position (bp)
Chr7: LD contrast across windows
c − b
0.75
0.80
0.85
0.90
0.95
Genomic position (bp)
Chr7: fitted decay curves
r2
0.0
0.2
0.4
0.6
0.8
1.0
0e+00
1e+05
2e+05
3e+05
4e+05
Distance (bp)



Chr8: window−wise decay rate
Decay rate (a)
0.000
0.004
0.008
0.012
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr8: window−wise short−range LD
Short−range LD (c)
0.85
0.90
0.95
1.00
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr8: LD contrast across windows
c − b
0.80
0.85
0.90
0.95
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr8: fitted decay curves
r2
0.0
0.2
0.4
0.6
0.8
1.0
0e+00
1e+05
2e+05
3e+05
4e+05
Distance (bp)



Chr9: window−wise decay rate
Decay rate (a)
0.000
0.005
0.010
0.015
0.0e+00
5.0e+06
1.0e+07
1.5e+07
2.0e+07
Genomic position (bp)
Chr9: window−wise short−range LD
Short−range LD (c)
0.70
0.80
0.90
1.00
0.0e+00
5.0e+06
1.0e+07
1.5e+07
2.0e+07
Genomic position (bp)
Chr9: LD contrast across windows
c − b
0.65
0.75
0.85
0.95
0.0e+00
5.0e+06
1.0e+07
1.5e+07
2.0e+07
Genomic position (bp)
Chr9: fitted decay curves
r2
0.2
0.4
0.6
0.8
1.0
0
50000
150000
250000
350000
Distance (bp)



Chr10: window−wise decay rate
Decay rate (a)
0.005
0.010
0.015
0.020
0.025
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr10: window−wise short−range LD
Short−range LD (c)
0.85
0.90
0.95
1.00
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr10: LD contrast across windows
c − b
0.80
0.85
0.90
0.95
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr10: fitted decay curves
r2
0.0
0.2
0.4
0.6
0.8
1.0
0e+00
1e+05
2e+05
3e+05
4e+05
Distance (bp)



Chr11: window−wise decay rate
Decay rate (a)
0.000
0.004
0.008
0.012
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr11: window−wise short−range LD
Short−range LD (c)
0.85
0.90
0.95
1.00
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr11: LD contrast across windows
c − b
0.80
0.85
0.90
0.95
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr11: fitted decay curves
r2
0.0
0.2
0.4
0.6
0.8
1.0
0
50000
100000
150000
200000
250000
300000
Distance (bp)



Chr12: window−wise decay rate
Decay rate (a)
0.000
0.004
0.008
0.012
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr12: window−wise short−range LD
Short−range LD (c)
0.85
0.90
0.95
1.00
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr12: LD contrast across windows
c − b
0.80
0.85
0.90
0.95
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr12: fitted decay curves
r2
0.2
0.4
0.6
0.8
1.0
0e+00
1e+05
2e+05
3e+05
Distance (bp)



Chr13: window−wise decay rate
Decay rate (a)
0.005
0.010
0.015
0.0e+00
5.0e+06
1.0e+07
1.5e+07
2.0e+07
Genomic position (bp)
Chr13: window−wise short−range LD
Short−range LD (c)
0.80
0.85
0.90
0.95
1.00
0.0e+00
5.0e+06
1.0e+07
1.5e+07
2.0e+07
Genomic position (bp)
Chr13: LD contrast across windows
c − b
0.75
0.80
0.85
0.90
0.95
0.0e+00
5.0e+06
1.0e+07
1.5e+07
2.0e+07
Genomic position (bp)
Chr13: fitted decay curves
r2
0.2
0.4
0.6
0.8
1.0
0e+00
1e+05
2e+05
3e+05
Distance (bp)



Chr14: window−wise decay rate
Decay rate (a)
0.000
0.005
0.010
0.015
0.020
0.025
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr14: window−wise short−range LD
Short−range LD (c)
0.80
0.85
0.90
0.95
1.00
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr14: LD contrast across windows
c − b
0.75
0.80
0.85
0.90
0.95
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr14: fitted decay curves
r2
0.0
0.2
0.4
0.6
0.8
1.0
0
50000
100000
200000
300000
Distance (bp)



Chr15: window−wise decay rate
Decay rate (a)
0.000
0.005
0.010
0.015
0.020
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr15: window−wise short−range LD
Short−range LD (c)
0.85
0.90
0.95
1.00
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr15: LD contrast across windows
c − b
0.80
0.85
0.90
0.95
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr15: fitted decay curves
r2
0.0
0.2
0.4
0.6
0.8
1.0
0
50000
150000
250000
350000
Distance (bp)


Chr16: window−wise decay rate
Decay rate (a)
0.000
0.005
0.010
0.015
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr16: window−wise short−range LD
Short−range LD (c)
0.80
0.85
0.90
0.95
1.00
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr16: LD contrast across windows
c − b
0.75
0.80
0.85
0.90
0.95
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr16: fitted decay curves
r2
0.0
0.2
0.4
0.6
0.8
1.0
0
50000
100000
200000
300000
Distance (bp)


Chr17: window−wise decay rate
Decay rate (a)
0.000
0.010
0.020
0.0e+00
4.0e+06
8.0e+06
1.2e+07
Genomic position (bp)
Chr17: window−wise short−range LD
Short−range LD (c)
0.6
0.7
0.8
0.9
1.0
0.0e+00
4.0e+06
8.0e+06
1.2e+07
Genomic position (bp)
Chr17: LD contrast across windows
c − b
0.6
0.7
0.8
0.9
0.0e+00
4.0e+06
8.0e+06
1.2e+07
Genomic position (bp)
Chr17: fitted decay curves
r2
0.2
0.4
0.6
0.8
1.0
0e+00
1e+05
2e+05
3e+05
4e+05
5e+05
Distance (bp)


Chr18: window−wise decay rate
Decay rate (a)
0.000
0.005
0.010
0.015
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr18: window−wise short−range LD
Short−range LD (c)
0.75
0.80
0.85
0.90
0.95
1.00
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr18: LD contrast across windows
c − b
0.70
0.75
0.80
0.85
0.90
0.95
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr18: fitted decay curves
r2
0.0
0.2
0.4
0.6
0.8
1.0
0e+00
1e+05
2e+05
3e+05
4e+05
Distance (bp)


Chr20: window−wise decay rate
Decay rate (a)
0.000
0.004
0.008
0.012
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr20: window−wise short−range LD
Short−range LD (c)
0.85
0.90
0.95
1.00
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr20: LD contrast across windows
c − b
0.80
0.85
0.90
0.95
0.0e+00
5.0e+06
1.0e+07
1.5e+07
Genomic position (bp)
Chr20: fitted decay curves
r2
0.2
0.4
0.6
0.8
1.0
0
50000
100000
150000
200000
250000
300000
Distance (bp)


Chr21: window−wise decay rate
Decay rate (a)
0.000
0.005
0.010
0.015
0e+00
2e+06
4e+06
6e+06
8e+06
1e+07
Genomic position (bp)
Chr21: window−wise short−range LD
Short−range LD (c)
0.80
0.85
0.90
0.95
1.00
Genomic position (bp)
Chr21: LD contrast across windows
c − b
0.75
0.80
0.85
0.90
0.95
Genomic position (bp)
Chr21: fitted decay curves
r2
0.0
0.2
0.4
0.6
0.8
1.0
0e+00
1e+05
2e+05
3e+05
4e+05
Distance (bp)