

```

{
  "nodes": [
    {
      "id": "startAgentflow_0",
      "position": {
        "x": 147.10079746410145,
        "y": -180.02397216830107
      },
      "data": {
        "label": "Start",
        "name": "startAgentflow",
        "version": 1,
        "type": "Start",
        "category": "Agent Flows",
        "description": "Starting point of the agentflow",
        "baseClasses": [
          "Start"
        ],
        "color": "#7EE787",
        "hideInput": true,
        "inputs": {
          "startInputType": "chatInput",
          "formTitle": "",
          "formDescription": "",
          "formInputTypes": "",
          "startEphemeralMemory": "",
          "startState": [
            {
              "key": "rdb_schema",
              "value": ""
            },
            {
              "key": "sql_query",
              "value": ""
            },
            {
              "key": "sql_result",
              "value": ""
            },
            {
              "key": "is_valid",
              "value": ""
            },
            {
              "key": "feedback",
              "value": ""
            },
            {
              "key": "report",
              "value": ""
            },
            {
              "key": "data_format",

```

```

        "value": ""
    },
    {
        "key": "chart_title",
        "value": ""
    },
    {
        "key": "chart_unit",
        "value": ""
    },
    {
        "key": "chart_data",
        "value": ""
    }
]
},
"filePath": "/app/packages/server/node_modules/flowise-components/
"inputAnchors": [],
"inputParams": [
    {
        "label": "Input Type",
        "name": "startInputType",
        "type": "options",
        "options": [
            {
                "label": "Chat Input",
                "name": "chatInput",
                "description": "Start the conversation with chat input"
            },
            {
                "label": "Form Input",
                "name": "formInput",
                "description": "Start the workflow with form inputs"
            }
        ],
        "default": "chatInput",
        "id": "startAgentflow_0-input-startInputType-options",
        "display": true
    },
    {
        "label": "Form Title",
        "name": "formTitle",
        "type": "string",
        "placeholder": "Please Fill Out The Form",
        "show": {
            "startInputType": "formInput"
        },
        "id": "startAgentflow_0-input-formTitle-string",
        "display": false
    },
    {
        "label": "Form Description",
        "name": "formDescription",
        "type": "string",

```

```

    "placeholder": "Complete all fields below to continue",
    "show": {
      "startInputType": "formInput"
    },
    "id": "startAgentflow_0-input-formDescription-string",
    "display": false
  },
  {
    "label": "Form Input Types",
    "name": "formInputTypes",
    "description": "Specify the type of form input",
    "type": "array",
    "show": {
      "startInputType": "formInput"
    },
    "array": [
      {
        "label": "Type",
        "name": "type",
        "type": "options",
        "options": [
          {
            "label": "String",
            "name": "string"
          },
          {
            "label": "Number",
            "name": "number"
          },
          {
            "label": "Boolean",
            "name": "boolean"
          },
          {
            "label": "Options",
            "name": "options"
          }
        ]
      },
      {
        "label": "Label",
        "name": "label",
        "type": "string",
        "placeholder": "Label for the input"
      },
      {
        "label": "Variable Name",
        "name": "name",
        "type": "string",
        "placeholder": "Variable name for the input (must be camel case)",
        "description": "Variable name must be camel case. For example, 'myVariableName' is valid, but 'my variable name' is not."
      }
    ]
  }
]

```

```

        "label": "Add Options",
        "name": "addOptions",
        "type": "array",
        "show": {
            "formInputTypes[$index].type": "options"
        },
        "array": [
            {
                "label": "Option",
                "name": "option",
                "type": "string"
            }
        ]
    },
    "id": "startAgentflow_0-input-formInputTypes-array",
    "display": false
},
{
    "label": "Ephemeral Memory",
    "name": "startEphemeralMemory",
    "type": "boolean",
    "description": "Start fresh for every execution without past c",
    "optional": true,
    "id": "startAgentflow_0-input-startEphemeralMemory-boolean",
    "display": true
},
{
    "label": "Flow State",
    "name": "startState",
    "description": "Runtime state during the execution of the work",
    "type": "array",
    "optional": true,
    "array": [
        {
            "label": "Key",
            "name": "key",
            "type": "string",
            "placeholder": "Foo"
        },
        {
            "label": "Value",
            "name": "value",
            "type": "string",
            "placeholder": "Bar",
            "optional": true
        }
    ],
    "id": "startAgentflow_0-input-startState-array",
    "display": true
}
],
"outputs": {},
"outputAnchors": [

```

```

        {
            "id": "startAgentflow_0-output-startAgentflow",
            "label": "Start",
            "name": "startAgentflow"
        }
    ],
    "id": "startAgentflow_0",
    "selected": false,
    "status": "FINISHED"
},
"type": "agentFlow",
"width": 103,
"height": 66,
"selected": false,
"positionAbsolute": {
    "x": 147.10079746410145,
    "y": -180.02397216830107
},
"dragging": false
},
{
    "id": "llmAgentflow_0",
    "position": {
        "x": 289.6956483868868,
        "y": -179.47518120500428
    },
    "data": {
        "loadMethods": {},
        "label": "LLM 1",
        "name": "llmAgentflow",
        "version": 1,
        "type": "LLM",
        "category": "Agent Flows",
        "description": "Large language models to analyze user-provided inp",
        "color": "#64B5F6",
        "baseClasses": [
            "LLM"
        ],
        "inputs": {
            "llmModel": "chatMnc",
            "llmMessages": [
                {
                    "role": "developer",
                    "content": "

```

사용자 질문이 데이터 분석을 위한 질문인지 판단하여 출력 예시에 맞게 답변하시오.

## 출력 예시

```
{\"is_valid\": \"yes\"}
```

또는

```
{\"is_valid\": \"no\"}
```

## 사용자 질문

{{ question }}

"

```
    }
  ],
  "llmEnableMemory": true,
  "llmMemoryType": "allMessages",
  "llmUserMessage": "",
  "llmReturnResponseAs": "assistantMessage",
  "llmStructuredOutput": [
    {
      "key": "is_valid",
      "type": "enum",
      "enumValues": "yes, no",
      "jsonSchema": "",
      "description": "사용자 질문이 데이터 분석을 위한 질문인지 판단한 결과"
    }
  ],
  "llmUpdateState": [
    {
      "key": "is_valid",
      "value": ""
    }
  ]
}
```

{{ output.is\_valid }}

"

```
    }
  ],
  "llmModelConfig": {
    "serving": "{ \"basePath\": \"http://llmops-gateway-api-service:",
    "servingRevision": "",
    "maxTokens": 512,
    "temperature": 0.9,
    "streaming": true,
    "topP": "",
    "frequencyPenalty": "",
    "presencePenalty": "",
    "timeout": "",
    "baseOptions": "",
    "allowImageUploads": "",
    "imageResolution": "low",
    "llmModel": "chatMnc"
  }
},
"filePath": "/app/packages/server/node_modules/flowise-components/",
"inputAnchors": [],
"inputParams": [
  {
    "label": "Model",
    "name": "llmModel",
    "type": "asyncOptions",
    "loadMethod": "listModels",
  }
]
```

```

    "loadConfig": true,
    "id": "llmAgentflow_0-input-llmModel-asyncOptions",
    "display": true
  },
  {
    "label": "Messages",
    "name": "llmMessages",
    "type": "array",
    "optional": true,
    "acceptVariable": true,
    "array": [
      {
        "label": "Role",
        "name": "role",
        "type": "options",
        "options": [
          {
            "label": "System",
            "name": "system"
          },
          {
            "label": "Assistant",
            "name": "assistant"
          },
          {
            "label": "Developer",
            "name": "developer"
          },
          {
            "label": "User",
            "name": "user"
          }
        ]
      },
      {
        "label": "Content",
        "name": "content",
        "type": "string",
        "acceptVariable": true,
        "generateInstruction": true,
        "rows": 4
      }
    ],
    "id": "llmAgentflow_0-input-llmMessages-array",
    "display": true
  },
  {
    "label": "Enable Memory",
    "name": "llmEnableMemory",
    "type": "boolean",
    "description": "Enable memory for the conversation thread",
    "default": true,
    "optional": true,
    "id": "llmAgentflow_0-input-llmEnableMemory-boolean",

```

```

    "display": true
  },
  {
    "label": "Memory Type",
    "name": "llmMemoryType",
    "type": "options",
    "options": [
      {
        "label": "All Messages",
        "name": "allMessages",
        "description": "Retrieve all messages from the conversation"
      },
      {
        "label": "Window Size",
        "name": "windowSize",
        "description": "Uses a fixed window size to surface the last N"
      },
      {
        "label": "Conversation Summary",
        "name": "conversationSummary",
        "description": "Summarizes the whole conversation"
      },
      {
        "label": "Conversation Summary Buffer",
        "name": "conversationSummaryBuffer",
        "description": "Summarize conversations once token limit is reached"
      }
    ],
    "optional": true,
    "default": "allMessages",
    "show": {
      "llmEnableMemory": true
    },
    "id": "llmAgentflow_0-input-llmMemoryType-options",
    "display": true
  },
  {
    "label": "Window Size",
    "name": "llmMemoryWindowSize",
    "type": "number",
    "default": "20",
    "description": "Uses a fixed window size to surface the last N"
    "show": {
      "llmMemoryType": "windowSize"
    },
    "id": "llmAgentflow_0-input-llmMemoryWindowSize-number",
    "display": false
  },
  {
    "label": "Max Token Limit",
    "name": "llmMemoryMaxTokenLimit",
    "type": "number",
    "default": "2000",
    "description": "Summarize conversations once token limit is reached"
  }
]

```



```

    "show": {
      "llmMemoryType": "conversationSummaryBuffer"
    },
    "id": "llmAgentflow_0-input-llmMemoryMaxTokenLimit-number",
    "display": false
  },
  {
    "label": "Input Message",
    "name": "llmUserMessage",
    "type": "string",
    "description": "Add an input message as user message at the end of the conversation",
    "rows": 4,
    "optional": true,
    "acceptVariable": true,
    "show": {
      "llmEnableMemory": true
    },
    "id": "llmAgentflow_0-input-llmUserMessage-string",
    "display": true
  },
  {
    "label": "Return Response As",
    "name": "llmReturnResponseAs",
    "type": "options",
    "options": [
      {
        "label": "User Message",
        "name": "userMessage"
      },
      {
        "label": "Assistant Message",
        "name": "assistantMessage"
      }
    ],
    "default": "userMessage",
    "id": "llmAgentflow_0-input-llmReturnResponseAs-options",
    "display": true
  },
  {
    "label": "JSON Structured Output",
    "name": "llmStructuredOutput",
    "description": "Instruct the LLM to give output in a JSON structured format",
    "type": "array",
    "optional": true,
    "acceptVariable": true,
    "array": [
      {
        "label": "Key",
        "name": "key",
        "type": "string"
      },
      {
        "label": "Type",
        "name": "type",

```

```

"type": "options",
"options": [
  {
    "label": "String",
    "name": "string"
  },
  {
    "label": "String Array",
    "name": "stringArray"
  },
  {
    "label": "Number",
    "name": "number"
  },
  {
    "label": "Boolean",
    "name": "boolean"
  },
  {
    "label": "Enum",
    "name": "enum"
  },
  {
    "label": "JSON Array",
    "name": "jsonArray"
  }
]
},
{
  "label": "Enum Values",
  "name": "enumValues",
  "type": "string",
  "placeholder": "value1, value2, value3",
  "description": "Enum values. Separated by comma",
  "optional": true,
  "show": {
    "llmStructuredOutput[$index].type": "enum"
  }
},
{
  "label": "JSON Schema",
  "name": "jsonSchema",
  "type": "code",
  "placeholder": "{\n  \"answer\": {\n    \"type\": \"\n  }\n}",
  "description": "JSON schema for the structured output",
  "optional": true,
  "show": {
    "llmStructuredOutput[$index].type": "jsonArray"
  }
},
{
  "label": "Description",
  "name": "description",
  "type": "string",

```

```

        "placeholder": "Description of the key"
    },
    ],
    "id": "llmAgentflow_0-input-llmStructuredOutput-array",
    "display": true
},
{
    "label": "Update Flow State",
    "name": "llmUpdateState",
    "description": "Update runtime state during the execution of t",
    "type": "array",
    "optional": true,
    "acceptVariable": true,
    "array": [
        {
            "label": "Key",
            "name": "key",
            "type": "asyncOptions",
            "loadMethod": "listRuntimeStateKeys",
            "freeSolo": true
        },
        {
            "label": "Value",
            "name": "value",
            "type": "string",
            "acceptVariable": true,
            "acceptNodeOutputAsVariable": true
        }
    ],
    "id": "llmAgentflow_0-input-llmUpdateState-array",
    "display": true
}
],
"outputs": {},
"outputAnchors": [
    {
        "id": "llmAgentflow_0-output-llmAgentflow",
        "label": "LLM",
        "name": "llmAgentflow"
    }
],
"id": "llmAgentflow_0",
"selected": false,
"status": "FINISHED"
},
"type": "agentFlow",
"width": 112,
"height": 72,
"selected": false,
"positionAbsolute": {
    "x": 289.6956483868868,
    "y": -179.47518120500428
},
"dragging": false

```

```

    },
    {
      "id": "conditionAgentflow_0",
      "position": {
        "x": 267.40587470900283,
        "y": -22.36361294770036
      },
      "data": {
        "label": "Condition 1",
        "name": "conditionAgentflow",
        "version": 1,
        "type": "Condition",
        "category": "Agent Flows",
        "description": "Split flows based on If Else conditions",
        "baseClasses": [
          "Condition"
        ],
        "color": "#FFB938",
        "inputs": {
          "conditions": [
            {
              "type": "string",
              "value1": "
{{ $flow.state.is_valid }}"
            }
          ]
        },
        "outputs": {
          "conditionAgentflow": ""
        },
        "filePath": "/app/packages/server/node_modules/flowise-components/
        "inputAnchors": [],
        "inputParams": [
          {
            "label": "Conditions",
            "name": "conditions",
            "type": "array",
            "description": "Values to compare",
            "acceptVariable": true,
            "default": [
              {
                "type": "string",
                "value1": "
{{ $flow.state.is_valid }}"
            ]
          }
        ]
      }
    }
  ]
}

```

",

```
"operation": "equal",  
"value2": "
```

yes

"

```
    }  
  ],  
  "array": [  
    {  
      "label": "Type",  
      "name": "type",  
      "type": "options",  
      "options": [  
        {  
          "label": "String",  
          "name": "string"  
        },  
        {  
          "label": "Number",  
          "name": "number"  
        },  
        {  
          "label": "Boolean",  
          "name": "boolean"  
        }  
      ],  
      "default": "string"  
    },  
    {  
      "label": "Value 1",  
      "name": "value1",  
      "type": "string",  
      "default": "",  
      "description": "First value to be compared with",  
      "acceptVariable": true,  
      "show": {  
        "conditions[$index].type": "string"  
      }  
    },  
    {  
      "label": "Operation",  
      "name": "operation",  
      "type": "options",  
      "options": [  
        {  
          "label": "Contains",  
          "name": "contains"  
        },  
        {  
          "label": "Ends With",  
          "name": "endsWith"  
        }  
      ],  
    },  
  ],  
}
```

```

        {
            "label": "Equal",
            "name": "equal"
        },
        {
            "label": "Not Contains",
            "name": "notContains"
        },
        {
            "label": "Not Equal",
            "name": "notEqual"
        },
        {
            "label": "Regex",
            "name": "regex"
        },
        {
            "label": "Starts With",
            "name": "startsWith"
        },
        {
            "label": "Is Empty",
            "name": "isEmpty"
        },
        {
            "label": "Not Empty",
            "name": "notEmpty"
        }
    ],
    "default": "equal",
    "description": "Type of operation",
    "show": {
        "conditions[$index].type": "string"
    }
},
{
    "label": "Value 2",
    "name": "value2",
    "type": "string",
    "default": "",
    "description": "Second value to be compared with",
    "acceptVariable": true,
    "show": {
        "conditions[$index].type": "string"
    },
    "hide": {
        "conditions[$index].operation": [
            "isEmpty",
            "notEmpty"
        ]
    }
},
{
    "label": "Value 1",

```

```

    "name": "value1",
    "type": "number",
    "default": "",
    "description": "First value to be compared with",
    "acceptVariable": true,
    "show": {
      "conditions[$index].type": "number"
    }
  },
  {
    "label": "Operation",
    "name": "operation",
    "type": "options",
    "options": [
      {
        "label": "Smaller",
        "name": "smaller"
      },
      {
        "label": "Smaller Equal",
        "name": "smallerEqual"
      },
      {
        "label": "Equal",
        "name": "equal"
      },
      {
        "label": "Not Equal",
        "name": "notEqual"
      },
      {
        "label": "Larger",
        "name": "larger"
      },
      {
        "label": "Larger Equal",
        "name": "largerEqual"
      },
      {
        "label": "Is Empty",
        "name": "isEmpty"
      },
      {
        "label": "Not Empty",
        "name": "notEmpty"
      }
    ],
    "default": "equal",
    "description": "Type of operation",
    "show": {
      "conditions[$index].type": "number"
    }
  },
  {

```

```

        "label": "Value 2",
        "name": "value2",
        "type": "number",
        "default": 0,
        "description": "Second value to be compared with",
        "acceptVariable": true,
        "show": {
            "conditions[$index].type": "number"
        }
    },
    {
        "label": "Value 1",
        "name": "value1",
        "type": "boolean",
        "default": false,
        "description": "First value to be compared with",
        "show": {
            "conditions[$index].type": "boolean"
        }
    },
    {
        "label": "Operation",
        "name": "operation",
        "type": "options",
        "options": [
            {
                "label": "Equal",
                "name": "equal"
            },
            {
                "label": "Not Equal",
                "name": "notEqual"
            }
        ],
        "default": "equal",
        "description": "Type of operation",
        "show": {
            "conditions[$index].type": "boolean"
        }
    },
    {
        "label": "Value 2",
        "name": "value2",
        "type": "boolean",
        "default": false,
        "description": "Second value to be compared with",
        "show": {
            "conditions[$index].type": "boolean"
        }
    }
],
"id": "conditionAgentflow_0-input-conditions-array",
"display": true
}

```



```

    ],
    "outputAnchors": [
      {
        "id": "conditionAgentflow_0-output-0",
        "label": "Condition",
        "name": "conditionAgentflow"
      },
      {
        "id": "conditionAgentflow_0-output-1",
        "label": "Condition",
        "name": "conditionAgentflow"
      }
    ],
    "id": "conditionAgentflow_0",
    "selected": false,
    "status": "FINISHED"
  },
  "type": "agentFlow",
  "width": 144,
  "height": 80,
  "selected": false,
  "positionAbsolute": {
    "x": 267.40587470900283,
    "y": -22.36361294770036
  },
  "dragging": false
},
{
  "id": "llmAgentflow_1",
  "position": {
    "x": 454.004226931845,
    "y": -8.427962374450289
  },
  "data": {
    "loadMethods": {},
    "label": "DAA-Chat-LLM_2",
    "name": "llmAgentflow",
    "version": 1,
    "type": "LLM",
    "category": "Agent Flows",
    "description": "Large language models to analyze user-provided inp",
    "color": "#64B5F6",
    "baseClasses": [
      "LLM"
    ],
    "inputs": {
      "llmModel": "chatMnc",
      "llmMessages": [
        {
          "role": "system",
          "content": "

```

사용자 질문에 적절히 답변하세요.

## 사용자 질문

{{question}}

"

```
    }
  ],
  "llmEnableMemory": true,
  "llmMemoryType": "allMessages",
  "llmUserMessage": "",
  "llmReturnResponseAs": "userMessage",
  "llmStructuredOutput": "",
  "llmUpdateState": "",
  "llmModelConfig": {
    "cache": "",
    "serving": "{\\"basePath\\":\\"http://llmops-gateway-api-service:",
    "servingRevision": 475,
    "maxTokens": 512,
    "temperature": 0.9,
    "streaming": true,
    "topP": "",
    "frequencyPenalty": "",
    "presencePenalty": "",
    "timeout": "",
    "baseOptions": "",
    "allowImageUploads": "",
    "imageResolution": "low",
    "llmModel": "chatMnc"
  }
},
"filePath": "/app/packages/server/node_modules/flowise-components/",
"inputAnchors": [],
"inputParams": [
  {
    "label": "Model",
    "name": "llmModel",
    "type": "asyncOptions",
    "loadMethod": "listModels",
    "loadConfig": true,
    "id": "llmAgentflow_1-input-llmModel-asyncOptions",
    "display": true
  },
  {
    "label": "Messages",
    "name": "llmMessages",
    "type": "array",
    "optional": true,
    "acceptVariable": true,
    "array": [
      {
        "label": "Role",
        "name": "role",
        "type": "options",
        "options": [
```

```

        {
            "label": "System",
            "name": "system"
        },
        {
            "label": "Assistant",
            "name": "assistant"
        },
        {
            "label": "Developer",
            "name": "developer"
        },
        {
            "label": "User",
            "name": "user"
        }
    ]
},
{
    "label": "Content",
    "name": "content",
    "type": "string",
    "acceptVariable": true,
    "generateInstruction": true,
    "rows": 4
}
],
"id": "llmAgentflow_1-input-llmMessages-array",
"display": true
},
{
    "label": "Enable Memory",
    "name": "llmEnableMemory",
    "type": "boolean",
    "description": "Enable memory for the conversation thread",
    "default": true,
    "optional": true,
    "id": "llmAgentflow_1-input-llmEnableMemory-boolean",
    "display": true
},
{
    "label": "Memory Type",
    "name": "llmMemoryType",
    "type": "options",
    "options": [
        {
            "label": "All Messages",
            "name": "allMessages",
            "description": "Retrieve all messages from the conversation"
        },
        {
            "label": "Window Size",
            "name": "windowSize",
            "description": "Uses a fixed window size to surface the latest"
        }
    ]
}

```

```

    },
    {
      "label": "Conversation Summary",
      "name": "conversationSummary",
      "description": "Summarizes the whole conversation"
    },
    {
      "label": "Conversation Summary Buffer",
      "name": "conversationSummaryBuffer",
      "description": "Summarize conversations once token limit i
    }
  ],
  "optional": true,
  "default": "allMessages",
  "show": {
    "llmEnableMemory": true
  },
  "id": "llmAgentflow_1-input-llmMemoryType-options",
  "display": true
},
{
  "label": "Window Size",
  "name": "llmMemoryWindowSize",
  "type": "number",
  "default": "20",
  "description": "Uses a fixed window size to surface the last N
  "show": {
    "llmMemoryType": "windowSize"
  },
  "id": "llmAgentflow_1-input-llmMemoryWindowSize-number",
  "display": false
},
{
  "label": "Max Token Limit",
  "name": "llmMemoryMaxTokenLimit",
  "type": "number",
  "default": "2000",
  "description": "Summarize conversations once token limit is re
  "show": {
    "llmMemoryType": "conversationSummaryBuffer"
  },
  "id": "llmAgentflow_1-input-llmMemoryMaxTokenLimit-number",
  "display": false
},
{
  "label": "Input Message",
  "name": "llmUserMessage",
  "type": "string",
  "description": "Add an input message as user message at the en
  "rows": 4,
  "optional": true,
  "acceptVariable": true,
  "show": {
    "llmEnableMemory": true
  }
}

```

```

    },
    "id": "llmAgentflow_1-input-llmUserMessage-string",
    "display": true
  },
  {
    "label": "Return Response As",
    "name": "llmReturnResponseAs",
    "type": "options",
    "options": [
      {
        "label": "User Message",
        "name": "userMessage"
      },
      {
        "label": "Assistant Message",
        "name": "assistantMessage"
      }
    ],
    "default": "userMessage",
    "id": "llmAgentflow_1-input-llmReturnResponseAs-options",
    "display": true
  },
  {
    "label": "JSON Structured Output",
    "name": "llmStructuredOutput",
    "description": "Instruct the LLM to give output in a JSON stru",
    "type": "array",
    "optional": true,
    "acceptVariable": true,
    "array": [
      {
        "label": "Key",
        "name": "key",
        "type": "string"
      },
      {
        "label": "Type",
        "name": "type",
        "type": "options",
        "options": [
          {
            "label": "String",
            "name": "string"
          },
          {
            "label": "String Array",
            "name": "stringArray"
          },
          {
            "label": "Number",
            "name": "number"
          },
          {
            "label": "Boolean",

```

```

        "name": "boolean"
    },
    {
        "label": "Enum",
        "name": "enum"
    },
    {
        "label": "JSON Array",
        "name": "jsonArray"
    }
]
},
{
    "label": "Enum Values",
    "name": "enumValues",
    "type": "string",
    "placeholder": "value1, value2, value3",
    "description": "Enum values. Separated by comma",
    "optional": true,
    "show": {
        "llmStructuredOutput[$index].type": "enum"
    }
},
{
    "label": "JSON Schema",
    "name": "jsonSchema",
    "type": "code",
    "placeholder": "{\n    \"answer\": {\n        \"type\": \"\n    }\n}",
    "description": "JSON schema for the structured output",
    "optional": true,
    "show": {
        "llmStructuredOutput[$index].type": "jsonArray"
    }
},
{
    "label": "Description",
    "name": "description",
    "type": "string",
    "placeholder": "Description of the key"
}
],
"id": "llmAgentflow_1-input-llmStructuredOutput-array",
"display": true
},
{
    "label": "Update Flow State",
    "name": "llmUpdateState",
    "description": "Update runtime state during the execution of t",
    "type": "array",
    "optional": true,
    "acceptVariable": true,
    "array": [
        {
            "label": "Key",

```

```

        "name": "key",
        "type": "asyncOptions",
        "loadMethod": "listRuntimeStateKeys",
        "freeSolo": true
    },
    {
        "label": "Value",
        "name": "value",
        "type": "string",
        "acceptVariable": true,
        "acceptNodeOutputAsVariable": true
    }
],
    "id": "llmAgentflow_1-input-llmUpdateState-array",
    "display": true
}
],
"outputs": {},
"outputAnchors": [
    {
        "id": "llmAgentflow_1-output-llmAgentflow",
        "label": "LLM",
        "name": "llmAgentflow"
    }
],
    "id": "llmAgentflow_1",
    "selected": false,
    "status": "FINISHED"
},
    "type": "agentFlow",
    "width": 186,
    "height": 72,
    "selected": false,
    "positionAbsolute": {
        "x": 454.004226931845,
        "y": -8.427962374450289
    },
    "dragging": false
},
{
    "id": "customFunctionAgentflow_0",
    "position": {
        "x": 448.1224029631722,
        "y": -100.23772622837555
    },
    "data": {
        "loadMethods": {},
        "label": "DAA-Schema-CustomFunction",
        "name": "customFunctionAgentflow",
        "version": 1,
        "type": "CustomFunction",
        "category": "Agent Flows",
        "description": "Execute custom function",
        "baseClasses": [

```

```

        "CustomFunction"
    ],
    "color": "#E4B7FF",
    "inputs": {
        "customFunctionInputVariables": [],
        "customFunctionJavascriptFunction": "const mysql = require('mysql');",
        "customFunctionUpdateState": [
            {
                "key": "rdb_schema",
                "value": ""
            }
        ]
    },
    {{ output }}
}
]
},
"filePath": "/app/packages/server/node_modules/flowise-components/...",
"inputAnchors": [],
"inputParams": [
    {
        "label": "Input Variables",
        "name": "customFunctionInputVariables",
        "description": "Input variables can be used in the function with {{variableName}}",
        "type": "array",
        "optional": true,
        "acceptVariable": true,
        "array": [
            {
                "label": "Variable Name",
                "name": "variableName",
                "type": "string"
            },
            {
                "label": "Variable Value",
                "name": "variableValue",
                "type": "string",
                "acceptVariable": true
            }
        ]
    },
    {
        "id": "customFunctionAgentflow_0-input-customFunctionInputVariables",
        "display": true
    },
    {
        "label": "Javascript Function",
        "name": "customFunctionJavascriptFunction",
        "type": "code",
        "codeExample": "/*\n* You can use any libraries imported in Flowise\n* The function to execute. Must return a string\n*/",
        "id": "customFunctionAgentflow_0-input-customFunctionJavascriptFunction",
        "display": true
    },
    {
        "label": "Update Flow State",

```



```

        "name": "customFunctionUpdateState",
        "description": "Update runtime state during the execution of t
        "type": "array",
        "optional": true,
        "acceptVariable": true,
        "array": [
            {
                "label": "Key",
                "name": "key",
                "type": "asyncOptions",
                "loadMethod": "listRuntimeStateKeys",
                "freeSolo": true
            },
            {
                "label": "Value",
                "name": "value",
                "type": "string",
                "acceptVariable": true,
                "acceptNodeOutputAsVariable": true
            }
        ],
        "id": "customFunctionAgentflow_0-input-customFunctionUpdateSta
        "display": true
    }
],
"outputs": {},
"outputAnchors": [
    {
        "id": "customFunctionAgentflow_0-output-customFunctionAgentflo
        "label": "Custom Function",
        "name": "customFunctionAgentflow"
    }
],
"id": "customFunctionAgentflow_0",
"selected": false
},
"type": "agentFlow",
"width": 272,
"height": 66,
"selected": false,
"positionAbsolute": {
    "x": 448.1224029631722,
    "y": -100.23772622837555
},
"dragging": false
},
{
    "id": "llmAgentflow_2",
    "position": {
        "x": 614.5628052475917,
        "y": 101.96934440367644
    },
    "data": {
        "loadMethods": {},

```

```
"label": "DAA-Query-LLM-generate_part",
"name": "llmAgentflow",
"version": 1,
"type": "LLM",
"category": "Agent Flows",
"description": "Large language models to analyze user-provided inp
"color": "#64B5F6",
"baseClasses": [
  "LLM"
],
"inputs": {
  "llmModel": "chatMnc",
  "llmMessages": [
    {
      "role": "system",
      "content": "
```

## 입력

- DB 스키마:
  - `{{ $flow.state.rdb_schema }}`
- 사용자 요청:
  - `{{ question }}`

## 요구사항

올바르고 최적화된 MySQL 쿼리를 생성해야 하며, 다음 조건을 만족해야 합니다.

1. MySQL 문법에 맞아야 함.
2. 예약어인 테이블명과 컬럼명은 반드시 백틱(`)으로 감싸야 함.
3. 스키마에 존재하는 테이블과 컬럼만 참조해야 함.
4. 괄호, 따옴표, 이스케이프 처리가 정확하고 완전해야 함.
5. 집계하지 않은 모든 컬럼은 GROUP BY에 포함되어야 하며, 집계는 반드시 함수(COUNT, AVG)
6. 모든 조인은 명시적 조인(ON/USING)만 사용해야 하며, 암시적 조인은 사용하지 않음.
7. ORDER BY는 결과 컬럼(컬럼명, 별칭, 또는 컬럼 인덱스)만 사용해야 함.
8. LIMIT과 OFFSET은 반드시 숫자 값만 사용해야 함.
9. 예약어를 포함한 컬럼명 또는 별칭과의 충돌을 피해야 함.

10. SELECT \*는 사용하지 않고 필요한 컬럼만 선택해야 함.

11. **이전 쿼리**(PREVIOUS QUERY)와 **오류**(ERROR)가 제공된 경우, 실패 원인을 분석하고 수정해야 함.

12. 사용자의 요청에 여러 개의 서로 다른 값, 조건, 집계(예: 전체 합계와 조건별 합계)가 포함

- CASE WHEN을 사용한 조건부 집계로 나란히 요약
- UNION ALL을 사용하여 논리적으로 구분된 SELECT를 세로로 연결

1. 복잡한 요구사항의 경우, 쿼리 내부를 명확한 구간으로 나누고 각 구간의 목적을 분명하게 작성

2. 불필요한 서브쿼리나 중첩 쿼리는 성능 또는 가독성을 위해 필요한 경우에만 사용해야 함.

3. 집계(COUNT, SUM, AVG 등)를 수행할 때, 집계 전에 DISTINCT를 적용하여 전체 행 수를 줄

- 중복 제거가 필요한 경우, COUNT(DISTINCT 컬럼)처럼 집계 함수 내부에서만 DISTINCT를
- CTE나 서브쿼리에서 DISTINCT로 행 수를 줄이는 것은 집계 결과를 왜곡하므로 금지.

"

```
    }
  ],
  "llmEnableMemory": true,
  "llmMemoryType": "allMessages",
  "llmUserMessage": "",
  "llmReturnResponseAs": "assistantMessage",
  "llmStructuredOutput": [
    {
      "key": "sql_query",
      "type": "string",
      "enumValues": "",
      "jsonSchema": "",
      "description": "MySQL query"
    }
  ],
  "llmUpdateState": [
    {
      "key": "sql_query",
      "value": ""
    }
  ]
}
```

{{ output.sql\_query }}

"

```
    }
  ],
  "llmModelConfig": {
    "cache": "",
    "serving": "{ \"basePath\": \"http://llmops-gateway-api-service:\"",
    "servingRevision": "",
    "maxTokens": "-1",
    "temperature": 0.9,
  }
}
```

```

        "streaming": true,
        "topP": "",
        "frequencyPenalty": "",
        "presencePenalty": "",
        "timeout": "",
        "baseOptions": "",
        "allowImageUploads": "",
        "imageResolution": "low",
        "llmModel": "chatMnc"
    }
},
"filePath": "/app/packages/server/node_modules/flowise-components/
"inputAnchors": [],
"inputParams": [
    {
        "label": "Model",
        "name": "llmModel",
        "type": "asyncOptions",
        "loadMethod": "listModels",
        "loadConfig": true,
        "id": "llmAgentflow_2-input-llmModel-asyncOptions",
        "display": true
    },
    {
        "label": "Messages",
        "name": "llmMessages",
        "type": "array",
        "optional": true,
        "acceptVariable": true,
        "array": [
            {
                "label": "Role",
                "name": "role",
                "type": "options",
                "options": [
                    {
                        "label": "System",
                        "name": "system"
                    },
                    {
                        "label": "Assistant",
                        "name": "assistant"
                    },
                    {
                        "label": "Developer",
                        "name": "developer"
                    },
                    {
                        "label": "User",
                        "name": "user"
                    }
                ]
            }
        ]
    },
    {

```

```

        "label": "Content",
        "name": "content",
        "type": "string",
        "acceptVariable": true,
        "generateInstruction": true,
        "rows": 4
    }
],
"id": "llmAgentflow_2-input-llmMessages-array",
"display": true
},
{
    "label": "Enable Memory",
    "name": "llmEnableMemory",
    "type": "boolean",
    "description": "Enable memory for the conversation thread",
    "default": true,
    "optional": true,
    "id": "llmAgentflow_2-input-llmEnableMemory-boolean",
    "display": true
},
{
    "label": "Memory Type",
    "name": "llmMemoryType",
    "type": "options",
    "options": [
        {
            "label": "All Messages",
            "name": "allMessages",
            "description": "Retrieve all messages from the conversation"
        },
        {
            "label": "Window Size",
            "name": "windowSize",
            "description": "Uses a fixed window size to surface the latest messages"
        },
        {
            "label": "Conversation Summary",
            "name": "conversationSummary",
            "description": "Summarizes the whole conversation"
        },
        {
            "label": "Conversation Summary Buffer",
            "name": "conversationSummaryBuffer",
            "description": "Summarize conversations once token limit is reached"
        }
    ]
},
"optional": true,
"default": "allMessages",
"show": {
    "llmEnableMemory": true
},
"id": "llmAgentflow_2-input-llmMemoryType-options",
"display": true

```

```

    },
    {
      "label": "Window Size",
      "name": "llmMemoryWindowSize",
      "type": "number",
      "default": "20",
      "description": "Uses a fixed window size to surface the last N",
      "show": {
        "llmMemoryType": "windowSize"
      },
      "id": "llmAgentflow_2-input-llmMemoryWindowSize-number",
      "display": false
    },
    {
      "label": "Max Token Limit",
      "name": "llmMemoryMaxTokenLimit",
      "type": "number",
      "default": "2000",
      "description": "Summarize conversations once token limit is re",
      "show": {
        "llmMemoryType": "conversationSummaryBuffer"
      },
      "id": "llmAgentflow_2-input-llmMemoryMaxTokenLimit-number",
      "display": false
    },
    {
      "label": "Input Message",
      "name": "llmUserMessage",
      "type": "string",
      "description": "Add an input message as user message at the en",
      "rows": 4,
      "optional": true,
      "acceptVariable": true,
      "show": {
        "llmEnableMemory": true
      },
      "id": "llmAgentflow_2-input-llmUserMessage-string",
      "display": true
    },
    {
      "label": "Return Response As",
      "name": "llmReturnResponseAs",
      "type": "options",
      "options": [
        {
          "label": "User Message",
          "name": "userMessage"
        },
        {
          "label": "Assistant Message",
          "name": "assistantMessage"
        }
      ],
      "default": "userMessage",

```

```

    "id": "llmAgentflow_2-input-llmReturnResponseAs-options",
    "display": true
  },
  {
    "label": "JSON Structured Output",
    "name": "llmStructuredOutput",
    "description": "Instruct the LLM to give output in a JSON structure",
    "type": "array",
    "optional": true,
    "acceptVariable": true,
    "array": [
      {
        "label": "Key",
        "name": "key",
        "type": "string"
      },
      {
        "label": "Type",
        "name": "type",
        "type": "options",
        "options": [
          {
            "label": "String",
            "name": "string"
          },
          {
            "label": "String Array",
            "name": "stringArray"
          },
          {
            "label": "Number",
            "name": "number"
          },
          {
            "label": "Boolean",
            "name": "boolean"
          },
          {
            "label": "Enum",
            "name": "enum"
          },
          {
            "label": "JSON Array",
            "name": "jsonArray"
          }
        ]
      }
    ],
    {
      "label": "Enum Values",
      "name": "enumValues",
      "type": "string",
      "placeholder": "value1, value2, value3",
      "description": "Enum values. Separated by comma",
      "optional": true,

```

```

        "show": {
            "llmStructuredOutput[$index].type": "enum"
        }
    },
    {
        "label": "JSON Schema",
        "name": "jsonSchema",
        "type": "code",
        "placeholder": "{\n    \"answer\": {\n        \"type\": \"\n    }\n}",
        "description": "JSON schema for the structured output",
        "optional": true,
        "show": {
            "llmStructuredOutput[$index].type": "jsonArray"
        }
    },
    {
        "label": "Description",
        "name": "description",
        "type": "string",
        "placeholder": "Description of the key"
    }
],
"id": "llmAgentflow_2-input-llmStructuredOutput-array",
"display": true
},
{
    "label": "Update Flow State",
    "name": "llmUpdateState",
    "description": "Update runtime state during the execution of t",
    "type": "array",
    "optional": true,
    "acceptVariable": true,
    "array": [
        {
            "label": "Key",
            "name": "key",
            "type": "asyncOptions",
            "loadMethod": "listRuntimeStateKeys",
            "freeSolo": true
        },
        {
            "label": "Value",
            "name": "value",
            "type": "string",
            "acceptVariable": true,
            "acceptNodeOutputAsVariable": true
        }
    ],
    "id": "llmAgentflow_2-input-llmUpdateState-array",
    "display": true
}
],
"outputs": {},
"outputAnchors": [

```



```

        {
            "id": "llmAgentflow_2-output-llmAgentflow",
            "label": "LLM",
            "name": "llmAgentflow"
        }
    ],
    "id": "llmAgentflow_2",
    "selected": false
},
"type": "agentFlow",
"width": 278,
"height": 72,
"selected": false,
"positionAbsolute": {
    "x": 614.5628052475917,
    "y": 101.96934440367644
},
"dragging": false
},
{
    "id": "customFunctionAgentflow_1",
    "position": {
        "x": 916.9894477391061,
        "y": 104.55990676330046
    },
    "data": {
        "loadMethods": {},
        "label": "DAA-Data-CustomFunction-execution_result",
        "name": "customFunctionAgentflow",
        "version": 1,
        "type": "CustomFunction",
        "category": "Agent Flows",
        "description": "Execute custom function",
        "baseClasses": [
            "CustomFunction"
        ],
        "color": "#E4B7FF",
        "inputs": {
            "customFunctionInputVariables": [
                {
                    "variableName": "SQL_QUERY",
                    "variableValue": "
                {{ $flow.state.sql_query }}
            "
                }
            ],
            "customFunctionJavascriptFunction": "const mysql = require('mysql');",
            "customFunctionUpdateState": [
                {
                    "key": "sql_result",
                    "value": "

```

```
{{ output }}
```

```
"
```

```
    }
  ]
},
"filePath": "/app/packages/server/node_modules/flowise-components/
"inputAnchors": [],
"inputParams": [
  {
    "label": "Input Variables",
    "name": "customFunctionInputVariables",
    "description": "Input variables can be used in the function wi
    "type": "array",
    "optional": true,
    "acceptVariable": true,
    "array": [
      {
        "label": "Variable Name",
        "name": "variableName",
        "type": "string"
      },
      {
        "label": "Variable Value",
        "name": "variableValue",
        "type": "string",
        "acceptVariable": true
      }
    ],
    "id": "customFunctionAgentflow_1-input-customFunctionInputVari
    "display": true
  },
  {
    "label": "Javascript Function",
    "name": "customFunctionJavascriptFunction",
    "type": "code",
    "codeExample": "/*\n* You can use any libraries imported in Fl
    "description": "The function to execute. Must return a string
    "id": "customFunctionAgentflow_1-input-customFunctionJavascrip
    "display": true
  },
  {
    "label": "Update Flow State",
    "name": "customFunctionUpdateState",
    "description": "Update runtime state during the execution of t
    "type": "array",
    "optional": true,
    "acceptVariable": true,
    "array": [
      {
        "label": "Key",
        "name": "key",
        "type": "asyncOptions",
        "loadMethod": "listRuntimeStateKeys",
```

```

        "freeSolo": true
      },
      {
        "label": "Value",
        "name": "value",
        "type": "string",
        "acceptVariable": true,
        "acceptNodeOutputAsVariable": true
      }
    ],
    "id": "customFunctionAgentflow_1-input-customFunctionUpdateSta
    "display": true
  }
],
"outputs": {},
"outputAnchors": [
  {
    "id": "customFunctionAgentflow_1-output-customFunctionAgentflo
    "label": "Custom Function",
    "name": "customFunctionAgentflow"
  }
],
"id": "customFunctionAgentflow_1",
"selected": false
},
"type": "agentFlow",
"width": 363,
"height": 66,
"selected": false,
"positionAbsolute": {
  "x": 916.9894477391061,
  "y": 104.55990676330046
},
"dragging": false
},
{
  "id": "llmAgentflow_3",
  "position": {
    "x": 1098.8530486113143,
    "y": 230.2780574902722
  },
  "data": {
    "loadMethods": {},
    "label": "Data-LLM-feedback",
    "name": "llmAgentflow",
    "version": 1,
    "type": "LLM",
    "category": "Agent Flows",
    "description": "Large language models to analyze user-provided inp
    "color": "#64B5F6",
    "baseClasses": [
      "LLM"
    ],
  },
  "inputs": {

```

```
"llmModel": "chatMnc",
"llmMessages": [
  {
    "role": "developer",
    "content": "
```

실행 결과의 'success'가 'true'라면 {"is\_valid": "no"}

## 출력 예시

```
{"is_valid": "yes"}
```

또는

```
{"is_valid": "no"}
```

## 실행 결과

```
{{ $flow.state.sql_result }}
```

```
"
```

```
    }
  ],
  "llmEnableMemory": false,
  "llmReturnResponseAs": "assistantMessage",
  "llmStructuredOutput": [
    {
      "key": "is_valid",
      "type": "enum",
      "enumValues": "yes, no",
      "jsonSchema": "",
      "description": "Data Format을 채울 수 있을 정도로 Question, SQL R
    }
  ],
  "llmUpdateState": [
    {
      "key": "is_valid",
      "value": "
```

```
{{ output.is_valid }}
```

```
"
```

```
    }
  ],
  "llmModelConfig": {
    "cache": "",
    "serving": {"basePath": "http://llmops-gateway-api-service:
    "servingRevision": "",
    "maxTokens": 512,
```

```

        "temperature": "0",
        "streaming": true,
        "topP": "",
        "frequencyPenalty": "",
        "presencePenalty": "",
        "timeout": "",
        "baseOptions": "",
        "allowImageUploads": "",
        "imageResolution": "low",
        "llmModel": "chatMnc"
    }
},
"filePath": "/app/packages/server/node_modules/flowise-components/
"inputAnchors": [],
"inputParams": [
    {
        "label": "Model",
        "name": "llmModel",
        "type": "asyncOptions",
        "loadMethod": "listModels",
        "loadConfig": true,
        "id": "llmAgentflow_3-input-llmModel-asyncOptions",
        "display": true
    },
    {
        "label": "Messages",
        "name": "llmMessages",
        "type": "array",
        "optional": true,
        "acceptVariable": true,
        "array": [
            {
                "label": "Role",
                "name": "role",
                "type": "options",
                "options": [
                    {
                        "label": "System",
                        "name": "system"
                    },
                    {
                        "label": "Assistant",
                        "name": "assistant"
                    },
                    {
                        "label": "Developer",
                        "name": "developer"
                    },
                    {
                        "label": "User",
                        "name": "user"
                    }
                ]
            }
        ]
    }
],
},

```

```

        {
            "label": "Content",
            "name": "content",
            "type": "string",
            "acceptVariable": true,
            "generateInstruction": true,
            "rows": 4
        }
    ],
    "id": "llmAgentflow_3-input-llmMessages-array",
    "display": true
},
{
    "label": "Enable Memory",
    "name": "llmEnableMemory",
    "type": "boolean",
    "description": "Enable memory for the conversation thread",
    "default": true,
    "optional": true,
    "id": "llmAgentflow_3-input-llmEnableMemory-boolean",
    "display": true
},
{
    "label": "Memory Type",
    "name": "llmMemoryType",
    "type": "options",
    "options": [
        {
            "label": "All Messages",
            "name": "allMessages",
            "description": "Retrieve all messages from the conversation"
        },
        {
            "label": "Window Size",
            "name": "windowSize",
            "description": "Uses a fixed window size to surface the latest messages"
        },
        {
            "label": "Conversation Summary",
            "name": "conversationSummary",
            "description": "Summarizes the whole conversation"
        },
        {
            "label": "Conversation Summary Buffer",
            "name": "conversationSummaryBuffer",
            "description": "Summarize conversations once token limit is reached"
        }
    ],
    "optional": true,
    "default": "allMessages",
    "show": {
        "llmEnableMemory": true
    },
    "id": "llmAgentflow_3-input-llmMemoryType-options",

```

```

    "display": false
  },
  {
    "label": "Window Size",
    "name": "llmMemoryWindowSize",
    "type": "number",
    "default": "20",
    "description": "Uses a fixed window size to surface the last N",
    "show": {
      "llmMemoryType": "windowSize"
    },
    "id": "llmAgentflow_3-input-llmMemoryWindowSize-number",
    "display": false
  },
  {
    "label": "Max Token Limit",
    "name": "llmMemoryMaxTokenLimit",
    "type": "number",
    "default": "2000",
    "description": "Summarize conversations once token limit is re",
    "show": {
      "llmMemoryType": "conversationSummaryBuffer"
    },
    "id": "llmAgentflow_3-input-llmMemoryMaxTokenLimit-number",
    "display": false
  },
  {
    "label": "Input Message",
    "name": "llmUserMessage",
    "type": "string",
    "description": "Add an input message as user message at the en",
    "rows": 4,
    "optional": true,
    "acceptVariable": true,
    "show": {
      "llmEnableMemory": true
    },
    "id": "llmAgentflow_3-input-llmUserMessage-string",
    "display": false
  },
  {
    "label": "Return Response As",
    "name": "llmReturnResponseAs",
    "type": "options",
    "options": [
      {
        "label": "User Message",
        "name": "userMessage"
      },
      {
        "label": "Assistant Message",
        "name": "assistantMessage"
      }
    ]
  }
],

```

```

    "default": "userMessage",
    "id": "llmAgentflow_3-input-llmReturnResponseAs-options",
    "display": true
  },
  {
    "label": "JSON Structured Output",
    "name": "llmStructuredOutput",
    "description": "Instruct the LLM to give output in a JSON stru
    "type": "array",
    "optional": true,
    "acceptVariable": true,
    "array": [
      {
        "label": "Key",
        "name": "key",
        "type": "string"
      },
      {
        "label": "Type",
        "name": "type",
        "type": "options",
        "options": [
          {
            "label": "String",
            "name": "string"
          },
          {
            "label": "String Array",
            "name": "stringArray"
          },
          {
            "label": "Number",
            "name": "number"
          },
          {
            "label": "Boolean",
            "name": "boolean"
          },
          {
            "label": "Enum",
            "name": "enum"
          },
          {
            "label": "JSON Array",
            "name": "jsonArray"
          }
        ]
      }
    ],
    {
      "label": "Enum Values",
      "name": "enumValues",
      "type": "string",
      "placeholder": "value1, value2, value3",
      "description": "Enum values. Separated by comma",

```



```

        "optional": true,
        "show": {
            "llmStructuredOutput[$index].type": "enum"
        }
    },
    {
        "label": "JSON Schema",
        "name": "jsonSchema",
        "type": "code",
        "placeholder": "{\n    \"answer\": {\n        \"type\": \"\n    }\n}\n",
        "description": "JSON schema for the structured output",
        "optional": true,
        "show": {
            "llmStructuredOutput[$index].type": "jsonArray"
        }
    },
    {
        "label": "Description",
        "name": "description",
        "type": "string",
        "placeholder": "Description of the key"
    }
],
"id": "llmAgentflow_3-input-llmStructuredOutput-array",
"display": true
},
{
    "label": "Update Flow State",
    "name": "llmUpdateState",
    "description": "Update runtime state during the execution of t",
    "type": "array",
    "optional": true,
    "acceptVariable": true,
    "array": [
        {
            "label": "Key",
            "name": "key",
            "type": "asyncOptions",
            "loadMethod": "listRuntimeStateKeys",
            "freeSolo": true
        },
        {
            "label": "Value",
            "name": "value",
            "type": "string",
            "acceptVariable": true,
            "acceptNodeOutputAsVariable": true
        }
    ],
    "id": "llmAgentflow_3-input-llmUpdateState-array",
    "display": true
}
],
"outputs": {},

```

```

    "outputAnchors": [
      {
        "id": "llmAgentflow_3-output-llmAgentflow",
        "label": "LLM",
        "name": "llmAgentflow"
      }
    ],
    "id": "llmAgentflow_3",
    "selected": false
  },
  "type": "agentFlow",
  "width": 203,
  "height": 72,
  "selected": false,
  "positionAbsolute": {
    "x": 1098.8530486113143,
    "y": 230.2780574902722
  },
  "dragging": false
},
{
  "id": "conditionAgentflow_1",
  "position": {
    "x": 1336.0047573235618,
    "y": 226.9484832925829
  },
  "data": {
    "label": "Condition 2",
    "name": "conditionAgentflow",
    "version": 1,
    "type": "Condition",
    "category": "Agent Flows",
    "description": "Split flows based on If Else conditions",
    "baseClasses": [
      "Condition"
    ],
    "color": "#FFB938",
    "inputs": {
      "conditions": [
        {
          "type": "string",
          "value1": "
{{ $flow.state.is_valid }}

",
          "operation": "equal",
          "value2": "

yes

"
        }
      ]
    }
  }
}
]

```

```

    },
    "outputs": {
      "conditionAgentflow": ""
    },
    "filePath": "/app/packages/server/node_modules/flowise-components/",
    "inputAnchors": [],
    "inputParams": [
      {
        "label": "Conditions",
        "name": "conditions",
        "type": "array",
        "description": "Values to compare",
        "acceptVariable": true,
        "default": [
          {
            "type": "string",
            "value1": ""

{{ $flow.state.is_valid }}

",
            "operation": "equal",
            "value2": ""

yes

"

        }
      ],
      "array": [
        {
          "label": "Type",
          "name": "type",
          "type": "options",
          "options": [
            {
              "label": "String",
              "name": "string"
            },
            {
              "label": "Number",
              "name": "number"
            },
            {
              "label": "Boolean",
              "name": "boolean"
            }
          ],
          "default": "string"
        },
        {
          "label": "Value 1",
          "name": "value1",
          "type": "string",

```

```

    "default": "",
    "description": "First value to be compared with",
    "acceptVariable": true,
    "show": {
        "conditions[$index].type": "string"
    }
},
{
    "label": "Operation",
    "name": "operation",
    "type": "options",
    "options": [
        {
            "label": "Contains",
            "name": "contains"
        },
        {
            "label": "Ends With",
            "name": "endsWith"
        },
        {
            "label": "Equal",
            "name": "equal"
        },
        {
            "label": "Not Contains",
            "name": "notContains"
        },
        {
            "label": "Not Equal",
            "name": "notEqual"
        },
        {
            "label": "Regex",
            "name": "regex"
        },
        {
            "label": "Starts With",
            "name": "startsWith"
        },
        {
            "label": "Is Empty",
            "name": "isEmpty"
        },
        {
            "label": "Not Empty",
            "name": "notEmpty"
        }
    ],
    "default": "equal",
    "description": "Type of operation",
    "show": {
        "conditions[$index].type": "string"
    }
}

```

```

    },
    {
      "label": "Value 2",
      "name": "value2",
      "type": "string",
      "default": "",
      "description": "Second value to be compared with",
      "acceptVariable": true,
      "show": {
        "conditions[$index].type": "string"
      },
      "hide": {
        "conditions[$index].operation": [
          "isEmpty",
          "notEmpty"
        ]
      }
    }
  ],
  {
    "label": "Value 1",
    "name": "value1",
    "type": "number",
    "default": "",
    "description": "First value to be compared with",
    "acceptVariable": true,
    "show": {
      "conditions[$index].type": "number"
    }
  }
],
{
  "label": "Operation",
  "name": "operation",
  "type": "options",
  "options": [
    {
      "label": "Smaller",
      "name": "smaller"
    },
    {
      "label": "Smaller Equal",
      "name": "smallerEqual"
    },
    {
      "label": "Equal",
      "name": "equal"
    },
    {
      "label": "Not Equal",
      "name": "notEqual"
    },
    {
      "label": "Larger",
      "name": "larger"
    }
  ],

```

```

        {
            "label": "Larger Equal",
            "name": "largerEqual"
        },
        {
            "label": "Is Empty",
            "name": "isEmpty"
        },
        {
            "label": "Not Empty",
            "name": "notEmpty"
        }
    ],
    "default": "equal",
    "description": "Type of operation",
    "show": {
        "conditions[$index].type": "number"
    }
},
{
    "label": "Value 2",
    "name": "value2",
    "type": "number",
    "default": 0,
    "description": "Second value to be compared with",
    "acceptVariable": true,
    "show": {
        "conditions[$index].type": "number"
    }
},
{
    "label": "Value 1",
    "name": "value1",
    "type": "boolean",
    "default": false,
    "description": "First value to be compared with",
    "show": {
        "conditions[$index].type": "boolean"
    }
},
{
    "label": "Operation",
    "name": "operation",
    "type": "options",
    "options": [
        {
            "label": "Equal",
            "name": "equal"
        },
        {
            "label": "Not Equal",
            "name": "notEqual"
        }
    ]
},

```

```

        "default": "equal",
        "description": "Type of operation",
        "show": {
            "conditions[$index].type": "boolean"
        }
    },
    {
        "label": "Value 2",
        "name": "value2",
        "type": "boolean",
        "default": false,
        "description": "Second value to be compared with",
        "show": {
            "conditions[$index].type": "boolean"
        }
    }
],
"id": "conditionAgentflow_1-input-conditions-array",
"display": true
}
],
"outputAnchors": [
    {
        "id": "conditionAgentflow_1-output-0",
        "label": "Condition",
        "name": "conditionAgentflow"
    },
    {
        "id": "conditionAgentflow_1-output-1",
        "label": "Condition",
        "name": "conditionAgentflow"
    }
],
"id": "conditionAgentflow_1",
"selected": false
},
"type": "agentFlow",
"width": 147,
"height": 80,
"selected": false,
"positionAbsolute": {
    "x": 1336.0047573235618,
    "y": 226.9484832925829
},
"dragging": false
},
{
    "id": "llmAgentflow_4",
    "position": {
        "x": 1537.484338738037,
        "y": 245.0999248467589
    },
    "data": {
        "loadMethods": {},

```

```

"label": "DAA-Report-LLM-make_report_0",
"name": "llmAgentflow",
"version": 1,
"type": "LLM",
"category": "Agent Flows",
"description": "Large language models to analyze user-provided inp
"color": "#64B5F6",
"baseClasses": [
  "LLM"
],
"inputs": {
  "llmModel": "chatMnc",
  "llmMessages": [
    {
      "role": "system",
      "content": "

```

## Your Job

SQL Result 실행 결과를 가지고 사용자 질문에 정확하게 답변하시오

## SQL Result

```
{{ $flow.state.sql_result }}
```

## User's Request

```
{{ question }}
```

"

```

    }
  ],
  "llmEnableMemory": false,
  "llmReturnResponseAs": "assistantMessage",
  "llmStructuredOutput": "",
  "llmUpdateState": [
    {
      "key": "report",
      "value": "

```

```
{{ output }}
```

"

```

    }
  ],
  "llmModelConfig": {
    "cache": "",
    "serving": "{\\"basePath\\":\\"http://llmops-gateway-api-service:
    "servingRevision": "",
    "maxTokens": "1024",

```



```

        "temperature": 0.9,
        "streaming": true,
        "topP": "",
        "frequencyPenalty": "",
        "presencePenalty": "",
        "timeout": "",
        "baseOptions": "",
        "allowImageUploads": "",
        "imageResolution": "low",
        "llmModel": "chatMnc"
    }
},
"filePath": "/app/packages/server/node_modules/flowise-components/
"inputAnchors": [],
"inputParams": [
    {
        "label": "Model",
        "name": "llmModel",
        "type": "asyncOptions",
        "loadMethod": "listModels",
        "loadConfig": true,
        "id": "llmAgentflow_4-input-llmModel-asyncOptions",
        "display": true
    },
    {
        "label": "Messages",
        "name": "llmMessages",
        "type": "array",
        "optional": true,
        "acceptVariable": true,
        "array": [
            {
                "label": "Role",
                "name": "role",
                "type": "options",
                "options": [
                    {
                        "label": "System",
                        "name": "system"
                    },
                    {
                        "label": "Assistant",
                        "name": "assistant"
                    },
                    {
                        "label": "Developer",
                        "name": "developer"
                    },
                    {
                        "label": "User",
                        "name": "user"
                    }
                ]
            }
        ]
    }
],
},

```

```

        {
            "label": "Content",
            "name": "content",
            "type": "string",
            "acceptVariable": true,
            "generateInstruction": true,
            "rows": 4
        }
    ],
    "id": "llmAgentflow_4-input-llmMessages-array",
    "display": true
},
{
    "label": "Enable Memory",
    "name": "llmEnableMemory",
    "type": "boolean",
    "description": "Enable memory for the conversation thread",
    "default": true,
    "optional": true,
    "id": "llmAgentflow_4-input-llmEnableMemory-boolean",
    "display": true
},
{
    "label": "Memory Type",
    "name": "llmMemoryType",
    "type": "options",
    "options": [
        {
            "label": "All Messages",
            "name": "allMessages",
            "description": "Retrieve all messages from the conversation"
        },
        {
            "label": "Window Size",
            "name": "windowSize",
            "description": "Uses a fixed window size to surface the latest messages"
        },
        {
            "label": "Conversation Summary",
            "name": "conversationSummary",
            "description": "Summarizes the whole conversation"
        },
        {
            "label": "Conversation Summary Buffer",
            "name": "conversationSummaryBuffer",
            "description": "Summarize conversations once token limit is reached"
        }
    ],
    "optional": true,
    "default": "allMessages",
    "show": {
        "llmEnableMemory": true
    },
    "id": "llmAgentflow_4-input-llmMemoryType-options",

```

```

    "display": false
  },
  {
    "label": "Window Size",
    "name": "llmMemoryWindowSize",
    "type": "number",
    "default": "20",
    "description": "Uses a fixed window size to surface the last N",
    "show": {
      "llmMemoryType": "windowSize"
    },
    "id": "llmAgentflow_4-input-llmMemoryWindowSize-number",
    "display": false
  },
  {
    "label": "Max Token Limit",
    "name": "llmMemoryMaxTokenLimit",
    "type": "number",
    "default": "2000",
    "description": "Summarize conversations once token limit is re",
    "show": {
      "llmMemoryType": "conversationSummaryBuffer"
    },
    "id": "llmAgentflow_4-input-llmMemoryMaxTokenLimit-number",
    "display": false
  },
  {
    "label": "Input Message",
    "name": "llmUserMessage",
    "type": "string",
    "description": "Add an input message as user message at the en",
    "rows": 4,
    "optional": true,
    "acceptVariable": true,
    "show": {
      "llmEnableMemory": true
    },
    "id": "llmAgentflow_4-input-llmUserMessage-string",
    "display": false
  },
  {
    "label": "Return Response As",
    "name": "llmReturnResponseAs",
    "type": "options",
    "options": [
      {
        "label": "User Message",
        "name": "userMessage"
      },
      {
        "label": "Assistant Message",
        "name": "assistantMessage"
      }
    ]
  }
],

```

```

    "default": "userMessage",
    "id": "llmAgentflow_4-input-llmReturnResponseAs-options",
    "display": true
  },
  {
    "label": "JSON Structured Output",
    "name": "llmStructuredOutput",
    "description": "Instruct the LLM to give output in a JSON stru
    "type": "array",
    "optional": true,
    "acceptVariable": true,
    "array": [
      {
        "label": "Key",
        "name": "key",
        "type": "string"
      },
      {
        "label": "Type",
        "name": "type",
        "type": "options",
        "options": [
          {
            "label": "String",
            "name": "string"
          },
          {
            "label": "String Array",
            "name": "stringArray"
          },
          {
            "label": "Number",
            "name": "number"
          },
          {
            "label": "Boolean",
            "name": "boolean"
          },
          {
            "label": "Enum",
            "name": "enum"
          },
          {
            "label": "JSON Array",
            "name": "jsonArray"
          }
        ]
      }
    ],
    {
      "label": "Enum Values",
      "name": "enumValues",
      "type": "string",
      "placeholder": "value1, value2, value3",
      "description": "Enum values. Separated by comma",

```

```

        "optional": true,
        "show": {
            "llmStructuredOutput[$index].type": "enum"
        }
    },
    {
        "label": "JSON Schema",
        "name": "jsonSchema",
        "type": "code",
        "placeholder": "{\n    \"answer\": {\n        \"type\": \"\n    }\n}\n",
        "description": "JSON schema for the structured output",
        "optional": true,
        "show": {
            "llmStructuredOutput[$index].type": "jsonArray"
        }
    },
    {
        "label": "Description",
        "name": "description",
        "type": "string",
        "placeholder": "Description of the key"
    }
],
"id": "llmAgentflow_4-input-llmStructuredOutput-array",
"display": true
},
{
    "label": "Update Flow State",
    "name": "llmUpdateState",
    "description": "Update runtime state during the execution of t",
    "type": "array",
    "optional": true,
    "acceptVariable": true,
    "array": [
        {
            "label": "Key",
            "name": "key",
            "type": "asyncOptions",
            "loadMethod": "listRuntimeStateKeys",
            "freeSolo": true
        },
        {
            "label": "Value",
            "name": "value",
            "type": "string",
            "acceptVariable": true,
            "acceptNodeOutputAsVariable": true
        }
    ],
    "id": "llmAgentflow_4-input-llmUpdateState-array",
    "display": true
}
],
"outputs": {},

```

```

        "outputAnchors": [
            {
                "id": "llmAgentflow_4-output-llmAgentflow",
                "label": "LLM",
                "name": "llmAgentflow"
            }
        ],
        "id": "llmAgentflow_4",
        "selected": false
    },
    "type": "agentFlow",
    "width": 286,
    "height": 72,
    "selected": true,
    "positionAbsolute": {
        "x": 1537.484338738037,
        "y": 245.0999248467589
    },
    "dragging": false
},
{
    "id": "directReplyAgentflow_0",
    "position": {
        "x": 1855.6859166925885,
        "y": 250.82084465259842
    },
    "data": {
        "label": "DAA-Chat-Direct_Reply_0",
        "name": "directReplyAgentflow",
        "version": 1,
        "type": "DirectReply",
        "category": "Agent Flows",
        "description": "Directly reply to the user with a message",
        "baseClasses": [
            "DirectReply"
        ],
        "color": "#4DDDBB",
        "hideOutput": true,
        "inputs": {
            "directReplyMessage": "
        {{ $flow.state.report }}
    "
        },
        "filePath": "/app/packages/server/node_modules/flowise-components/
        "inputAnchors": [],
        "inputParams": [
            {
                "label": "Message",
                "name": "directReplyMessage",
                "type": "string",
                "rows": 4,
                "acceptVariable": true,

```

```

        "id": "directReplyAgentflow_0-input-directReplyMessage-string"
        "display": true
    }
],
"outputs": {},
"outputAnchors": [],
"id": "directReplyAgentflow_0",
"selected": false
},
"type": "agentFlow",
"width": 238,
"height": 66,
"selected": false,
"positionAbsolute": {
    "x": 1855.6859166925885,
    "y": 250.820844465259842
},
"dragging": false
},
{
    "id": "customFunctionAgentflow_2",
    "position": {
        "x": 1481.8450444051587,
        "y": 153.45534329165102
    },
    "data": {
        "loadMethods": {},
        "label": "Custom Function 1",
        "name": "customFunctionAgentflow",
        "version": 1,
        "type": "CustomFunction",
        "category": "Agent Flows",
        "description": "Execute custom function",
        "baseClasses": [
            "CustomFunction"
        ],
        "color": "#E4B7FF",
        "inputs": {
            "customFunctionInputVariables": "",
            "customFunctionJavascriptFunction": "return `{\n  \"chart_type\"
            \"customFunctionUpdateState\": [
                {
                    \"key\": \"data_format\",
                    \"value\": \"
    }
  ]
},
"filePath": "/app/packages/server/node_modules/flowise-components/
"inputAnchors": [],
"inputParams": [

```

```

{
  "label": "Input Variables",
  "name": "customFunctionInputVariables",
  "description": "Input variables can be used in the function wi
  "type": "array",
  "optional": true,
  "acceptVariable": true,
  "array": [
    {
      "label": "Variable Name",
      "name": "variableName",
      "type": "string"
    },
    {
      "label": "Variable Value",
      "name": "variableValue",
      "type": "string",
      "acceptVariable": true
    }
  ],
  "id": "customFunctionAgentflow_2-input-customFunctionInputVari
  "display": true
},
{
  "label": "Javascript Function",
  "name": "customFunctionJavascriptFunction",
  "type": "code",
  "codeExample": "/*\n* You can use any libraries imported in Fl
  "description": "The function to execute. Must return a string
  "id": "customFunctionAgentflow_2-input-customFunctionJavascrip
  "display": true
},
{
  "label": "Update Flow State",
  "name": "customFunctionUpdateState",
  "description": "Update runtime state during the execution of t
  "type": "array",
  "optional": true,
  "acceptVariable": true,
  "array": [
    {
      "label": "Key",
      "name": "key",
      "type": "asyncOptions",
      "loadMethod": "listRuntimeStateKeys",
      "freeSolo": true
    },
    {
      "label": "Value",
      "name": "value",
      "type": "string",
      "acceptVariable": true,
      "acceptNodeOutputAsVariable": true
    }
  ]
}

```



```

        ],
        "id": "customFunctionAgentflow_2-input-customFunctionUpdateSta
        "display": true
    }
],
"outputs": {},
"outputAnchors": [
    {
        "id": "customFunctionAgentflow_2-output-customFunctionAgentflo
        "label": "Custom Function",
        "name": "customFunctionAgentflow"
    }
],
"id": "customFunctionAgentflow_2",
"selected": false
},
"type": "agentFlow",
"width": 191,
"height": 66,
"selected": false,
"dragging": false,
"positionAbsolute": {
    "x": 1481.8450444051587,
    "y": 153.45534329165102
}
},
{
    "id": "llmAgentflow_5",
    "position": {
        "x": 1696.4789626722256,
        "y": 141.66591233783964
    },
    "data": {
        "loadMethods": {},
        "label": "LLM 2",
        "name": "llmAgentflow",
        "version": 1,
        "type": "LLM",
        "category": "Agent Flows",
        "description": "Large language models to analyze user-provided inp
        "color": "#64B5F6",
        "baseClasses": [
            "LLM"
        ],
        "inputs": {
            "llmModel": "chatMnc",
            "llmMessages": [
                {
                    "role": "developer",
                    "content": "

```

SQL Result 내용을 확인하고, 해당 데이터를 차트로 표시할 경에 대한 chart title과 data에

## SQL Result

```
{{ $flow.state.sql_result }}
```

```
"
```

```
    }
  ],
  "llmEnableMemory": true,
  "llmMemoryType": "allMessages",
  "llmUserMessage": "",
  "llmReturnResponseAs": "assistantMessage",
  "llmStructuredOutput": [
    {
      "key": "chart_title",
      "type": "string",
      "enumValues": "",
      "jsonSchema": "",
      "description": "chart title"
    },
    {
      "key": "unit",
      "type": "string",
      "enumValues": "",
      "jsonSchema": "",
      "description": "data unit"
    }
  ],
  "llmUpdateState": [
    {
      "key": "chart_title",
      "value": "
```

```
{{ output.chart_title }}
```

```
"
```

```
    },
    {
      "key": "chart_unit",
      "value": "
```

```
{{ output.unit }}
```

```
"
```

```
    }
  ],
  "llmModelConfig": {
    "cache": "",
    "serving": "{ \"basePath\": \"http://llmops-gateway-api-service:",
    "servingRevision": "",
    "maxTokens": "1024",
    "temperature": 0.9,
    "streaming": true,
    "topP": "",
  }
```

```

        "frequencyPenalty": "",
        "presencePenalty": "",
        "timeout": "",
        "baseOptions": "",
        "allowImageUploads": "",
        "imageResolution": "low",
        "llmModel": "chatMnc"
    }
},
"filePath": "/app/packages/server/node_modules/flowise-components/
"inputAnchors": [],
"inputParams": [
    {
        "label": "Model",
        "name": "llmModel",
        "type": "asyncOptions",
        "loadMethod": "listModels",
        "loadConfig": true,
        "id": "llmAgentflow_5-input-llmModel-asyncOptions",
        "display": true
    },
    {
        "label": "Messages",
        "name": "llmMessages",
        "type": "array",
        "optional": true,
        "acceptVariable": true,
        "array": [
            {
                "label": "Role",
                "name": "role",
                "type": "options",
                "options": [
                    {
                        "label": "System",
                        "name": "system"
                    },
                    {
                        "label": "Assistant",
                        "name": "assistant"
                    },
                    {
                        "label": "Developer",
                        "name": "developer"
                    },
                    {
                        "label": "User",
                        "name": "user"
                    }
                ]
            }
        ],
        {
            "label": "Content",
            "name": "content",

```

```

        "type": "string",
        "acceptVariable": true,
        "generateInstruction": true,
        "rows": 4
    }
],
    "id": "llmAgentflow_5-input-llmMessages-array",
    "display": true
},
{
    "label": "Enable Memory",
    "name": "llmEnableMemory",
    "type": "boolean",
    "description": "Enable memory for the conversation thread",
    "default": true,
    "optional": true,
    "id": "llmAgentflow_5-input-llmEnableMemory-boolean",
    "display": true
},
{
    "label": "Memory Type",
    "name": "llmMemoryType",
    "type": "options",
    "options": [
        {
            "label": "All Messages",
            "name": "allMessages",
            "description": "Retrieve all messages from the conversation"
        },
        {
            "label": "Window Size",
            "name": "windowSize",
            "description": "Uses a fixed window size to surface the latest messages"
        },
        {
            "label": "Conversation Summary",
            "name": "conversationSummary",
            "description": "Summarizes the whole conversation"
        },
        {
            "label": "Conversation Summary Buffer",
            "name": "conversationSummaryBuffer",
            "description": "Summarize conversations once token limit is reached"
        }
    ]
},
    "optional": true,
    "default": "allMessages",
    "show": {
        "llmEnableMemory": true
    }
},
    "id": "llmAgentflow_5-input-llmMemoryType-options",
    "display": true
},
{

```

```

    "label": "Window Size",
    "name": "llmMemoryWindowSize",
    "type": "number",
    "default": "20",
    "description": "Uses a fixed window size to surface the last N
    "show": {
      "llmMemoryType": "windowSize"
    },
    "id": "llmAgentflow_5-input-llmMemoryWindowSize-number",
    "display": false
  },
  {
    "label": "Max Token Limit",
    "name": "llmMemoryMaxTokenLimit",
    "type": "number",
    "default": "2000",
    "description": "Summarize conversations once token limit is re
    "show": {
      "llmMemoryType": "conversationSummaryBuffer"
    },
    "id": "llmAgentflow_5-input-llmMemoryMaxTokenLimit-number",
    "display": false
  },
  {
    "label": "Input Message",
    "name": "llmUserMessage",
    "type": "string",
    "description": "Add an input message as user message at the en
    "rows": 4,
    "optional": true,
    "acceptVariable": true,
    "show": {
      "llmEnableMemory": true
    },
    "id": "llmAgentflow_5-input-llmUserMessage-string",
    "display": true
  },
  {
    "label": "Return Response As",
    "name": "llmReturnResponseAs",
    "type": "options",
    "options": [
      {
        "label": "User Message",
        "name": "userMessage"
      },
      {
        "label": "Assistant Message",
        "name": "assistantMessage"
      }
    ],
    "default": "userMessage",
    "id": "llmAgentflow_5-input-llmReturnResponseAs-options",
    "display": true
  }

```

```

    },
    {
      "label": "JSON Structured Output",
      "name": "llmStructuredOutput",
      "description": "Instruct the LLM to give output in a JSON structure",
      "type": "array",
      "optional": true,
      "acceptVariable": true,
      "array": [
        {
          "label": "Key",
          "name": "key",
          "type": "string"
        },
        {
          "label": "Type",
          "name": "type",
          "type": "options",
          "options": [
            {
              "label": "String",
              "name": "string"
            },
            {
              "label": "String Array",
              "name": "stringArray"
            },
            {
              "label": "Number",
              "name": "number"
            },
            {
              "label": "Boolean",
              "name": "boolean"
            },
            {
              "label": "Enum",
              "name": "enum"
            },
            {
              "label": "JSON Array",
              "name": "jsonArray"
            }
          ]
        }
      ],
    },
    {
      "label": "Enum Values",
      "name": "enumValues",
      "type": "string",
      "placeholder": "value1, value2, value3",
      "description": "Enum values. Separated by comma",
      "optional": true,
      "show": {
        "llmStructuredOutput[$index].type": "enum"
      }
    }
  ]
}

```

```

    }
  },
  {
    "label": "JSON Schema",
    "name": "jsonSchema",
    "type": "code",
    "placeholder": "{\n  \"answer\": {\n    \"type\": \"\n  }\n}",
    "description": "JSON schema for the structured output",
    "optional": true,
    "show": {
      "llmStructuredOutput[$index].type": "jsonArray"
    }
  },
  {
    "label": "Description",
    "name": "description",
    "type": "string",
    "placeholder": "Description of the key"
  }
],
"id": "llmAgentflow_5-input-llmStructuredOutput-array",
"display": true
},
{
  "label": "Update Flow State",
  "name": "llmUpdateState",
  "description": "Update runtime state during the execution of t",
  "type": "array",
  "optional": true,
  "acceptVariable": true,
  "array": [
    {
      "label": "Key",
      "name": "key",
      "type": "asyncOptions",
      "loadMethod": "listRuntimeStateKeys",
      "freeSolo": true
    },
    {
      "label": "Value",
      "name": "value",
      "type": "string",
      "acceptVariable": true,
      "acceptNodeOutputAsVariable": true
    }
  ],
  "id": "llmAgentflow_5-input-llmUpdateState-array",
  "display": true
}
],
"outputs": {},
"outputAnchors": [
  {
    "id": "llmAgentflow_5-output-llmAgentflow",

```

```

        "label": "LLM",
        "name": "llmAgentflow"
    }
],
    "id": "llmAgentflow_5",
    "selected": false
},
    "type": "agentFlow",
    "width": 112,
    "height": 72,
    "selected": false,
    "positionAbsolute": {
        "x": 1696.4789626722256,
        "y": 141.66591233783964
    },
    "dragging": false
},
{
    "id": "customFunctionAgentflow_3",
    "position": {
        "x": 1844.266180629477,
        "y": 141.33527510179047
    },
    "data": {
        "loadMethods": {},
        "label": "DAA-Chart-LLM-extract_data",
        "name": "customFunctionAgentflow",
        "version": 1,
        "type": "CustomFunction",
        "category": "Agent Flows",
        "description": "Execute custom function",
        "baseClasses": [
            "CustomFunction"
        ],
        "color": "#E4B7FF",
        "inputs": {
            "customFunctionInputVariables": [
                {
                    "variableName": "DATA_FORMAT",
                    "variableValue": "
{{ $flow.state.data_format }}"

                },
                {
                    "variableName": " CHART_TITLE",
                    "variableValue": "
{{ $flow.state.chart_title }}"

                }
            ]
        }
    }
}

```



```

        "variableName": "CHART_UNIT",
        "variableValue": "
    {{ $flow.state.chart_unit }}
"
        },
        {
            "variableName": "SQL_RESULT",
            "variableValue": "
    {{ $flow.state.sql_result }}
"
        }
    ],
    "customFunctionJavascriptFunction": "const dataFormat = $DATA_FO
    "customFunctionUpdateState": [
        {
            "key": "chart_data",
            "value": "
    {{ output }}
"
        }
    ],
    "filePath": "/app/packages/server/node_modules/flowise-components/
    "inputAnchors": [],
    "inputParams": [
        {
            "label": "Input Variables",
            "name": "customFunctionInputVariables",
            "description": "Input variables can be used in the function wi
            "type": "array",
            "optional": true,
            "acceptVariable": true,
            "array": [
                {
                    "label": "Variable Name",
                    "name": "variableName",
                    "type": "string"
                },
                {
                    "label": "Variable Value",
                    "name": "variableValue",
                    "type": "string",
                    "acceptVariable": true
                }
            ],
            "id": "customFunctionAgentflow_3-input-customFunctionInputVari
            "display": true
        },

```

```

    {
      "label": "Javascript Function",
      "name": "customFunctionJavascriptFunction",
      "type": "code",
      "codeExample": "/*\n* You can use any libraries imported in FL
      "description": "The function to execute. Must return a string
      "id": "customFunctionAgentflow_3-input-customFunctionJavascriptFunction",
      "display": true
    },
    {
      "label": "Update Flow State",
      "name": "customFunctionUpdateState",
      "description": "Update runtime state during the execution of t
      "type": "array",
      "optional": true,
      "acceptVariable": true,
      "array": [
        {
          "label": "Key",
          "name": "key",
          "type": "asyncOptions",
          "loadMethod": "listRuntimeStateKeys",
          "freeSolo": true
        },
        {
          "label": "Value",
          "name": "value",
          "type": "string",
          "acceptVariable": true,
          "acceptNodeOutputAsVariable": true
        }
      ],
      "id": "customFunctionAgentflow_3-input-customFunctionUpdateState",
      "display": true
    }
  ],
  "outputs": {},
  "outputAnchors": [
    {
      "id": "customFunctionAgentflow_3-output-customFunctionAgentflow",
      "label": "Custom Function",
      "name": "customFunctionAgentflow"
    }
  ],
  "id": "customFunctionAgentflow_3",
  "selected": false
},
"type": "agentFlow",
"width": 263,
"height": 66,
"selected": false,
"dragging": false,
"positionAbsolute": {
  "x": 1844.266180629477,

```

```

        "y": 141.33527510179047
    },
    {
        "id": "llmAgentflow_6",
        "position": {
            "x": 2126.404544287568,
            "y": 141.87077684840114
        },
        "data": {
            "loadMethods": {},
            "label": "DAA-Report-LLM-make_report_1",
            "name": "llmAgentflow",
            "version": 1,
            "type": "LLM",
            "category": "Agent Flows",
            "description": "Large language models to analyze user-provided inp",
            "color": "#64B5F6",
            "baseClasses": [
                "LLM"
            ],
            "inputs": {
                "llmModel": "chatMnc",
                "llmMessages": [
                    {
                        "role": "system",
                        "content": "

```

## Your Job

주어진 SQL Query와 SQL Result에 대하여 주어진 목차를 준수하여 Markdown 형식으로 User'

## SQL Query

```
{{ $flow.state.sql_query }}
```

## SQL Result

```
{{ $flow.state.sql_result }}
```

## User's Request

```
{{ question }}
```

## 목차

1. 사용자의 질문 분석 및 요약

2. 실행된 SQL 쿼리

3. SQL 쿼리의 결과(쿼리 실행 결과)

4. 분석 인사이트

단, \"시각화\"는 다른 절차를 통해 별도로 진행하므로, 시각화를 시도하지는 말 것. 주어진 데

"

```
    }
  ],
  "llmEnableMemory": true,
  "llmMemoryType": "allMessages",
  "llmUserMessage": "",
  "llmReturnResponseAs": "userMessage",
  "llmStructuredOutput": "",
  "llmUpdateState": [
    {
      "key": "report",
      "value": ""
    }
  ]
}
```

{{ output }}

"

```
    }
  ],
  "llmModelConfig": {
    "cache": "",
    "serving": "{ \"basePath\": \"http://llmops-gateway-api-service:1240\", \"maxTokens\": -1, \"temperature\": 0.9, \"streaming\": true, \"topP\": \"\", \"frequencyPenalty\": \"\", \"presencePenalty\": \"\", \"timeout\": \"\", \"baseOptions\": \"\", \"allowImageUploads\": \"\", \"imageResolution\": \"low\", \"llmModel\": \"chatMnc\" }",
    "servingRevision": 1240,
    "maxTokens": "-1",
    "temperature": 0.9,
    "streaming": true,
    "topP": "",
    "frequencyPenalty": "",
    "presencePenalty": "",
    "timeout": "",
    "baseOptions": "",
    "allowImageUploads": "",
    "imageResolution": "low",
    "llmModel": "chatMnc"
  },
  "filePath": "/app/packages/server/node_modules/flowise-components/llmModel.js",
  "inputAnchors": [],
  "inputParams": [
    {
      "label": "Model",
      "name": "llmModel",
      "type": "asyncOptions",
      "options": [
        { "label": "chatMnc", "value": "chatMnc" }
      ]
    }
  ]
}
```

```

        "loadMethod": "listModels",
        "loadConfig": true,
        "id": "llmAgentflow_6-input-llmModel-asyncOptions",
        "display": true
    },
    {
        "label": "Messages",
        "name": "llmMessages",
        "type": "array",
        "optional": true,
        "acceptVariable": true,
        "array": [
            {
                "label": "Role",
                "name": "role",
                "type": "options",
                "options": [
                    {
                        "label": "System",
                        "name": "system"
                    },
                    {
                        "label": "Assistant",
                        "name": "assistant"
                    },
                    {
                        "label": "Developer",
                        "name": "developer"
                    },
                    {
                        "label": "User",
                        "name": "user"
                    }
                ]
            },
            {
                "label": "Content",
                "name": "content",
                "type": "string",
                "acceptVariable": true,
                "generateInstruction": true,
                "rows": 4
            }
        ],
        "id": "llmAgentflow_6-input-llmMessages-array",
        "display": true
    },
    {
        "label": "Enable Memory",
        "name": "llmEnableMemory",
        "type": "boolean",
        "description": "Enable memory for the conversation thread",
        "default": true,
        "optional": true,

```

```

    "id": "llmAgentflow_6-input-llmEnableMemory-boolean",
    "display": true
  },
  {
    "label": "Memory Type",
    "name": "llmMemoryType",
    "type": "options",
    "options": [
      {
        "label": "All Messages",
        "name": "allMessages",
        "description": "Retrieve all messages from the conversation"
      },
      {
        "label": "Window Size",
        "name": "windowSize",
        "description": "Uses a fixed window size to surface the last N"
      },
      {
        "label": "Conversation Summary",
        "name": "conversationSummary",
        "description": "Summarizes the whole conversation"
      },
      {
        "label": "Conversation Summary Buffer",
        "name": "conversationSummaryBuffer",
        "description": "Summarize conversations once token limit is reached"
      }
    ],
    "optional": true,
    "default": "allMessages",
    "show": {
      "llmEnableMemory": true
    }
  },
  "id": "llmAgentflow_6-input-llmMemoryType-options",
  "display": true
},
{
  "label": "Window Size",
  "name": "llmMemoryWindowSize",
  "type": "number",
  "default": "20",
  "description": "Uses a fixed window size to surface the last N"
  "show": {
    "llmMemoryType": "windowSize"
  },
  "id": "llmAgentflow_6-input-llmMemoryWindowSize-number",
  "display": false
},
{
  "label": "Max Token Limit",
  "name": "llmMemoryMaxTokenLimit",
  "type": "number",
  "default": "2000",

```

```

    "description": "Summarize conversations once token limit is reached",
    "show": {
      "llmMemoryType": "conversationSummaryBuffer"
    },
    "id": "llmAgentflow_6-input-llmMemoryMaxTokenLimit-number",
    "display": false
  },
  {
    "label": "Input Message",
    "name": "llmUserMessage",
    "type": "string",
    "description": "Add an input message as user message at the end of the conversation",
    "rows": 4,
    "optional": true,
    "acceptVariable": true,
    "show": {
      "llmEnableMemory": true
    },
    "id": "llmAgentflow_6-input-llmUserMessage-string",
    "display": true
  },
  {
    "label": "Return Response As",
    "name": "llmReturnResponseAs",
    "type": "options",
    "options": [
      {
        "label": "User Message",
        "name": "userMessage"
      },
      {
        "label": "Assistant Message",
        "name": "assistantMessage"
      }
    ],
    "default": "userMessage",
    "id": "llmAgentflow_6-input-llmReturnResponseAs-options",
    "display": true
  },
  {
    "label": "JSON Structured Output",
    "name": "llmStructuredOutput",
    "description": "Instruct the LLM to give output in a JSON structured format",
    "type": "array",
    "optional": true,
    "acceptVariable": true,
    "array": [
      {
        "label": "Key",
        "name": "key",
        "type": "string"
      },
      {
        "label": "Type",

```

```

"name": "type",
"type": "options",
"options": [
  {
    "label": "String",
    "name": "string"
  },
  {
    "label": "String Array",
    "name": "stringArray"
  },
  {
    "label": "Number",
    "name": "number"
  },
  {
    "label": "Boolean",
    "name": "boolean"
  },
  {
    "label": "Enum",
    "name": "enum"
  },
  {
    "label": "JSON Array",
    "name": "jsonArray"
  }
],
{
  "label": "Enum Values",
  "name": "enumValues",
  "type": "string",
  "placeholder": "value1, value2, value3",
  "description": "Enum values. Separated by comma",
  "optional": true,
  "show": {
    "llmStructuredOutput[$index].type": "enum"
  }
},
{
  "label": "JSON Schema",
  "name": "jsonSchema",
  "type": "code",
  "placeholder": "{\n  \"answer\": {\n    \"type\": \"",
  "description": "JSON schema for the structured output",
  "optional": true,
  "show": {
    "llmStructuredOutput[$index].type": "jsonArray"
  }
},
{
  "label": "Description",
  "name": "description",

```



```

        "type": "string",
        "placeholder": "Description of the key"
    }
],
"id": "llmAgentflow_6-input-llmStructuredOutput-array",
"display": true
},
{
    "label": "Update Flow State",
    "name": "llmUpdateState",
    "description": "Update runtime state during the execution of t
    "type": "array",
    "optional": true,
    "acceptVariable": true,
    "array": [
        {
            "label": "Key",
            "name": "key",
            "type": "asyncOptions",
            "loadMethod": "listRuntimeStateKeys",
            "freeSolo": true
        },
        {
            "label": "Value",
            "name": "value",
            "type": "string",
            "acceptVariable": true,
            "acceptNodeOutputAsVariable": true
        }
    ],
    "id": "llmAgentflow_6-input-llmUpdateState-array",
    "display": true
}
],
"outputs": {},
"outputAnchors": [
    {
        "id": "llmAgentflow_6-output-llmAgentflow",
        "label": "LLM",
        "name": "llmAgentflow"
    }
],
"id": "llmAgentflow_6",
"selected": false
},
"type": "agentFlow",
"width": 282,
"height": 72,
"positionAbsolute": {
    "x": 2126.404544287568,
    "y": 141.87077684840114
},
"selected": false,
"dragging": false

```

```

    }
  ],
  "edges": [
    {
      "source": "startAgentflow_0",
      "sourceHandle": "startAgentflow_0-output-startAgentflow",
      "target": "llmAgentflow_0",
      "targetHandle": "llmAgentflow_0",
      "data": {
        "sourceColor": "#7EE787",
        "targetColor": "#64B5F6",
        "isHumanInput": false
      },
      "type": "agentFlow",
      "id": "startAgentflow_0-startAgentflow_0-output-startAgentflow-llmAg
    },
    {
      "source": "llmAgentflow_0",
      "sourceHandle": "llmAgentflow_0-output-llmAgentflow",
      "target": "conditionAgentflow_0",
      "targetHandle": "conditionAgentflow_0",
      "data": {
        "sourceColor": "#64B5F6",
        "targetColor": "#FFB938",
        "isHumanInput": false
      },
      "type": "agentFlow",
      "id": "llmAgentflow_0-llmAgentflow_0-output-llmAgentflow-conditionAg
    },
    {
      "source": "conditionAgentflow_0",
      "sourceHandle": "conditionAgentflow_0-output-1",
      "target": "llmAgentflow_1",
      "targetHandle": "llmAgentflow_1",
      "data": {
        "sourceColor": "#FFB938",
        "targetColor": "#64B5F6",
        "edgeLabel": "1",
        "isHumanInput": false
      },
      "type": "agentFlow",
      "id": "conditionAgentflow_0-conditionAgentflow_0-output-1-llmAgentfl
    },
    {
      "source": "conditionAgentflow_0",
      "sourceHandle": "conditionAgentflow_0-output-0",
      "target": "customFunctionAgentflow_0",
      "targetHandle": "customFunctionAgentflow_0",
      "data": {
        "sourceColor": "#FFB938",
        "targetColor": "#E4B7FF",
        "edgeLabel": "0",
        "isHumanInput": false
      },
    },
  ]

```

```

    "type": "agentFlow",
    "id": "conditionAgentflow_0-conditionAgentflow_0-output-0-customFunc
  },
  {
    "source": "customFunctionAgentflow_0",
    "sourceHandle": "customFunctionAgentflow_0-output-customFunctionAgen
    "target": "llmAgentflow_2",
    "targetHandle": "llmAgentflow_2",
    "data": {
      "sourceColor": "#E4B7FF",
      "targetColor": "#64B5F6",
      "isHumanInput": false
    },
    "type": "agentFlow",
    "id": "customFunctionAgentflow_0-customFunctionAgentflow_0-output-cu
  },
  {
    "source": "llmAgentflow_2",
    "sourceHandle": "llmAgentflow_2-output-llmAgentflow",
    "target": "customFunctionAgentflow_1",
    "targetHandle": "customFunctionAgentflow_1",
    "data": {
      "sourceColor": "#64B5F6",
      "targetColor": "#E4B7FF",
      "isHumanInput": false
    },
    "type": "agentFlow",
    "id": "llmAgentflow_2-llmAgentflow_2-output-llmAgentflow-customFunc
  },
  {
    "source": "customFunctionAgentflow_1",
    "sourceHandle": "customFunctionAgentflow_1-output-customFunctionAgen
    "target": "llmAgentflow_3",
    "targetHandle": "llmAgentflow_3",
    "data": {
      "sourceColor": "#E4B7FF",
      "targetColor": "#64B5F6",
      "isHumanInput": false
    },
    "type": "agentFlow",
    "id": "customFunctionAgentflow_1-customFunctionAgentflow_1-output-cu
  },
  {
    "source": "llmAgentflow_3",
    "sourceHandle": "llmAgentflow_3-output-llmAgentflow",
    "target": "conditionAgentflow_1",
    "targetHandle": "conditionAgentflow_1",
    "data": {
      "sourceColor": "#64B5F6",
      "targetColor": "#FFB938",
      "isHumanInput": false
    },
    "type": "agentFlow",
    "id": "llmAgentflow_3-llmAgentflow_3-output-llmAgentflow-conditionAg

```

```

},
{
  "source": "conditionAgentflow_1",
  "sourceHandle": "conditionAgentflow_1-output-1",
  "target": "llmAgentflow_4",
  "targetHandle": "llmAgentflow_4",
  "data": {
    "sourceColor": "#FFB938",
    "targetColor": "#64B5F6",
    "edgeLabel": "1",
    "isHumanInput": false
  },
  "type": "agentFlow",
  "id": "conditionAgentflow_1-conditionAgentflow_1-output-1-llmAgentfl
},
{
  "source": "llmAgentflow_4",
  "sourceHandle": "llmAgentflow_4-output-llmAgentflow",
  "target": "directReplyAgentflow_0",
  "targetHandle": "directReplyAgentflow_0",
  "data": {
    "sourceColor": "#64B5F6",
    "targetColor": "#4DDDBB",
    "isHumanInput": false
  },
  "type": "agentFlow",
  "id": "llmAgentflow_4-llmAgentflow_4-output-llmAgentflow-directReply
},
{
  "source": "conditionAgentflow_1",
  "sourceHandle": "conditionAgentflow_1-output-0",
  "target": "customFunctionAgentflow_2",
  "targetHandle": "customFunctionAgentflow_2",
  "data": {
    "sourceColor": "#FFB938",
    "targetColor": "#E4B7FF",
    "edgeLabel": "0",
    "isHumanInput": false
  },
  "type": "agentFlow",
  "id": "conditionAgentflow_1-conditionAgentflow_1-output-0-customFunc
},
{
  "source": "customFunctionAgentflow_2",
  "sourceHandle": "customFunctionAgentflow_2-output-customFunctionAgen
  "target": "llmAgentflow_5",
  "targetHandle": "llmAgentflow_5",
  "data": {
    "sourceColor": "#E4B7FF",
    "targetColor": "#64B5F6",
    "isHumanInput": false
  },
  "type": "agentFlow",
  "id": "customFunctionAgentflow_2-customFunctionAgentflow_2-output-cu

```

```

    },
    {
      "source": "llmAgentflow_5",
      "sourceHandle": "llmAgentflow_5-output-llmAgentflow",
      "target": "customFunctionAgentflow_3",
      "targetHandle": "customFunctionAgentflow_3",
      "data": {
        "sourceColor": "#64B5F6",
        "targetColor": "#E4B7FF",
        "isHumanInput": false
      },
      "type": "agentFlow",
      "id": "llmAgentflow_5-llmAgentflow_5-output-llmAgentflow-customFunctionAgentflow_3",
      "selected": false
    },
    {
      "source": "customFunctionAgentflow_3",
      "sourceHandle": "customFunctionAgentflow_3-output-customFunctionAgentflow_3",
      "target": "llmAgentflow_6",
      "targetHandle": "llmAgentflow_6",
      "data": {
        "sourceColor": "#E4B7FF",
        "targetColor": "#64B5F6",
        "isHumanInput": false
      },
      "type": "agentFlow",
      "id": "customFunctionAgentflow_3-customFunctionAgentflow_3-output-llmAgentflow_6"
    }
  ],
  "viewport": {
    "x": -20.45611447308363,
    "y": 213.80724086669738,
    "zoom": 0.6010209424541361
  }
}

```