Survey Report

Job name	cadiOb
Creation date	5 Apr 2024
Version	Trimble General Survey 3.21
Distance Units	Meters
Angle units	Gons
Pressure Units	mbar
Temperature Units	Celsius

Coordinate system (Job)

System	
Zone	
Datum	

Projection

Projection	Transverse Mercator
Origin lat	0°00'00.00000"N
Origin long	21°00'00.00000"E
False northing	0.000
False easting	7500000.000
Scale	0.99990000
South azimuth (grid)	No
Grid coords	Increase North-East
Ellipsoid	Semi-major axis: 6378137.000 Flattening: 298.25722154

Local site

Type	Grid

Datum transformation

Type	None

Collected Field Data

Projection

Projection	Transverse Mercator
Origin lat	0°00'00.00000"N
Origin long	21°00'00.00000"E
False northing	0.000
False easting	7500000.000
Scale	0.99990000
Ellipsoid	Semi-major axis: 6378137.000 Flattening: 298.25722154

Local site

Type	Grid

Datum transformation

Type	None

Feature library

Library name	LIRIDON
Library File Name	LIRIDON.fxl
Attribute Support	No

Corrections

South azimuth (grid)	No
Grid coords	Increase North-East
Magnetic declination	0.0000
Distances	Grid
Neighborhood adjustment	Off

Point	SP1	**North**	4700556.037	**East**	7513506.891	**Elevation**	605.763	**Code**	
Point	SP2	**North**	4700539.638	**East**	7513482.182	**Elevation**	605.726	**Code**	
Point	SP3	**North**	4700637.225	**East**	7513519.316	**Elevation**	604.550	**Code**	

Instrument

Instrument type	Trimble VX/S Series
EDM Refractive Index	274.1
EDM Carrier Wavelength	79.3
Horizontal circle mode	Set to azimuth

Horizontal Angle Precision	0.0009
Vertical Angle Precision	0.0009
EDM precision	3mm +2ppm
EDM constant	0mm
Backsight centering error	0.003

Instrument details

Model	S6 3 DR 300+
Serial number	92721070
Firmware version	R12.5.54
Horizontal collimation	-0.0007
Vertical collimation	0.0001
Trunnion axis tilt correction	-0.0017

Atmosphere

Pressure	957.10mbar	**Temperature**	10.0°C	**ppm**	6.0				
Curvature correction	Yes	**Refraction correction**	Yes	**Refraction const.**	0.142				

Station setup

Station	st1	**Instrument height**	0.000	**Station type**	Resection (Standard)	**Scale factor**	1.00000000	**Std Error**	?

Orientation

Station	st1	**Backsight point**	SP1	**F1 Orientation correction**	0.0000	**F2 Orientation correction**	?	**Orient. Std Err**	0.0140

Point (B.S.)	SP1	**HA**	191.0137	**VA**	101.5570	**SD**	36.232	**Code**	
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	0.100	**Prism constant**	-7.0mm						
Point (B.S.)	SP2	**HA**	222.9080	**VA**	101.0568	**SD**	55.810	**Code**	
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	0.100	**Prism constant**	-7.0mm						
Point (B.S.)	SP3	**HA**	23.4368	**VA**	102.7683	**SD**	48.663	**Code**	
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	0.100	**Prism constant**	-7.0mm						
Point	st1	**North**	4700591.869	**East**	7513501.816	**Elevation**	606.754	**Code**	
Resection	st1	**Std Error (N)**	0.013	**Std Error (E)**	0.011	**Std Error (El)**	0.005		

Residuals (Station)

Point	SP1	**ΔN**	0.015	**ΔE**	-0.019	**ΔElev**	-0.005	**Used for**	Horizontal+Vertical
		ΔHA	0.0292	**ΔVA**	0.0100	**ΔSD**	-0.018		
Point	SP2	**ΔN**	-0.018	**ΔE**	0.009	**ΔElev**	-0.002	**Used for**	Horizontal+Vertical
		ΔHA	-0.0172	**ΔVA**	0.0020	**ΔSD**	0.014		
Point	SP3	**ΔN**	0.012	**ΔE**	0.009	**ΔElev**	0.011	**Used for**	Horizontal+Vertical
		ΔHA	0.0057	**ΔVA**	-0.0151	**ΔSD**	0.014		

Point	1023	**HA**	324.8559	**VA**	100.6964	**SD**	66.871	**Code**	perdhese perdhese
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	0.100	**Prism constant**	-7.0mm						
Point	1024	**HA**	324.8344	**VA**	100.7357	**SD**	66.867	**Code**	perdhese perdhese
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	2.300	**Prism constant**	2.0mm						
Point	1025	**HA**	324.8406	**VA**	100.7361	**SD**	66.896	**Code**	themel
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	2.300	**Prism constant**	2.0mm						
Point	1026	**HA**	324.4860	**VA**	101.1507	**SD**	65.998	**Code**	pusetFeekkal
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	2.750	**Prism constant**	2.0mm						
Point	1027	**HA**	325.7036	**VA**	100.9359	**SD**	60.614	**Code**	themel
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	2.200	**Prism constant**	2.0mm						
Point	1028	**HA**	325.1241	**VA**	101.0060	**SD**	58.550	**Code**	shNdriqii
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		

Target height	2.200	**Prism constant**	2.0mm						
Point	1029	**HA**	326.2938	**VA**	100.9994	**SD**	57.237	**Code**	themel
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	2.200	**Prism constant**	2.0mm						
Point	1030	**HA**	326.5935	**VA**	101.2672	**SD**	57.074	**Code**	panell
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	2.200	**Prism constant**	2.0mm						
Point	1031	**HA**	329.2230	**VA**	101.5023	**SD**	46.665	**Code**	panell
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	0.100	**Prism constant**	-7.0mm						
Point	1032	**HA**	327.9036	**VA**	101.1154	**SD**	45.827	**Code**	shNdriqii
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	2.200	**Prism constant**	2.0mm						
Point	1033	**HA**	330.8110	**VA**	101.4638	**SD**	41.080	**Code**	themel
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	2.200	**Prism constant**	2.0mm						
Point	1034	**HA**	331.4965	**VA**	100.8140	**SD**	35.829	**Code**	shNdriqii
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	2.200	**Prism constant**	2.0mm						
Point	1035	**HA**	336.8015	**VA**	101.8366	**SD**	30.440	**Code**	themel
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	2.200	**Prism constant**	2.0mm						
Point	1036	**HA**	336.8870	**VA**	101.7593	**SD**	30.684	**Code**	panell
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	0.100	**Prism constant**	-7.0mm						
Point	1037	**HA**	373.9527	**VA**	97.3165	**SD**	47.777	**Code**	panell
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	2.200	**Prism constant**	2.0mm						
Point	1038	**HA**	374.7358	**VA**	97.6035	**SD**	48.545	**Code**	panell
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	2.200	**Prism constant**	2.0mm						
Point	1039	**HA**	372.4821	**VA**	97.3228	**SD**	46.375	**Code**	panell
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	2.200	**Prism constant**	2.0mm						
Point	1040	**HA**	358.6016	**VA**	98.3912	**SD**	37.120	**Code**	panell
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	2.200	**Prism constant**	2.0mm						
Point	1041	**HA**	358.5801	**VA**	98.3924	**SD**	37.111	**Code**	hyrje
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	2.200	**Prism constant**	2.0mm						
Point	1042	**HA**	350.1224	**VA**	97.6493	**SD**	33.856	**Code**	hyrje
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	0.000	**Prism constant**	0.0mm						
Point	1043	**HA**	336.3792	**VA**	90.2031	**SD**	30.950	**Code**	kulmi
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	0.000	**Prism constant**	0.0mm						
Point	1044	**HA**	360.8424	**VA**	92.1440	**SD**	38.644	**Code**	kulmi
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	0.000	**Prism constant**	0.0mm						
Point	1045	**HA**	334.8325	**VA**	93.3712	**SD**	32.772	**Code**	kulmi
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	0.000	**Prism constant**	0.0mm						
Point	1046	**HA**	334.8325	**VA**	94.2272	**SD**	34.025	**Code**	panell
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	0.000	**Prism constant**	0.0mm						
Point	1047	**HA**	360.9054	**VA**	97.0036	**SD**	38.384	**Code**	panell
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	0.000	**Prism constant**	0.0mm						
Point	1048	**HA**	374.6903	**VA**	97.0037	**SD**	48.566	**Code**	panell
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	0.000	**Prism**	0.0mm						

		constant							
Point	1049	**HA**	324.9272	**VA**	97.0034	**SD**	66.879	**Code**	panell
Std Errors		**HA**	0.0009	**VA**	0.0009	**SD**	0.003		
Target height	0.000	**Prism constant**	0.0mm						

Reduced points

Point	SP1	**North**	4700556.037	**East**	7513506.891	**Elevation**	605.763	**Code**	
Point	SP2	**North**	4700539.638	**East**	7513482.182	**Elevation**	605.726	**Code**	
Point	SP3	**North**	4700637.225	**East**	7513519.316	**Elevation**	604.550	**Code**	
Point	st1	**North**	4700591.869	**East**	7513501.816	**Elevation**	606.754	**Code**	
Point	1023	**North**	4700617.310	**East**	7513439.999	**Elevation**	605.923	**Code**	perdhese perdhese
Point	1024	**North**	4700617.291	**East**	7513439.987	**Elevation**	603.682	**Code**	perdhese perdhese
Point	1025	**North**	4700617.308	**East**	7513439.962	**Elevation**	603.681	**Code**	themel
Point	1026	**North**	4700616.624	**East**	7513440.659	**Elevation**	602.811	**Code**	pusetFeekkal
Point	1027	**North**	4700615.676	**East**	7513446.091	**Elevation**	603.663	**Code**	themel
Point	1028	**North**	4700614.374	**East**	7513447.781	**Elevation**	603.629	**Code**	shNdriqii
Point	1029	**North**	4700614.836	**East**	7513449.407	**Elevation**	603.656	**Code**	themel
Point	1030	**North**	4700615.015	**East**	7513449.668	**Elevation**	603.418	**Code**	panell
Point	1031	**North**	4700612.533	**East**	7513460.007	**Elevation**	605.553	**Code**	panell
Point	1032	**North**	4700611.313	**East**	7513460.333	**Elevation**	603.751	**Code**	shNdriqii
Point	1033	**North**	4700610.976	**East**	7513465.468	**Elevation**	603.610	**Code**	themel
Point	1034	**North**	4700608.877	**East**	7513470.290	**Elevation**	604.096	**Code**	shNdriqii
Point	1035	**North**	4700608.493	**East**	7513476.336	**Elevation**	603.676	**Code**	themel
Point	1036	**North**	4700608.656	**East**	7513476.161	**Elevation**	605.806	**Code**	panell
Point	1037	**North**	4700635.657	**East**	7513482.829	**Elevation**	606.568	**Code**	panell
Point	1038	**North**	4700636.603	**East**	7513483.069	**Elevation**	606.381	**Code**	panell
Point	1039	**North**	4700633.936	**East**	7513482.409	**Elevation**	606.504	**Code**	panell
Point	1040	**North**	4700621.399	**East**	7513479.354	**Elevation**	605.492	**Code**	panell
Point	1041	**North**	4700621.385	**East**	7513479.349	**Elevation**	605.491	**Code**	hyrje
Point	1042	**North**	4700615.834	**East**	7513477.943	**Elevation**	608.004	**Code**	hyrje
Point	1043	**North**	4700608.407	**East**	7513476.096	**Elevation**	611.498	**Code**	kulmi
Point	1044	**North**	4700623.184	**East**	7513479.691	**Elevation**	611.511	**Code**	kulmi
Point	1045	**North**	4700608.823	**East**	7513473.985	**Elevation**	610.160	**Code**	kulmi
Point	1046	**North**	4700609.494	**East**	7513472.883	**Elevation**	609.835	**Code**	panell
Point	1047	**North**	4700623.199	**East**	7513479.727	**Elevation**	608.560	**Code**	panell
Point	1048	**North**	4700636.589	**East**	7513483.037	**Elevation**	609.039	**Code**	panell
Point	1049	**North**	4700617.358	**East**	7513440.079	**Elevation**	609.901	**Code**	panell