R. Notebook

Import Libraries

```
library(tidyverse)
## -- Attaching core tidyverse packages ----- tidyverse 2.0.0 --
## v dplyr
           1.1.4
                        v readr
                                    2.1.5
## v forcats 1.0.0
                        v stringr
                                    1.5.1
## v ggplot2 3.5.0
                        v tibble
                                    3.2.1
## v lubridate 1.9.3
                        v tidyr
                                    1.3.1
## v purrr
              1.0.2
## -- Conflicts ----- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()
                    masks stats::lag()
## i Use the conflicted package (<a href="http://conflicted.r-lib.org/">http://conflicted.r-lib.org/</a>) to force all conflicts to become error
library(ggplot2)
library(psych)
##
## Attaching package: 'psych'
## The following objects are masked from 'package:ggplot2':
##
##
      %+%, alpha
library(dplyr)
```

Load our Data

```
data <- read.csv("assets/StudentsPerformance.csv")</pre>
data%>%head()
```


```
gender race.ethnicity parental.level.of.education
##
                                                               lunch
## 1 female
                  group B
                                    bachelor's degree
                                                            standard
## 2 female
                   group C
                                          some college
                                                            standard
## 3 female
                                       master's degree
                                                            standard
                   group B
## 4
      male
                   group A
                                    associate's degree free/reduced
## 5
      male
                   group C
                                          some college
                                                            standard
                   group B
## 6 female
                                    associate's degree
                                                            standard
    test.preparation.course math.score reading.score writing.score
```

```
72
                                                     72
                                                                    74
## 1
                         none
## 2
                                       69
                                                     90
                                                                    88
                   completed
## 3
                         none
                                                                    93
                                       90
                                                     95
## 4
                                       47
                                                     57
                                                                    44
                         none
## 5
                         none
                                       76
                                                     78
                                                                    75
## 6
                                       71
                                                     83
                                                                    78
                         none
ndata<-mutate(data,mean=(`math.score`+`reading.score`+`writing.score`)/3) #mean of three score</pre>
table(data$parental.level.of.education)
##
## associate's degree bachelor's degree
                                                  high school
                                                                  master's degree
##
                                                           196
                                                                                59
                   222
                                       118
##
         some college
                         some high school
##
                   226
                                       179
table(data$lunch)
##
## free/reduced
                     standard
##
            355
                          645
```


Comparing the Reading and Writing Scores again Math Scores


```
girl_data<-data%>%filter(gender=='female')
boy_data<-data%>%filter(gender=='male')
ggplot()+
   geom_point(girl_data,mapping=aes(`math.score`,`reading.score`,color='female'))+
   geom_point(boy_data,mapping=aes(`math.score`,`reading.score`,color='male'))+labs(title='Math and Read
```






```
ggplot()+
  geom_point(girl_data,mapping=aes(`math.score`,`writing.score`,color='female'))+
  geom_point(boy_data,mapping = aes(`math.score`,`writing.score`,color='male'))+labs(title='Math and Wr
```





Now we comparing Reading and Writing Scores

```
ggplot()+
  geom_point(girl_data, mapping=aes(`reading.score`,`writing.score`,color='female'),alpha=1/2)+
  geom_point(boy_data, mapping = aes(`reading.score`,`writing.score`,color='male'),alpha=1/2)+labs(title
```



pairs.panels(data[6:8])

