**Address:**

Edward-Mugalu Road,
Mpererwe, Kampala

P.O. BOX 75246,
Clock Tower,
Kampala, Uganda.

Contact:

+256 774802292

+256 757612154



Variables

A variable is a way of storing numbers and/or text. A common example of a variable is a Score in a game.


Basic Calculator

Aim


To create a calculator in scratch.

Let's get started!!!


You can make your own variables and choose whether they show on the Stage.



Click on Variables in the Code tab, then click on Make a Variable.



Type in the name of your variable. In this case, name the first variable Operation. Press OK.



Operation is going to refer to what kind of calculation the user wants to make. In this case its $+$ $-$ $*$ and $/$.

Once you have created the variable, it will be displayed on the Stage, or you can untick the variable in the Scripts tab to hide it.

Then create other three variables and name them: Answer, number1 and number2 respectively. The

numbers are the ones to be multiplied, subtracted, divided or added.

Tip: Variables on the Stage always appear in a layer above all of the sprites. If you have a moving sprite, the sprite will go under any variables on the Stage.


Go to events and drag when green flag clicked.



Setting a start value

If your variable should have the same starting value every time your project is run, then add a script to set it. Drag the set blocks from the variables you have made as shown below. Go to sensing and choose the command ask and wait as shown below.

For this case, the start value is the one we shall enter, and it will be stored in the answer block



Tip: The “ask” block asks a question and when the question is answered, it is stored in a block called “answer”. It is also found in the sensing pallet.

Go to control and drag the if then code block.




Go to operation and choose the command which has equal signs.



Then drag operation form variable into the command above plus an addition sign as shown below.




Go to looks and choose a command which says say for 2 seconds, then go to operators and get the addition operator.



Finally go to the data and choose variables number1 and number2 as shown below

Repeat procedures shown below in the code snippet.



Finally enclose the code with forever loop such the code is run forever. Click the green flag and see what happens.

