ESM201-assignment2

Geoffrey Cook
3/5/2019


```
# Reading in data and setting up libraries
library(tidyverse)
## -- Attaching packages --
## v ggplot2 3.1.0 v purr 0.2.5
## v tibble 1.4.2 v dplyr 0.7.6
## v tidyr 0.8.1 v stringr 1.3.1
## v readr
            1.1.1
                      v forcats 0.3.0
## -- Conflicts -----
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()
                     masks stats::lag()
grain <- read_csv("grain.csv")</pre>
## Parsed with column specification:
## cols(
##
     year = col_integer(),
## commodity = col_character(),
## acres_planted = col_double(),
    acres_harvested = col_double(),
##
   production = col_number(),
     yield = col_double(),
     price_per_bushel = col_double()
##
## )
fertilizer <- read_csv("fertilizer.csv")</pre>
## Parsed with column specification:
## cols(
##
     year = col_integer(),
     crop = col_character(),
    fertilizer = col_character(),
##
     ppa = col_integer()
## )
library(RColorBrewer)
grains_yield <- grain %>%
  select(year, yield, commodity) %>%
  group_by(commodity)
corn_yield_simple <- grains_yield %>%
  filter(commodity == "Corn")
grains_plot <- ggplot(grains_yield, aes(x = year, y = yield)) +</pre>
  geom_line(aes(color = commodity)) +
  facet_wrap("commodity") +
```

```
theme_classic() +
    xlab("Year") +
    ylab("Yield (bushels/acre)") +
    ggtitle("Yield of Barley, Corn, Oats, and Sorghum from 1866 to 2018") +
    theme(plot.title = element_text(hjust = 0.5)) +
    theme(legend.title=element_blank())

grains_plot
```

Warning: Removed 10 rows containing missing values (geom_path).

Yield of Barley, Corn, Oats, and Sorghum from 1866 to 2018




```
fertilizer_simple <- fertilizer %>%
  group_by(crop)

fertilizer_plot <- ggplot(fertilizer_simple, aes(x = year, y = ppa)) +
  geom_point(aes(color = fertilizer)) +
  facet_wrap("crop", ncol = 1, scale = "free_x") +
  theme_classic() +
  xlab("Year") +
  ylab("Fertilizer Application (pounds/acre)") +
  ggtitle("Nutrient Loading by Crop") +
  theme(plot.title = element_text(hjust = 0.5)) +
  scale_x_continuous() +
  scale_y_continuous() +
  theme(legend.title=element_blank())</pre>
```

Warning: Removed 76 rows containing missing values (geom_point).

Nutrient Loading by Crop



```
# Creating a simplified of to represent just corn yield by year
fertilizer_corn <- grain %>%
  filter(commodity == "Corn") %>%
  select(year, commodity, yield)
# Join both df's by year so that one df has year, type of fertilizer applied to corn in that year, the
fertilizer_merge <- merge(fertilizer_simple, corn_yield_simple, by="year") %>%
  group by(fertilizer) %>%
  filter(crop == "Corn") %>%
  select(year, fertilizer, ppa, yield)
# Visualizing with a graph
corn_plot <- ggplot(fertilizer_merge, aes(x = ppa, y = yield)) +</pre>
  geom_point(aes(color = year)) +
  scale_color_gradient(low = "green3", high = "red") +
  facet_wrap("fertilizer", scale = "free_x", ncol = 1) +
  theme_classic() +
  geom_smooth(method = "lm") +
  xlab("Fertilizer Added (pounds/acre)") +
  ylab("Yield (bushels/acre)") +
  ggtitle("Corn Yields through Time by Fertilizer Application Type") +
  theme(plot.title = element_text(hjust = 0.5)) +
  scale y continuous() +
  theme(legend.title=element_blank())
corn_plot
```

- ## Warning: Removed 27 rows containing non-finite values (stat_smooth).
- ## Warning: Removed 27 rows containing missing values (geom_point).

Corn Yields through Time by Fertilizer Application Type

