

Winemaker's Record Keeper 1.0

Table of Contents

Author.....	1
Change log.....	1
Installation and Setup.....	2
Setup - Resource Codes.....	3
Resource Data Setup.....	3
Setup – Inventory.....	5
Asset Management.....	5
Support and Help.....	6
Appendix 1.....	7
Custom Installation.....	7

Author

George Owen

Change log

Version	Date	Editor	Notes
1.0.0	May 2025	geo	


Installation and Setup

The installation file will be a standard Windows install file with a name similar to “**WinemakerRecordKeeper-1.0.0.msi**”. The user account performing the install needs to have authority to install software.

After installation, setup consists of a single decision made the first time the application is started. If you’re not sure which option to take, accept the default..





Figure 1:
Desktop Icon



If **Yes** is selected, application files will be created in default locations.

If **No** is selected, the user is prompted for the location of the primary application files and for the backup files. See Appendix 1 for further discussion of this option.




Setup - Resource Codes

Various windows in the application provide lists of options.


The application comes with a default set of resource codes to populate the selection lists. Before starting to add data into the application, the default set of codes should be customized to reflect the resources actually in use.

Resource Data Setup

Go to the **Admin** menu to open the resource management feature.



This will open a new window for **Resource Codes Management**. Click on **Code Categories** to see the available categories. A good category to start with is “Grape Varietals”.



You will see the default list of grapes that exist in the application. Add the grapes you expect to work with and delete the ones that won't be used. The **Option Code** is limited to 8 characters. It's never visible in the application, so being cryptic is ok, it only has to be unique. For example, “crnell” = “Carnellian”.

Review the other categories and make the appropriate changes:

- Blend names
- Fermentation Additives
- Fermentation Container
- Fermentation Yeast Variety
- Inventory Item
- Inventory Supplier Name
- Source Vendor Name
- Source Vineyard
- Stock Removal Reason
- Test Name

Setup – Inventory

Asset Management

The application stores certain things as inventory assets, like fermentation containers and additives. You can function without adding yeasts and additives, but containers are required. Go to the Manage Inventory task to start setting up inventory assets.

The **+** button switches to purchase mode. Capital items like carboys or aging tanks need an id. Use what makes sense to you. The id length is limited to 16 characters.

The image displays two side-by-side screenshots of the 'Winemaker's Logging Application' interface, specifically the 'Asset Management' section.


Left Screenshot: The 'Update Reason' dropdown menu is open, showing a '+' button. A tooltip labeled 'Switch to asset purchase' is visible. The 'Item Name / ID' dropdown is set to 'Select Item'. The 'Qty on Hand', 'Remove from Stock', and 'Batch Id' fields are empty. The 'Update Reason' dropdown is set to 'Update Reason'. The 'Submit' and 'Home' buttons are at the bottom.

Right Screenshot: The 'Type' dropdown is set to 'Hungarian Oak Barrel 50 Liter'. The 'Purchase Date' field is set to '5/12/2022'. The 'ID (optional)' field is set to 'HOBRL50L01'. The 'Count' field is set to '1'. The 'Cost' field is set to '450'. The 'Sizing (optional)' field is empty. The 'Supplier' dropdown is set to 'Midwest Supplies'. The 'Submit' and 'Home' buttons are at the bottom.

Support and Help

This application is provided as-is. Feel free to contact the author with any questions or suggestions you might have, but keep your expectations low.

If the author responds, he may ask you to send in the debugging log.



Appendix 1


Custom Installation

The installation process asks whether the user wants to use default settings or not. This section explains what a custom installation looks like and why it might be chosen.

By default, the initialization and data files of the application are placed in common locations in the local environment. This is suitable for a single-user environment, but what if there are multiple people who will be users of the application? A custom installation can address this requirement.

The application provides the ability to create backups of the data files. By default the backups will reside in the local environment. However, general data security guidelines suggest storing backups in a different physical location. A custom installation can also address this requirement.

Here is the network environment for a system that has 4 possible locations for the installation files.



The options are:

1. Store the installation files locally, represented by the laptop.
2. Store the files in the cloud. OneDrive on Windows, or cloud-based Box or DropBox. This option allows multiple users to access the files from any system that has access to that cloud-based folder.
3. Store the files on a locally connected USB device. Storing the data files on a separate device carries some risk, in that the device needs to be connected for the application to work. However, this option works well for storing backups, as the device can be physically stored in a separate location. Storing the backups on a portable device like this also provides the ability to move the application to a new environment without the need for network access to existing files. The application can create new data files by referencing a data backup, that resides on some USB memory stick.
4. And finally, store the files on a NAS device. A NAS device, or Network Attached Storage, is a storage unit that is attached to the local network, probably to your home router.

The installation sequence will ask for a network location for the data files, and a network location for the backup files. It is then up to the user to select appropriate target folders for each.