


Winemaker's Record Keeper 1.0

Installation and Setup



The installation file will be a standard Windows install file with a name similar to “**WinemakerRecordKeeper-1.0.0.msi**”. The user account performing the install needs to have authority to install software.

After installation, setup decisions are made the first time the application is started.



If the response is **Yes**, application data files will be created in default locations.

If the response is **No**, select a location for the primary application files and then a location for the backup files. See Appendix 1 for further discussion of this option.




Setup - Resource Codes

Various windows in the application provide lists of options.


The application comes with a default set of resource codes to populate the selection lists. Before starting to add data into the application, the default set of codes should be customized to reflect the resources actually in use.

Resource Data Setup

Go to the **Admin** menu to open the resource management feature.



This will open a new window for **Resource Codes Management**. Click on **Code Categories** to see the available categories. A good category to start with is “Grape Varietals”.



Add the grapes you work with and delete the ones that won't be used.

Review the other categories and make the appropriate changes:

- Blend names
- Fermentation Additives
- Fermentation Container
- Fermentation Yeast Variety
- Inventory Item
- Inventory Supplier Name
- Source Vendor Name
- Source Vineyard
- Stock Removal Reason
- Test Name

Setup – Inventory

Asset Management

The application stores certain things as inventory assets, like fermentation containers and additives. You can function without adding yeasts and additives, but asset entries for containers are required. Go to **Admin** → **Common Tasks** → **Manage Inventory** to start setting up inventory assets.

The **+** button switches to purchase mode. Capital items like carboys or aging tanks need an id. Use what makes sense to you, but note that the id length is limited to 16 characters.

The image displays two screenshots of the 'Winemaker's Logging Application' Asset Management window, illustrating the transition between update and purchase modes.

Left Screenshot (Update Mode):

- Title: Asset Management
- Item Name / ID: Select Item (dropdown)
- Qty on Hand: [text input]
- Remove from Stock: [text input]
- Batch Id: [text input]
- Update Reason: Update Reason (dropdown)
- Buttons: + (highlighted), Switch to asset purchase (tooltip), Submit, Home

Right Screenshot (Purchase Mode):




- Title: Asset Management
- Type: Hungarian Oak Barrel 50 Liter (dropdown)
- Purchase Date: 5/12/2022 (calendar icon)
- ID (optional): HOBRL50L01 (text input)
- Count: 1 (text input)
- Cost: 450 (text input)
- Sizing (optional): [text input]
- Supplier: Midwest Supplies (dropdown)
- Buttons: Submit, Home

The update window is primarily used for updating the stock on hand. Either the current amount of some additive needs adjusted, or a capital item like a carboy has been sold (or broken...) and needs to be removed from stock.

Support and Help

This application is provided as-is. Feel free to contact the author with any questions or suggestions you might have, but keep your expectations low.

If the author responds, he may ask you to send in the debugging log.



Appendix 1

Custom Installation

The application's initialization process asks whether the user wants to use default settings or not. This section explains what a custom installation looks like and why it might be a good option.

By default, the data files of the application are placed in common locations in the local Windows environment. This is suitable for a single-user environment. If there are multiple users, a custom installation is required. In that event, both the data folder and the backup folder need to be accessible by all users. If this installation is for a single user, the configuration example shown below would suffice, with the data folder on the local device and the backup folder on a network/cloud drive.

*** Note:** if performing a custom installation, create the parent folders before starting the application. For example, select these folders during installation:

- **C:/Users/geo/Documents/Apps** (main data folder, on your laptop, for example)
- **C:/Users/waldo/Box/AppBackups/** (backup folder, on a network device)

The install process will create its own subfolders in these locations:

C:/Users/geo/Documents/Apps

- **/WinemakerApp**
- ... (other applications)

C:/Users/waldo/Box/AppBackups/

- **/WinemakerAppBackup**
- ... (other applications)

Some options for where the data could be stored:

1. Locally on your laptop.
2. Use OneDrive on Windows, or cloud-based Box, DropBox or Google Drive. This option allows multiple users access to the files from any system that has access to that cloud-based folder.
3. On a locally connected USB device. Storing the data files on a separate device carries some risk, in that the device needs to be connected for the application to work. However, this option works well for storing backups, as the device can be physically stored in a separate location.
4. On a network device.